2151

Section **A** for the entry of

PY FOR OFFICIAL USE.

AIR MINISTRY

ORGANIZATION.

FORM 1090.

REGIST

Kept at Sharpness

in the County of Glouc

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to t

year in the space on the right of this

llowing

Jan. 1, following

2151

SHARPNESS

1931—40

780402

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	-	·02	Tr.	·28	·02	·16	-	-	·58	·10	-	-	1
2	-	-	-	·82	-	Tr.	-	-	1·10	-	·10	·34	2
3	-	-	·02	·10	-	-	·09	·75	·37	·01	1·85	·24	3
4	-	-	·19	-	·01	-	·43	1·39	-	-	·02	·05	4
5	-	·08	-	·07	-	1·16	-	-	-	·01	·04	·45	5
6	-	·11	-	·22	-	·05	-	-	-	·21	·20	·65	6
7	-	·02	-	-	-	·09	·20	·70	-	·14	·11	·04	7
8	-	·02	-	·02	-	·31	-	·40	-	-	·04	-	8
9	-	·08	-	·01	-	·50	·07	-	-	-	·53	-	9
10	·18	·10	-	-	-	·04	-	-	-	-	·47	-	10
11	·02	·28	-	-	-	·08	-	-	-	-	·40	-	11
12	-	·21	-	-	-	-	·84	·04	-	·03	-	-	12
13	-	·02	·02	-	·06	-	·02	-	-	-	-	-	13
14	-	-	-	-	·12	·78	·50	·79	·25	-	·23	-	14
15	-	·12	-	·02	·30	-	·14	1·23	·08	-	-	·05	15
16	·02	·18	-	·06	·51	·80	-	-	·20	-	-	-	16
17	·05	·18	-	·02	·19	-	·25	·34	-	-	·11	-	17
18	-	·02	Tr.	·18	Tr.	·14	-	·56	-	-	·23	-	18
19	·03	-	-	·20	-	·08	-	·03	-	-	-	-	19
20	·01	·01	·25	-	-	-	-	·90	-	-	-	-	20
21	·22	-	-	-	·36	-	-	-	-	-	-	-	21
22	·40	-	-	-	1·07	-	-	-	-	-	-	-	22
23	·20	-	-	·33		-	-	-	-	-	·76	-	23
24	-	-	-	·27	·02	·09	·30	-	-	-	Tr.	-	24
25	·11	-	-	·14	-	-	·30	-	-	-	·12	-	25
26	-	·02	-	-	·02	-	·29	-	-	-	·33	-	26
27	·14	·44	-	-	·53	-	·02	-	-	-	·62	-	27
28	-	Tr.	·02	·10	·01	-	-	-	-	-	-	·32	28
29	·14	×	·01	-	·01	-	-	-	-	-	·16	-	29
30	-	×	-	·01	·03	-	·17	-	-	-	-	-	30
31	·51	×	-	×	·35	×	-	·01	×	-	×	·12	31
TOTAL	2·03	1·91	·51	2·85	3·61	4·28	3·62	7·14	2·58	·50	6·32	2·26	YEAR'S TOTAL 37·61
*Days with ·01 in. or more.	13	17	6	17	17	13	14	12	6	6	18	9	148
*Days with ·04 in. or more.	9	10	2	12	10	13	12	10	6	3	17	9	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2151

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sharpness

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	Tr.	·28	·02	·16	-	-	·58	·10	-	-	1
2	-	-	-	·82	-	Tr.	-	-	1·10	-	·10	·34	2
3	-	-	·02	·10	-	-	·09	·75	·37	·01	1·85	·24	3
4	-	-	·19	-	·01	-	·43	1·39	-	-	·02	·05	4
5	-	·08	-	·07	-	1·16	-	-	-	·01	·04	·45	5
6	-	·11	-	·22	-	·05	-	-	-	·21	·20	·65	6
7	-	·02	-	-	-	·09	·20	·70	-	·14	·11	·04	7
8	-	·02	-	·02	-	·31	-	·40	-	-	·04	-	8
9	-	·08	-	·01	-	·50	·07	-	-	-	·53	-	9
10	·18	·10	-	-	-	·04	-	-	-	-	·47	-	10
11	·02	·28	-	-	-	·08	-	-	-	-	·40	-	11
12	-	·21	-	-	-	-	·84	·04	-	·03	-	-	12
13	-	·02	·02	-	·06	-	·02	-	-	-	-	-	13
14	-	-	-	-	·12	·78	·50	·79	·25	-	·23	-	14
15	-	·12	-	·02	·30	-	·14	1·23	·08	-	-	·05	15
16	·02	·18	-	·06	·51	·80	-	-	·20	-	-	-	16
17	·05	·18	-	·02	·19	-	·25	·34	-	-	·11	-	17
18	-	·02	Tr.	·18	Tr.	·14	-	·56	-	-	·23	-	18
19	·03	-	-	·20	-	·08	-	·03	-	-	-	-	19
20	·01	·01	·25	-	-	-	-	·90	-	-	-	-	20
21	·22	-	-	-	·36	-	-	-	-	-	-	-	21
22	·40	-	-	-	} 1·07	-	-	-	-	-	-	-	22
23	·20	-	-	·33		-	-	-	-	-	·76	-	23
24	-	-	-	·27	·02	·09	·30	-	-	-	Tr.	-	24
25	·11	-	-	·14	-	-	·30	-	-	-	·12	-	25
26	-	·02	-	-	·02	-	·29	-	-	-	·33	-	26
27	·14	·44	-	-	·53	-	·02	-	-	-	·62	-	27
28	-	Tr.	·02	·10	·01	-	-	-	-	-	-	·32	28
29	·14	X	·01	-	·01	-	-	-	-	-	·16	-	29
30	-	X	-	·01	·03	-	·17	-	-	-	-	-	30
31	·51	X	-	X	·35	X	-	·01	X	-	X	·12	31
TOTAL	2·03	1·91	·51	2·85	3·61	4·28	3·62	7·14	2·58	·50	6·32	2·26	YEAR'S TOTAL 37·61
*Days with ·01 in. or more.	13	17	6	17	17	13	14	12	6	6	18	9	148
*Days with ·04 in. or more.	9	10	2	12	10	13	12	10	6	3	17	9	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sharpness

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

July low.

~~days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	–	·08	1·26	–	·02	·49	·09	·11	·01	–	1
2	·07	–	–	·19	·01	–	–	·01	·34	·01	·01	·28	2
3	–	–	–	·21	–	Tr.	–	–	·03	–	Tr.	·02	3
4	·12	–	–	·22	–	–	–	–	·04	–	·74	–	4
5	2·20 x x	–	·08	Tr.	Tr.	–	–	–	·06	–	–	–	5
6		–	·07	·07	–	–	·07	–	·19	–	–	–	6
7	·72	–	·30	·05	·34	–	–	–	·20	·62	–	–	7
8	·33	–	–	·03	Tr.	–	–	–	·85	·33	–	–	8
9	·02	–	–	·06	·07	–	–	–	–	–	–	–	9
10	·05	–	Tr.	·10	·01	–	–	–	–	·24	–	–	10
11	·35	–	–	–	·02	·01	·10	–	·06	·01	–	·02	11
12	·45	–	–	–	·07	–	·03	·02	·19	·19	·01	·02	12
13	·13	–	–	·19	·31	–	–	·08	–	·30	·02	·23	13
14	·23	–	–	·07	·02	–	–	·30	–	·03	Tr.	·07	14
15	·16	–	–	·10	·27	–	–	–	–	·05	·05	·06	15
16	·11	–	–	·21	·23	–	–	–	–	–	–	–	16
17	·24	–	–	·11	–	–	–	–	–	·02	–	–	17
18	–	–	–	–	·20	–	–	–	·10	–	·30	–	18
19	–	–	–	·41	·23	–	–	–	·05	·22	Tr.	–	19
20	–	–	–	·10	1·54	–	–	·17	–	·73	·10 4	–	20
21	–	–	–	·14	·27	–	–	1·50	–	·58	4	·09	21
22	–	–	·29	·17	·27	–	Tr.	–	–	·20	·08	·10	22
23	–	–	–	·01	·63	–	·05	–	·02	·38	·13	–	23
24	–	·01	–	·03	·49	–	·09	–	·03	·02	·02	–	24
25	–	–	–	·10	–	–	·04	–	·09	·33	·08	–	25
26	–	–	·31	·03	–	–	·05	–	–	·05	·01	–	26
27	–	–	·29	·35	·45	–	·10	–	–	·63	–	·05	27
28	–	–	·24	·04	·21	–	·13	·02	–	·01	–	·05	28
29	–	–	·39	·09	·13	–	·13	·30	·20	·35	·02	·23	29
30	–	×	·08	·07	–	1·55	·02	–	·57	·03	·87	·02	30
31	–	×	·11	×	–	×	·29	–	×	–	×	·78	31
TOTAL	5·27	·01	2·16	3·23	7·03	1·56	1·12	2·89	3·11	5·44	2·45	2·02	YEAR'S TOTAL 36·29
*Days with ·01 in. or more.	–16	1	10	26	21	2	13	9	17	23	–16	14	168
*Days with .04 in. or more.	–15	–	10	22	17	1	10	6	14	16	– 9	10	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Cullis

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sharpness

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·40	·46	·02	-	·06	-	-	-	-	·15	-	-		1
2	·41	-	·60	-	·12	-	-	-	-	-	-	-		2
3	·06	·08	·50	-	·05	-	-	-	-	-	-	-		3
4	·11	·02	·35	-	·28	T	-	-	-	-	-	-		4
5	·10	·06		-	·02	-	-	-	-	-	-	-		5
6	·02	·32	·01	-	·43	-	-	-	-	-	-	-		6
7	·08	·07	-	-	·01	T	-	-	-	·30	-	-		7
8	·02	·01	-	-	·05	·12	·61	-	-	-	-	-		8
9	-	·03	-	-	-	-	·36	-	-	·50	·09	-		9
10	-	·08	-	-	-	-	-	-	-	1·50	-	-		10
11	·18	-	-	-	-	·16	-	·11	-	·03	-	-		11
12	·04	-	-	-	-	-	·16	-	·41	·01	-	-		12
13	-	-	-	-	-	·03	·23	-	·08	·09	·19	-		13
14	·54	-	-	-	-	-	·02	·05	-	·19	·45	-		14
15		-	·12	-	-	-	·11	·03	-	·02	-	-		15
16	·07	-	·80	-	-	·03	·32	·09	·02	·01	·03	-		16
17	·09	-	·20	-	-	T	-	·10	-	-	·02	T		17
18	·04	-	·59	-	-	-	-	-	-	-	·04	-		18
19	T	-		T	-	-	-	-	·03	-	·34	-		19
20	-	·01	·02	-	-	·03	-	-	-	-	-	-		20
21	-	·06	-	-	·23	·23	-	·15	-	-	-	-		21
22	-	·02	-	-	-	·10	-	·52	·15	·14	-	-		22
23	-	snow ·69	-	·28	-	·78	-	-	·10	·15	-	-		23
24	-	snow ·23	-	·38	-		-	-	·08	·50	-	-		24
25	-	1·36	-	·15	·10	·31	-	-	·57	-	-	·11		25
26	-		-	·05	·60	-	-	-	1·30	-	-	-		26
27	-	·01	-	-	1·38	-	-	-	·09	·10	-	·01		27
28	-	·02	-	·38	-	-	-	-	-	-	-	·01		28
29	-	X	·03	·05	-	-	·02	-	-	-	-	·02		29
30	·10	X	·03	·02	·65	-	·03	-	-	-	-	·28		30
31	·87	X	·06	X	-	X	-	-	X	·02	X			31
TOTAL	3·13	3·53	3·33	1·31	3·98	1·79	1·86	1·05	2·83	3·71	1·16	·43	Year's Total 28·11	
*Days with ·01 in. or more.	- 17	- 18	- 14	7	13	- 10	9	7	10	15	7	- 5	132	
*Days with ·04 in. or more.	- 14	- 11	- 9	6	11	- 7	6	6	8	10	5	- 2	95	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. Collis

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SHARPNESS

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	-	-	-	-	·33	·42	·01	·02	·89		1
2	·02	-	·02	-	·07	-	-	-	·75	·03	T	·34		2
3	·03	T	-	-	-	-	-	-	T	·10	·05	·16		3
4	·40	T	·06	-	·33	-	-	-	·12	·28	·03	·30		4
5	·01	-	·08	-	·03	-	-	·04	-	·12	·20	·70		5
6	·01	-	·19	·10	·51	-	-	·66	-	·15	-	·68		6
7	·01	·01	-	-	·01	-	-	·11	-	·25	·04	·41		7
8	T	-	-	-	·38	-	-	·07	-	-	·13	·19		8
9	·02	-	·02	-	-	-	-	·02	-	-	·57	·02		9
10	·10	-	·06	·16	-	-	-	·12	-	-	·19	·01		10
11	·95	-	·14	·44	-	-	·03	·17	-	-	-	·34		11
12	·05	-	·10	·02	·02	-	·17	·03	-	-	-	·06		12
13	·55	-	·05	·32	-	-	1·15	-	-	-	-	·39		13
14	·11	-	·31	·02	-	-	·03	-	-	·02	·12	·26		14
15	·02	-	·08	-	·14	-	-	-	·02	·03	·22	·08		15
16	·18	-	·47	-	·02	-	-	-	T	-	-	-		16
17	·15	-	-	·04	·05	-	-	-	·22	T	-	·29		17
18	·22	-	·08	·36	-	-	-	-	·01	-	-	·64		18
19	·02	-	·10	-	·01	·09	-	-	·08	-	-	·18		19
20	-	-	·19	·09	·02	·04	-	-	-	·18	-	-		20
21	-	-	·03	-	T	·41	·03	·23	-	·31	-	·05		21
22	·01	-	·02	-	·02	T	·01	·31	·11	·13	-	·51		22
23	-	-	·10	·22	-	·21	-	-	-	·01	-	·02		23
24	-	·47	·05	·25	-	·25	·02	-	·30	·02	-	·04		24
25	·26	·09	·02	·55	-	·15	-	-	·03	·27	-	·44		25
26	·01	-	·06	·25	-	·08	-	-	·05	·19	-	·18		26
27	·03	-	-	·19	-	·22	-	-	·01	·10	-	·24		27
28	-	-	-	·10	-	-	-	·35	-	-	-	·43		28
29	-	×	-	-	-	-	-	·01	·38	-	·03	·03		29
30	T	×	-	-	-	-	-	-	·08	·19	-	·26		30
31	-	×	-	×	-	×	-	-	×	·05	×	·04		31
TOTAL	3·18	·57	2·23	3·11	1·61	1·45	1·44	2·45	2·58	2·44	1·60	8·18	Year's Total. 30·84	
* Days with .01 in. or more.	22	3	21	15	13	8	7	13	14	19	11	29	175	
* Days with .04 in. or more.	10	2	16	13	6	8	2	10	10	13	8	25	123	

40-9999

† Spare column, no entries required.

(*Signed*)

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sharpness
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	T	–	·02	–	·05	·01	·07	–	·13	·07	·14	–		1
2	–	–	–	–	–	·10	–	–	·07	·34	·06	–		2
3	–	–	·05	–	–	·08	–	–	·67	·50	·18	–		3
4	·05	–	·01	·17	–	·07	–	–	·16	·08	·26	·18		4
5	T	·28	·25	T	–	·24	–	–	·39	·02	·02	·02		5
6	T	–	–	·42	–	·60	–	–	–	·05	·06	·17		6
7	–	–	–	·35	–	·21	–	–	–	·37	·12	·10		7
8	–	–	–	·49	–	–	–	–	–	·09	·32	–		8
9	·10	–	–	1·10	–	·25	–	–	–	·88	·32	–		9
10	·02	–	–	·28	–	–	–	–	–	–	·02	–		10
11	·23	–	–	–	–	·04	·11	–	–	–	·31	–		11
12	·03	·14	–	–	–	·22	–	–	–	–	·12	–		12
13	·05	·02	–	·27	·08	·04	–	–	·02	·01	·07	–		13
14	–	·03	–	·02	–	·43	–	–	·15	·02	1·90	·20		14
15	–	·05	–	·87	·20	·25	–	–	·25	–	·12	·02		15
16	–	·10	·15	·38	–	–	–	–	·05	–	·95	·07		16
17	–	T	–	·12	·02	·07	–	–	·21	–	·20	–		17
18	–	·04	–	·40	·20	·22	·09	–	·29	–	–	–		18
19	–	·02	–	·08	·13	·05	·55	–	·10	·07	·15	–		19
20	·01	·51	–	·15	·50	·16	·05	–	·01	–	·70	T		20
21	–	·50	–	T	–	·03	–	–	1·05	–	·05	·02		21
22	–	·16	–	·05	–	·02	–	–	·15	·01	–	·06		22
23	–	·18	·12	–	–	–	–	·20	·27	·90	–	·09		23
24	·07	·28	–	–	–	–	–	·31	·33	·16	–	·29		24
25	·18	·36	–	·18	–	·83	–	–	T	–	–	·21		25
26	–	·18	–	–	–	–	–	·27	·11	–	–	1·01		26
27	–	·15	–	–	–	–	–	–	·08	–	·07	1·21		27
28	–	·01	–	–	·06	–	–	·05	·14	–	–	·01		28
29	·03	✕	–	–	–	–	–	·25	·09	·03	·20	·21		29
30	·05	✕	–	·21	–	–	–	·75	·08	·25	·68	·23		30
31	–	✕	–	✕	–	✕	–	·18	✕	·41	✕	·22		31
TOTAL	·82	3·01	·60	5·54	1·24	3·92	·87	2·01	4·80	4·26	7·02	4·32	Year's Total 38·41	
* Days with .01 in. or more.	11	17	6	17	8	20	5	7	22	18	23	18	172	
* Days with .04 in. or more.	7	13	4	16	7	17	5	7	20	13	21	14	144	

40-9999.

† Spare column, no entries required

(*Signed*) ....

[P.T.O.

* See Instruction 2 (f) on other side.

12

A. J. Cullis Esq.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Berkeley (Sharpness Docks)

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

write give comparison probably wet days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·21	0·02	0·05	0·43	–	0·25	0·44	0·05	–	–	0·07	0·03		1
2	0·10	0·08	–	0·05	–	1·35	–	0·04	–	–	0·35	Tr.		2
3	–	–	–	0·33	–	0·15	0·20	–	0·58	–	0·13	0·03		3
4	0·02	–	0·15	–	–	–	0·02	–	0·30	–	0·09	0·34		4
5	0·36	0·02	0·18	–	0·06	–	0·21	–	Tr.	–	0·11	0·08		5
6	0·06	–	0·04	–	–	–	0·49	0·06	0·09	–	0·13	–		6
7	Tr.	–	0·30	–	–	–	0·27	–	–	–	0·29	0·10		7
8	0·48	–	0·26	–	–	–	0·02	–	–	–	0·75	0·02		8
9	0·43	–	0·70	–	–	–	0·37	–	0·10	–	0·01	0·02		9
10	–	–	–	–	–	Tr.	0·53	–	–	–	0·02	–		10
11	–	0·25	–	0·06	–	–	0·09	–	0·08	–	0·38	–		11
12	–	–	–	0·03	0·24	0·40	0·33	–	0·82	–	0·04	0·14		12
13	–	–	–	0·15	–	0·25	–	–	–	–	0·05	0·70		13
14	–	–	–	0·27	–	–	0·65	–	0·05	–	0·02	0·74		14
15	–	–	–	–	–	–	0·05	–	0·18	–	0·08	0·12		15
16	0·05	0·40	–	0·09	–	–	0·08	–	–	Tr.	0·38	0·11		16
17	0·17	0·58	–	0·01	–	–	0·09	–	–	0·08	0·05	1·04		17
18	–	0·24	–	–	–	0·08	0·33	0·11	–	–	–	0·07		18
19	0·35	0·07	0·06	0·20	–	0·07	–	0·07	–	.	–	Tr.		19
20	–	0·08	0·15	0·11	–	0·33	–	–	0·34	.	–	–		20
21	–	–	0·02	0·49	–	–	0·34	–	0·09	.	.	–		21
22	0·10	0·72	0·13	–	0·22	–	0·30	–	–	.	.	0·03		22
23	0·11	–	0·21	0·15	0·01	–	0·24	–	–	0·02	–	–		23
24	0·20	0·07	–	0·10	0·20	–	0·04	–	0·49	0·14	–	–		24
25	–	–	0·33	0·42		–	0·32	–	0·21	0·75	0·05	–		25
26	0·16	0·17	0·20	0·05	–	0·30	–	–	–	0·01	–	–		26
27	0·05	0·07	0·06	–	–	–	0·09	–	–	0·01	–	–		27
28	0·87	0·02	0·36	–	–	–	0·06	–	–	0·02	0·02	0·20		28
29	0·02	0·03	0·03	–	–	0·55	0·02	–	–	0·08	0·04	0·04		29
30	0·05	☒	–	–	0·06	0·08	0·08	–	–	0·84	0·02	–		30
31	0·65	☒	0·61	☒	–	☒	0·20	–	☒	0·26	☒	0·44		31
TOTAL	4·44	2·77	3·84	2·94	·78	3·81	5·86	·33	3·33	1·61	3·08	4·25	Year's Total 37·04	
* Days with .01 in. or more.	19	15	18	16	6	11	26	5	12	10	21	18	177	
* Days with .04 in. or more.	17	11	16	14	5	11	23	5	12	6	16	13	149	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

TF

(*Signed*) A. Cullis

[P.T.O.

A J Cullis, Esq

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at BERKELEY - SHARPNESS DOCKS

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 50 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·11	–	·03	–	–	–	–	·01	–	·14	·52		1
2	·04	·08	Tr	·02	–	–	–	–	·01	–	Tr	·11		2
3	Tr.	·14	Tr	–	·53	–	TR.	–	·08	–	Tr	·08		3
4	–	·11	·01	–	·04	–	TR.	–	–	–	–	·51		4
5	·32	–	·09	·02	–	–	–	–	–	–	–	–		5
6	·06	·23	·17	·38	·10	Tr	·20	–	–	·08	–	–		6
7	–	·85	Tr.	·11	–	Tr.	–	–	–	–	–	–		7
8	–	·15	–	·02	·25	·01	·02	–	–	–	·32	–		8
9	–	–	–	·03	·12	–	·04	–	·63	–	–	·15		9
10	·10	–	·20	·49	–	·13	TR.	·01	–	–	–	·22		10
11	Tr	–	·17	·01	·37	·15	·29	–	–	–	–	·03		11
12	·65	·20	·29	·01	·01	·02	·01	·48	·05	–	–	·32		12
13	–	·06	·58	·03	–	1·85	–	·20	·01	–	–	–		13
14	–	·01	·06	·08	–	–	–	·04	·04	–	–	·04		14
15	·17	·20	–	·36	–	–	2·73	–	·06	–	–	·15		15
16	Tr.	·18	·32	·26	–	–	–	·14	·26	–	–	–		16
17	·33	·07	·41	·01	–	–	·01	–	·33	–	·01	–		17
18	·45	·13	·11	–	–	–	–	–	·21	–	·23	·27		18
19	·30	·02	·07	Tr.	·03	·27	–	–	·05	–	–	·01		19
20	·27	·12	·49	·38	·06	·01	–	–	–	–	·01	·11		20
21	·13	·43	·07	·02	·15	–	–	–	–	·04	·08	·14		21
22	Tr.	·05	·04	Tr	·07	·20	·01	–	–	·59	·42	·04		22
23	·25	·09	·04	–	·30	–	·21	–	–	·31	·05	–		23
24	·26	·46	–	–	–	–	–	–	·04	·44	–	·09		24
25	–	·58	·05	–	·36	–	–	–	·11	·28	–	–		25
26	–	·24	·02	–	·40	–	–	–	–	Tr.	–	–		26
27	–	·30	–	·11	–	–	–	–	–	·67	–	–		27
28	·03	·05	–	–	–	–	–	–	–	·12	–	–		28
29	·05	×	–	–	–	·02	–	–	–	·34	·10	–		29
30	·45	×	–	–	–	·01	–	–	·01	·01	·37	Tr		30
31	·11	×	–	×	–	×	–	–	×	·37	×	Tr		31
TOTAL	4·03	4·86	3·19	2·37	2·79	2·67	3·52	·87	1·90	3·25	1·73	2·79	Year's Total. 33·97	✓ ✓
* Days with .01 in. or more.	18	24	18	18	14	10	9	5	15	11	10	16	168	✓ ✓
* Days with .04 in. or more.	17	22	16	8	12	5	5	4	11	10	8	14	132	✓ ✓

40-9999

† Spare column, no entries required.

(*Signed*) A Cullis

* See Instruction 2 (f) on other side.

[P.T.O.

12

Travelling Form. A. J. Cullin, Esq.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2151

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Sept. wet day Total Corr. for Ank. 1.3.39. ONF.

Kept at Berkeley, Sharpness Docks

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 50 ft.

TRAVELLING FORM. VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	-	-	·26	-	·70	-	·24	Tr.	·14		1
2	·04	-	-	·01	·02	-	·88	-	-	·13	Tr.	Tr.		2
3	·01	-	-	-	·29	·04	TR.	-	-	·37	·02	-		3
4	·01	-	-	Tr	-	-	·91	·41	-	·25	Tr.	·15		4
5	Tr	-	-	-	-	-	·19	·04	·04	·09	Tr.	·05		5
6	·07	-	-	-	-	Tr.	·66	-	·01	·16	Tr.	·31		6
7	-	-	-	-	-	-	·30	·09	·12	·12	-	·11		7
8	·67	-	-	-	-	-	·02	·50	-	·33	-	Tr.		8
9	·20	·01	-	-	-	-	TR.	·39	-	-	-	·51		9
10	·06	·01	-	-	-	Tr.	·01	·05	-	-	-	·62		10
11	·19	-	-	-	-	-	·01	-	-	·01	·26	·16		11
12	·41	-	-	-	·43	-	TR.	Tr.	-	·13	·35	-		12
13	·14	·01	-	-	·02	-	-	·01	-	·04	·10	·93		13
14	·45	·01	-	-	·07	-	·83	[illegible]	-	-	-	-		14
15	·52	-	-	-	·04	-	-	·02	-	·01	-	·31		15
16	·46	-	·10	-	-	-	-	-	-	·13	-	·01		16
17	·03	·10	-	-	·64	-	-	Tr.	·08	·09	-	-		17
18	·07	-	-	-	-	·04	-	·05	·12	-	·27	-		18
19	·03	-	-	-	-	-	-	·08	-	-	·51	-		19
20	·01	-	-	-	-	-	-	Tr.	·01	-	·26	-		20
21	·06	-	-	Tr.	-	-	-	·10	·09	-	·33	-		21
22	·04	-	-	Tr.	-	·03	-	·31	-	-	·24	·01		22
23	Tr.	-	-	·02	-	-	-	-	-	-	·02	·08		23
24	·04	Tr.	·04	-	Tr.	-	-	·12	Tr	-	·28	·12		24
25	·13	·49	Tr.	-	·10	-	·10	-	-	·17	·45	·07		25
26	·14	·34	-	-	·19	·01	-	-	·03	·09	Tr.	·11		26
27	·04	·03	-	-	·37	·12	·25	·14	·24	-	·36	-		27
28	·01	·05	-	-	·04	-	·01	·89	Tr.	-	·09	·04		28
29	·11	✕	-	-	·39	-	-	-	·01	·07	·19	·07		29
30	·02	✕	-	-	·24	·02	-	-	·51	Tr.	·21	·01		30
31	·25	✕	-	✕	·55	✕	-	-	✕	·12	✕	·33		31
TOTAL	4·21	1·06	·14	·03	3·39	·52	4·17	3·90	1·26	2·55	3·93	4·14	Year's Total 29·30	
* Days with .01 in. or more.	27	10	2	2	14	7	12	16	11	18	16	20	155	
* Days with .04 in. or more.	20	4	2	-	12	4	8	14	7	16	14	17	118	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Cullin

[P.T.O.

12

a. g. Cullis Esq.

Section A for the entry of Daily Observations Station No. 2151

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1939

Kept at Sharpness Docks, Berkeley

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	-	·04	·14	·26	-	·01	·	·17	Tr.	·01	·06		1
2	-	-	-	·04	-	-	·01	·20	·57	-	·10	Tr.		2
3	·18	-	-	·36	-	-	-	·97	·09	-	·18	·02		3
4	·13	-	·60	·47	·30	-	·29	·12	-	·08	·05	·43		4
5	-	-	-	·80	-	-	·15	·03	-	·14	·36	·05		5
6	·52	-	Tr.	·07	·03	-	·90	·01	-	-	·07	-		6
7	·02	·24	-	-	-	-	·02	Tr	-	-	·21	·60		7
8	·02	·20	·34	-	-	-	·29	·	-	·88	·25	·55		8
9	·04	·21	-	-	-	-	-	·17	-	·20	·03	·10		9
10	·46	·01	·13	-	-	·11	-	·09	-	·04	-	·03		10
11	-	·10	·27	-	-	-	-	·	-	-	-	-		11
12	·13	·06	-	-	-	·15	-	·	-	-	-	-		12
13	-	-	-	·05	·01	-	·24	·	·04	·35	-	-		13
14	·72	-	·04	-	·15	·07	·22	·	-	·19	·11	-		14
15	·41	-	-	-	·13	·64	·25	·	-	·07	·50	-		15
16	·10	·04	-	-	·07	·01	·18	·	-	-	·24	-		16
17	·46	·01	-	-	·02	·08	·04	·	-	-	·04	-		17
18	·18	·07	·06	-	-	·12	·44	·	-	·14	·47	-		18
19	·29	-	-	-	-	-	·10	·	-	-	-	-		19
20	·39	-	-	-	-	-	·16	·37	-	-	-	-		20
21	·05	·29	·12	-	-	·01	·46	·02	-	-	-	-		21
22	·63	·19	·02	·04	-	·15	·06	·	-	-	·10	-		22
23	-	-	-	·04	-	·07	·11	·	-	-	·65	-		23
24	·09	-	·08	·02	-	·45	·02	·	-	·11	-	-		24
25	1·60	·01	·02	-	-	-	·04	·	-	·09	·26	-		25
26	·22	·04	·01	·01	-	-	-	·32	-	-	·52	·01		26
27	-	·19	·05	-	-	·06	·06	·	-	·13	·04	·04		27
28	-	·04	·13	-	-	·19	·30	·	-	-	·36	·23		28
29	-	×	-	·33	-	-	·61	·	-	·16	·09	·02		29
30	-	×	-	·80	-	-	·04	·12	-	Tr.	·02	·01		30
31	-	×	-	×	-	×	·04	·28	×	·13	×	-		31
TOTAL	6·64	1·70	1·91	3·27	·97	2·11	5·04	2·70	·87	2·71	4·66	2·15	Year's Total 34·73	✓
* Days with .01 in. or more.	20	15	14	13	8	13	25	12	4	14	22	13	173	✓
* Days with .04 in. or more.	18	12	11	11	5	11	21	9	4	14	19	8	143	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Cullis

P.T.O.

12 A. J. Collins Esq.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2151 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Berkeley, Sharpness Docks

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 50 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·11	·11	–	–	–	–	–	·10	–		1
2	–	·07	–	·08	–	–	·03	–	–	–	1·08	–		2
3	–	·25	–	·02	–	–	·02	–	–	·22	1·13	·06		3
4	–	–	–	–	–	–	–	–	–	·15	·29	·03		4
5	–	Tr	–	–	–	–	·04	–	–	·23	·42	·06		5
6	·01	·38	–	–	–	–	–	–	–	·17	–	–		6
7	–	·34	–	–	·02	–	–	–	–	Tr.	·15	–		7
8	–	–	–	·02	–	–	–	·06	·01	·35	·07	·12		8
9	–	–	–	·03	–	–	·38	–	·01	·25	·26	·10		9
10	–	–	·03	–	–	–	·62	–	–	·12	·02	·04		10
11	–	–	·02	Tr.	–	–	·09	–	–	–	·17	–		11
12	–	–	·12	–	–	·08	·69	–	·02	·02	·01	–		12
13	–	–	·56	–	–	–	·29	–	–	–	·27	·04		13
14	–	–	·04	·08	1·42	–	·17	·02	–	·24	–	·49		14
15	–	–	–	Tr.	·82	·07	·16	–	·05	·04	·13	·05		15
16	–	·12	·20	·01	–	–	·20	–	·22	·76	·77	–		16
17	–	·23	·24	–	–	–	·13	–	·01	–	·01	–		17
18	·35	·36	·46	·53	–	–	–	–	·20	–	·05	·10		18
19	–	·17	·14	·24	–	–	·64	–	·09	–	·29	·02		19
20	–	–	·02	·04	–	–	·25	–	–	·46	·10	–		20
21	–	–	·03	–	·19	·02	·33	–	–	–	1·47	–		21
22	–	·03	·08	·05	–	·60	–	–	·16	–	·01	–		22
23	–	·39	·10	·03	·10	–	–	–	–	–	·05	·02		23
24	·14	–	–	–	–	–	·61	–	–	–	·01	–		24
25	·21	–	–	·01	–	·03	–	·02	–	–	–	–		25
26	·65	·27	·01	·05	·15	·02	·57	–	–	–	–	–		26
27	·92	·13	–	·41	–	–	·05	–	–	–	–	–		27
28	·55	·29	–	·01	·04	–	–	–	–	–	–	·03		28
29	·07	–	·14	·70	·01	·05	Tr.	–	–	–	–	·25		29
30	·03	☒	–	·27	·02	–	–	–	–	·20	–	·01		30
31	Tr	☒	·04	☒	–	☒	–	–	☒	·29	☒	·04		31
TOTAL	2·93	3·03	2·23	2·69	2·88	·87	5·27	·10	·77	3·50	6·86	1·46	Year's Total 32·59	✓
* Days with .01 in. or more.	9	13	16	18	10	7	18	3	9	14	22	16	155	✓
* Days with .04 in. or more.	7	12	11	11	7	4	16	1	5	13	17	11	115	✓

2·43 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. J. Collins

P.T.O.

Section **A** for the entry of

AIR MINISTRY

ation No. 2151/7

ORGANIZATION.

FORM 1090.

REGIST

S.

Kept at (Box House) Minc

in the County of Glouce

388570/35

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASURE

An observer who does not conform to t
year in the space on the right of this

R

2151/7
BOX HOUSE
MINCHINHAMPTON
1935—40

780402

llowing

Jan. 1, following

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	tr	·08	·01	·11	·68	·07	·0	·21	·15	·09	·01		1
2	·0	·0	·01		·01	·26	·0	·0	tr	·47	·03	·0		2
3	·0	·07	·04	·0	0		·0	·0	·47	·32	·28	·0		3
4	·0	·02		·27	·01	·19	·0	·0	·11	·05	·04	·06		4
5	·0	·38	·29	·04	tr	·63	·0	·0	·33	·03	·05	·03		5
6	·02	·03	·03	·45	·0		·0	·0	·01	·01	·04	·11		6
7	·01	·01*	tr	·31	·0	·24	·0	·0	0	·26	·08	·10		7
8		0	tr	·43	·0	·02	·0	·01	0	·26	·17	·10		8
9	·05	0	·01	·84	0	·26	·0	0	0	1·31	·66	·01		9
10	·02	0	·0	·31	tr	·01	·0	0	·06	·02	·10	tr		10
11	·19	tr	tr	·01	0	·10	·01	0	·0	·01	·25	·01		11
12	·02	·07	0	0	0	·27	·0	·02	·03	·0	·05	·0		12
13	·08	·09		·28	·15	·03	·0	tr	·0	·01	1·05	·0		13
14	·01	tr	·0	·04	·04	·18	·0	·0	·0	·01		·24		14
15	·0	·04	0	·85	·14	·09	·0	·0	·13	·01	·22	·07		15
16	·0	·07	·08	·24	·0	·07	·0	·0	·65	·07	·82	·07		16
17	·0	·01	·02	·05	·03	·28	·0	·0	·30	tr	·44	·01		17
18	·0	·04	·0	·42	·33	·07	·34	tr	·08	·03	·02	·0		18
19	·0	·04	·0	·27		·16	·14	·0	·52	·08	·13	·09*		19
20	·02	·44	·0			·07	·10	·0	·17	·0	·83	·03*		20
21	·01	·40	·04	·03		·02	tr	·0	·0	·03		·02*		21
22	·0	·27	·03	·29	·02	·0	·0	·04	1·0	tr	·01	tr		22
23			·05	·02	·0	·0	·01	·44	·17	·88	·0	·02*		23
24	·05	·84	·05	·01	·0	·0	·0	·22	·36	·12	·0	·18		24
25	·10		·01	·17	·0	·41	·0	·01	·01	·01	·0	·09		25
26	·01		0	·02	·0	·01	·0	·22	·13	·0	·02	·84		26
27		·14	0	·01	·07	·0	·0	·01	·09	tr	·11	·80		27
28		0	0	0	·04	·0	·0	·01	·15	·0	·02	·01		28
29			·04	0	·01	·0	·0	·06	·14	·03	·18	·28		29
30	·06	×	·0	·13	·43	tr	·0	·88	·24	·20	·52	·22		30
31		×	·0	×	·08	×	·0	·10	×	·48	×	·29	d.	31 Print.
TOTAL	·67	2·96	·78	5·5	1·47	3·45	·67	2·02	5·36	4·85	6·15	3·64	Year's Total 37·52	
* Days with .01 in. or more.	~~18~~	~~16~~	~~14~~	~~24~~	~~14~~	~~21~~	~~6~~	~~12~~	~~22~~	~~24~~	~~27~~	~~24~~	~~219~~	
* Days with .04 in. or more.	~~6~~	~~13~~	~~8~~	~~17~~	~~9~~	~~16~~	~~4~~	~~7~~	~~19~~	~~13~~	~~22~~	~~15~~	~~149~~	

40-9999 * Snow

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

N MRS. J. H. SHARP (Signed) ~~Elsie Sharp~~ [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

388570/35

Kept at (Box House) Minchinhampton,

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3/4 in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	tr	·08	·01	·11	·68	·07	·0	·21	·15	·09	·01		1
2	·0	·0	·01		·01	·26	·0	·0	tr	·47	·03	·0		2
3	·0	·07	·04	·0	0		·0	·0	·47	·32	·28	·0		3
4	·0	·02		·27	·01	·19	·0	·0	·11	·05	·04	·06		4
5	·0	·38	·29	·04	tr	·63	·0	·0	·33	·03	·05	·03		5
6	·02	·03	·03	·45	·0		·0	·0	·01	·01	·04	·11		6
7	·01	·01*	tr	·31	·0	·24	·0	·0	0	·26	·08	·10		7
8		0	tr	·43	·0	·02	·0	·01	0	·26	·17	·10		8
9	·05	0	·01	·84	·0	·26	·0	0	0	1·31	·60	·01		9
10	·02	0	·0	·31	tr	·01	·0	0	·06	·02	·10	tr		10
11	·19	tr	tr	·01	0	·10	·01	0	·0	·01	·25	·01		11
12	·02	·07	0	0	0	·27	·0	·02	·03	·0	·05	·0		12
13	·08	·09		·28	·15	·03	·0	tr	·0	·01	1·05	·0		13
14	·01	tr	·0	·04	·04	·18	·0	·0	·0	·01		·24		14
15	·0	·04	0	·85	·14	·09	·0	·0	·13	·01	·22	·07		15
16	·0	·07	·08	·24	·0	·07	·0	·0	·65	·07	·82	·07		16
17	·0	·01	·02	·05	·03	·28	·0	·0	·30	tr	·44	·01		17
18	·0	·04	·0	·42	·33	·07	·34	tr	·08	·03	·02	·0		18
19	·0	·04	·0	·27		·16	·14	·0	·52	·08	·13	·09*		19
20	·02	·44	·0			·07	·10	·0	·17	·0	·83	·03*		20
21	·01	·40	·04	·03		·02	tr	·0	·0	·03		·02*		21
22	·0	·27	·03	·29	·02	·0	·0	·04	1·0	tr	·01	tr*		22
23			·05	·02	·0	·0	·01	·44	·17	·88	·0	·02		23
24	·05	·84	·05	·01	·0	·0	·0	·22	·36	·12	·0	·18		24
25	·10		·01	·17	·0	·41	·0	·01	·01	·01	·0	·09		25
26	·01		0	·02	·0	·01	·0	·22	·13	·0	·02	·84		26
27		·14	0	·01	·07	·0	·0	·01	·09	tr	·11	·80		27
28		0	0	0	·04	·0	·0	·01	·15	·0	·02	·01		28
29			·04	0	·01	·0	·0	·06	·14	·03	·18	·28		29
30	·06	×	·0	·13	·43	tr	·0	·88	·24	·20	·52	·22		30
31		×	·0	×	·08	×	·0	·10	×	·48	×	·29	d.	31 Print.
TOTAL	·67	2·96	·78	5·5	1·47	3·45	·67	2·02	5·36	4·85	6·15	3·64	Year's Total. 37·52	
* Days with .01 in. or more.	~~16~~	~~16~~	~~14~~	~~24~~	~~14~~	~~21~~	~~6~~	~~12~~	~~22~~	~~24~~	~~27~~	~~24~~	~~219~~	
* Days with .04 in. or more.	~~6~~	~~13~~	~~8~~	~~17~~	~~9~~	~~16~~	~~4~~	~~7~~	~~19~~	~~13~~	~~22~~	~~15~~	~~149~~	

40-9999 * Snow

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

MRS. J. H. SHARP (Signed) ~~Elsie Sharp~~

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Box House, Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 11½ in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in. /	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	·14	·10	·34	tr	·23	·19	·08	0	0	·09	·05		1
2	·08	·06	·10	·03	0	·10	·99	·08	0	·01	·18	·01		2
3	0	0	0	·25s	0	·10	·05	·01	·74	0	·23	·05		3
4	0	0	·15	·0	0	tr	tr	0	·50	·01	·15	·24		4
5	·34	·01	·08	·0	·10	0	·05	·04	·16	tr	·12	·03		5
6	·10	0	·03	·0	·01	·05	·35	·09	·23	·01	·38	0		6
7	·02	0	·09	·0	0	·02	·34	·01	·01	·0	·24	·12		7
8	·28	0	·25	0	0	tr	·02	0	tr	tr	1·09	– ·04		8
9	·52	0	·10	·0	0	·0	·29	0	·06	0	·01	×		9
10	·05	0	·01	·02	0	·0	·34	0	·01	0	·02	0		10
11	0	·22s	0	·08	0	·08	·23	·04	·09	0	·46	0		11
12	0	0	0	·09	·20	·34	·44	·03	·43	0	·16	·15		12
13	0	0	·04	·20	·01	·07	·01	·02	·02	·07	·04	·66		13
14	0	·02	0	·05	0	·05	·62	tr	·22	·02	·05	·70		14
15	0	·02	0	0	·02	·01	·18	tr	·12	0	·07	·13		15
16	·06s	·18	0	0	·01	0	·11	0	·01	0	·53	·15		16
17	·20s	·65	0	·25	·04	0	·45	·01	tr	0	·06	·40		17
18	trs	·04	0	0	tr	·02	tr	0	0	0	·01	·11		18
19	·44	·14	0	0	0	·03	0	·10	·01	·07	0	·01		19
20	·06	·20	·06	·31	0	·12	·06	0	·17	·02	0	tr		20
21	0	0	·01	0	0	·02	·30	0	·05	0	·02	0		21
22	·09s	·65	·14	·45	·38	·0	·17	0	·01	·02	tr	·09		22
23	·08	·02	·34	0	·06	·0	·05	0	0	·03	0	·02		23
24	·15	·05	tr	13	·03	·01	·28	0	·15	·23	·02	tr		24
25	·08	·18	·22	10	0	·0	·01	0	·27	·12	·08	0		25
26	·03	·0	·13	35	0	·09	·05	0	·01	·05	tr	0		26
27	– ·58	·04	·10	01	tr	·01	·12	0	·18	·02	tr	0		27
28	×	·03	·31	0	0	0	·03	0	·02	·0	·02	·25		28
29	·07	·35	·04	0	·03	·15	·08	0	tr	·05	·03	·16		29
30	·17	✕	·02	0	·21	·04	·24	0	0	·65	0	·02		30
31	·59	✕	·27	✕	·02	✕		0	✕	·23	✕	·33	Year's Total	31
TOTAL	4·11	3·0	2·59	2·66	1·12	1·54	6·05	·51	3·47	1·61	4·06	3·72	34·44	✓
* Days with .01 in. or more.	21	18	21	15	13	19	27	11	22	16	23	22	~~228~~	✓
* Days with .04 in. or more.	19	13	17	12	6	12	23	6	14	8	16	15	161	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Elsie Sharp [P.T.O.

S = snow

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Box House, Minchinhampton
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 11½ in.
,, Ground ,, Sea Level 500 ft.

Query sent re. entries for March 2-2-38
Entries for March corrected by surrounding stations
ACE

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	·01	0	·08	0	0	0	0	0	tr	·17	·23		1
2	·02	·26	0	·10	0	0	0	0	0	0	·02	·50		2
3	·01	·27	0	·25	·06	0	·05	0	0	tr	·01	·09		3
4	·10	·34	(·09)	·02	·05	0	·02	tr	0	tr	·01	}		4
5	·26	·01	(0)	·03	0	0	·03	tr	0	0	0	}		5
6	·07	·10	·06	·20	·07	0	·15	0	0	·06	·04	} ·37		6
7	·01	·78	} ·26	·33	·01	tr	·01	0	0	·[illegible]1	·01	}		7
8	tr	·04	}	·02	·11	0	·03	0	0	·01	·29	}		8
9	·01	·0	~~·06~~	·10	·32	0	·09	0	0	·01	·0	·06s		9
10	·06	·0	·27	2·50x	·01	·18	·02	0	·38	tr	·0	·21		10
11	·01	0	~~·50~~ (26)	0	} ·34x	·12	·15	0	0	tr	tr	} ·27x		11
12	·47	·24	~~0~~ (·40)	0	}	·08	·02	·05	·14	0	0	}		12
13	·15	·04	~~0~~ (·50)	·09	·01	·30	·03	·03	0	tr	0	tr		13
14	·01	·15	·12	·06	0	·01	0	·21	0	0	0	·09		14
15	·20	·27	~~·22~~	·32	0	tr	2·20x	·0	·25	0	0	·14		15
16	·01	·15	·53	·31	0	·15	·02	·10	·76	0	0	0		16
17	·39	·06	·50	0	0	·0	·03	0	1·16	·[illegible]1	0	tr		17
18	·39	·13	(·80)x	0	0	·04	tr	0	·05	·02	·21	·25		18
19	·11	0	} ·65x	·60	0	·45	0	0	·02	·02	·19	·02		19
20	·39	·05	}	·36	0	·02	0	0	·02	·01	·0	·09		20
21	31	·32	·13	·26	0	0	·02	0	tr	·01	·02	·15		21
22	·19	·60	·11s	0	·01	·06	·12	0	0	·84	·47	·06		22
23	·27	·10	·02	0	·18	·01	·13	0	·01	·48	·07	·02		23
24	·21	·50	·01	0	0	0	·01	0	·06	·32	·02	·04		24
25	·06	·34	·08	0	·02	0	0	0	·03	·30	0	} ·05		25
26	·01	·26	·03	0	·50	0	0	0	·02	·02	·02	}		26
27	·02	·44	tr	·18	0	0	0	0	tr	·58	0	·01		27
28	·03s	·07	tr	·01	0	tr	0	0	0	·08	·01	·01		28
29	·03s		0	0	0	·02	0	0	0	·17	·06	·01		29
30	·32	×	0	tr	0	·01	0	·03	·02	·01	·33	·01		30
31	·13	×	0	×	0	×	●	0	×	·35	×	·01	Year's Total.	31
TOTAL	4·41	5·63	~~4·44~~ 3·84	5·82	1·69	1·45	3·13	·42	2·92	3·31	1·95	2·69	~~37·86~~	37·26
* Days with .01 in. or more.	30	24	~~20~~ 18	19	14	13	[illegible]	5	13	19	17	~~23~~ 24	~~215~~	too high 214
* Days with .04 in. or more.	19	22	~~17~~ 15	15	9	8	7	3	7	9	9	15	~~183~~	138

40-9999 S = snow × Cloud burst

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Box House, Minchinhampton

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11½ in.

,, Ground ,, Sea Level 500 ft.

Ofs

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	·24	0	0	0	·45	·05	·03	0	·57	0	·27		1
2	·02	0	·01	·04	0	0	·04	0	0		0	·01		2
3	tr	0	0	tr	·05	·02	·02	0	·01	·82	·06	0		3
4	·08	0	·01	tr	·27	·03	·32	·15	0	·76	·01	·19		4
5	·03	0	0	0	0	tr	·17	0	·07	·18	·01	·05		5
6	·09	0	0	0	0	·04	·45	0	·09	·26	0	·05		6
7	·02	0	0	0	0	tr	·25	0	·20	·09	tr	·08		7
8	·55	0	0	0	0	·02	·12	·18	·04	·43		·02		8
9	·15	·06	0	0	0	0	·03	·22	tr	·01	·01	·40		9
10	·13	·05	0	0	tr	·80	·06	·15	0	tr	0	·29		10
11	·25	tr	0	0	0	0	·02	·10	tr	·01	·22	·10		11
12	·42	0	0	0	·30	0	0	·45	0	·27	·09	·01		12
13	·06	·02 s	0	0	0	0	0	0	0	·20	·50	·95		13
14	·42	0	·02	0	·03	0	·65	0	·04	0	·02	·01		14
15	·19	·01	tr	0	·08	0	·01	0	0	·03	·03	·27		15
16	·59	·02	·09	0	·02	0	0	0	0	·05	·02	·06		16
17	tr	·08	0	0	·01	0	0	·26	·08	·19	·02	0		17
18	·09	·01	0	0	0	·02	0	0	1·10	·02	·35	tr		18
19	0	0	tr	0	0	0	0	·03	·05	·01	·22	tr		19
20	·01	0	0	0	0	0	0	0	·01	·01	·44	·01 s		20
21	·10	0	·13	0	0	·04	0	·03	·03	tr	·03	0		21
22	·04	0		0	0	0	0	·37	0	tr	·46	0		22
23	0	0		·05	tr	0	tr	·27	·33	·01	·11	0		23
24	·02	0		·02	·06	0	0	0	·11	0	·10	0		24
25	·16	·39		0	·07	0	·08	·15	·01	·21	·49	0		25
26	·19	·29		0	·13	·01	tr	0	·15	·10	·01	·08		26
27	·04	·03		0	·23	·25	0	0	·09	·07	·37	·35		27
28	0	·13		0	·01	·18	·35	·44	·06	0	·01	·20		28
29	0	—		0	·48	0	0	0	·05	·11	·21	0		29
30	·10	✕		0	·40	·08	0	0	·74	·02	·40	0		30
31	·07	✕		✕	·66	✕	0	0	✕	·10	✕	·15		31 d"
	24												Year's Total	
TOTAL	3·82 4·06	~~1·35~~ 1·09	·26	·11	2·80	1·94	2·62	2·83	3·26	4·53	4·19	3·55	31·24	✓
* Days with .01 in. or more.	~~21~~ 25	11 ~~12~~	7 ~~3~~	~~3~~	~~15~~	~~12~~	~~15~~	~~14~~	~~19~~	~~25~~	~~24~~	~~20~~	20 ~~188~~	✓ Too high
* Days with .04 in. or more.	20 ~~19~~	6 ~~7~~	2	2	11	7	11	11	15	17	14	15	131	✓

40-9999.

* See Instruction 2 (f) on other side.

S = Snow

† Spare column, no entries required.

(Signed) Elsie Sharp [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Box House Minchinhampton

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11½ in.

" Ground " Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	0	·03	·12	·19	0	0	·01	·09	tr	tr	·05		1
2	·16	0	·04	·09	tr	0	·02	·51	·67	0	·09	·04		2
3	0	0	tr	·94	0	0	0	·24	·14	·0	·4	·20		3
4	0	0	·57		·21	0	·25	·53	·01	·28	·10	·23		4
5	·22	0	·01	·91	·22	0	·17	·23	0	·14	·57	·12		5
6	·35	0	·01	·03	·02	0	0	·26	0	·01	·05	tr		6
7	0	0	0	0	·19	0	·96	·04	0	·01	·69	·58		7
8	·80	·28	·30	0	·01	0	·03	0	·01	·75	·31	·73		8
9	0	·18	·01	0	tr	0	·43	·17	·01	·26	·02	·10		9
10	·05	·10	·10	0	0	·18	0	·70	·03	·04	0	·01		10
11	·28	0	·20	0	0	tr	0	0	0	·09	·01	·01		11
12	0	·03	·01	0	0	·12	·01	0	0	0	·02	0		12
13	·40	·19	tr	·07	·01	0	·24	0	·05	·52	·01	0		13
14	0	0	·02	0	·11	·04	·14	0	0	·60	·16	·03		14
15	·89	0	tr	·01	·12	·74	·30	0	·01	·16	·19	·01		15
16	·27	0	tr	·02	·07	·52	·03	0	0	·01	·4	0		16
17	·16	·01	0	0	0		·03	0	0	·23	·05	tr		17
18	·29	·03	·04	0	0		·20	0	0	·24	·46	tr		18
19	·31	0		0	·02	0	·38	0	·01	·01	tr	0		19
20	·29	0	·20	tr	0	0	·18	·11	0	tr	·01	·03		20
21	·27	·27	·03	·02	·03	tr	·99	·03	0	·01	0	0		21
22	·21	·33		0	0	·12	·03	0	0	tr	·23	·02		22
23	·49	0	·01	·11	0	·05	·24	0	0	·08	·78	tr		23
24	·20	·01	0	·08	0	·26	·01	0	0	·05	·01	·01		24
25	·27	·07	·05	tr	0	·01	·07	·39	0	·12	·33	tr		25
26	·43	·01	·01	0	0	0	tr	·47	0	·09	·72	03		26
27	·19	·10	·11	tr	0	·04	·17	·02	0	·05	·03	03		27
28	0	·12	·19	·05	0	·04	·27	0	0	0	·32	·10		28
29	0	+	0	·19	0	0	·28	·02	0	·08	·19	0		29
30	0		0	1·2	0	·01	·04	0	0	·01	·04	·07		30
31	0		0		0		·24	·26		·09		0		31
													Year's Total	
TOTAL	6·53	1·73	1·94	3·84	1·2	2·13	5·71	3·99	1·03	3·93	6·19	2·40	40·62	
* Days with .01 in. or more.	20	14	21	~~14~~ 15	12	14	25	16	10	24	26	19	~~215~~	216
* Days with .04 in. or more.	20	9	9	12	7	12	18	12	4	18	19	10	~~149~~	150

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Elsie Sharp [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2151/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Box House, Minchinhampton

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11½ in.

,, Ground ,, Sea Level 500 ft.

letter sent 13/7/41 [illegible]

Acks

March & Apr. adjusted from surr-stn

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	·02	tr	+	·03	0	0	0	0	0	·14	0		1
2	0	·11	0	·16 ~~·44~~ +	0	0	·05	0	0	0	1·14	tr		2
3	0	·21	0	·01	0	0	·01	0	0	·25	·77	0		3
4	·01	·17	0	0	0	0	tr	0	0	·14	·21	·08		4
5	·01	·02	0	0	0	0	·04	0	0	·21	·68	·10		5
6	·21	·23	0	tr	0	0	0	0	0	·29	tr	·02		6
7	·03	·70	0	·01	·02	0	·34	0	·01	tr	0	·02		7
8	·01	tr	0	·13	0	0	tr	0	tr	·20	·09	·04		8
9	0	0	0	·05	0	·02	·46	·07	·06	·45	·25	·10		9
10	0	0	·01	0	0	tr	·73	·04	0	·08	·05	·03		10
11	0	0	·01	·06	0	0	·46	·01	tr	·01	·59	tr		11
12	0	tr	·14	·01	0	·05	·62	tr	·01	·02	·03	tr		12
13	0	tr	·48^{s}	0	[illegible]	tr	·12	0	·03	0	·37	·02		13
14	0	tr	·02	·12	·85	0	·21	0	·13	·23	tr	·32		14
15	0	tr	·04	·01	·34	·06	·06	·01	·20	·10	·21	tr		15
16	·01^{s}	·25^{s}	·24	·09	·01	·01	·12	0	·12	+	·66	·05		16
17	0	0	·32	·04	0	tr	·05	0	·06	·52	·02	0		17
18	·10^{s}	32	·70	·47^{s}	0	0	tr	0	·07	+	·11	·12		18
19	0	·18	·04	·05	0	0	+ ·89	0	·12	tr	·38	·01		19
20	tr	·01	·02	·02	0	0	+	0	tr	·43	·06	0		20
21	·03^{s}	·01	tr	0	·08	·02	·29	0	0	·01	·81	0		21
22	0	·05	·11	·07	·02	·31	·01	0	·15	tr	·tr	0		22
23	0	·17	·10	·02	·27	·01	·01	0	·02	0	·04	·04		23
24	tr	tr	tr	0	·01	0	·20	0	0	0	tr	·01		24
25	·02	0	tr	·02	0	·08	tr	0	0	0	0	tr		25
26	·05	·22	0	·03	·13	tr	·48	0	0	0	·02	0		26
27	·85	·13		·13	·20	·0	·04	0	0	0	0	0		27
28	·47^{s}	·10		·17	·31	·0	0	0	0	0	0	0		28
29	·01	·01	+	·34	·08	·01	0	0	0	·01	0	·30		29
30	·05	✕	128	·23	·02	0	tr	0	0	·36	·01	·02		30
31	·04	✕	+	✕	0	✕	0	0	✕	·69	✕	·04		31
TOTAL	2·70	2·91	2·51 ~~2·23~~	2·24 ~~2·52~~	2·37	·57	5·19	·13	·98	4·0	6·64	1·32	Year's Total 31·56	Print W4
* Days with .01 in. or more.	15	18	~~13~~ 15	23	14	9	21	4	12	~~19~~ 18	21	17	~~186~~ 189	
* Days with .04 in. or more.	7	13	~~9~~ 11	~~14~~ 15	8	4	18	2	8	~~15~~ 14	17	10	~~125~~ 127	

S: Snow

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Elsie Sharp

[P.T.O.

2152

Section **A** **for the entry of**
AIR MINISTRY

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090. **REGIST**

2152

MINCHINHAMPTON
THE SHAND
1931 — 40

780402

Kept at The Shard, Minc

in the County of Glo

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	T	·26	X	·06	·01	·01	·02	X	·48	·03	X	X	1	
2	·09	·02	~~X~~	·73	·13	X	T	X	1·03	X	·04	·22	2	
3	·01	X	~~·06~~ ~~X~~	·05	X	T	·03	·46	·23	T	·90	·23	3	
4	X	X	·03	·03	T	·03	·54	2·91	·12	·09	·23	~~X~~	4	X
5	~~X~~ T (fog)	·12	X	·15	·07	·79	T	T	·15	T	·01	·59	5	(·59)
6	T (fog)	·11	X	·16	·01	·27	·25	·13	·10	·27	·17	·18	6	
7	T (fog)	X	X	T	·13	·04	·02	·38	X	·09	·16	·02	7	
8	·01 ~~T (fog)~~ (snow)	·09	T snow	·02	·32	·12	T	·30	X	·05	·02	·01	8	
9	·03 (snow)	·27	T snow	·01	T	·27	·03	·02	T	X	·35	X	9	
10	T	·03	T snow	X	·01	·06	·06	·03	X	T	·58	T	10	
11	·27	·31	X	X	X	·11	·48	·01	·20	X	·20	·02	11	
12	X	·04 snow	X	X	T	X	·71	·10	·11	·05	T	X	12	
13	X	X	T	X	·04	~~X~~ T	·05	·76	·03	~~X~~ T	X	X	13	
14	T	·08	T	X	·18	·61	·61	·41	·06	X	·10	X	14	
15	·01	·02	X	·10	·24	T	·72	·74	T	X	T ~~·04~~	·05	15	
16	T	·08 snow	X	X	·44	·67	·03	·34	·19	X	~~X ·04~~	X	16	
17	·01	·23 snow	X	·14	·22	X	·26	·01	·05	·01	·04	X	17	
18	·03	·03	·01	·20	T	·22	T	·41	T	T	·31	T	18	
19	·04	·02	X	·20	X	·02	·17	·19	T	X	X	X	19	
20	T (fog)	·11	·20	·02	X	T	·06	·17	X	T	·04	·01	20	
21	·17	X	X	X	~~X~~ ·19	X	X	T	X	X	T	T	21	
22	·37	X	·01	·01	X	X	X	T	X	X	·01	X	22	
23	·22	X	X	·18	·84	·52	T	T	·05	X	·61	·14	23	
24	X	·01	X	·32	·22	X	~~·22~~ ·29	T	T	X	T	X	24	
25	·09	X	X	·27	X	X	·33	T	X	X	·12	T	25	
26	X	·02	X	·02	X	X	·28	T	X	T ~~X~~ fog	·33	X	26	
27	·20	·43	T	·01	·81	X	·26	T	X	T	·25	T	27	
28	·16	·08 (snow)	·03	·10	·06	T	X	T	X	·02	·01	·08	28	·08
29	·08	X	·01	X	·11	T	·17	T	T	·14	·08	T	29	
30	X	X	X	X	X	T	X	·10	X	X	T	T	30	
31	·43	X	X	X	·04	X	T	·T	X	X	X	·07	31	
													YEAR'S TOTAL	
TOTAL	2·16	2·36	·35	2·79	4·07	3·74	5·37	7·47	2·80	·75	4·56	1·62	38·04	
*Days with ·01 in. or more.	17	20	7	20	19	14	21	18	13	9	21	12	191	
*Days with ·04 in. or more.	11	13	2	13	16	11	16	14	12	6	17	8	139	

~~40-9999~~

*See Instruction 2 (*f*) on other side.

(*Signed*) E. H. Deane

[P.T.O.

2152

Section **A** for the entry of FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Shard, Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft 7¼ in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

~~*An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*~~

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	T	·26	X	·06	·01	·01	·02	X	·48	·03	X	X	1	
2	·09	·02	X	·73	·13	X	T	X	1·03	X	·04	·22	2	
3	·01	X	X	·05	X	T	·03	·46	·23	T	·90	·23	3	
4	X	X	·03	·03	T	·03	·54	2·91	·12	·09	·23	[illegible]	4	X
5	~~X~~ T (fog)	·12	X	·15	·07	·79	T	T	·15	T	·01	·59	5	(·59)
6	T (fog)	·11	X	·16	·01	·27	·25	·13	·10	·27	·17	·18	6	
7	T (fog)	X	X	T	·13	·04	·02	·38	X	·09	·16	·02	7	
8	·01 ~~T (fog)~~ (snow)	·09	T snow	·02	·32	·12	T	·30	X	·05	·02	·01	8	
9	·03 / snow	·27	T snow	·01	T	·27	·03	·02	T	X	·35	X	9	
10	T	·03	T snow	X	·01	·06	·06	·03	X	T	·58	T	10	
11	·27	·31	X	X	X	·11	·48	·01	·20	X	·20	·02	11	
12	X	·04 snow	X	X	T	X	·71	·10	·11	·05	T	X	12	
13	X	X	T	X	·04	~~X~~ T	·05	·76	·03	~~X~~ T	X	X	13	
14	T	·08	T	X	·18	·61	·61	·41	·06	X	·10	X	14	
15	·01	·02	X	·10	·24	T	·72	·74	T	X	T ~~·15~~	·05	15	
16	T	·08 snow	X	X	·44	·67	·03	·34	·19	X	X ~~·04~~	X	16	
17	·01	·23 snow	X	·14	·22	X	·26	·01	·05	·01	·04	X	17	
18	·03	·03	·01	·20	T	·22	T	·41	T	T	·31	T	18	
19	·04	·02	X	·20	X	·02	·17	·19	T	X	X	X	19	
20	T (fog)	·11	·20	·02	X	T	·06	·17	X	T	·04	·01	20	
21	·17	X	X	X	~~X~~ ·19	X	X	T	X	X	T	T	21	
22	·37	X	·01	·01	X	X	X	T	X	X	·01	X	22	
23	·22	X	X	·18	·84	·52	T	T	·05	X	·61	·14	23	
24	X	·01	X	·32	·22	X	~~·2~~ ·29	T	T	X	T	X	24	
25	·09	X	X	·27	X	X	·33	T	X	X	·12	T	25	
26	X	·02	X	·03	X	X	·28	T	X	T ~~X~~ fog	·33	X	26	
27	·20	·43	T	·01	·81	X	·26	T	X	T	·25	T	27	
28	·16	·08 (snow)	·03	·10	·06	T	X	T	X	·02	·01	·08	28	·08
29	·08	X	·01	X	·11	T	·17	T	T	·14	·08	T	29	
30	X	X	X	X	X	T	X	·10	X	X	T	T	30	
31	·43	X	X	X	·04	X	T	T	X	X	X	·07	31	
													YEAR'S TOTAL	
TOTAL	2·16	2·36	·35	2·79	4·07	3·74	5·37	7·47	2·80	·75	4·56	1·62	38·04	
*Days with ·01 in. or more.	17	20	7	20	19	14	21	18	13	9	21	12	191	
*Days with ·04 in. or more.	11	13	2	13	16	11	16	14	12	6	17	8	139	

40-9999

(Signed) E. H. Deane [P.T.O.

*See Instruction 2 (*f*) on other side.

2152

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Shard, Minchinhampton
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 7½ in.
" " Ground " Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01	X	·02	1·30	X	·06	·18	·07	·17	·01	X	1
2	·01	T	X	·13	·07	X	X	X	·74	·03	·04	·13	2
3	T	T	X	·56	·01	X	·01	X	X	·04	X	X	3
4	·02	T	X	·04	X	T	X	X	X	X	·38	X	4
5	·65	·01	·03	X	T	X	X	X	·09	X	X	X	5
6	·92	T	X	·14	X	X	X	X	·51	T	X	X	6
7	·16	T	·08	·03	·01	X	X	X	·30	·91	X	X	7
8	X	T	·32	·04	·01	X	X	X	·20	·41	X	X	8
9	·36	·17 (snow)	T (fog)	·17	·08	X	X	X	X	X	X	X	9
10	·29	·15	T	·29	·11	·01	T	X	·13	·31	X	X	10
11	X	X	X	·05	·03	T	·42	T	·01	X	·01	·01	11
12	·49	X	X	T	·41	X	T	·01	·14	·39	·01	·01	12
13	·22	X	X	·26	·02	X	·62	·02	T	·26	·01	·09	13
14	·15	T	X	·01	·01	X	·01	·29	·01	·01	·02	·01	14
15	·12	T	X	·02	·78	X	·09	T	X	·04	·03	·01	15
16	·24	T	X	·23	·02	X	T	X	X	T	T	T	16
17	X	T	X	·01	X	X	T	X	X	·05	·01	X	17
18	T	X	X	X	·10	X	X	X	·05	X	·31	X	18
19	X	T	X	·06	·04	X	X	X	·03	·16	X	T	19
20	T (fog)	X	X	·14	1·13	X	T	·11	T	·76	·08	·15	20
21	·01	X	·15	·32	·37	X	T	·29	X	·40	·06	·08	21
22	·01	X	·13	·13	·07	·07	·14	·01	·67	·18	·19	·04	22
23	T (fog)	·05	·01	X	·66	X	·03	X	·05	·54	·01	·08	23
24	X	·01	X	X	T	X	·06	X	·08	·02	T	·01	24
25	X	·01	X	·02	X	X	·07	X	·09	·26	·12	T	25
26	X	T	·11	·01	·06	X	·09	X	X	·05	T	T	26
27	X	X	·48	·29	·43	X	·15	X	X	·33	X	·01	27
28	X	X	·38	·09	·22	X	·19	T	X	X	X	·01	28
29	X	X	·53	·13	·77	·25	·08	·20	·26	·23	X	·11	29
30	T	X	·05	·12	X	1·00	·49	·13	·53	X	·89	·21	30
31	T	X	·10	X	X	X	·19	X	X	T	X	·36	31
TOTAL	3·73	·41	2·37	3·31	6·71	1·33	2·70	1·24	3·96	5·55	2·18	1·32	YEAR'S TOTAL 34·81
*Days with ·01 in. or more.	15	7	12	25	23	4	16	9	18	21	16	15	181
*Days with ·04 in. or more.	11	3	10	18	16	3	13	6	15	18	8	8	129

40-9999

(Signed) E. H. Den

[P.T.O.

*See Instruction 2 (*f*) on other side.

2152

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No [illegible]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Shard, Minchinhampton

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 7¼ in.

„ Ground „ Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·49	·43	·04	X	·02	X	X	X	X	·03	·01	·01	1
2	·33	X	·68	X	·04	T	X	X	X	X	T	X	2
3	T	·10	·25	X	·14	X	X	X	X	X	·02	X	3
4	·13	·04	X	X	·25	X	X	X	X	X	T	X	4
5	·08	T	·41	X	·04	X	X	X	X	X	·02	X	5
6	T	·33	·04	X	·07	X	X	X	X	·23	T	X	6
7	·03	T	·01	X	·08	X	X	X	X	·17	T	·02	7
8	·03	·03	·08	X	·09	X	·45	X	X	X	T	T	8
9	X	·07	X	X	·03	·01	·27	X	X	·37	·05	X	9
10	·04	T	X	X	X	X	·10	X	X	·95	·04	X	10
11	·16	X	X	X	T	·01	X	·06	X	X	X	X	11
12	·03	X	X	X	·01	T	·21	X	·70	X	X	·01 (Snow)	12
13	·03	X	X	X	·07	T	·41	·03	·03	·03	·08	X	13
14	·01	X	X	X	X	X	·10	·08	X	·07	·31	·01	14
15	·49	X	·15	X	X	T	·15	·07	X	·04	T (fog)	·01	15
16	·02	·01 Snow	·59	X	X	·03	·31	·02	·03	·04	T (fog)	T (fog)	16
17	·02	·02	·38	X	X	·12	·01	·10	·04	X	·01	T (fog)	17
18	·11	T	·08	T	X	·15	X	X	X	X	·02	X	18
19	T	T	·23	T (Snow)	X	·21	X	X	·24	X	·07	T (fog)	19
20	X	·01	·03	X	T	·02	X	·03	T	X	·01	T (fog)	20
21	X	·01	X	X	·18	·07	X	·45	·01	·06	T	T	21
22	X	X	X	·01	T	·04	X	·16	·07	·09	T	T	22
23	X	·02	X	·24	X	·18	X	X	·56	·55	X	X	23
24	X	1·17	X	·23	·04	·34	X	X	·14	·04	·02	X	24
25	X	·48	X	·25	·12	·24	X	X	·38	T	X	·08	25
26	X	·74	X	·12	·54	X	X	X	·83	·03	X	T (fog)	26
27	X	·04	X	·08	·58	T	T	X	·04	·12	X	·16	27
28	·01	X	X	·38	X	X	T	X	X	·03	X	·02	28
29	·12	X	T	·07	X	X	T	X	X	·04	X	·01	29
30	·03	X	·09	·10	T	X	·07	X	·15	T	X	·18	30
31	·29	X	·01	X	X	X	X	·04	X	·01	X	X	31
TOTAL	2·45	3·50	3·07	1·48	2·30	1·42	2·08	1·04	3·22	2·40	·66	·51	YEAR'S TOTAL 24·63
*Days with ·01 in. or more.	19	15	15	9	16	12	10	10	13	18	12	10	159
*Days with .04 in. or more.	10	9	12	8	13	8	9	7	10	13	5	3	107

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) E. H. Deane

P.T.O.

File No. 767638/27 2152

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at The Shard Minchinhampton

in the County of Glos. 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 7½ in.

,, Ground ,, Sea Level 500 ft.

Total + Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	X	T	X	X	X	X	·36	T	T	·02	·63		1
2	·16	X	·06	X	X	X	X	·09	·99	·06	·01	·24		2
3	·03	·02	X	X	X	X	X	X	·01	·14	X	·23		3
4	·21	T	·04	X	·30	X	X	X	·05	·33	·03	·46		4
5	T	X	·03	T	·08	X	X	·56	X	·10	·15	·33		5
6	·01	X	·17	X	·38	T	X	T	T	·15	T	·65		6
7	·03	T	X	T(snow)	T	T	X	·17	X	·15	·02	·46		7
8	·01	X	X	X	·16	T	X	·04	·02	X	·17	·10		8
9	·01	X	·14	X	X	X	X	X	T	X	·52	·19		9
10	·12	T	·22	·22	T	X	X	·09	X	X	·22	·03		10
11	·56	T	·07	·28	X	X	·20	·06	X	X	T	·31		11
12	·02	·01	·17	·02	X	X	·46	·06	X	X	T	·07		12
13	·47	X	·01	·16	X	T	1·02	X	X	·04	·01	·14		13
14	·11	X	·32	X	X	T	X	X	X	·15	·16	·19		14
15	T	X	·08	X	·13	X	T	X	·01	X	·22	·05		15
16	·19	X	·39	X	T	X	X	X	T	·05	·03	X		16
17	·23	X	T	·10	X	X	·08*	X	·15	X	T	·41		17
18	·29	X	·07	·25	X	T	X	X	·02	X	X	·22		18
19	X	X	·25	T	·01	·08	X	·02	·03	·05	T	·12		19
20	X	X	·19	·08	T	·01	·11	X	·01	·01	X	X		20
21	X	X	·06	X	T	·29	·16	·05	T	·25	X	T		21
22	·02	X	·02	·01	·05	X	X	·24	·14	·07	X	·13		22
23	X	T	·01	·15	T	·26	·03	·02	·05	T	T	·01		23
24	X	·25	·07	·11	X	·18	·06	X	·24	·05	X	T		24
25	·25	T	X	·33	X	·32	X	X	T	·15	X	·54		25
26	·01	X	·01	·06	X	·12	X	X	·05	·10	X	·02		26
27	·02	X	X	·08	X	T	X	X	T	·04	T	·31		27
28	·01	X	X	·03	X	·07	T	·30	·05	X	X	·65		28
29	T	X	X	X	X	X	T	·03	·42	X	T(fog)	·02		29
30	·03	X	X	X	X	X	T	X	·04	·17	T	·38		30
31	T	X	X	X	X	X	T	T	X	·18	X	·09		31
TOTAL	2·82	·28	2·38	1·86	1·11	1·33	2·12	2·09	2·28	2·24	1·56	6·98	Year's Total 27.05	
*Days with ·01 in. or more.	22	3	20	14	7	8	8	14	16	19	12	27	170	
*Days with .04 in. or more.	10	1	15	11	6	7	7	11	11	18	6	23	126	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) S. H. Dennis

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Shard, Minchinhampton

in the County of Gloucester

Totals.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 7½ in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

*: This may have been frozen night of 11/12

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	X	·06	·01	·07	·06	·07	X	·21	·11	·09	T		1
2	T	T	X	X	X	·02	X	X	X	·43	·12	T		2
3	T	·09	·04	T	X	·19	X	X	·47	·36	·29	X		3
4	T	T	~~·3~~	·23	T	·15	X	X	·09	·03	·02	·05		4
5	X	·40	·32	·04	X	·17	·02	X	·35	·02	·04	·02		5
6	·02	·03	·01	·45	X	·44	X	X	X	X	·02	·11		6
7	X	T	T	·31	X	·20	X	X	X	·24	·07	·10		7
8	T	X	T	·40	X	T	X	·03	X	·25	·16	·07		8
9	·03	X	X	·82	T	·20	X	X	·05	1·30	·62	T		9
10	X	X	X	·48	X	T	X	X	X	T	·10	X		10
11	·20	T	X *	X	X	·11	·01	X	T	X	·25	T		11
12	T	·08	T	X	X	·27	X	·02	·02	X	·02	X		12
13	·08	·09	X	·30	·16	·02	X	X	X	X	·08	X		13
14	T	X	X	·02	·04	·16	X	X	·14	X	·93	·25	(part snow)	14
15	X	·03	T	·83	·13	·08	X	X	·67	X	·23	·07		15
16	X	·13	·07	·23	X	·10	·01	X	·24	·07	·92	·06		16
17	X	T	T	·05	·01	·27	·10	X	·07	X	·36	X		17
18	X	·05	X	·41	·08	·14	·19	X	·46	·03	·01	T	(snow)	18
19	T	·03	X	·28	·14	·16	·15	X	·18	·09	·14	·08	(–"–)	19
20	·01	·52	X	·21	·19	·08	·06	X	X	X	·76	X		20
21	T	·37	·03	·02	X	T	X	X	1·34	·02	·02	X		21
22	T	·14	·03	·15	X	X	X	·28	·12	X	T	X		22
23	T	·08	·06	X	X	X	X	·21	·17	·91	X	·13	(snow)	23
24	·06	·45	·05	X	X	X	X	·22	·30	·10	X	·23	(part snow)	24
25	·13	·29	X	·19	T	·53	X	X	X	X	X	·22		25
26	X	·12	X	X	X	T	X	·20	·12	T	T	·93		26
27	X	·20	X	T	·07	X	T	T	·06	T	·12	1·10		27
28	T	T	X	X	·02	·12	X	T	·13	X	·01	·02		28
29	T	X	·04	X	X	X	X	·04	·12	·02	·21	·27		29
30	·05	X	X	·13	·40	·01	X	·90	·24	·22	·54	·35		30
31	T	X	X	X	·03	X	X	·09	X	·44	X	·34		31
													Year's Total.	
TOTAL	·59	3·10	·71	5·56	1·34	3·48	·61	1·99	5·55	4·64	6·13	4·40	3810	
* Days with .01 in. or more.	9	17	10	20	12	21	8	9	21	17	19	18	181	
* Days with .04 in. or more.	5	14	7	17	9	18	5	7	20	12	6	16	136	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.

File No 767635/27

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

To file

Kept at The Shard, Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 7½ in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·13	·07	·32	X	·17	·30	·06	T	X	·08	·03		1
2	·02	·07	·07	·03	X	·10	·94	·04	X	X	·23	T		2
3	T	X	X	·24	X	·12	·07	T	·80	X	·15	·03		3
4	T	X	·12	X	T	X	X	X	·29	X	·12	·21		4
5	·40	T	·06	X	·08	T	·27	·04	·02	X	·11	·03		5
6	·10	X	·01	T	X	·05	·14	·06	·13	X	·36	T		6
7	·02	X	·07	X	X	T	·35	X	T	T	·14	·10		7
8	·31	X	·24	X	X	X	·05	X	X	T	1·18	·02		8
9	·56	X	·08	X	X	X	·30	X	·05	X	T	·01		9
10	·07	X	T	X	X	T	·33	·05	T	X	T	X		10
11	X	·17	X	·02	X	·13	·29	T	·09	X	·41	X		11
12	X	X	X	·06	·30	·35	·38	X	·34	X	·18	·12		12
13	X	X	X	·10	X	·06	T	·02	T	X	·02	·49		13
14	X	·01	X	·14	X	·03	·63	X	·15	·05	·04	·61		14
15	X	·01	X	·04	·01	X	·01	X	·11	·01	·07	·09		15
16	·06	·15	X	·13	T	X	·11	X	·01	X	·55	·11		16
17	·18	·65	X	X	·03	X	·11	T	X	·05	·06	·42		17
18	T	·03	X	X	X	·01	·31	·04	X	·01	X	·10		18
19	·33	·12	·03	·21	X	·02	X	·08	X	X	X	T		19
20	·05	·18	·03	·06	X	·11	T	T	·16	T	X	T		20
21	X	X	T	·35	X	·01	·03	T	·03	X	T	X		21
22	·07	·62	·12	X	·21	X	·29	X	X	·01	X	·08		22
23	·07	·01	·30	·14	·04	X	·08	X	X	·02	X	T		23
24	·14	·04	T	·05	·02	X	·03	X	·12	·20	T	X		24
25	·06	·02	·16	·48	X	X	·30	X	·20	·10	·07	T		25
26	·02	·18	·16	·04	X	·12	T	X	T	·02	T	X		26
27	·10	·03	·12	X	X	X	·03	X	·17	T	T	T		27
28	·36	·02	·30	X	X	X	·12	X	X	T	T	·24		28
29	·04	·37	·03	X	·08	·26	·01	X	X	·03	·03	·13		29
30	·14		·01	X	·12	·02	·14	X	X	·71	T	T		30
31	·63		·28		·01		·15	X		·20		·33		31
													Year's Total	
TOTAL	3·97	2·81	2·26	2·41	·90	1·58	5·77	·39	2·67	1·41	3·80	3·15	31·12	✓
* Days with .01 in. or more.	22	18	19	16	10	15	26	8	15	12	17	18	196	✓
* Days with .04 in. or more.	19	11	14	14	6	11	21	7	12	6	15	13	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Denne

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at The Shard Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 1/4 in.

„ Ground „ Sea Level 500 ft.

Totals ✓ JH.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	T	·01	·07	X	X	T	X	·04	X	·13	·33		1
2	·01	·25	T	·10	X	X	T	X	T	X	T	·47		2
3	T	·24	T	·19	·05	X	·02	X	T	X	T	·09		3
4	·09	·33	X	·01	·04	X	T	T	X	X	T	·35		4
5	·25	X	·09	·02	X	X	T	T	X	X	T	X		5
6	·05	·10	·12	·17	·06	X	·14	X	·01	·05	·02	T		6
7	X	·65	T	·35	X	T	T	X	T	T	T	T		7
8	X	·03	X	T	·16	X	·02	X	T	T	·28	T		8
9	T	X	T	·09	·26	X	·05	X	·37	X	X	·03		9
10	·05	X	·36	2·64	T	·20	T	T	T	X	X	·16		10
11	T	X	·15	X	·26	·08	·14	X	X	X	T	·05		11
12	·42	·25	·43	T	·06	·24	·01	·05	·10	X	T	·17		12
13	·17	·03	·31	·08	T	·11	X	·18	·01	X	X	X		13
14	T	·02	·27	·06	X	X	X	·09	·02	X	X	·09		14
15	·18	·24	T	·25	X	X	2·25	X	·19	X	X	·10		15
16	T	·14	·47	·43	X	·12	·01	·08	1·18	X	X	X		16
17	·37	·07	·27	T	X	T	·01	X	·80	X	T	X		17
18	·44	·09	·13	·01	T	·03	X	·02	·08	T	·20	·21		18
19	·09	·05	·17	·08	·05	·45	T	X	T	T	·20	·02		19
20	·38	·04	·56	·35	·01	T	X	X	T	T	X	·07		20
21	·29	·35	·11	·02	·05	X	·01	X	X	T	·03	·15		21
22	·15	·04	·11	T	·11	·06	·21	X	T	·87	·47	·05		22
23	·26	·08	·02	X	·01	X	·02	X	X	·47	·02	·01		23
24	·18	·42	T	X	T	X	T	X	·05	·30	T	·03		24
25	·02	·48	·07	X	·13	T	T	X	·01	·24	X	·01		25
26	T	·29	·01	·20	·46	T	X	T	X	T	T	·01		26
27	·01	·09	X	X	X	X	X	X	X	·60	T	X		27
28	·02	·09	X	X	X	T	X	X	X	·07	T	T		28
29	·02	X	X	X	X	·02	X	X	X	·12	·04	T		29
30	·28		X	X	X	T	X	·01	T	T	·31	T		30
31	·12		X		X		X	X		·34		T		31
TOTAL	4·00	4·37	3·66	5·12	1·70	1·31	2·89	·43	2·86	3·06	1·70	2·40	Year's Total 33·50	✓
* Days with .01 in. or more.	23	23	16	18	14	9	12	6	12	9	10	19	171	✓
* Days with .04 in. or more.	18	20	15	14	12	7	5	4	8	9	7	13	132.	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E H Deane

[P.T.O.

File No 7/7638/27

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Shard, Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 7¼ in.

,, Ground ,, Sea Level 500 ft.

Write letter

Totals

UR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	T	·01	T	X	X	·40	·44	·01	X	·20	T	·20		1
2	T	X	X	·04	·03	T	·02	X	X	·24	X	T		2
3	T	X	X	X	·28	·01	·02	X	T	·50	·02	X		3
4	·07	T	X	T	X	·02	·32	·47	X	·74	T	·18		4
5	·02	X	X	X	X	T	·25	T	·10	·14	T	·03		5
6	·08	X	X	X	X	·02	·28	X	·10	·16	T	·03		6
7	·01	X	T [illegible]	X	X	T	·33	·11	·20	·08	T	·07		7
8	·51	X	T	X	X	·01	·09	·06	·01	·35	T	·01		8
9	·13	·05	X	X	X	X	·02	·22	X	X	X	·34		9
10	·07	·03	X	X	X	·60	·09	·61	X	T	T	·26		10
11	·24	·01	X	X	X	T	·01	T	X	T	·17	·09		11
12	·38	T snow	X	X	·28	T	X	·04	X	·17	·04	T		12
13	·04	T	X	X	T	X	T	X	X	·13	·47	·89		13
14	·43	T sleet	X	X	T	X	·61	X	·06	T	T	T		14
15	·14	T	X	X	·03	X	·01	T	X	·05	·02	·26		15
16	·47	·02 snow	·08	X	·01	X	T	·04	X	·02	·02	·04		16
17	T	X	X	X	T	X	X	X	·05	·15	·01	T		17
18	·08	X	X	X	T	·01	T	·06	1·17	·01	·30	T snow		18
19	T	X	X	X	T	X	X	·05	·03	X	·19	T		19
20	T	T	X	X	X	X	X	X	T	X	·38	·01		20
21	·08	T	X	X	X	X	X	·30	·01	X	·02	·46		21
22	·03	X	X	·04	X	·05	T	·25	X	T	·41	·26		22
23	T	X	X	·01	T	T	X	X	·30	X	·11	·01		23
24	·01	T	·11	X	·06	T	X	·08	·10	X	·08	T sleet		24
25	·16	·36	·03	X	·07	T	T	T	X	·20	·44	·10 snow		25
26	·19	·26	·01	X	·11	·05 }	·06	X	·18	·10	X	·29		26
27	·03	·02	X	T	·23	·20 }	·21	·08	·03	·06	·32	X		27
28	·04	·15	X	X	T	·16	T	·54	·04	T	T	·08		28
29	·07	X	X	X	·41	·03	T	X	·04	~~[illegible]~~ ·05	·19	·08		29
30	·03		X	T	·51	·03	X	X	·80	·02	·36	·06		30
31	·27		X		·53		T	X		·05		·19		31
TOTAL	3·58	·91	·23	·09	2·55	1·59	2·76	2·92	3·22	3·42	3·55	3·94	Year's Total 28·76	✓
* Days with .01 in. or more.	24	9	4	3	12	13	15	15	16	20	18	22	171	✓
* Days with .04 in. or more.	18	4	2	2	9	6	10	14	12	17	13	17	124	✓

Print with Greens
GB
3/5/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. H. Denne

[P.T.O.

COPY FOR OFFICIAL USE

File No 767638/27

Section **A** for the entry of Daily Observations

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Shard, Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground — ft. 7½ in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	X	·02	·15	·18	X	X	T	·05	T	T	·06		1
2	·04	X	·03	·05	T	X	·03	·50	·63	X	·08	·02		2
3	·18 Snow	X	T	·32	X	X	X	·54	·11	T	·34	·16		3
4	·07	X	·51	·62	·18	X	T	·21	X	·27	·09	·28		4
5	X	T fog	·01	·91	·24	X	·30	·27	X	·11	·42	·14		5
6	·43 Snow	T	T	·04	·01	X	·11	·02	X	X	·03	X		6
7	·08	·15	X	X	·16	X	·57	T	X	X	·38	·45		7
8	·01	·19	·27	X	T	X	·41	·05	X	·74	·19	·61		8
9	·07	·09	T	X	X	X	T	·11	X	·25	T fog	·09		9
10	·25	·01	·09	X	X	·16	X	·07	·02	·02	T	·01		10
11	T	·11	·19	X	X	X	X	X	X	·07	T	·01		11
12	·04	·09	X	X	T	·10	X	X	T	T	·02	T		12
13	X	X	X	·05	·01	T	·20	X	·06	·55	·01	T		13
14	80	X	·01	T	·17	·02	·13	X	T	·01	·16	·01		14
15	·27	X	T	·01	·10	·64	·20	X	T	·19	·31	T		15
16	·08	T	T	·01	·07	·07	T	X	X	T mist	·24	X		16
17	·30	·01	X	T	T	·10	·02	X	X	·23	·02	T		17
18	·31	·02	·03	X	X	·22	·24	X	T	·23	·45	T		18
19	·28	X	X	X	X	X	·42	T	T	X	X	T		19
20	·26	X	T	X	T	T	·13	·06	X	T	X	·01		20
21	·15	·25	·18	·01	X	T	·79	·07	T	X	X	X		21
22	·75	·34	·02	T	T	·11	·02	X	T	T	·18	T fog		22
23	T	T	T	·13	X	·04	·22	T mist	T	·06	·69	T		23
24	·24 Snow & Sleet	T	T	·07	X	·23	T	T	X	·08	X	T		24
25	·78	·06	·04	T	X	X	·07	·82	X	·14	·34	X		25
26	·14	T	T sleet	T	X	T	X	·48	X	·04	·71	·03		26
27	T Snow	·08	·09	T	X	·02	·16	·01	X	·04	·02	·03		27
28	X	·10	·11	·03	X	·02	·22	T	X	T	·28	·04		28
29	X	X	T	·15	X	X	·12	X	X	·07	·13	X		29
30	X		X	1·21	X	·01	·04	X	X	T	·03	·06 sleet		30
31	X		X		X		·22	·17		·13		T		31
TOTAL	5·58	1·50	1·60	3·76	1·12	1·74	4·62	3·38	·87	3·23	5·12	2·01	Year's Total 34·53	
* Days with .01 in. or more.	22	13	14	15	9	13	21	14	5	18	22	16	182	
* Days with .04 in. or more.	21	10	8	11	7	9	18	12	4	16	16	9	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. H. Dunne

[P.T.O.

File No 267638/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2152

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

~~Totals~~

Kept at The Ward Minchinhampton
in the County of Gloucester
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground — ft. 7½" in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	·02	X	·05	·01	X	X	X	X	X	·14	X		1
2	X	·05	X	·12	T	X	·05	X	X	X	1·42	T		2
3	X	·20	X	T	X	X	T	X	X	·28	·94	T		3
4	T	·15	X	T	X	X	T	X	X	·09	·20	·08		4
5	T	·01	X	X	T	X	·03	X	X	·15	·68	·09		5
6	·18	·24	X	X	T	X	X	X	X	·16	X	·01		6
7	·02	·71	X	·01	T	X	·38	X	·02	X	X	·02		7
8	X	T	X	·05	T	X	T	X	T	·13	·08	·03		8
9	X	T	X	·04	X	·02	·39	·11	·05	·41	·20	·14		9
10	X	X	·01	X	X	X	·74	T	T	·06	·02	·04		10
11	X	T Snow	·01	·05	X	T	·44	X	X	X	·52	X		11
12	X	T	·12	X	X	·02	·47	X	·01	·01	·02	T		12
13	X	T	·49	X	X	X	·17	T	·01	T	·40	T		13
14	X	X	·02	·16	·88	X	·30	T	·09	·21	T	·27		14
15	X	T Snow	·04	T Hail	·30	·07	·06	X	·17	·08	·20	T		15
16	T Snow	·26	·28 ~~Snow~~	·10 Snow & Sleet	X	·01	·22	X	·04	·41	·64	·08		16
17	X	X	·36	·02	X	X	·07	X	·07	X	·01	T		17
18	·09 Snow	·33	·47	·54 Part snow	X	X	T	·01	·04	·08	·08	·11		18
19	X	·17	·08	·04	X	X	·94	X	·11	X	·25	T		19
20	X	T	·01	·01	X	X	·14	X	X	·39	·04	T		20
21	·03 Snow	T	T	T	·07	·16	·11	X	X	X	·72	T		21
22	X	·05	·11	·07	·01	·19	T	T	·13	X	T	T		22
23	X	·17	·08	·01	·37	·01	·01	X	T	X	·03	·03		23
24	X	T	T	X	·03	X	·22	X	X	X	T	T		24
25	·01	X	T	·01	T	·08	X	T	X	T	T	T		25
26	X ·74	·17	T	·02	·11	T	·48	X	X	X	·02	X		26
27	·75	·10	T	·11	·15	X	·01	X	X	X	T	X		27
28	·45 Snow & ice	·11	X	·17	·10	X	X	T	X	X	T	T		28
29	·01	T Snow	·10	·29	·03	T	T	X	X	T	X	·25		29
30	·03 Snow	✖	T	·19	·01	X	X	X	X	·24	X	·01		30
31	·03	✖	·09	✖	T	✖	X	X	✖	·49	✖	·03		31
TOTAL	2·34	2·74	2·27	2·06	2·07	·56	6·23	·12	·74	3·19	6·61	1·19	Year's Total 29·12	
* Days with .01 in. or more.	11	15	15	20	12	8	19	2	11	15	16	14	158	
* Days with .04 in. or more.	5	13	11	14	7	4	16	1	9	14	9	8	111	

Print

X ·74 up to 9 a.m. but slight leak in gauge
Thaw @ 8·50 [illegible] raining since 9 a.m.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. H. Deane

P.T.O.

2153

Section **A** for the entry o
AIR MINISTR

COPY FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIS

Kept at RECTORY COTTAG
in the County of GLOUCES

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of

Y.

following

Jan. 1, following.

2153
MINCHINHAMPTON
RECTORY COTTAGE
1931 — 40

7804 PR

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	·29	—	·06	TRACE	·02	·01	—	·51	·03	—	TRACE	1
2	·09	·01	—	·82	·12	—	—	TRACE	1·02	TRACE	·03	·22	2
3	·01	—	·07	·06	—	—	·03	·53	·25	TRACE	1·53	·29	3
4	—	—	·04	·05	·01	—	·53	2·90	·13	·11	·14	TRACE	4
5	—	·13	—	·13	·06	·82	—	·01	·16	TRACE	TRACE	·63	5
6	—	·10	—	·18	·02	·23	—	·10	·14	·29	·18	·19	6
7	—	—	—	·01	·12	·03	·01	·39	—	·08	·18	·03	7
8	·02	·09	TRACE	·02	·32	·13	TRACE	·32	—	·04	·02	TRACE	8
9	·05	·29	TRACE	·01	TRACE	·28	·06	—	TRACE	TRACE	·40	—	9
10	·01	·03	TRACE	—	TRACE	·08	·05	·05	—	TRACE	·47	TRACE	10
11	·25	·31	—	—	—	·12	·36	·01	} ·32	—	·27	·02	11
12	TRACE	·03	—	—	TRACE	—	·95	·07		·04	—	—	12
13	TRACE	TRACE	TRACE	—	·04	TRACE	·07	·76	·02	TRACE	—	—	13
14	—	·08	—	—	·14	·70	·65	·40	·06	—	·12	—	14
15	·01	·02	—	·12	·30	—	·59	·76	·01	—	TRACE	·05	15
16	·01	·23	—	·10	·38	·70	·02	·37	·13	—	—	—	16
17	—	·31	—	·14	·23	—	·26	—	·09	·01	·04	—	17
18	·03	·01	·01	·18	—	·18	·01	·43	TRACE	—	·34	—	18
19	·04	·02	—	·16	—	·02	·12	·20	TRACE	—	TRACE	—	19
20	TRACE	·12	·21	·02	—	—	·13	·20	—	—	·04	·02	20
21	·18	—	—	—	·19	—	—	—	—	—	·01	—	21
22	·44	TRACE	TRACE	—	TRACE	—	—	—	—	—	TRACE	—	22
23	·25	—	—	·19	·85	·56	TRACE	—	·05	—	·70	·14	23
24	—	TRACE	—	·46	·23	TRACE	·30	—	TRACE	—	TRACE	·01	24
25	·09	—	—	·19	—	—	·32	—	—	—	·13	·01	25
26	—	·01	—	·04	—	—	·27	—	—	—	·35	TRACE	26
27	·22	·44	TRACE	·01	·81	—	·28	—	—	TRACE	·26	TRACE	27
28	·18	·09	·03	·11	·07	—	—	—	—	·02	·02	·08	28
29	·11	×	·03	—	·11	—	·17	—	TRACE	·14	·06	—	29
30	—	×	—	—	TRACE	—	—	·11	—	—	TRACE	·01	30
31	·52	×	—	×	·04	×	·01	—	×	TRACE	×	·09	31
TOTAL	2·51	2·61	·39	3·06	4·04	3·87	5·20	7·61	2·89	·76	5·29	1·79	YEAR'S TOTAL 40·02
*Days with ·01 in. or more.	18	19	6	21	18	13	22	17	14	9	20	14	191
*Days with ·04 in. or more.	12	12	3	16	16	10	16	15	12	6	16	8	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G.W. Fisher.

[P.T.O.

2153

Section **A** for the entry o COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·29	—	·06	TRACE	·02	·01	—	·51	·03	—	TRACE	1
2	·09	·01	—	·82	·12	—	—	TRACE	1·02	TRACE	·03	·22	2
3	·01	—	·07	·06	—	—	·03	·53	·25	TRACE	1·53	·29	3
4	—	—	·04	·05	·01	—	·53	2·90	·13	·11	·14	TRACE	4
5	—	·13	—	·13	·06	·82	—	·01	·16	TRACE	TRACE	·63	5
6	—	·10	—	·18	·02	·23	—	·10	·14	·29	·18	·19	6
7	—	—	—	·01	·12	·03	·01	·39	—	·08	·18	·03	7
8	·02	·09	TRACE	·02	·32	·13	TRACE	·32	—	·04	·02	TRACE	8
9	·05	·29	TRACE	·01	TRACE	·28	·06	—	TRACE	TRACE	·40	—	9
10	·01	·03	TRACE	—	TRACE	·08	·05	·05	—	TRACE	·47	TRACE	10
11	·25	·31	—	—	—	·12	·36	·01	}·32	—	·27	·02	11
12	TRACE	·03	—	—	TRACE	—	·95	·07		·04	—	—	12
13	TRACE	TRACE	TRACE	—	·04	TRACE	·07	·76	·02	TRACE	—	—	13
14	—	·08	—	—	·14	·70	·65	·40	·06	—	·12	—	14
15	·01	·02	—	·12	·30	—	·59	·76	·01	—	TRACE	·05	15
16	·01	·23	—	·10	·38	·70	·02	·37	·13	—	—	—	16
17	—	·31	—	·14	·23	—	·26	—	·09	·01	·04	—	17
18	·03	·01	·01	·18	—	·18	·01	·43	TRACE	—	·34	—	18
19	·04	·02	—	·16	—	·02	·12	·20	TRACE	—	TRACE	—	19
20	TRACE	·12	·21	·02	—	—	·13	·20	—	—	·04	·02	20
21	·18	—	—	—	·19	—	—	—	—	—	·01	—	21
22	·44	TRACE	TRACE	—	TRACE	—	—	—	—	—	TRACE	—	22
23	·25	—	—	·19	·85	·56	TRACE	—	·05	—	·70	·14	23
24	—	TRACE	—	·46	·23	TRACE	·30	—	TRACE	—	TRACE	·01	24
25	·09	—	—	·19	—	—	·32	—	—	—	·13	·01	25
26	—	·01	—	·04	—	—	·27	—	—	—	·35	TRACE	26
27	·22	·44	TRACE	·01	·81	—	·28	—	—	TRACE	·26	TRACE	27
28	·18	·09	·03	·11	·07	—	—	—	—	·02	·02	·08	28
29	·11	×	·03	—	·11	—	·17	—	TRACE	·14	·06	—	29
30	—	×	—	—	TRACE	—	—	·11	—	—	TRACE	·01	30
31	·52	×	—	×	·04	×	·01	—	×	TRACE	×	·09	31
TOTAL	2·51	2·61	·39	3·06	4·04	3·87	5·20	7·61	2·89	·76	5·29	1·79	YEAR'S TOTAL 40·02
*Days with ·01 in. or more.	18	19	6	21	18	13	22	17	14	9	20	14	191
*Days with ·04 in. or more.	12	12	3	16	16	10	16	15	12	6	16	8	142

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G. W. Fisher.

P.T.O.

2153

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at RECTORY COTTAGE, MINCHINHAMPTON,
in the County of GLOUCESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·02	—	·03	1·28	—	·05	·02	·07	·21	·02	—	1
2	·01	—	—	·15	·07	—	—	—	·69	·03	·05	·13	2
3	TRACE	·01	—	·55	·01	—	·02	—	·01	·05	—	—	3
4	·01	—	—	·04	—	TRACE	TRACE	—	—	—	·40	—	4
5	·66	·01	·05	—	—	—	—	—	·12	—	—	—	5
6	1·01	—	—	·15	—	—	—	—	·58	·01	—	—	6
7	·18	—	·06	·02	·02	—	—	—	·27	1·10	—	—	7
8	—	—	·30	·03	·01	—	—	—	·34	·35	—	—	8
9	·47	·05	—	·18	·07	—	TRACE	—	TRACE	—	—	—	9
10	·35	·06	TRACE	·25	·12	TRACE	TRACE	—	·11	·31	—	—	10
11	TRACE	—	—	·09	·04	TRACE	·57	—	·02	—	·01	·03	11
12	·60	—	—	—	·44	—	—	TRACE	·16	·41	·02	·02	12
13	·22	TRACE	—	·23	·01	—	·72	·02	—	·24	·01	·09	13
14	·17	—	—	·01	·01	—	—	·30	TRACE	·01	·03	·01	14
15	·14	—	—	·02	·74	—	·12	—	—	·04	·04	·01	15
16	·26	—	—	·21	·01	—	—	—	—	—	—	TRACE	16
17	—	—	—	·01	—	—	—	—	—	·05	·01	—	17
18	—	—	—	—	·11	—	—	—	·04	—	·33	TRACE	18
19	—	—	—	·07	·04	—	—	—	·06	·20	·01	—	19
20	—	—	—	·13	1·17	—	TRACE	·11	—	·81	·07	·17	20
21	·01	—	·15	·27	·38	—	—	·33	—	·43	·04	·09	21
22	·01	—	·14	·13	·07	·13	·14	·01	·66	·25	·23	·05	22
23	·01	·05	·01	—	·67	—	·04	—	·05	·51	·01	·10	23
24	—	·02	—	—	—	—	·06	—	·10	·03	TRACE	·01	24
25	—	·02	—	·03	—	—	·07	—	·09	·25	·13	·01	25
26	—	—	·11	·01	·06	—	·09	—	TRACE	·05	TRACE	—	26
27	—	—	·54	·30	·45	—	·13	—	—	·33	—	·02	27
28	—	—	·33	·11	·23	TRACE	·24	—	—	—	—	·02	28
29	—	—	·56	·16	·80	·26	·08	·20	·26	·30	—	·13	29
30	TRACE	×	·05	·12	—	1·53	·47	·13	·54	—	·98	·23	30
31	·01	×	·08	×	—	×	·35	—	×	—	×	·40	31
TOTAL	4·21	·24	2·38	3·30	6·81	1·92	3·15	1·12	4·17	5·97	2·39	1·52	YEAR'S TOTAL 37·18
*Days with ·01 in. or more.	17	8	12	25	23	3	15	8	18	22	17	17	185
*Days with .04 in. or more.	11	3	11	17	17	3	14	5	16	18	9	9	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) G W Fisher.

P.T.O.

2153

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2153~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at RECTORY COTTAGE, MINCHINHAMPTON.

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·55	·43	·05	—	·03	—	—	—	—	·01	·02	·01		1
2	·40	—	·66	—	·05	—	—	—	—	—	·02	—		2
3	·01	·12	·37	—	·15	—	—	—	—	—	·02	—		3
4	·15	·04	TRACE	—	·25	—	—	—	—	—	—	—		4
5	·08	TRACE	·46	—	·05	—	—	—	—	—	·02	—		5
6	·01	·36	·06	—	·06	—	—	—	—	·22	·01	—		6
7	·03	·01	·02	—	·06	—	TRACE	—	—	·16	—	·02		7
8	·02	·04	·08	—	·09	—	·46	—	—	—	—	—		8
9	—	·06	—	—	·03	·02	·31	—	—	·45	·05	—		9
10	·04	·02	—	—	TRACE	—	·11	TRACE	—	1·20	·06	—		10
11	·19	—	—	—	TRACE	·01	TRACE	·07	—	—	—	—		11
12	·03	—	—	—	·02	—	·16	—	·70	—	—	TRACE		12
13	·05	—	—	—	·07	TRACE	·44	·03	·03	·04	·09	—		13
14	·01	—	—	—	—	—	·08	·05	—	·08	·33	—		14
15	·54	—	·17	—	—	—	·17	·09	—	·06	·01	·03		15
16	·02	TRACE	·66	—	—	·04	·33	·02	·04	·06	TRACE	·01		16
17	·04	·02	·39	—	—	·14	·02	·12	·05	—	·01	TRACE		17
18	·12	·01	·08	—	—	·15	—	—	—	—	·03	—		18
19	TRACE	TRACE	·24	—	—	·24	—	—	·25	—	·08	—		19
20	—	·02	·05	—	—	·02	—	·01	·01	—	·01	·01		20
21	—	·01	—	—	·21	·09	—	·42	·02	·07	·01	TRACE		21
22	—	—	—	·02	TRACE	·06	—	·16	·04	·12	TRACE	—		22
23	—	·04	—	·19	—	·17	—	—	·61	·53	—	—		23
24	—	1·48	—	·20	·04	·33	—	—	·03	·06	·02	—		24
25	—	·53	—	·21	·12	·30	—	—	·49	·02	—	·08		25
26	—	·86	—	·11	·50	—	—	—	·76	·03	—	—		26
27	—	·06	—	—	·63	—	TRACE	—	·03	·15	—	·18		27
28	—	—	—	·39	TRACE	—	TRACE	—	—	·02	—	·05		28
29	·13	×	—	·08	—	—	—	—	—	·05	—	·03		29
30	·05	×	·10	·11	—	—	·10	—	·19	TRACE	—	·17		30
31	·35	×	·02	×	—	×	—	—	×	·02	×	—		31
TOTAL	2·82	4·11	3·41	1·31	2·36	1·57	2·18	·97	3·25	3·35	·79	·59	Year's Total 26·71	
*Days with ·01 in. or more.	20	17	15	8	16	12	10	9	14	19	16	10	166	
*Days with ·04 in. or more.	13	11	13	7	13	9	9	6	9	14	5	4	113	

40-9999

*See Instruction 2 (*f*) on other side.

6

† Spare column, no entries required.

(*Signed*) G. W. Fisher

[P.T.O.

2153

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2155~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON,

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	TRACE	—	—	—	—	·44	TRACE	·01	·04	·69		1
2	·19	—	·07	—	—	—	—	·09	1·09	·05	·03	·27		2
3	·03	·04	TRACE	—	—	—	—	—	·01	·16	—	·24		3
4	·23	TRACE	·05	—	·34	—	—	—	·06	·34	·03	·57		4
5	·01	—	·03	TRACE	·09	—	—	·61	—	·14	·16	·42		5
6	·02	—	·18	·08	·40	TRACE	—	—	TRACE	·21	—	·71		6
7	·04	TRACE	—	—	TRACE	TRACE	—	·16	—	·17	·02	·56		7
8	·02	—	—	—	·17	TRACE	—	·05	·02	—	·20	·11		8
9	·02	—	·16	—	TRACE	—	—	—	TRACE	—	·51	·20		9
10	·13	TRACE	·24	·25	—	—	—	·10	—	—	·22	·04		10
11	·74	—	·06	·28	—	—	·13	·05	—	—	—	·33		11
12	·02	·01	·08	·03	—	—	·38	·05	—	—	—	·10		12
13	·55	—	·02	·18	—	—	1·27	·02	—	—	·02	·14		13
14	·12	—	·36	·01	—	—	—	—	—	·04	·16	·22		14
15	TRACE	—	·06	—	·13	TRACE	—	—	TRACE	·15	·20	·05		15
16	·22	—	·46	—	·02	—	—	—	—	—	·04	—		16
17	·23	—	—	·12	—	—	·10	—	·16	·05	—	·41		17
18	·29	—	·06	·25	—	TRACE	—	—	·02	—	—	·23		18
19	—	—	·26	TRACE	TRACE	·09	—	·04	·04	·05	TRACE	·17		19
20	—	—	·17	·08	TRACE	·01	·14	—	TRACE	·02	—	—		20
21	—	—	·06	—	—	·28	·15	·06	TRACE	·33	—	TRACE		21
22	·02	—	·03	—	·06	—	—	·22	·19	·07	—	·12		22
23	—	TRACE	·01	·03	—	·23	·02	·02	·01	—	TRACE	·03		23
24	—	·28	·07	·12	—	·23	·08	—	·31	·05	—	—		24
25	·17	·01	—	·35	—	·28	—	—	·01	·22	—	·58		25
26	·01	—	·01	·08	—	·16	—	—	·06	·13	—	·03		26
27	·02	—	—	·08	—	—	—	—	TRACE	·03	—	·31		27
28	—	—	—	·06	—	·09	—	·34	·02	—	TRACE	·72		28
29	—	×	—	—	—	—	TRACE	·10	·45	—	TRACE	·03		29
30	·03	×	—	—	—	—	—	—	·07	·16	—	·35		30
31	TRACE	×	—	×	—	×	—	—	×	·24	×	·11		31
													Year's Total.	
TOTAL	3·15	·34	2·44	2·00	1·21	1·37	2·27	2·35	2·52	2·62	1·63	7·74	29·64	
* Days with .01 in. or more.	22	4	20	15	7	8	8	15	15	20	12	27	173	
* Days with .04 in. or more.	12	2	15	12	6	7	7	13	9	17	8	24	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) G. W. Fisher

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON
in the County of GLOUCESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·06	·01	·08	·08	·07	—	·21	·07	·10	TRACE		1
2	—	—	TRACE	—	—	·01	—	—	—	·56	·03	TRACE		2
3	—	·09	·04	—	—	·19	—	—	·47	·36	·33	—		3
4	—	·02	—	·21	—	·16	—	—	·10	·03	·02	·05		4
5	—	·38	·31	·06	—	·22	—	—	·35	·02	·05	·03		5
6	·02	·03	·02	·45	—	·60	—	—	—	—	·02	·10		6
7	—	TRACE	—	·32	—	·22	—	—	—	·29	·08	·11		7
8	—	—	TRACE	·41	—	·01	—	·01	—	·27	·17	·11		8
9	·04	—	—	·91	TRACE	·21	—	—	·05	1·30	·64	—		9
10	TRACE	—	—	·36	—	TRACE	—	—	—	TRACE	·11	TRACE		10
11	·25	TRACE	—	—	—	·10	TRACE	—	TRACE	—	·29	TRACE		11
12	·01	·06	—	—	—	·26	—	·02	·04	—	·03	—		12
13	·08	·10	—	·32	·16	·02	—	—	TRACE	—	·08	—		13
14	TRACE	—	—	·02	·04	·16	—	—	·12	·01	1·06	·25		14
15	—	·05	TRACE	·89	·12	·05	—	—	·71	·01	·26	·06		15
16	—	·14	·07	·23	—	·10	TRACE	—	·30	·08	·91	·05		16
17	—	TRACE	TRACE	·05	·02	·28	·12	—	·07	—	·41	—		17
18	—	·06	—	·44	·08	·05	·18	—	·54	·04	TRACE	·02		18
19	—	·03	—	·25	·14	·17	·13	—	·20	·09	·15	·09		19
20	·01	·57	—	·19	·15	·08	·04	—	—	—	·79	—		20
21	—	·38	·04	·02	—	—	—	—	1·41	·01	·02	—		21
22	TRACE	·20	·05	·11	—	—	—	·29	·12	—	—	—		22
23	—	·08	·06	·01	—	—	—	·23	·20	·90	—	·18		23
24	·06	·48	·06	—	—	—	—	·21	·21	·10	—	·30		24
25	·14	·24	—	·19	—	·77	—	—	—	TRACE	—	·24		25
26	—	·16	—	—	—	—	—	·21	·14	TRACE	TRACE	·98		26
27	—	·19	—	—	·07	—	—	TRACE	·08	TRACE	·15	1·13		27
28	TRACE	—	—	—	·03	—	—	TRACE	·14	—	·02	·02		28
29	TRACE	X	·04	—	—	—	—	·05	·16	·02	·19	·34		29
30	·06		—	·13	·46	·01	—	·99	·26	·22	·59	·36		30
31	—		—		·02		—	·11		·51		·40		31
													Year's Total	
TOTAL	·68	3·26	·75	5·58	1·37	3·75	·54	2·12	5·88	4·89	6·50	4·82	40·14	
* Days with .01 in. or more.	10	18	10	21	12	21	5	9	21	19	24	19	189	
* Days with .04 in. or more.	6	15	9	17	9	17	5	7	21	13	18	16	153	

40-9999.

† Spare column, no entries required.

(*Signed*) G W Fisher

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 610 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·15	·09	·36	—	·20	·26	·07	TRACE	—	·10	·04		1
2	·12	·10	·09	·04	—	·19	·91	·04	—	—	·23	TRACE		2
3	—	—	—	·21	—	·14	·08	—	·87	—	·19	·03		3
4	TRACE	—	·14	—	—	TRACE	TRACE	—	·27	—	·11	·21		4
5	·45	·01	·08	—	·08	TRACE	·28	·04	·03	—	·12	·04		5
6	·11	—	·02	—	TRACE	·07	·16	·09	·23	—	·39	TRACE		6
7	·02	—	·10	—	TRACE	TRACE	·37	—	TRACE	TRACE	·18	·11		7
8	·37	—	·26	—	TRACE	—	·06	—	—	—	1·21	·04		8
9	·66	—	·08	—	—	—	·29	—	·08	—	TRACE	·01		9
10	·06	—	TRACE	—	TRACE	TRACE	·33	—	TRACE	—	—	—		10
11	—	·21	—	·03	—	·13	·25	·06	·08	—	·49	—		11
12	—	—	—	·06	·31	·39	·45	—	·37	—	·19	·15		12
13	—	—	—	·12	—	·07	TRACE	·02	TRACE	·06	·03	·78		13
14	—	·03	—	·19	—	·05	·63	—	·17	·01	·06	·75		14
15	—	TRACE	—	·03	·02	TRACE	·05	—	·12	—	·07	·14		15
16	·06	·19	TRACE	·16	—	—	·14	—	·01	—	·57	·11		16
17	·20	·74	—	TRACE	·04	TRACE	·11	TRACE	—	·04	·06	·51		17
18	TRACE	·04	—	—	—	TRACE	·45	·05	—	·02	—	·13		18
19	·48	·15	·04	·22	—	·04	—	·12	—	—	—	—		19
20	·04	·19	·05	·04	—	·16	TRACE	—	·18	TRACE	—	—		20
21	—	—	—	·49	—	·02	·03	—	·04	—	TRACE	—		21
22	·10	·62	·14	—	·24	—	·37	—	—	·02	—	·09		22
23	·10	·02	·28	·14	·05	—	·13	—	—	·03	—	·01		23
24	·17	·03	—	·05	·02	—	·04	—	—	·04	·02	TRACE		24
25	·07	—	·16	·48	—	—	·28	—	·24	·11	·07	—		25
26	·07	·20	·19	·04	—	·13	—	—	·01	·04	TRACE	—		26
27	·11	·03	·15	—	—	—	·03	—	·07	·01	—	TRACE		27
28	·40	·02	·33	—	—	—	·13	—	—	·01	·02	·30		28
29	·05	·37	·05	—	·12	·25	·02	—	—	·04	·03	·15		29
30	·20	✕	·01	—	·14	·04	·10	—	—	·69	—	TRACE		30
31	·62	✕	·28	✕	·02	✕	·22	—	✕	·21	✕	·40		31
													Year's Total	
TOTAL	4·64	3·10	2·54	2·66	1·04	1·88	6·17	·49	2·77	1·33	4·14	4·00	34·76	✓
* Days with .01 in. or more.	22	17	19	16	10	14	26	8	15	14	19	19	199	✓
* Days with .04 in. or more.	21	11	17	14	7	13	23	7	12	8	15	16	164	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. W. Fisher

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	TRACE	TRACE	·08	—	—	—	—	·03	—	·17	·33		1
2	·01	·31	·02	·10	—	—	—	—	·03	—	·01	·44		2
3	·01	·30	—	·18	·04	TRACE	·05	—	·02	—	·01	·09		3
4	·10	·40	—	·01	·04	TRACE	·01	TRACE	—	—	TRACE	·40		4
5	·24	—	·13	·02	—	—	·02	—	—	—	—	—		5
6	·07	·12	·14	·15	·07	—	·15	—	·01	·06	TRACE	—		6
7	—	·77	TRACE	·41	—	—	—	—	—	—	·02	—		7
8	—	·04	—	TRACE	·14	—	·02	—	TRACE	—	·28	·01		8
9	TRACE	—	TRACE	·11	·29	—	·08	—	·36	—	—	·02		9
10	·06	—	·60	2·21	—	·19	—	TRACE	—	—	—	·22		10
11	·01	—	·18	—	·25	·09	·13	—	—	—	TRACE	·04		11
12	·56	—	·47	—	·07	·16	·03	·09	·12	—	—	·22		12
13	·20	·05	·43	·08	·01	·15	—	·24	·02	—	—	·01		13
14	—	·01	·24	·06	—	—	—	—	·04	—	—	·10		14
15	·20	·29	—	·30	—	—	2·05	·11	·20	—	TRACE	·16		15
16	·01	·14	·52	·45	—	·05	·02	·10	1·20	—	—	—		16
17	·41	·09	·32	—	—	—	·02	—	·63	—	TRACE	—		17
18	·49	·09	·16	·01	—	·02	—	·03	·11	·01	·21	·23		18
19	·11	·08	·19	·06	·07	·52	TRACE	—	—	·01	·22	·03		19
20	·47	·03	·54	·40	·02	TRACE	—	—	TRACE	·01	—	·09		20
21	·48	·34	·11	·02	·03	—	·02	—	—	·01	·03	·18		21
22	·20	·09	·13	—	·20	·06	·11	—	—	·97	·52	·06		22
23	·28	·10	·03	—	·02	—	·11	—	—	·51	·04	·01		23
24	·23	·46	—	—	TRACE	—	—	—	·06	·36	—	·04		24
25	·03	·42	·08	—	·15	—	—	—	·02	·29	—	·03		25
26	TRACE	·40	·01	—	·51	—	—	—	—	·01	·03	·02		26
27	·01	·23	—	·24	—	—	—	—	—	·57	—	TRACE		27
28	·03	·09	—	—	—	TRACE	—	—	—	·09	TRACE	TRACE		28
29	·04	X	—	—	—	·01	—	—	—	·12	·06	TRACE		29
30	·35	✕	—	—	—	·01	—	·01	·01	TRACE	·34	—		30
31	·13	✕	—	✕	—	✕	—	—	✕	·36	✕	TRACE		31
TOTAL	4·88	4·85	4·30	4·89	1·91	1·26	2·82	·58	2·86	3·38	1·94	2·73	Year's Total 36·40	✓
* Days with .01 in. or more.	26	22	18	18	15	10	14	6	15	14	13	21	192	✓
* Days with .04 in. or more.	19	20	15	14	11	7	7	4	8	9	8	14	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G W Fisher

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·02	TRACE	—	—	·47	·41	·01	—	·27	—	·25		1
2	TRACE	—	—	·04	·03	TRACE	·02	—	—	·31	—	·01		2
3	TRACE	—	—	—	·26	·01	·01	—	·01	·86	·06	—		3
4	·08	—	—	TRACE	—	·01	·33	·47	—	·80	TRACE	·24		4
5	·02	—	—	—	—	TRACE	·31	·01	·05	·16	TRACE	·02		5
6	·09	—	—	—	—	·04	·33	—	·13	·23	TRACE	·02		6
7	·02	—	—	—	—	TRACE	·39	·11	·18	·10	TRACE	·05		7
8	·53	—	TRACE	—	—	·01	·12	·07	·03	·40	—	TRACE		8
9	·13	·05	—	—	—	—	·03	·21	—	—	—	·46		9
10	·10	·03	—	—	—	·58	·05	·70	—	—	—	·27		10
11	·24	·01	—	—	—	—	·01	·01	—	TRACE	·27	·07		11
12	·46	TRACE	—	—	·31	—	—	·09	—	·26	·16	—		12
13	·05	TRACE	—	—	TRACE	—	·01	—	—	·13	·45	1·04		13
14	·55	TRACE	—	—	·01	—	·61	—	·08	—	·01	—		14
15	·25	TRACE	—	—	·06	—	·01	—	—	·06	·02	·31		15
16	·63	TRACE	·08	—	·01	—	—	·02	—	—	·02	·04		16
17	—	·07	TRACE	—	—	—	—	—	·07	·19	·01	—		17
18	·09	—	—	—	—	·01	TRACE	·03	1·18	·01	·39	—		18
19	TRACE	—	—	—	—	—	—	·11	·04	TRACE	·23	—		19
20	·01	TRACE	—	—	—	—	—	—	—	—	·41	·01		20
21	·09	—	—	—	—	—	—	·23	·01	—	·03	·52		21
22	·04	—	—	·04	—	·04	TRACE	·31	TRACE	—	·47	·33		22
23	TRACE	—	—	·03	—	TRACE	—	·01	·31	—	·10	·02		23
24	·02	TRACE	·12	—	·06	TRACE	—	·09	·09	—	·08	TRACE		24
25	·16	·41	·02	—	·08	TRACE	·07	—	·01	·21	·48	·20		25
26	·20	·33	·02	—	·12	—	—	—	·16	·10	—	·23		26
27	·02	·02	—	TRACE	·27	·25	·40	·04	·07	·06	·40	—		27
28	·04	·15	—	—	TRACE	·18	—	·57	·05	—	·01	·08		28
29	·16	X	—	TRACE	·38	TRACE	—	—	·04	·09	·25	·07		29
30	·04	⊠	—	TRACE	·42	·04	—	—	·83	·02	·37	·06		30
31	·29	⊠	—	⊠	·68	⊠	—	—	⊠	·08	⊠	·25		31
TOTAL	4·31	1·09	·24	·11	2·69	1·64	3·11	3·09	3·34	4·34	4·22	4·55	Year's Total 32·73	
* Days with .01 in. or more.	25	9	4	3	13	11	16	18	18	19	20	22	178	
* Days with .04 in. or more.	20	5	2	2	10	7	10	12	14	17	14	17	130	

† Spare column, no entries required.

(Signed) G W Fisher

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2153

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 610 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·03	·15	·11	—	—	—	·07	TRACE	TRACE	·05		1
2	·03	—	·01	·03	TRACE	—	·01	·54	·62	—	·08	·02		2
3	·19	—	TRACE	·35	—	—	—	·45	·12	—	·35	·18		3
4	·10	—	·59	·64	·22	—	·32	·22	—	·28	·09	·20		4
5	—	·01	TRACE	·97	·10	—	·14	·26	—	·14	·63	·15		5
6	·53	—	TRACE	·03	·01	—	1·03	·03	—	—	·04	—		6
7	·08	·18	—	—	·14	—	·02	—	—	TRACE	·62	·55		7
8	·01	·24	·23	—	·01	—	·44	·03	—	·83	·29	·80		8
9	·05	·07	TRACE	—	—	—	TRACE	·18	—	·26	TRACE	·11		9
10	·27	·01	·08	—	—	·14	—	·09	·01	·03	TRACE	TRACE		10
11	—	·02	·20	—	—	TRACE	—	—	—	·06	·01	·01		11
12	·04	·09	—	—	—	·11	—	—	—	·01	·01	—		12
13	—	—	—	·05	·01	—	·23	—	·07	·52	·01	—		13
14	·94	—	·01	—	·12	·02	·12	—	—	·01	·15	·02		14
15	·36	—	TRACE	·01	·10	·79	·26	—	TRACE	·19	·22	TRACE		15
16	·09	—	TRACE	·01	·06	·08	TRACE	—	—	—	·37	—		16
17	·35	TRACE	—	—	TRACE	·18	·02	—	—	·15	·05	—		17
18	·40	·02	·02	—	—	·19	·27	—	TRACE	·19	·47	·01		18
19	·31	—	—	—	—	—	·38	—	—	—	—	TRACE		19
20	·27	—	—	—	TRACE	—	·16	·04	—	—	—	·02		20
21	·17	·30	·20	·02	—	—	·56	·07	TRACE	—	—	—		21
22	·85	·37	·03	·02	—	·11	·02	—	—	—	·19	·01		22
23	·01	—	—	·10	—	·04	·22	—	—	·03	·82	—		23
24	·26	—	·01	·07	—	·21	·02	—	—	·08	—	TRACE		24
25	·60	·05	·03	—	—	—	·07	·80	—	·08	·36	—		25
26	·23	TRACE	TRACE	—	—	—	—	·53	—	·11	·70	·01		26
27	—	·11	·08	TRACE	—	·03	·17	·02	—	·04	·03	·04		27
28	·01	·11	·10	·02	—	·02	·33	—	—	TRACE	·31	·10		28
29	—	×	—	·23	—	—	·22	—	—	·07	·14	—		29
30	—	×	—	1·10	—	·02	·02	—	—	TRACE	·02	·07		30
31	—	×	—	×	—	×	·21	·17	×	·13	×	—		31
TOTAL	6·18	1·58	1·62	3·80	·88	1·94	5·24	3·43	·89	3·21	5·96	2·35	Year's Total 37·08	
* Days with .01 in. or more.	24	13	14	16	10	13	23	14	5	19	23	17	191	
* Days with .04 in. or more.	19	9	7	9	7	9	17	11	4	15	18	10	135	

† Spare column, no entries required.

(*Signed*) G. W. Fisher

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** Station No. 2153 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at THE RECTORY COTTAGE, MINCHINHAMPTON

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 610 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·03	—	·05	·01	—	—	—	—	—	·16	—		1
2	—	·10	—	·15	—	—	·05	—	—	—	1·56	TRACE		2
3	—	·23	—	TRACE	—	—	TRACE	—	—	·29	1·05	TRACE		3
4	TRACE	·14	—	—	—	—	TRACE	—	—	·13	·15	·08		4
5	TRACE	·01	—	—	—	—	·03	—	—	·24	·76	·13		5
6	·22	·24	—	—	TRACE	—	—	—	—	·23	—	·02		6
7	·02	·76	—	·01	TRACE	—	·39	—	·02	TRACE	—	·03		7
8	TRACE	—	—	·05	—	—	·01	—	TRACE	·20	·14	·04		8
9	—	—	—	·03	—	·03	·48	·07	·06	·43	·28	·16		9
10	—	—	·01	—	—	—	·70	·03	TRACE	·06	·03	·04		10
11	—	TRACE	TRACE	·04	—	—	·43	—	—	—	·74	—		11
12	—	TRACE	·13	·02	—	·02	·60	—	·02	·01	·02	—		12
13	—	TRACE	·47	—	—	—	·19	TRACE	·01	—	·40	·03		13
14	—	—	·05	·18	·83	—	·26	TRACE	·10	·31	—	·34		14
15	—	TRACE	·05	TRACE	·31	·07	·06	—	·11	·13	·22	TRACE		15
16	TRACE	·40	·30	·10	—	·01	·39	—	·20	·46	·67	·08		16
17	—	—	·30	·01	—	—	·07	—	·09	—	·02	—		17
18	·11	·39	·71	·55	—	—	TRACE	·01	·06	·09	·09	·14		18
19	—	·17	·07	·05	—	—	·94	—	·12	—	·44	·01		19
20	—	·01	·02	·01	—	—	·15	—	—	·42	·05	TRACE		20
21	·04	·01	—	—	·05	·16	·10	—	—	—	·91	—		21
22	—	·04	·12	·07	·01	·20	TRACE	—	·15	TRACE	—	—		22
23	—	·18	·10	·05	·34	·01	TRACE	—	·01	—	·04	·05		23
24	TRACE	—	TRACE	—	·04	—	·24	—	—	—	TRACE	—		24
25	TRACE	—	TRACE	·01	TRACE	·07	—	—	—	—	—	—		25
26	·91	·22	TRACE	·04	·10	TRACE	·57	—	—	—	·02	—		26
27	·84	·17	TRACE	·15	·17	—	·03	—	—	—	—	·01		27
28	·51	·10	—	·18	·12	—	—	—	—	—	—	—		28
29	·02	—	·15	·30	·02	TRACE	TRACE	—	—	·02	—	·29		29
30	·04	✕	TRACE	·21	·01	—	—	—	—	·38	—	·02		30
31	·03	✕	·10	✕	—	✕	—	—	✕	·70	✕	·03		31
TOTAL	2·74	3·20	2·58	2·26	2·01	·57	5·69	·11	·95	4·10	7·75	1·50	Year's Total 33·46	Print wt
* Days with .01 in. or more.	10	17	14	21	12	8	19	3	12	16	20	17	169	
* Days with .04 in. or more.	7	13	12	15	8	4	16	1	8	14	16	16	130	

† Spare column, no entries required.

(*Signed*) G W Fisher

* See Instruction 3 (f) on other side.

[P.T.O.

2154

Section **A** for the entr
AIR MINI

COPY FOR OFFICIAL USE,
FALL ORGANIZATION.

FORM 1090.

REG **931.**

2154

MINCHINHAMPTON
CAMPFIELD
1931 — 40

780402

Kept at [illegible]

in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING ME **DAY.**

An observer who does not confor *the following*
year in the space on the right

Jan. 1, following

Date	Jan.	Feb.	Mar							ct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	–	·19	–	·07 SL	·02	·03	·82	–	·50	·04	–	·01 F	1
2	·09	–	·06	·96	·13	–	·01	–	·75	·02	·12	·23	2
3	·02	–	–	·04	–	–	·04	·36	·91	·01	1·83	·34	3
4	–	Tr. S	·02	·01	·02 H	–	·58	2·91 Th	·12	·13	·04	·01	4
5	–	·15	–	·19	·06	·82	–	·01 F	·15	·01 F	·02	·62	5
6	–	·12	–	·17	·02	·17	·27	·11	·11	·34	·17	·20	6
7	–	–	–	·01	·13	·06	·02	·39	–	·07	·17	·04	7
8	·02 S	·12	–	·02	·26 Th.	·14	·01	·33	–	·07	·02	·01	8
9	·05	·36	–	·02	Tr	·29	·06	–	–	–	·40	–	9
10	·02	·03	·01 S	–	·01	·08	·05	·06	Tr	·01 F	·64	·01	10
11	·27	·37	–	–	Tr	·11	·02	·02	·18	–	·33	·03	11
12	–	·02 S	–	–	Tr	–	1·20	·08	·17	·05	·01	–	12
13	–	Tr S	·01	–	·04	Tr	·07	·65 Th	·03	·01	–	–	13
14	–	·09	–	–	·19	·63 Th	·66	·49	·07	–	·12	–	14
15	–	·02	–	·12	·29	–	·61	·78 Th	·17	–	–	·05	15
16	–	·29 S	–	·11	·35	·75	·02	·48	·08	–	–	–	16
17	Tr	·28 S	–	·14 H	·28	Tr	·28	·01	–	·01	·04	–	17
18	·02	·01	·02	·18	·01	·19	·01	·43	Tr	Tr	·33	–	18
19	·05	·03	–	Tr. S ·29	Tr	·02	·13	·21	·02 F	–	Tr	–	19
20	–	·13	·23	·03	–	Tr	·08	·31	–	–	·04	·02	20
21	·21	–	Tr	Tr	·19	–	Tr	·02	–	–	·01 F	Tr	21
22	·54	–	·01 F	·01	–	–	Tr	–	–	–	·01	–	22
23	·25	–	–	·17	·84	·61	–	·02	·04	–	·74	·14	23
24	–	Tr	–	·47	·34	Tr	·29	–	–	–	Tr	–	24
25	·08	–	–	·27	–	–	·32	–	–	–	·13	·02 F	25
26	–	·01	–	·05	–	–	·25	–	–	–	·38	Tr	26
27	·25	·46	Tr	·02	·71 Th	–	·37	–	–	·02	·27	·08	27
28	·19	·09	·03	·13	·14	–	–	–	–	·03	·02 F	S	28
29	·12	×	·01 SL	Tr	·14	–	·19	–	·02	·12	·08	Tr. S	29
30	–	×	–	–	–	–	Tr	·12	Tr	–	·02 F	Tr	30
31	·57	×	–	×	·04	×	·02	·03	×	Tr	×	·09	31
TOTAL	2·75	2.77	·40	3·48	4.21	3·90	5.58	7.82	3·32	·94	5·94	1·90	YEAR'S TOTAL 43·01
*Days with ·01 in. or more.	16	18	9	22	21	13	25	21	15	15	24	17	216
*Days with ·04 in. or more.	12	12	2	15	16	11	17	15	12	7	17	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) B. M. Legh.

Section **A** for the ent[redacted]

2154

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Minchinhampton Camp Field

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

,, Ground ,, Sea Level 640 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·19	—	·07 SL	·02	·03	·02	—	·50	·04	—	·01 F	1
2	·09	—	·06	·96	·13	—	·01	—	·75	·02	·12	·23	2
3	·02	—	—	·04	—	—	·04	·36	·91	·01	1·83	·34	3
4	—	Tr. S	·02	·01	·02 H	—	·58	2·91 Th	·12	·13	·04	·01	4
5	—	·15	—	·19	·06	·82	—	·01 F	·15	·01 F	·02	·62	5
6	—	·12	—	·17	·02	·17	·27	·11	·11	·34	·17	·20	6
7	—	—	—	·01	·13	·06	·02	·39	—	·07	·17	·04	7
8	·02 S	·12	—	·02	·26 Th	·14	·01	·33	—	·07	·02	·01	8
9	·05	·36	—	·02	Tr	·29	·06	—	—	—	·40	—	9
10	·02	·03	·01 S	—	·01	·08	·05	·06	Tr	·01 F	·64	·01	10
11	·27	·37	—	—	Tr	·11	·02	·02	·18	—	·33	·03	11
12	—	·02 S	—	—	Tr	—	1·20	·08	·17	·05	·01	—	12
13	—	Tr S	·01	—	·04	Tr	·07	·65 Th	·03	·01	—	—	13
14	—	·09	—	—	·19	·63 Th	·66	·49	·07	—	·12	—	14
15	—	·02	—	·12	·29	—	·61	·78 Th	·17	—	—	·05	15
16	—	·29 S	—	·11	·35	·75	·02	·48	·08	—	—	—	16
17	Tr	·28 S	—	·14 H	·28	Tr	·28	·01	—	·01	·04	—	17
18	·02	·01	·02	·18	·01	·19	·01	·43	Tr	Tr	·33	—	18
19	·05	·03	—	Tr·S ·29	Tr	·02	·13	·21	·02 F	—	Tr	—	19
20	—	·13	·23	·03	—	Tr	·08	·31	—	—	·04	·02	20
21	·21	—	Tr	Tr	·19	—	Tr	·02	—	—	·01 F	Tr	21
22	·54	—	·01 F	·01	—	—	Tr	—	—	—	·01	—	22
23	·25	—	—	·17	·84	·61	—	·02	·04	—	·74	·14	23
24	—	Tr	—	·47	·34	Tr	·29	—	—	—	Tr	—	24
25	·08	—	—	·27	—	—	·32	—	—	—	·13	·02 F	25
26	—	·01	—	·05	—	—	·25	—	—	—	·38	Tr	26
27	·25	·46	Tr	·02	·71 Th	—	·37	—	—	·02	·27	·08	27
28	·19	·09	·03	·13	·14	—	—	—	—	·03	·02 F	S	28
29	·12	×	·01 SL	Tr	·14	—	·19	—	·02	·12	·08	Tr. S	29
30	—	×	—	—	—	—	Tr	·12	Tr	—	·02 F	Tr	30
31	·57	×	—	×	·04	×	·02	·03	×	Tr	×	·09	31
TOTAL	2·75	2·77	·40	3·48	4·21	3·90	5·58	7·82	3·32	·94	5·94	1·90	YEAR'S TOTAL 43·01
*Days with ·01 in. or more.	16	18	9	22	21	13	25	21	15	15	24	17	216
*Days with ·04 in. or more.	12	12	2	15	16	11	17	15	12	7	17	9	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) B. M. Legh. P.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Camp Field – Minchinhampton

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

„ Ground „ Sea Level 640 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01 F	–	·04	1·20	Tr	·07	·15	·08	·16	·01	Tr	1
2	·02	–	–	·18	·08	–	–	·01	·75	·04	·05	·21	2
3	Tr	·01	–	·73	·02	–	·02	–	·01	·06	·01	–	3
4	·01	Tr F	–	·05 F	–	Tr	·01	–	–	–	·36	–	4
5	·83	·01	·05	–	·01	–	–	Tr	·12	Tr	·01	–	5
6	1·36	–	Tr	·17	·05	–	–	·01	·73	·01	–	Tr	6
7	·19	–	·08	·04 H	·01	–	–	–	·38	1·06	–	–	7
8	–	·01	·32	·06	–	–	–	–	·27	·36	–	–	8
9	·56	·04 S	–	·33	·01	–	–	–	·01	·01	–	–	9
10	·41	·05 S	Tr S	·30	·10	·01	–	–	·13	·31	–	–	10
11	·01	Tr S	–	·06 H	·11	Tr ~~Th H~~	·52 Th & H	–	·01	–	·02	·02 Sl	11
12	·73	–	–	·02 H	·41	Tr	–	·01	·16	·48	·03	·01 F	12
13	·25	–	–	·26	·04	–	·74	·03	·01	·24	·01	·10	13
14	·19	–	–	·02	·02	–	·01	·30	·01 F	·01	·03	·01	14
15	·13	–	–	·03	·68	–	·12	–	–	·04	·04	·03	15
16	·28	–	–	·26	·02	–	–	–	·01	Tr	–	–	16
17	–	–	Tr	·04	–	–	Tr	–	–	·05	·01 F	–	17
18	Tr	–	–	Tr	·12	–	–	–	·06	Tr	·37 F	Tr	18
19	–	–	–	·14	·05	–	–	–	·03	·19	·01	Tr F	19
20	·02 F	–	–	·10	1·12	–	·02	·11 Th	–	·79	·10	·21	20
21	·01	–	·19	·28	·37	–	Tr	·35 Th	–	·43	·07	·11	21
22	·01	–	·13	·14	·08	·09	·13	·01	·65	·23	·34	·06	22
23	·01	·05	·02	–	·65	–	·05	–	·06	·54	·01	·12	23
24	Tr	Tr	·01	Tr	·01	–	·06	–	·10	·02	·01	·03	24
25	·01	·01	Tr	·05	Tr	–	·08	–	·12	·25	·19	·01	25
26	–	Tr	·12	·02	·06	–	·11	–	·01	·05	·01	·01	26
27	–	–	·70	·32	·45	–	·21	–	Tr	·33	–	·02	27
28	–	–	·38	·10	·28	Tr	·24	Tr	–	Tr	–	·02	28
29	–	–	·73	·15	·96	·27	·10	·20	·26	·35	Tr	·15	29
30	–	X	·06	·13	–	1·71	·44	·12	·58	–	1·22	·26	30
31	·01	X	·08	X	–	X	·24	–	X	·01	X	·58	31
TOTAL	5.14	·19	2.87	4.02	6.91	2.08	3.17	1.30	4.55	6.02	2.91	1.96	YEAR'S TOTAL 41.12
*Days with ·01 in. or more.	20	8	13	26	25	4	18	11	23	24	21	18	211
*Days with .04 in. or more.	11	3	11	22	18	3	14	6	15	19	9	9	140

40-9999

*See Instruction 2 (*f*) on other side.

S Snow
Sl Sleet
H Hail
F Fog
Th Thunder

(Signed) B. M. Legh.

P.T.O.

2154

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Camp Field, Minchinhampton

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

" Ground " Sea Level 640 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.64	.57	.06	—	.03	—	Tr	—	Tr	.01	.01	Tr SL		1
2	.49	—	.69	—	.05	Tr	—	—	—	—	.02	—		2
3	.02	.10	.35	Tr	.16	—	—	—	—	—	.03	—		3
4	.18	.06	—	—	.25	—	—	—	—	—	.01	—		4
5	.08	Tr	.57	—	.06	—	—	—	—	—	.02	—		5
6	.01	.35	.04	Tr	.08	—	—	—	—	.16	Tr	—		6
7	.03	.01	.01 Th	—	.07	—	Tr	—	—	.18	—	.01		7
8	.03	.04	.08	Tr	.10	— Th	.50	—	—	.01	—	Tr S. —		8
9	—	.06	—	—	.03 Th	.02	.35	—	—	.57	.05	—		9
10	.09	.01	—	—	Tr	—	.12	Tr	—	1.18	.05	—		10
11	.13	—	—	—	.02	.01	.01	.06	—	—	—	—		11
12	.15	—	—	—	.01	Tr	.25	—	.73	Tr	Tr Dew	.01 S		12
13	.03	—	—	—	.08	Tr	.48	.02	.03	.04	.09	—		13
14	.01	—	—	—	—	—	.10	.08	—	.07	.34	.01		14
15	.58	—	.17	—	—	Tr Th	.12 Th	.07	—	.06	.01	.01		15
16	.20 S	—	.67	—	—	.04	.37	.02	.04	.04	Tr	—		16
17	.04 S	.02 S	.45	—	—	.13	.01	.10	.05	—	.02	—		17
18	.13 S	.01 S	.09	Tr	—	.17	—	—	—	—	.03	—		18
19	—	Tr S	.29 Th H H	Tr Th H	—	.23	—	—	.21	—	.07	Tr		19
20	—	Tr SL	.04	— ✗	12	.08 Th	—	.01	.02	—	.01	Tr F		20
21	—	Tr S	.01	—	.26 Th	.09 Th	—	.36 Th	.01	.07	.01	—		21
22	—	—	—	.02	Tr Th	.06 Th	—	.17	.07	.11	Tr	—		22
23	—	.08 S	—	.22	—	.24	—	—	.53	.63	Tr	—		23
24	—	1.39 S	—	.25	.04	.40	—	Tr	.14	.04	.02	—		24
25	—	.63	—	.23	.12	.20	—	—	.36	.01	—	.02		25
26	—	.93	—	.12	.49	— Th	—	—	.75 Th	.04	—	—		26
27	—	.04	—	—	.61	Tr	Tr	—	.03	.27 SL H	.01 F	Tr S		27
28	.01 S	—	—	.38	—	Tr	Tr	—	Tr	.01	—	.02		28
29	.11	—	Tr	.08	—	—	Tr	Tr	—	.04	—	.01		29
30	.05	✗	.09 Th H	.11	Tr	—	.15	—	.15	Tr	—	Tr		30
31	.42	✗	.01	✗	—	✗	Tr	.03	✗	.01	✗	—		31
TOTAL	3.43	4.30	3.62	1.41	2.46	1.67	2.46	.92	3.12	3.55	.80	.09	Year's Total 27.83	
*Days with ·01 in. or more.	21	15	16	8	17	12	11	10	14	20	17	7	168	
*Days with .04 in. or more.	14	11	13	8	13	10	9	6	10	15	5	—	114	

40-9999

*See Instruction 2 (*f*) on other side.

S snow
SL sleet
H hail

F fog
Th thunder

† Spare column, no entries required.

(*Signed*) B. M. Legh

[P.T.O.

(File number 66̄222 9/26)

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Camp Field, Minchinhampton

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

,, Ground ,, Sea Level 640 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	–	Tr	–	–	–	–	·42	–	Tr	·03	·66		1
2	·01	–	·03	–	–	–	–	·08	·96	·07	·02	·26		2
3	Tr	–	–	Tr	–	–	–	–	·03TH	·14	–	·34		3
4	·03	Tr	·05	Tr	·39	–	–	–	·07	·31	·03	·64		4
5	Tr	–	·03	Tr	·07	–	–	·62	–	·13$^{TH}_{H}$	·16	·58		5
6	·01	–	·15	·08	·39	Tr	–	Tr	Tr	·19	–	·67		6
7	·04	Tr	–	–	·15	Tr	–	·16	–	·16	·02	·53		7
8	·02^{F}	–	–	–	–	Tr	–	·04	·03	·01	·18	·11		8
9	·01	–	·15	–	–	–	–	–	Tr	Tr	·70	·18		9
10	·16	·01^{F}	·22TH	·28	–	–	–	·10	–	–	·27	·04		10
11	·74	–	·07	·30	–	–	·15	·05	–	–	Tr	·37		11
x gauge leaked 12	·02	·02^{F}	x·16?	·02	–	–	·38	·05	–	–	Tr	·08		12
13	·63	–	·02	·16	–	–	1·42TH	·02	–	Tr	·02	·14		13
14	·13	–	·34	Tr	Tr	Tr	–	–	–	·04	·16	·23		14
15	Tr	–	·08	Tr	·16	–	–	–	·01TH	·14	·20	·06		15
16	·21	–	·47	–	·02	–	–	Tr	–	–	·04	·01		16
17	·22	Tr	–	11	–	–	·09	–	·16	·05	–	·35		17
18	·32	–	·07	·24	–	Tr	–	Tr	·04	–	–	·24		18
19	–	–	·25	·01	·01	–	–	·01	·02	·05	–	·17		19
20	–	–	·18	·07	·02	·10	·12	Tr	Tr	·01	–	·01		20
21	–	–	·04	–	Tr	Tr	·18	·05	Tr	·42	–	·01		21
22	·03^{S}	–	·01	·02^{H}	·06	·27	Tr	·20	·17	·07	–	·14		22
23	–	–	·01	·15	–	·25	·01	·01	·05	Tr	Tr	·01		23
24	–	·23	·06	·11$^{TH}_{H}$	–	·21	·04TH	–	·24	·04	–	Tr		24
25	·24	Tr^{S}	–	·30	–	·31	–	–	·01	·20	–	·57		25
26	·01	–	·01	·10	–	·15	–	–	·06	·16	–	·02		26
27	·01	Tr^{S}	–	·10	–	Tr	–	–	Tr	·05	–	·32		27
28	–	–	–	·07	–	·08	Tr	·34	·05	Tr	Tr	·75		28
29	–	–	–	–	–	–	Tr	·12	·43	Tr	·01^{F}	·03		29
30	·04	✕	–	–	–	–	Tr	–	·06	·15^{H}	–	·31		30
31	Tr	✕	–	✕	–	✕	Tr	Tr	✕	·27	✕	·11		31
													Year's Total	
TOTAL	2·88	·26	2·40	2·12	1·27	1·37	2·39	2·27	2·39	2·66	1·84	7·94	29·79	✓
*Days with ·01 in. or more.	19	3	20	16	9	7	8	15	16	20	13	30	176	
*Days with .04 in. or more.	10	1	14	13	6	7	7	12	11	18	7	24	130	

40-9999

*See Instruction 2 (*f*) on other side.

S Snow F Fog
SL Sleet TH Thunder
H Hail

† Spare column, no entries required.

(*Signed*) B. M. Legh.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Camp Field

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

,, Ground ,, Sea Level 640 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	Tr	.07	.02	.07	.07	.07	—	.24	Th .05	.09	.02		1
2	—	Tr	—	—	—	.01	—	—	Tr	.53	.03	.01		2
3	Tr	.10	.02	Tr	—	.21	—	—	.51	.35	.30	—		3
4	Tr	.01	Tr	.21	Tr	.15	—	—	.09	Th .03	.02	.03		4
5	—	.42	.34	.03	—	Th .24	.06	—	.36	.02	.05	.03		5
6	.02	—	Tr	.49	—	.57	—	—	—	—	.03	.10		6
7	—	—	—	.33	—	.22	—	—	—	.26	.08	.11		7
8	—	—	Tr S	.39	—	Tr	—	.01	—	Th .25	.17	.10		8
9	S .03	—	—	1.10	Tr	.20	—	—	.05	1.10	.62	—		9
10	Tr	—	—	H & Th .46	—	Tr	—	—	—	.01	.11	Tr		10
11	.24	Tr	—	—	—	.10	.01	—	Tr	Tr	.26	.01		11
12	—	.06	—	—	—	.25	—	.02	.04	—	.06	—		12
13	.08	.07	—	.38	.15	.02	—	—	—	Tr	.11	—		13
14	—	—	—	.02	.04	.16	—	—	.08	.01	1.15	S .24		14
15	—	.04	Tr	.97	.13	Th .09	—	—	.70	.01	.22	.04		15
16	—	.21	.07	.27	—	Th .13	.01	—	.29	.06	.90	.05		16
17	—	Tr	—	.06	.02	.27	.10	Tr	Th .05	—	.41	—		17
18	—	.07	—	.45	.08	.06	.16	—	.49	.03	.01	Tr		18
19	Tr	.02	—	.23	.13	.16	.13	—	.20	.09	.11	S .10		19
20	.01	.65	—	.18	.15	.08	.03	—	.01	—	.89	—		20
21	—	.41	.04	.03	—	—	Tr	—	1.34	.02	.02	—		21
22	—	.15	.03	.13	—	—	—	.27	Th .13	.01	—	—		22
23	Tr	.08	.06	.02	Tr	—	—	.22	.18	.90	—	S .25		23
24	.06	.48	.05	—	—	—	—	.25	.39	.10	—	.36		24
25	.11	S .24	—	.19	—	.73	—	F Tr	—	.01	.01	.24		25
26	—	S & Sl .15	—	—	.07	Tr	—	.20	.13	Tr	Tr	.96		26
27	—	.20	—	—	.03	—	Tr	Tr	.06	Tr	.14	1.15		27
28	Tr	—	—	—	—	—	—	.01	.14	—	.03	.02		28
29	—	×	.04	—	—	—	—	.04	.15	.03	.23	.35		29
30	.06	×	—	.13	.47	.01	—	1.14	.22	.23	.84	.23		30
31	—	×	—	×	.02	×	—	.07	×	.51	×	.29		31
TOTAL	.62	3.36	.72	6.09	1.36	3.73	.57	2.23	5.85	4.61	6.89	4.69	Year's Total. 40.72	
* Days with .01 in. or more.	9	17	9	21	12	20	8	10	22	22	26	21	197	
* Days with .04 in. or more.	5	15	7	16	9	17	5	7	21	12	19	15	148	

40-9999

* See Instruction 2 (f) on other side.

S Snow
Sl Sleet
H Hail

F Fog
Th Thunder

† Spare column, no entries required.

(Signed) B. M. Legh.

[P.T.O.

File No. 662229/26

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Camp Field - Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 18 in.

" Ground " Sea Level 640 ft.

Ann total corr for auth

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.15	SL .10	.30	—	.21	Th .20	.06	Tr	—	.09	.04		1
2	.10	.04	.09	.03	—	Th. H .21	.72	.03	—	—	.23	—		2
3	—	—	—	S .20	—	.11	.07	Tr	.81	—	.16	.03		3
4	Tr	Tr	.14	Tr	—	Tr	—	—	.24	—	.13	.19		4
5	.38	—	.07	Tr	Th. .09	Tr	.28	.04	.02	—	.10	S .02		5
6	.10	—	.01	—	—	.06	.13	.07	.20	—	.36	.11		6
7	.02	—	.10	—	—	.01	.31	—	Tr	Tr	.20	—		7
8	.28	—	.25	—	—	—	.04	—	—	Tr	1.10	.03		8
9	.63	—	.07	—	—	Tr	.28	—	.09	Tr	Tr	F .01		9
10	.04	—	—	—	Tr	Tr	.34	.05	—	Tr	.01	—		10
11	—	S .27	—	.02	—	.13	.26	.05	.10	—	.45	—		11
12	—	—	—	Tr S .04	Th .26	.36	.39	.01	.36	—	.18	S F .15		12
13	—	—	Tr	.11	—	.06	.01	.02	—	.05	.04	.82		13
14	—	.01	—	.18	—	.04	.60	Tr	Th .19	.01	.05	.76		14
15	—	.01	—	.03	Tr	Tr	.05	—	.11	—	.07	.13		15
16	S .06	.15	—	Tr S. SL .15	.02	—	.14	—	.01	—	.50	.23		16
17	S .17	.65	—	Tr	.04	—	.15	.01	—	.04	.06	.52		17
18	Tr S	.05	—	—	—	Th .01	.38	.05	—	.01	Tr	.13		18
19	.50	—	.03	.20	—	Th .03	—	.10	Tr	—	—	Tr		19
20	.02	.18	.03	.04	—	Th .12	Tr	Tr	.21	Tr	—	—		20
21	—	—	Tr	S .46	—	.02	.03	—	.03	Tr	F .01	Tr		21
22	S .05	.66	.13	Tr S —	.24	—	.33	—	—	.01	—	.09		22
23	Tr	.02	.28	.14	.06	—	.10	—	—	.03	F —	—		23
24	.07	.03	—	.05	.02	—	.05	—	.16	.24	F —	—		24
25	.09	.01	.17	.44	—	—	.25	—	.26	.12	F .08	—		25
26	.05	.19	.18	.06 H	—	.12	.04	—	Tr	.03	—	—		26
27	.10	.04	.12	—	—	—	.11	—	.15	Tr	.02	—		27
28	.33	.01	.31	—	—	—	.02	—	—	—	—	F .33		28
29	.04	S .49	.03	—	H .09	Th .33	—	—	—	.04	.03	.16		29
30	.09	✕	.01	—	.13	.03	.12	—	—	.65	Tr	Tr		30
31	.66	✕	.31	✕	.02	✕	.16	—	✕	.19	✕	.50		31
TOTAL	3.99	2.96	2.43	2.45	.97	1.85	5.56	.49	2.94	1.42	3.87	4.85	Year's Total .77 33.17	✓
* Days with .01 in. or more.	21	17	19	16	10	16	27	11	15	12	20	18	202	✓
* Days with .04 in. or more.	19	12	15	13	7	11	24	7	12	7	16	14	157	✓

* See Instruction 3 (f) on other side.

S = Snow
SL = Sleet
H = Hail
F = fog
Th = Thunder

† Spare column, no entries required

(Signed) B. M. Legh

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Minchinhampton (Camp Field)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 18 in.

,, Ground ,, Sea Level 640 ft.

Totals ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	Tr	Tr	.08	—	—	—	—	.06	—	.15	.32		1
2	.06	.35	.03 SL	.11	—	—	—	—	Tr	—	.01 F	.42		2
3	.01	.36	Tr	.18 Th	.05 Th	Tr	.04	—	.01	—	.01 F	.09		3
4	.09	.41	—	.01	.04	Tr	.01	Tr	—	—	.01 F	.40		4
5	.28	—	.14 SL	.02	—	—	.01	—	—	—	Tr	—		5
6	.06	.23	.23 S	.20	.07	Tr	.14	—	.01	.05	.02	—		6
7	—	.85	Tr	.46	Tr	Tr	Tr	—	Tr	—	Tr	—		7
8	—	.02	—	Tr	.15	—	.02	—	Tr	—	.28	.01 S		8
9	Tr	Tr	Tr S	.11	.28	—	.06	Tr	.34	—	—	.01 S		9
10	.05	—	.60 S	2.30 Th	Tr	.19 Th	Tr	—	—	—	—	.04 S		10
11	.01	—	.18	—	.26	.08 Th	.13	—	—	—	Tr	.23		11
12	.61	.27	.44	Tr	.08	.18 Th	.01	.13 Th	.11	—	Tr	.05		12
13	.20	.04	.67 S	.08	—	.16	—	.22 Th	.01	—	—	.23		13
14	—	.01	.26 S	.12	Tr	—	Tr	.10	.03	—	—	.09		14
15	.21	.30	—	.30	—	—	2.05	—	.17	—	.01 F	.15 S		15
16	Tr	.11	.52	.50	—	.11	.01	.10	1.20	—	—	—		16
17	.40	.08	.33 Th	Tr	—	Tr	.02	—	.60 Th	—	.01	—		17
18	.51	.08	.09 Th	.02	—	.01	—	.02	.11 Th	Tr F	.20	.34		18
19	.12	.04	.17	.09	.07	.51	Tr	—	Tr	.01 F	.23	.03		19
20	.47	.03	.61	.38	.01	Tr	—	—	Tr	.01 F	—	.09		20
21	.41	.36	.11 S	.02	.07	—	.01	—	—	Tr F	.04	.17		21
22	.19	.06 H	.12 S	Tr	.14	.07 Th	.17	—	Tr	.88	.49	.06		22
23	.32	.11	.02 S	—	.02	—	.02	—	—	.85	.03	.07		23
24	.22	.77	Tr	—	Tr	—	Tr	—	.06	.34	—	.03		24
25	.03	.44	.07	—	.18 Th	Tr	Tr	—	.02	.27 Th	—	.02		25
26	—	.40	.01 S	—	.45	Tr	—	—	—	.01	—	.02		26
27	.01 Tr S	.20 S	—	.23	—	—	—	—	—	.71	—	Tr		27
28	.03 S	.05 S	—	—	—	Tr	—	—	—	.08	Tr	Tr		28
29	.03 S	✕	—	—	—	.01	—	—	—	.12	.05	Tr		29
30	.38	✕	—	—	—	Tr	—	.01	Tr	.01	.29	—		30
31	.13	✕	—	✕	—	✕	—	—	✕	.36	✕	—		31
TOTAL	4.93	5.57	4.60	5.21	1.87	1.32	2.70	.58	2.82	3.70	1.83	2.87	Year's Total 38.00	✓ ✓
* Days with .01 in. or more.	25	23	18	18	14	9	14	6	13	13	15	21	189	✓ ✓
* Days with .04 in. or more.	19	20	15	14	12	7	6	4	8	9	8	15	137	✓ ✓

* See Instruction 3 (f) on other side.

Snow – S
Sleet – SL
Hail – H

Fog F
Thunder Th

† Spare column, no entries required.

(*Signed*) B. M. Legh. [P.T.O.

Fil. No. 662229/26

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Camp Field

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 18 in.

" Ground " Sea Level 640 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.06	Tr H	—	—	.44	.41 TH	.02 TH	—	.29	Tr	.23		1
2	Tr	—	—	.03	.05	Tr	.03 TH	—	—	.27	Tr	.01		2
3	Tr	—	—	—	.29	.02	.02	—	Tr	.78	.05	—		3
4	.07	Tr	—	Tr	—	.02	.33	.43 TH	—	.73	—	.23		4
5	.02	—	—	—	—	Tr	.32 TH	.01 TH	.08	.21	.01	.03		5
6	.22	—	—	—	—	.04	.32	—	.10	.21	Tr	.02		6
7	Tr	—	—	—	—	Tr	.41	.13	.22	.09	Tr	.09		7
8	.63	—	—	—	—	.01	.10	.08 TH	.01	.37	.01	.01		8
9	.27 S	.05	—	—	—	—	.04	.17 TH	—	Tr	—	.42		9
10	.13 S	.01 S	—	—	—	.53 TH	.05	.72	—	—	Tr	.28		10
11	.24	Tr	—	—	.28	—	Tr	.01 TH	—	.01	.25	.10		11
12	.50	—	—	—	—	—	Tr	.09 TH	—	.23	.09	—		12
13	.04	Tr S	—	—	.03	—	Tr	—	—	.12	.67	.95		13
14	.66	Tr S	—	—	.08	—	.65	.01	.10	—	.01 F	.01 F		14
15	.16	Tr S	—	—	.01	—	.01	—	—	.05	.02 F	.29		15
16	.98	Tr S	.08	—	—	—	—	.03	—	.01	.02 F	.04		16
17	—	.06 S	—	—	Tr	—	—	—	.07	.16	.01 F	—		17
18	.09	—	—	—	Tr	Tr	—	.05	1.00 TH	.01	.36	Tr S		18
19	Tr	—	—	—	—	—	—	.07	.05	.01 F	.22	—		19
20	.01	—	—	—	—	—	—	Tr	Tr	.01	.41	.01 S		20
21	.08	—	—	—	—	—	—	.28 TH	.02	—	.03	.52 S		21
22	.03	—	—	.05	—	.05	—	.24	Tr	—	.44	.27 S		22
23	Tr	—	—	.01	—	—	—	—	.30	Tr	.11	—		23
24	.02	Tr	.11	—	.07	Tr	—	.11	.09	—	.09	.01 S		24
25	.15	.43	.02	—	.09	Tr	.07	Tr	.01	.21	.45	.14 S		25
26	.18	.32	.01	—	.12	.07	—	—	.17	.11	.01	.34		26
27	.03	.02	—	Tr	.26	.16	.36	.05	.04	.06	.36	—		27
28	.03	.14	—	—	Tr	.19	Tr	.55	.05	.01	Tr	.09		28
29	.06	✕	Tr	—	.38	.03	Tr	—	.04	.09	.25	.08		29
30	.04	✕	—	Tr	.41	.02	—	—	.78	.02	.32	.06 S		30
31	.32	✕	—	✕	.62	✕	Tr	—	✕	.08	✕	.24		31
													Year's Total	
TOTAL	4.96	.09	.22	.09	2.69	1.58	3.12	3.03	3.13	4.14	4.19	4.47	32.71	✓
* Days with .01 in. or more.	24	8	4	3	13	12	14	18	17	24	22	24	183	✓
* Days with .04 in. or more.	18	6	2	1	11	7	11	13	14	17	14	17	131	✓

† Spare column, no entries required.

(*Signed*) B. M. Legh ✓

[P.T.O.

* See Instruction 3 (f) on other side.

File number 66222 9/26

COPY FOR OFFICIAL USE

Section | A | for the entry of Daily Observations

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Camp Field - Minchinhampton

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 18 in.

,, Ground ,, Sea Level 640 ft.

acc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	·03	·17	·13	—	Tr	Tr	·07	Tr	Tr	·06		1
2	·02	—	·02	·05	·01	—	·01	·56	Th ·62	—	·09	·03		2
3	S ·21	—	Tr	·32	—	—	Tr	Th ·48	Th ·11	Tr	·41	·18		3
4	S ·09	—	1.02	·66	·21	—	Th ·30	·28	Th Tr	·30	·10	TrS ·24		4
5	—	—	Tr	Th ·85	·20	—	·12	Th ·31	—	·14	·55	·08		5
6	S ·61	—	—	TrS ·01	·01	—	·96	·03	—	·01	·05	—		6
7	·09	·21	—	—	·13	—	·03	—	—	—	·63	·60		7
8	·01	·27	·24	—	—	—	·43	·06	—	·86	·28	·80		8
9	·07	·09	—	—	—	—	—	·12	—	·26	F ·02	·12		9
10	·30	·01	·08	—	—	·13	—	—	·02	·02	Tr	Tr		10
11	—	·02	·35	—	—	Tr	—	—	—	—	F ✓)	—		11
12	S ·04	·06	—	—	Tr	·12	—	—	—	Tr	F ✓ ·03)	—		12
13	—	—	Tr	·06	·01	Tr	·22	—	·07	·52	·01	—		13
14	1.00	—	·01		·14	·04	·14	—	Tr	·04	·17	·03		14
15	·48	—	—	·01	·13	·72	Th ·23	—	Tr	·18	·32	—		15
16	·07	Tr	Tr	·02	·07	·10	Tr	—	—	—	·24	—		16
17	·38	·01	Tr	Tr	·01	·20	·03	—	—	·17	·02	Tr		17
18	·42	·02	TrS ·03	—	—	·17	·27	—	—	·19	·44	Tr		18
19	·43	Tr	—	—	—	—	Th ·41	—	·01	—	—	Tr		19
20	·46	—	Tr	—	·01	—	·14	Th ·04	—	—	Tr	·02		20
21	·16	·31	·21	·02	—	Tr	Th ·63	Th ·11	Tr	—	—	—		21
22	1.38	·48	·03	·03	Tr	·12	·86	—	—	—	·22	—		22
23	Tr	Tr	Tr	·12	—	·06	·19	—	—	·04	·76	—		23
24	S ·46	—	Tr	Th ·07	—	·22	Th ·01	—	—	·09	—	—		24
25	S 1.07	·06	TrS ·03	Tr	—	—	Th ·07	Th ·81	—	·16	·34	Tr		25
26	S ·15	Tr	Tr	Tr	—	Tr	—	Th ·53	—	·02	·71	·03		26
27	S Tr	·12	·08	Tr	—	·03	·19	·02	—	TrS ·05	·03	S ·08		27
28	S ·01	·08	·11	·02	—	·02	·33	Tr	—	Tr	·28	S ·05		28
29	—	×	—	H ·25	—	—	·40	—	—	·10	·13	—		29
30	—	×	—	1·15	—	·06	·05	—	—	Tr	·03	·08		30
31	—	×	—	×	—	×	·25	·22	×	·14	×	—		31
TOTAL	7·96	1·74	2·24	3·81	1·06	1·99	5·47	3·57	·90	3·29	5·86	2·40	Year's Total 40·29	
* Days with .01 in. or more.	23	13	13	16	12	13	23	13	6	18	24 ✓	14	188	
* Days with .04 in. or more.	21	9	7	10	7	11	19	11	4	15	17 ✓	10	139	

* See Instruction 3 (f) on other side.

S Snow
SL Sleet
H Hail

F fog
Th thunder

† Spare column, no entries required.

(Signed) B. M. Legh.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Kimpton (Campfield)

in the County of Hts.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Red ink figures on this return should be ignored. They were made by a friend, who was making a comparison. 66229/26

Ine.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. 7' S in — same ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05 ·01	—	·05 ·06	·01 ·53	X	—	—						1
2	—	·05 Tr	—	·12 ·14	Tr	X	·07	—						2
3	—	·28 ·38	—	Tr	X	X	Tr	—		28				3
4	Tr	·15 ·16	—	Tr	X	X	—	—						4
5	Tr —	·01	—	X	Tr	X	·04	Tr						5
6	·18 ·24	·24 ·27	—	X	Tr	X	Tr	—		26				6
7	·02	·77 ·81	—	·01	Tr ·01	—	·38	—		·01				7
8	—	Tr	—	·05 ·09	Tr	—	Tr	—		20				8
9	XF ·01	Tr	—	·04 ·03	X	Tr 01	·45		·07	46				9
10	X —	X —	·01	—	X	—	·74	·09		6				10
11	—	Tr	·01	·05	X	Tr	Tr ·44	—						11
12	—	Tr	·12 ·13	X	X	·04	·58	—		·28	2·09			12
13	—	Tr S	Tr S	X	X	—	·14	—	·03					13
14	—	—	S ·02 ·56	·16 ·17	·88 ·83	—	·23	?02	(?) ½	X				14
15	—	Tr S	·04 —	Tr S ·01	Tr ·30 ·30	Tr	·05	—	·10	X				15
16	Tr —	S ·26 ·40	·28 ·37	Tr ·10 ·06	X	·02	·54	—	20	X				16
17	X S Tr	—	·76 ·47	Tr Tr S ·02	X	—	·07		·08					17
18	S ·09	·33 ·41	·47 ·63	Sn ·57	X	—	·01		·05	X				18
19	—	·17 ·22	·04	·04 ·03	X	—	·57		·08					19
20	—	Tr F ·01	·03	·01	X	—	·08		10	X (1·90)				20
21	·03	Tr F ·01	Tr	Tr	·07 ·08	·17	·10		6					21
22	—	·05	·11 ·12	·07 ·10	·01 ·02	·02	—		·15					22
23	—	·17 ·19	·05 ·10	·01	·37 ·36	·01	·31		·01					23
24	X Tr	Tr	·01	X ·02	·03 ·05	—	·25		—					24
25	·01 Tr	—	·01	·02	T Tr	·09	Tr		—					25
26	·74 ·95	·17 ·25	—	·02	·11 ·16	Tr	Tr ·63		—					26
27	·75 ·94	·10 ·14	Tr S	Tr ·11 ·19	·15 ·15	—	·02		—					27
28	·40 S ·50	·11	X S ·01	·17 ·20	Tr ·10 ·26	—	—		—					28
29	Tr S ·01 ·03	Tr S	·13 ·15	·29 ·12	·03	—	·01		—	✓				29
30	Tr S ·06	✕	[illegible]	·19 ·01	Tr ·01	·01	—		—	✓				30
31	S ·06	✕	·10	✕	Tr Tr	✕	—		✕	✓ (3·99)	✕			31
TOTAL	2·93	2·7 3·42	2·27 2·71	2·06 1·93	2·07 2·79	·68	5·71	0·11	1·02	mp			Year's Total ..	n.p.
* Days with .01 in. or more.	11	16	18	20 22	12 13	9	21	2	11	15			..	mp
* Days with .04 in. or more.	6 5	12	10	14 11	9 9	5	17	1	9	13			..	WJt

25·4

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

Section **A** for the entry o
AIR MINISTR
FORM 1090. **REGIS**
Kept at Chalford
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea l
THE MORNING MEAS
An observer who does not conform to
year in the space on the right of th

2154/5
CHALFORD
1931 — 40
78 0402

COPY FOR OFFICIAL USE.
L ORGANIZATION.
. 2154/5
from nearby stns.
[illegible]

following

Jan. 1, following

Date	**Jan.**	**Feb.**	**March**								**Nov.**	**Dec.**	*Date*
	in.	in.	in.								in.	in.	
1	·04	·18	–	·07	–	·01	·01	–	·56	·01	–	–	**1**
2	·07	·02	–	·87	·49	–	–	–	·89	–	·12	·32	**2**
3	–	–	·13	·05	–	–	–	·32	·20	–	1·71	·18	**3**
4	–	–	·05	·03	–	·01	·59	1·68	·23	·01	·12	–	**4**
5	–	·13	–	·19	·03	·78	–	·01	·17	–	·05	·62	**5**
6	–	·13	–	·19	–	·28	–	·02	·04	·23	24	·18	**6**
7	–	–	–	–	·15	·07	–	·53	–	·11	·15	·04	**7**
8	·03	·08	–	·10	·05	·23	–	·40	–	·01	·07	–	**8**
9	·02	·27	–	–	–	·50	–	–	–	–	·28	–	**9**
10	·01	·01	·01	–	·01	·03	·14	·10	·05	–	·17	–	**10**
11	·29	·38	–	–	–	·05	–	·01	·11	–	·25	·01	**11**
12	·01	·03	–	–	–	–	·94	·22	·43	·02	–	–	**12**
13	–	–	·01	–	·02	–	·13	·05	·03	–	–	–	**13**
14	–	·11	–	–	·18	·63	·92	1·49	·04	–	·05	·02	**14**
15	–	·03	–	·08	·16	–	·33	·48	·12	–	–	·03	**15**
16	·01	·24	–	·14	·35	·50	·06	·39	·11	–	–	–	**16**
17	·04	·23	–	·19	·09	–	·35	·01	·09	–	·05	–	**17**
18	·05	·01	·04	·09	–	·07	·03	·80	–	–	·22	–	**18**
19	·03	·02	–	·16	–	·29	·04	·09	–	–	·05	–	**19**
20	–	·16	·21	–	–	–	·02	·27	–	–	·12	–	**20**
21	·11	–	·01	–	·38	–	–	–	–	–	·02	–	**21**
22	·60	–	·06	·01	–	–	–	–	–	–	·01	–	**22**
23	·25	–	–	·07	·56	·21	–	·05	·04	–	·69	·07	**23**
24	–	·04	–	·12	·29	·01	·28	–	–	–	–	–	**24**
25	·14	·01	–	·27	–	–	·24	–	–	–	·19	–	**25**
26	–	·02	–	·04	–	–	18	–	–	–	·37	–	**26**
27	·21	·54	–	–	·65	–	·33	–	–	–	·47	–	**27**
28	·24	·23	–	·10	·13	–	–	–	–	·05	·10	·14	**28**
29	·10	×	·01	–	·14	–	·19	–	–	·10	·03	·01	**29**
30	·03	×	–	–	–	–	–	·12	–	–	–	–	**30**
31	·36	×	–	×	·03	×	·01	–	×	–	×	·03	**31**
TOTAL	2·64	2·87	0·53	2·77	3·71	3·67	4·79	7·04	3·11	0·54	5·23	1·65	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section **A** for the entry o COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931. 2154/5

Kept at Chalford

in the County of

Diameter of Funnel of Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

,, Ground ,, Sea Level ..... ft.

Daily values estimated from nearby stns.
[illegible] 21/05/72

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·18	—	·07	—	·01	·01	—	·56	·01	—	—	1
2	·07	·02	—	·87	·49	—	—	—	·89	—	·12	·32	2
3	—	—	·13	·05	—	—	—	·32	·20	—	1·71	·18	3
4	—	—	·05	·03	—	·01	·59	1·68	·23	·01	·12	—	4
5	—	·13	—	·19	·03	·78	—	·01	·17	—	·05	·62	5
6	—	·13	—	·19	—	·28	—	·02	·04	·23	·24	·18	6
7	—	—	—	—	·15	·07	—	·53	—	·11	·15	·04	7
8	·03	·08	—	·10	·05	·23	—	·40	—	·01	·07	—	8
9	·02	·27	—	—	—	·50	—	—	—	—	·28	—	9
10	·01	·01	·01	—	·01	·03	·14	·10	·05	—	·17	—	10
11	·29	·38	—	—	—	·05	—	·01	·11	—	·25	·01	11
12	·01	·03	—	—	—	—	·94	·22	·43	·02	—	—	12
13	—	—	·01	—	·02	—	·13	·05	·03	—	—	—	13
14	—	·11	—	—	·18	·63	·92	1·49	·04	—	·05	·02	14
15	—	·03	—	·08	·16	—	·33	·48	·12	—	—	·03	15
16	·01	·24	—	·14	·35	·50	·06	·39	·11	—	—	—	16
17	·04	·23	—	·19	·09	—	·35	·01	·09	—	·05	—	17
18	·05	·01	·04	·09	—	·07	·03	·80	—	—	·22	—	18
19	·03	·02	—	·16	—	·29	·04	·09	—	—	·05	—	19
20	—	·16	·21	—	—	—	·02	·27	—	—	·12	—	20
21	·11	—	·01	—	·38	—	—	—	—	—	·02	—	21
22	·60	—	·06	·01	—	—	—	—	—	—	·01	—	22
23	·25	—	—	·07	·56	·21	—	·05	·04	—	·69	·07	23
24	—	·04	—	·12	·29	·01	·28	—	—	—	—	—	24
25	·14	·01	—	·27	—	—	·24	—	—	—	·19	—	25
26	—	·02	—	·04	—	—	·18	—	—	—	·37	—	26
27	·21	·54	—	—	·65	—	·33	—	—	—	·47	—	27
28	·24	·23	—	·10	·13	—	—	—	—	·05	·10	·14	28
29	·10	×	·01	—	·14	—	·19	—	—	·10	·03	·01	29
30	·03	×	—	—	—	—	—	·12	—	—	—	—	30
31	·36	×	—	×	·03	×	·01	—	×	—	×	·03	31
TOTAL	2·64	2·87	0·53	2·77	3·71	3·67	4·79	7·04	3·11	0·54	5·23	1·65	YEAR'S TOTAL
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) .....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Chalford,

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	-	1·02	1·12	-	·02	·04	·06	·24	·01	·01	1
2	-	-	-	·35	·07	-	-	-	·50	·03	·02	·10	2
3	-	-	-	·42	·01	-	·02	-	·05	-	-	-	3
4	·02	-	-	·02	-	-	-	-	-	·01	·37	-	4
5	·61	-	-	-	-	-	-	-	·30	-	-	-	5
6	1·04	-	·04	·13	-	-	-	-	·33	-	-	-	6
7	19	-	·08	·01	·06	-	-	-	·23	1·13	-	-	7
8	·03	·01	·30	·03	-	-	-	-	·34	·39	-	-	8
9	·53	-	-	·17	·07	-	-	-	-	-	-	-	9
10	·23	-	-	·21	·11	·02	-	-	·06	·30	-	-	10
11	-	-	-	·09	·02	-	·24	-	·03	-	-	·02	11
12	·56	-	-	-	·40	-	-	-	·14	·40	-	-	12
13	·23	-	-	·22	·03	-	·70	·03	-	·19	-	·08	13
14	·17	-	-	-	·02	-	-	·32	-	·04	·05	·01	14
15	·13	-	-	·02	·73	-	·08	-	-	-	·04	-	15
16	·28	-	-	·23	·01	-	-	-	-	·03	-	-	16
17	-	-	-	-	-	-	-	-	-	·09	-	-	17
18	-	-	-	-	·10	-	-	-	·03	-	·33	-	18
19	-	-	-	·09	·04	-	-	-	-	·14	-	-	19
20	-	-	-	·09	1·04	-	·02	·14	·05	·63	·06	·14	20
21	·01	-	·17	·27	·48	-	-	·29	-	·39	·03	·08	21
22	·01	-	·12	·08	·06	·08	·12	-	·59	·34	·22	·06	22
23	-	·06	-	-	·84	-	·03	-	·04	·29	·01	·09	23
24	-	·01	-	-	·02	-	·05	-	·09	·02	-	-	24
25	-	·02	-	·06	-	-	·04	-	·08	·21	·10	-	25
26	-	-	·29	·02	·03	-	·08	-	-	·04	·02	·01	26
27	-	-	·30	·28	·46	-	·30	-	-	·28	-	·01	27
28	-	-	·33	·11	·30	-	·16	-	-	-	-	·02	28
29	-	-	·51	·29	·69	·21	·09	·20	·19	·28	-	·12	29
30	-	✕	·04	·13	-	1·41	·46	·12	·54	-	·92	·22	30
31	-	✕	·06	✕	-	✕	·24	-	✕	·01	✕	·52	31
TOTAL	4·10	0·11	2·24	3 ~~4~~·34	6·71	1·72	2·65	1·14	3·65	5·48	2·18	1·49	YEAR'S TOTAL 35·81
*Days with ·01 in. or more.	15	5	11	23	23	4	16	7	18	22	13	15	172
*Days with .04 in. or more.	11	1	11	18	16	3	12	6	16	17	~~1~~8	9	128

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Ernest W Moore

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Chalford

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft — in.

,, Ground ,, Sea Level 271 O.D. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·37	·03	-	·01	-	-	-	-	·19	-	-	1
2	·42	-	·66	-	·03	-	-	-	-	-	·01	-	2
3	·01	·13	·31	-	·09	-	-	-	-	-	-	-	3
4	·14	-	-	-	·23	-	-	-	-	-	·02	-	4
5	·05	·02	·41	-	·12	-	-	-	-	-	-	-	5
6	-	·34	·05	-	·04	-	-	-	-	·20	-	-	6
7	·03	-	·03	-	·09	-	-	-	-	-	-	-	7
8	·03	·02	·07	-	·07	-	.46	-	-	·01	-	-	8
9	-	·04	-	-	·02	.01	.26	-	-	·38	·06	-	9
10	·08	.02	-	-	-	-	.10	-	-	1.10	·05	-	10
11	·18	-	-	-	-	.01	-	.06	-	-	-	-	11
12	·03	-	-	-	.02	-	.14	-	.66	-	-	-	12
13	·03	-	-	-	.06	-	.35	.03	-	·02	·08	-	13
14	·11	-	-	-	-	-	- ~~.46~~	.08	-	·07	·33	-	14
15	·39	-	·28	-	-	-	·46	.05	-	·06	-	·01	15
16	-	-	·52	-	-	.03	.16	.01	·04	·02	·01	-	16
17	·08	·03	·35	-	-	.15	-	.10	·03	-	-	-	17
18	-	-	·08	-	-	.14	-	-	-	-	·02	-	18
19	·10	-	·20	-	-	·20	-	-	.21	-	·07	-	19
20	-	·01	·01	-	-	-	-	-	.03	-	-	-	20
21	-	-	·07	-	.28	.08	-	.36	.01	·09	-	-	21
22	-	-	-	.03	-	.03	-	.15	.06	·23	-	-	22
23	-	-	-	·22	-	.14	-	-	.50	·55	-	-	23
24	-	1.48	-	·16	.04	.46	-	-	·11	·04	·01	- ~~.07~~	24
25	-	·30	-	·21	.15	.05	-	-	·51	-	-	·07	25
26	-	·85	-	·08	.27	-	-	-	·58	·05	-	- ~~.19~~	26
27	-	·05	-	-	.75	-	-	-	·03	·14	-	·19	27
28	-	-	-	·38	-	-	-	-	-	·02	-	.02	28
29	·11	×	-	·08	-	-	-	-	-	·01	-	-	29
30	·02	×	·11	·03	-	-	.10	-	·08	-	-	·13	30
31	·36	×	·01	×	-	×	-	.05	×	·02	×	-	31
TOTAL	2.50	3.6~~7~~6	3.19	1.19	2.27	1.30	2.03	0.89	2.85	3.20	0.66	0.42	YEAR'S TOTAL 24.16
*Days with ·01 in. or more.	18	13	16	8	16	11	8	9	13	18	10	5	145
*Days with .04 in. or more.	12	9	12	6	11	7	8	7	9	11	5	3	100

40-9999

*See Instruction 2 (*f*) on other side.

D

IV

(Signed)

Manager Stroud Water Co

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Chalford,

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	—	—	—	—	—	26	—	—	·07	·65		1
2	·16	—	·04	—	·02	—	—	17	·95	·50	·01	·19		2
3	·02	·01	—	—	—	—	—	~~·43~~	—	·16	—	·23		3
4	·19	—	·03	—	·30	—	—	—	·01	·25	·03	·51		4
5	·01	—	—	—	·07	—	—	·55	—	·11	·14	·37		5
6	—	—	·20	·07	·31	—	—	·02	·02	·19	—	·62		6
7	·03	—	—	—	—	—	—	·13	—	·14	·03	·52		7
8	—	—	·15	—	·18	—	—	·02	·02	—	·14	·10		8
9	·01	—	—	—	—	—	—	—	—	—	·48	·17		9
10	·12	—	·25	·21	—	—	—	·10	—	—	·15	·02		10
11	·70	—	·12	·20	—	—	·12	·04	—	—	—	·33		11
12	·02	—	·06	·01	—	—	·05	·02	—	—	—	·07		12
13	·50	—	·01	·13	—	—	·80	—	—	—	—	·13		13
14	·12	—	·34	—	—	—	—	—	—	·03	·15	·24		14
15	—	—	·13 ~~·53~~	—	·10	—	—	—	—	·12	·19	·04		15
16	·18	—	40	—	·02	—	—	—	—	—	·02	—		16
17	·16	—	—	·07	—	—	—	—	·16	—	—	·35		17
18	·28	—	·04	·22	—	—	—	—	·01	·04	—	·20		18
19	—	—	·24	—	—	·04	—	·02	·02	·03	—	·13		19
20	—	—	·12	·07	—	—	·06	—	—	—	—	—		20
21	—	—	·06	—	—	·22	—	03	—	·33	—	—		21
22	·05	—	—	·06	·07	—	·06	11	·19	·05	—	·09		22
23	—	—	·02	·15	—	·18	·02	06 ~~·20~~	—	—	—	·02		23
24	—	·24	·05	·05	—	·34	·18	—	·28	·08	—	—		24
25	·25	—	—	·31	—	·30	—	—	—	—	—	·50		25
26	—	—	·01	·11	—	·08	—	—	·05	·32	—	·02		26
27	—	—	—	·12	—	—	—	~~·33~~	—	·06	—	·30		27
28	—	—	—	·03	—	·27	—	33	—	—	—	·59		28
29	—	×	—	—	—	—	—	—	·43	—	—	—		29
30	·02	×	—	—	—	—	—	—	·04	·11	—	·27		30
31	—	×	—	×	—	×	—	—	×	·12	×	·12		31
TOTAL	2·84	·25	2·27	1·81	1·07	1·23	1·29	1·86	2·18	2·64	1·41	6·78	Year's Total. 25·63	
* Days with .01 in. or more.	18	2	17	15	7	6	7	11	12	17	11	26	149	
* Days with .04 in. or more.	10	1	13	13	5	6	6	7	6	15	7	23	112	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at CHALFORD

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft — in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·03	·07	·08	·05	·08	—	·22	·03	·10	—		1
2	—	—	—	—	—	—	—	—	—	·48	—	·01		2
3	—	·08	~~·15~~ ·02	~~·81~~	—	·18	—	—	·44	·38	·44	—		3
4	—	~~·02~~	—	·22	—	·21	—	—	·05	·04	·01	·05		4
5	—	·48 ~~·52~~	·29	·03	—	·30	—	—	·37	—	·03	·03		5
6	·02	·03 ~~·48~~	—	·42	—	·58	—	—	—	·01	·01	·06		6
7	—	~~·03~~	—	·32	—	·24	—	—	—	·23	·07	·09		7
8	—	—	—	·35	—	—	—	—	—	·24	·16	·07		8
9	·02	—	—	·91	—	·19	—	—	·03	1·19	·59	—		9
10	—	—	~~·33~~	~~·49~~ 1·39	—	—	—	—	·02	—	·08	—		10
11	·25	—	—	—	—	·09	·01	—	—	—	·26	—		11
12	—	·04	—	NIL ~~·33~~	—	·27	—	—	—	—	·02	—		12
13	·06	~~·33~~ ·06	—	·33	·15	—	—	—	—	—	·11	—		13
14	—	—	—	·05	·07	·13	—	—	·07	—	1·01	·22		14
15	—	·04	—	·82	·11	·05	—	—	·60	—	·22	·04		15
16	—	·13	·06	·23	—	·19	—	—	·30	·04	·92	·01		16
17	—	·01	~~·28~~	~~·06~~ ·04	—	·21	·02	—	·03	—	·32	—		17
18	—	·05	—	·41	✓·04 ~~·19~~	·04	·19	—	·43	·03	—	—		18
19	—	·03	—	·16	✓·15	·12	·11	—	·20	·10	·12	—		19
20	·01	·57	—	·03	·19	·07	·04	—	—	—	·75	·07		20
21	—	·38	·03	·01	—	—	—	—	·92	—	·01	—		21
22	—	·21	·02	·07	—	—	—	·11	·10	—	—	—		22
23	—	·07	·03	—	—	—	—	·25	·12	✓·87 ~~·96~~	—	—		23
24	·04	·43	~~·11~~ ·05	~~·12~~	—	—	—	·20	·33	✓~~·29~~	—	—	25	24
25	·19	·20	—	·18	—	·99	—	—	·33	—	·01	~~·55~~	30	25
26	—	·13	—	—	—	—	—	·19	·07	—	—	·89		26
27	—	~~·23~~ ·19	—	—	·08	—	—	—	·12	—	·12	1·01		27
28	—	—	—	—	·03	—	—	—	·11	—	·02 ~~·14~~	~~·28~~	·02	28
29	—	×	·05	—	—	—	—	·06	·14	·03	~~·16~~	1·29	·26	29
30	·05	×	—	·10	·29	·01	—	·95	·12	·22	·50	·36	·29	30
31	—	×	—	×	·01	×	—	·06	×	·47	×	·36		31
TOTAL	·64	3.15	·58	5·09	1·20	3·92	·45	1·82	5·12	4 ~~3~~·45	6·02	4·03	Year's Total. = 35·47	
* Days with .01 in. or more.	8	19	9	20	11	18	6	7	22	16	24	16	176	✓
* Days with .04 in. or more.	5	15	4	16	9	17	4	7	19	12	17	13	138	✓

40-9999

† Spare column, no entries required.

(Signed) Manager Stroud Water Co

* See Instruction 2 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at CHALFORD

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·19	·12	·34	—	·30 —	·30	·02	—	—	·08	·03		1
2	·09	·10	–	·02	—	52 ~~·82~~	·98	·04	—	—	·34	—		2
3	—	—	—	·22	—	·11	·03	—	·75	—	·03	·01		3
4	—	—	·16	—	—	—	—	—	·24	—	·13	·18		4
5	·31	·01	·05	—	·10	—	·05	·02	—	—	·05	—		5
6	·08	—	·01	—	—	·06	·32	·07	·21	—	·28	·02		6
7	—	—	·07	—	—	·01	·59	—	—	—	·17	·09		7
8	·36	—	·23	—	—	—	·04	—	—	—	1·05	—		8
9	·60	—	·09	—	—	—	~~·28~~ ·24	—	·12	—	—	—		9
10	·04	—	—	—	—	—	·29	—	—	—	—	—		10
11	—	—	—	·02 ~~·10~~	–	·06	·12	·09	·06	—	·45	·03		11
12	—	—	—	·08	·25	·38	·38	—	·40	—	·15	—		12
13	—	·09	—	·03	—	·07	—	·01	·01	·05	·04	·92		13
14	—	·01	—	·16	—	·63	·56	—	·14	—	—	·69		14
15	—	—	—	·01	·01	—	·04	—	·10	—	·09	·18		15
16	·03	·15	—	·17	–	—	·10	—	—	—	·48	·16		16
17	·14	·65	—	—	·05	—	·05	·01	—	—	·04	·44		17
18		·07	~~·03~~	—	—	–	·34	·05	–	·05	—	·01		18
19	·41	·07	·03	·17	—	·01	—	·09	—	—	—	—		19
20	·03	·15	·03	·11	—	·12	—	—	·39	—	—	—		20
21	—	—	—	·42	—	·02	·02	—	—	—	—			21
22	—	·59	·12	—	·12	—	·24	—	—	·01	·01			22
23	·14	—	·17	·12	·05	—	·18	—	—	·02	—			23
24	·15	·03	—	·05	·01	—	·02	—	·14	·22	—			24
25	—	—	·15	·41	–	—	·23	—	·29	·11	·06			25
26	·10	·20	·12	·10	—	·17	~~·23~~ –	—	—	·02	—			26
27	·07	·02	·08	—	—	—	·03	—	·22	·02	—			27
28	·37	·01	·30	—	—	—	·12	—	—	—	—	·26		28
29	—	·35	·03	—	·03	·30	·01	—	—	·03	·03	·14		29
30	·42	✕	·01	—	·19	—	·06	—	—	·67	—	·01		30
31	·34	✕	·27	✕	·20	✕	·16	—	✕	·18	✕	·40		31
TOTAL	3·77	2·69	0 2·94	4 2·53	1·01	7 2·76	5·50	0·40	3·07	1·38	3·48	3·57	Year's Total 31·50	
* Days with .01 in. or more.	18	16	18 ~~19~~	6 ~~15~~	10	14 ~~13~~	6 ~~28~~	9	13	11	17	16	4 18~~2~~	✓
* Days with .04 in. or more.	16	11	13 ~~14~~	12	7	11 ~~9~~	1 2~~5~~	5	12	6.	14 ~~15~~	11 ~~10~~	9 13~~8~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) T. Cook

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at CHALFORD

in the County of GLOUCESTERSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	-	-	·12	-	-	-	-	·06	-	·14	·38		1
2	-	·31	·01	-	-	-	-	-	·02	-	-	·50		2
3	-	·29	-	·07	-	-	·04	-	·01	-	-	-		3
4	·10	·37	-	-	-	-	·01	-	-	-	-	·47		4
5	·22	-	·13	·02	·05	-	·06	-	-	-	-	-		5
6	·10	·10 ✗ ~~·70~~	·11	·18	·10	-	·15	-	·01	-	·02	-		6
7	-	·60 ✗	-	-	-	-	-	-	-	-	-	-		7
8	·01	·04	-	·20	·10	-	-	-	-	·04	·28	-		8
9	[illegible]	-	-	·10	·30	-	·08	-	·37	-	-	SNOW -		9
10	·04	-	·47	1·40	-	·15	-	-	-	-	-	·23		10
11	-	-	·43	-	·23	·06	·10	-	-	-	-	·05		11
12	·53	·28	·20	-	·09	·17	-	·41	·11	-	-	·20		12
13	·19	·03	·46	·07	-	·09	-	·15	·01	-	-	-		13
14	·01	·01	·34	·05	-	-	-	·18	·03	-	-	·10		14
15	·20	·25	-	·34	-	-	2·05	-	·14	-	-	·19		15
16	-	·21	·43	·33	-	·16	-	·08	·03	-	-	-		16
17	·41	·08	·24	·05	-	-	·02	-	1·11	-	-	-		17
18	·43	·05	·30	-	-	·01	-	-	·09	-	·19	·19		18
19	·11	·07	·09	·05	·10	·30	-	-	-	-	·22	-		19
20	·43	-	·48 ✗ ~~·61~~	·38	·02	-	-	-	·01	-	-	·06		20
21	·39	·28	·13 ✗	·02	·04	-	·01	-	-	-	·03	·15		21
22	·24	·11	-	-	·16	·08	·18	-	-	·92	·46	·04		22
23	✗·20 ~~·36~~	·09	·09	-	-	-	-	-	-	·58	-	-		23
24	✗·16	·37	-	-	-	-	-	-	·05	·38	·02	·04		24
25	-	·20	-	-	·13	-	-	-	-	·38	·01	-		25
26	·01	·59	·07	-	·56	-	-	-	·01	·01	-	-		26
27	-	·10	-	·22	-	-	-	-	-	·49	-	-		27
28	-	·19	-	-	-	-	-	-	-	·02	-	-		28
29	-	✗	-	-	-	·02	-	-	-	·16	·06	-		29
30	·33 ✗ ~~·45~~	✗	-	-	-	-	-	-	-	-	·31	-		30
31	·12 ✗	✗	-	✗	-	✗	-	-	✗	·35	✗	-	Year's Total	31
TOTAL	4·30	4·62	3·98	3·60	1·88	1·04	2·70	0·82	2·06	3·3~~0~~ 3	1·74	2·60	32·64	✓
* Days with .01 in. or more.	21 ~~16~~	22 ~~20~~	16 ~~14~~	16 ✓	12 ✓	9 8	10 ~~8~~	4 ✓	15 ~~10~~	10 9	11 ~~10~~	13 ✓	159 ~~110~~	✓ ✓
* Days with .04 in. or more.	18 ~~15~~	20 ~~18~~	15 ~~14~~	14 ✓	11 ~~10~~	7 ✓	7 ~~6~~	4 ✓	7 ✓	8 ~~7~~	7 ✓	13 ~~11~~	131 ~~120~~	✓ ✓

† Spare column, no entries required.

(Signed) Alan N. Peters [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Chalford

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

,, Ground ,, Sea Level .... ft.

Ales

~~Adjust snow Dec.~~

notified 6/3/39

corr for Dec 19-26 snow W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	·44	·14	·01	—	·25	—	·21		1
2	—	—	—	·03	—	—	·01	—	—	·30 ~~·55~~	—	—		2
3	—	—	—	—	·23	·01	·03	—	—	·50 ~~1·53~~	·06	—		3
4	·06	—	—	—	—	—	·31	·47	—	1·03	—	·23		4
5	—	—	—	—	—	—	·28	·01	·04 ~~·21~~	·25	—	·02		5
6	·08	—	—	—	—	·04	·27	—	·17	·20	—	·02		6
7	—	—	—	—	—	—	·29	·14	·20	·11	—	·07		7
8	·52	—	—	—	—	—	·09	·10	—	·32	—	—		8
9	·12	·02	—	—	—	—	·03	·13	—	—	—	·40		9
10	—	·01	—	—	—	·52	·04	1·05	—	—	—	—		10
11	·34	—	—	—	—	—	—	·01	—	—	·26	·32		11
12	·42	—	—	—	·30	—	—	·18	—	·39	·25	—		12
13	·04	—	—	—	—	—	—	—	—	—	·30	·92		13
14	·56	—	—	—	·01	—	·55	—	·12	—	—	—		14
15	·20	—	—	—	·03	—	·01	—	—	—	·02	·30		15
16	·58	—	·15	—	—	—	—	·01	—	—	·05	·03		16
17	—	·06	—	—	—	—	—	—	·05	·15	—	—		17
18	·07	—	—	—	—	·01	—	·03	1·04	—	·40	—		18
19	—	—	—	—	—	—	·09	·10	·03	—	·18	—		19
20	—	—	—	—	—	—	—	—	—	—	·42	—		20
21	·06	—	—	—	—	—	—	·37	·01	—	·03	—	·50	21
22	·02	—	—	·07	—	·04	—	·25	—	—	·44	~~·36~~ (1·30)	SNOW. ·32	22
23	—	—	—	—	—	—	—	—	·38	—	—	—	—	23
24	·04 ~~·54~~	—	·09	—	·05	—	—	·06	·10	—	·12	—	—	24
25	·30 —	·38	—	—	·06	—	·07	—	—	·19	·41	—	·13	25
26	·20 —	·30	·01	—	·08	—	—	—	·18	·15	—	—	·35	26
27	·06 —	·01	—	—	·37	·23	·40	—	·07	·06	·38	~~·48~~	SNOW SLEET	27
28	·09 —	·10	—	—	·02	·21	—	·54	·07	—	—	·10		28
29	·22 —	✗	—	—	·36	—	—	—	—	·10	·24	·08		29
30	·06 ~~·43~~	✗	—	—	·29	·03	—	—	·91	—	·29	·07		30
31	·31	✗	—	✗	·64	✗	—	—	✗	·08	✗	·22		31
TOTAL	4·35	0·88	0·25	0·10	2·44	1·53	2·61	3·46	3·37	4·08	3·85	(4·49) ~~3·83~~	Year's Total ~~30·75~~	31·~~2~~41
* Days with .01 in. or more.	16	7	3	2	12	9	15	16	~~13~~ 14	~~13~~ 16	~~15~~ 16	19 ~~16~~	~~137~~ 142	145
* Days with .04 in. or more.	13	4	2	1	9	6	11	11	~~11~~ 12	~~13~~ 15	13	15 ~~12~~	~~107~~ 111	113

† Spare column, no entries required.

(Signed) Alan S. Peters

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2154/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CHALFORD

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level ~~250~~ 241 ft.

Cap

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	·19	·17	–	–	–	–	–	–	·03		1
2	·08	–	–	·05	–	–	–	·58	·40 ✗ ~~·68~~	–	·08	–		2
3	·12	–	–	·32	–	–	–	·59	·28 ✗	–	·15	·17		3
4	·07	–	✗ ·45	·68	·19	–	·47	·23	–	·37	·09 ~~·69~~	·23		4
5	–	–	·34	·81	·23	–	·15	·26	–	·14	·60	·18		5
6	·49	–	–	·02	–	–	1·0~~8~~0	·02	–	–	·04	–		6
7	–	·18	–	–	·07	–	·03	–	–	–	·52	·53		7
8	·05	·23	–	–	–	–	·45	·05	–	·72	·25	·71		8
9	·06	·05	–	–	–	–	–	·10	–	·30	–	✗ ·12		9
10	·25	–	·50	–	–	·12	–	·06	·02	·02	·01	–		10
11	–	–	✗ ·24	–	–	–	–	–	–	·07	–	–		11
12	·05	·15	–	–	–	·07	–	–	–	–	·04	–		12
13	·01	–	–	–	·03 ✓ ~~·18~~	–	·24	–	·07	·42	·01	–		13
14	·90	–	·01	·06	·15 ✗	·02	·14	–	–	·01 ✓ ~~·20~~	·13	·02		14
15	·38	–	·02	·02	·12	·69	·39	–	–	·19 ✗	·08	–		15
16	·08	–	–	–	·06	·11	·04	–	–	–	1·43	–		16
17	·33	·03	–	–	–	·09	·03	–	–	·21	·08	–		17
18	·39	·03	·02	–	–	·28	·20	–	–	·12	·49	–		18
19	·30	–	–	–	–	–	·37	–	–	–	–	–		19
20	·25	–	–	–	–	–	·19	·22	–	–	–	·01		20
21	·17 ✗	·29	·20	·01	–	–	·23	·84	–	·01	–	–		21
22	·70 ~~·87~~ ✗	·38	·04	– ✓	–	·09	–	–	–	–	·19	·01		22
23	·05	–	–	·15 ✗	–	·05	·21	–	–	·02	·77	–		23
24	·09	–	·02	·17	–	·14	·02	–	–	·23	–	–		24
25	·98	·06	·05	–	–	–	·10	·26	–	·08	·34	–		25
26	·25	·01	–	·04	–	–	–	·54	–	·12	·70	·03		26
27	–	–	·09	–	–	·04	·16	–	–	·05	·03	–		27
28	–	–	·11	·02	–	–	·33	–	–	–	·28	·10	SNOW	28
29	–	–	–	·22 ✗ ~~1·27~~	–	–	·20	–	–	·08 ✗	·10	–	SNOW	29
30	–	X	–	1·05 ✗	–	·05	·02	–	–	–	·02	·09	SNOW	30
31	–	X		X	–	X	·22	·16	X	·12	X	–		31
TOTAL	6·06	1·41	2·09	3·81	1·02	1·75	5·19	3·91	0·77	3·28	5·43	2·23	Year's Total 36·95	d
* Days with ·01 in. or more.	~~22~~ 23	10	13 ✓	~~14~~ 16	~~7~~ 8	12	22	13	~~3~~ 4	~~9~~ 19	21	13 ✓	~~165~~	174
* Days with ·04 in. or more.	21 ✓	7	9 ✓	~~10~~ 12	7	12	18	12	~~2~~ 3	15 ✓	18	8 ✓	~~139~~	142

* See Instruction 3 (f) on other side.

† Spare column

(Signed) per pro Stroud District Water Board

Engineer & Manager

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Chalford

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" Ground " Sea Level 250 ft.

Jan 25-30, Oct 4.16.20.30, Nov 1.2 estimated from nearby stns.

Query sent 2/7/41

observer agrees

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	---	.02	---	.06	---	---	---	---	---	---	.40 ---	---		1
2	---	.02	---	.16	---	---	---	---	---	---	1.4 ~~1.00~~ 1.30	---		2
3	---	.18 ~~.35~~	---	---	---	---	.03	---	---	---	~~1.00~~	.01		3
4	---	.17	---	---	---	---	---	---	---	.30 ~~.03~~	.40	.08		4
5	.01	---	---	---	---	---	---	---	---	.30	.75	.10		5
6	.20	.21	---	---	---	---	.03	---	---	.18	---	---		6
7	.02	.79	---	.03	.01	---	.02	---	---	.28	.03	---		7
8	---	---	---	.03	---	---	.30	---	---	.01	---	.04		8
9	---	---	---	.04	~~.49~~	.09	---	---	----	.15	.23	.14		9
10	---	---	---	---	---	---	.42	.06	---	.26	.12	.20 ~~.40~~		10
11	---	---	---	.04	---	---	.75	---	-	---	.65	.20 ---		11
12	---	---	.10	.01	---	.01	.30	---	.02	---	.18	---		12
13	---	---	.45	---	---	---	.41	---	.01	.02	.22	---		13
14	---	---	.08	.19	.71	---	.50	---	.04	---	---	.31		14
15	---	---	.05	---	.21	---	.03	---	.16	.30	.20	---		15
16	---	.03	.20 ~~.54~~	(SNOW) .09	---	.06	.04	---	* .20	.18	.59	---		16
17	---	.49	~~.34~~	.03	---	---	.26	---	.01	(.50)	.02	---		17
18	(SNOW) .10		.68	.50	---	---	---	---	.68	---	.07 ~~.40~~	---		18
19	---	.16	.09	.04	---	---	.86	.03	.35	.07	.38 ~~.75~~	---		19
20	---	---	.04	---	---	---	.20	---	-	(.40)	.08	---		20
21	---	---	---	---	.06	---	---	---	-	---	.98 ~~.03~~	---		21
22	---	.04	.13	.07	.03	.35	.15	---	.17 * ~~.31~~	---	1.53 ---	---		22
23	---	.15	.12	.04	(?) ~~.15~~	---	---	---	.19	---	.02 ~~.23~~	.05		23
24	---	---	---	---	.03		---	---	.01	---	~~.12~~	---		24
25	---	---		---	---		.26	---	---	---	---	---		25
26	.85 ~~---~~	.19		.04	.10		---	---	---	---	---	---		26
27	.60 ~~2.10~~	.18		.44	.24		.68	---	---	---	---	---		27
28	.60	.10		.25	.03		---	---	---	---	---	.02		28
29	---	---		.35	---		---	---	---	---	---	.26		29
30	.05	✕		.16	---	.10*	---	---	---	(.31) ~~.01~~	---	---		30 Print
31	27	✕	.28*	✕	---	✕	---	---	✕	.50	✕	---		31 WH
TOTAL	2.70 ~~.60~~	2.73	2.56	2.57	1.57	.61	5.24	.09	1.24	3.76 ~~2.29~~	~~7.02~~	1.41	Year's Total ~~27.93~~	(32.20)
* Days with .01 in. or more.	~~5~~ (10)	14 ~~15~~ ~~12~~	~~11~~ 12	19	10	5	17	2	~~4~~ 11	~~13~~ 15	19	10		144
* Days with .04 in. or more.	~~3~~ (4)	11 ~~10~~ ~~15~~	~~11~~ 12	15	6	4	13	1	~~3~~ 4	~~2~~ 13	16	8		113

14

11

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Alan [illegible]

7.72

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2154/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1940

Kept at Chalford
in the County of Gloucs
Diameter of funnel of gauge ...... in.
Height of top of gauge above ground ...... ft. ...... in.
Height of ground above sea level ...... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·02	–	·06	–	–	–	–	–	–	·40	–		1
2	–	·02	–	·16	–	–	–	–	–	–	1·30	–		2
3	–	·18	–	–	–	–	·03	–	–	–	1·00	·01		3
4	–	·17	–	–	–	–	–	–	–	·30	·40	·08		4
5	·01	–	–	–	–	–	–	–	–	·30	·75	·10		5
6	·20	·21	–	–	–	–	·03	–	–	·18	·03	–		6
7	·02	·79	–	·03	·01	–	·02	–	–	·28	–	–		7
8	–	–	–	·03	–	–	·30	–	–	·01	–	·04		8
9	–	–	–	·04	–	·09	–	–	–	·15	·23	·14		9
10	–	–	–	–	–	–	·42	·06	–	·26	·12	·20		10
11	–	–	–	·04	–	–	·75	–	–	–	·65	·20		11
12	–	–	·10	·01	–	·01	·30	–	·02	·02	·18	–		12
13	–	–	·45	–	–	–	·41	–	·01	–	·22	–		13
14	–	–	·08	·19	·71	–	·50	–	·04	·30	–	·31		14
15	–	–	·05	–	·21	–	·03	–	·16	·18	·20	–		15
16	–	·03	·20	·09	–	·06	·04	–	·20	·50	·59	–		16
17	–	–	·34	·03	–	–	·26	–	·01	–	·02	–		17
18	·10	·49	·68	·50	–	–	–	–	·08	·07	·07	–		18
19	–	·16	·09	·04	–	–	·86	·03	·35	–	·38	–		19
20	–	–	·04	–	–	–	·20	–	–	·40	·08	–		20
21	–	–	–	–	·06	–	–	–	–	–	·98	–		21
22	–	·04	·13	·07	·03	·35	·15	–	·17	–	–	–		22
23	–	·15	·12	·04	·15	·02	–	–	·19	–	·02	·05		23
24	–	–	–	–	·03	–	–	–	·01	–	–	–		24
25	–	–	–	–	–	·03	·26	–	–	–	–	–		25
26	·85	·19	–	·04	·10	–	–	–	–	–	–	–		26
27	·60	·18	–	·44	·24	–	·68	–	–	–	–	–		27
28	·60	·10	–	·25	·03	–	–	–	–	–	–	·02		28
29	–	–	–	·35	–	·05	–	–	–	–	–	·26		29
30	·05	X	–	·16	–	–	–	–	–	·31	–	–		30
31	·27	X	·28	X	–	X	–	–	X	·50	X	–		31
TOTAL	2·70	2·73	2·56	2·57	1·57	0·61	5·24	0·09	1·24	3·76	7·62	1·41	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ...... (P.T.O.)

2154/3
INSCHDENE
1937—40

780402

Section **A** for the entry of
AIR MINISTRY

tion No. 2154/3
ORGANIZATION

FORM 1090

REGIS

Kept at ....Inschdene

in the County of Nr. Strou

092/28

Diameter of Funnel of Gauge........

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASURE **DAY**

An observer who does not conform t *ollowing*
year in the space on the right of th

Ple

Jan. 1, following
✓

Date	Jan.	Feb.	Mar.	A								~~Dec.~~ Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											Tr.	1.7	·30	1
2											—	Tr	·31	2
3											—	—	·15	3
4											—	—	·40	4
5											—	Tr.	—	5
6											—	Tr.	—	6
7											·06	—	—	7
8											—	·25	tr	8
9											—	—	tr	9
10											—	—	·22	10
11											—	—	·11	11
12											—	—	·25	12
13											—	—	—	13
14											—	—	·10	14
15											—	—	·19	15
16											—	—	tr	16
17												tr	·26	17
18												·19	—	18
19												·21	—	19
20												—	·11	20
21												—	·11	21
22												·46	·10	22
23												·05	tr	23
24												tr	·04	24
25												tr	tr	25
26												—	·10	26
27												—	tr	27
28											2.20	tr	tr	28
29											·14	—	tr	29
30		✕									·31	·28	tr	30
31		✕		✕		✕			✕		31st ✕		tr	31
TOTAL											2.71	~~2.61~~ 3.14	Year's Total 2.75	
* Days with .01 in. or more.											9	9 7	9	
* Days with .04 in. or more.											?	7	18	

I regret that all measurements below ·04 have been recorded 'Trace'.
This shall be corrected in 1938

J. G. Stanton
1.1.38

rep. image ✓

N

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....J. G. Stanton........ [P.T.O.

Section **A** for the entry of Daily Observations Station No. 2154/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

815092/28

Kept at Inschdene Woodchester

in the County of Nr Stroud Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	~~Oct.~~	OCT. ~~Nov.~~	NOV. ~~Dec.~~	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											Tr.	1.7	·30	1
2											—	Tr	·31	2
3											—	—	·15	3
4											—	—	·40	4
5											—	Tr.	—	5
6											—	Tr.	—	6
7											·06	—	—	7
8											—	·25	Tr	8
9											—	—	Tr	9
10											—	—	·22	10
11											—	—	·11	11
12											—	—	·25	12
13											—	—	—	13
14											—	—	·10	14
15											—	—	·19	15
16											—	—	Tr	16
17												Tr	·26	17
18												·19	—	18
19												·21	—	19
20												—	·11	20
21												—	·11	21
22												·46	·10	22
23												·05	Tr	23
24												Tr	·04	24
25												Tr	Tr	25
26												—	·10	26
27												—	Tr	27
28											2.20	Tr	Tr	28
29											·14	—	Tr	29
30		✕									·31	·28	Tr	30
31		✕		✕		✕			✕		3r. ✕		Tr	31
TOTAL											2.71	~~2.61~~ 3.14	Year's Total 2.75	
* Days with .01 in. or more.											9	9 7	9	
* Days with .04 in. or more.											?	7	15	

I regret that all measurements below ·04 have been recorded ('trace'). This shall be corrected in 1938

J. G. Stanton

1.1.38

[illegible] ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. G. Stanton [P.T.O.

COPY FOR OFFICIAL USE

Station No. ~~25~~ 2154/8

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Inschdene Woodchester

in the County of W. Stroud Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 300 ft.

cmp 1937

G092/28

Sept & Oct totals adjusted from surrounding stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	tr	—	—		·37	—	·05	—	x	tr	·25		1
2	·02	—	—	·03	—	[illegible]	·10	—	—	x ~~3·34~~ 1·59	·01	tr		2
3	—	—	—	—	·02	·02	·02	—	—	x	·06	tr		3
4	·09	tr	tr	—	·23	·05	·41	·36	—	·82	[illegible]	·20		4
5	·01	—	—	—	—	—	·26	—	·06	·19	·01	·05		5
6	·10	—	—	—	—	·04	·31	—	·11	·20	—	·01		6
7	·01	—	—	—	—	—	·49	·11	·11	·10	—	·08		7
8	·64	—	—	—	—	—	·10	·10	·01	·41	—	·02		8
9	·19	·06	—	—	—	—	·04	·10	—	—	—	·76		9
10	·13	·05	—	—	—	·60	·08	1·08	—	—	tr	·29		10
11	·20	—	—	—	—	—	—	·10	—	—	·30	·15		11
12	·42	—	—	—	·31	—	—	·21	—	x	·36	·01		12
13	·09	tr	—	—	—	—	tr	—	—	x	·23	·87		13
14	·40	·01	—	tr	tr	—	·76	—	·07	-	·01	·02		14
15	·20	tr	—	—	·03	—	·01	tr	—	·67 ✓	·02	·37		15
16	·43	—	·10	—	—	—	—	·02	—	✓	·03	·06		16
17	—	·09	—	—	·05	—	—	—	·05	x	tr	—		17
18	·10	tr	—	—	—	·02	—	—	·79	-	·42	—		18
19	—	—	—	—	—	—	—	·05	·06	-	·28	—		19
20	tr	—	—	—	—	—	—	·07	tr	-	·46	—		20
21	·09	—	—	—	—	—	—	·26	·06	-	·11	·01	Snow	21
22	·04	—	—	·06	—	·05	—	·23	—	-	·40	·02	"	22
23	tr	—	—	·01	—	—	—	—	·31	-	·09	·20		23
24	·02	tr	·11	—	·10	tr	—	·10	x	-	·11	·04		24
25	·18	·45	·02	—	·08	—	·03	·01	—	·22	·40	·16		25
26	·30	·30	tr	—	·11	·05	—	—	x	·14	·01	·32		26
27	·06	·01	—	—	·29	·26	·38	·04	x 1·84	·09	·33	·04		27
28	·06	·15	—	—	tr	·25	tr	·61	x	·09	·04	·09		28
29	·08		—	—	·39	—	tr	—	✓	tr	·21	·09		29
30	·04	✕	—	—	·40	·11	tr	—	x	·04	·31	·07		30
31	·35	✕	—	✕	·60	✕	—	—	✕	·09	✕	·21		31
TOTAL	4·25	1·12	·23	·10	2·61	1·82	2·99	3·50	~~1·63~~ 3·47	~~6·40~~ 4·56	4·26	4·39	Year's Total 33·30 ✓	
* Days with .01 in. or more.	25	8	3	3	~~12~~	~~2~~ 11	~~3~~ 13	~~2~~ 17	16	19	22	14	~~2~~	163
* Days with .04 in. or more.	20	6	2	1	10	9	10	15	14	17	16	11	~~2~~	131

CB 17/3/39

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. E. S. Winter

STROUD (WOODCHESTER)

COPY FOR OFFICIAL USE

Station No. 2154/3

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Inschdene Woodchester

in the County of W. Stroud Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 300 ft.

1938 [illegible]

f 815092/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	–	·06	·17	·19	—	—	—	·03	·01	tr	·11		1
2	·01	–	·02	·07	—	—	·01	·61	·58	—	·03	·05		2
3	·19 s	–	tr	·30	—	—	–	·73	·19	—	·21	·22		3
4	·13 s	–	·65	·66	·20	—	·27	·23	—	·21	·06	·31		4
5	— ·50	·47	·02	·82	·20	—	·20	·21	—	·15	·52	·10		5
6	x	–	—	·07	—	—	·50	·03	—	·01	·06	–		6
7	x	x	—	—	·19	—	·50	—	—	·02	·32	·57		7
8	·02	x	·26	—	tr	—	—	·26	tr	·78	·35	·69		8
9	·07	·11	·01	—	—	—	·36	·13	—	·32	·02	·13		9
10	·27	·01	·15	—	—	·31	—	·10	—	·17	·02	·05		10
11	—	·02	·21	—	—	—	—	—	—	tr	—	tr		11
12	·08	·16	—	—	—	·20	—	—	—	·23	·03	—		12
13	tr	—	—	·07	·01	—	·50	—	·09	·47	—	—		13
14	tr	—	—	·04	·18	·05	—	—	—	·10	·16	—		14
15	·46	—	tr	·01	·19	·60	·45	—	·03	·19	·26	tr		15
16	·10	·01	tr	·03	·07	·11	—	—	—	·01	·30	—		16
17	·33	·02	—	—	·03	·12	—	—	tr	·15	·06	—		17
18	·36	·04	·05	—	—	·53	·20	—	—	·11	·49	—		18
19	·27	—	—	—	—	—	·10	—	tr	—	—	—		19
20	·27	—	—	—	·01	—	·23	·30	—	—	tr	·01		20
21	·15	·21	·17	·03	—	·11	·18	·22	tr	·01	—	—		21
22	·72	·36	·05	·12	—	·11	·05	—	tr	tr	·21	·01		22
23	—	·01	—	x	—	—	·25	—	—	·10	·76	—		23
24	·38 s	—	—	·10	—	·23	—	—	—	·07	—	tr		24
25	·92 s	·16	·06	·02	—	—	·06	·09	—	·11	·26	tr		25
26	·19	·02	—	—	—	—	—	·57	—	·11	·69	tr		26
27	·02	·21	·10	·02	—	·04	·20	tr	—	·07	·06	·08	S	27
28	·02	·08	·13	·06	—	·07	·36	—	—	·10	·31	tr	S	28
29	—		—	·20	—	—	·31	—	—	tr	·12	—		29
30	—	✕	—	1·26	—	·07	·01	—	—	tr	·04	·15	S	30
31	—	✕	—	✕	—	✕	·22	·51	✕	·14	✕	—		31
TOTAL	5·53	1·89	1·94	4·05	1·27	2·55	4·95	3·99	·92	3·64	5·34	2·48	Year's Total 38·55	Print
* Days with .01 in. or more.	23	16	14	19	10	13	20	13	5	23	23	13	~~189~~ 192	WH. 22/1/40
* Days with .04 in. or more.	19	10	11	13	7	13	18	12	3	18	19	11	154	

Major ~~GEN.~~ SIR H-E-STANTON

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) H. E. Stanton (Maj. Genl.)

[P.T.O.

INSCHDENE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2154/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Inschdene Woodchester

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02 s	—	·08	·20	—	—	—	tr	—	·21	·01		1
2	—	·07 s	—	·11	—	—	·09	—	—	—	1·61	—		2
3	—	·26	—	—	—	—	tr	—	—	·32	1·10	—		3
4	—	·16	—	—	—	—	—	—	—	·11	·26	·08		4
5	tr	tr	—	—	—	—	·10	—	—	·21	·62	·11		5
6	·21	·25	—	—	—	—	—	—	—	·32	—	·07		6
7	tr	·47	—	·01	·02	—	·21	—	·01	—	—	·01		7
8	·05	tr	—	·13	—	—	—	—	—	·17	·12	·05		8
9	—	—	—	·07	—	—	·52	·16	·08	·53	·26	·18		9
10	—	—	·02	—	—	—	·70	—	—	·10	·63	·08		10
11	—	—	·03	·07	—	—	·36	tr	—	tr	·57	·01		11
12	—	—	·20	tr	—	·07	·58	tr	·09	·04	·04	—		12
13	—	tr s	·50 s	—	1·13	—	·21	tr	·02	—	·30	·03		13
14	—	—	·09	·20	·41	—	tr	·01	·13	·30	—	·35		14
15	—	tr s	·06	—	—	·09	·09	—	·18	·06	·17	—		15
16	·03 s	·32 s	·27	·21 s	—	·03	·41	—	·12	·49	·71	·06		16
17	—	·35	·28	·04 s	—	—	·03	—	·07	tr	·02	—		17
18	·17	·20	·70	·58	—	—	—	·01	·07	·09	·11	·14		18
19	—	~~tr~~	·11	·16	—	—	·63	—	·09	—	·31	·02		19
20	—	·01	·06	·04	—	—	tr	—	tr	·41	·07	—		20
21	tr s	·02	·17	—	·11	·10	·16	—	—	·01	1·11	—		21
22	—	·06	·10	·07	·02	·31	—	—	·43	—	tr	—		22
23	—	·28	·10	·03	·32	·01	—	—	·02	—	·65	·05		23
24	—	·01	—	—	·02	—	·26	—	—	—	·01	—		24
25	—	—	—	·02	tr	·10	·56	—	—	·01	tr	·02		25
26	·87 s	·25	—	·07	·11	tr	—	—	—	—	·03	—		26
27	·65 s	·10	—	·45	·05	—	·11	—	—	tr	—	·01		27
28	·71 s	·22	·17	·21	·08	—	—	tr	—	—	—	tr		28
29	·03	—	—	·30	·13	tr	·02	—	—	—	—	·30		29
30	—	✕	—	·21	·04	—	—	—	—	·26	tr	·02		30
31	·22	✕	·13	✕	—	✕	—	—	✕	·56	✕	·06		31
													Year's Total	
TOTAL	2·94	3·05	2·99	3·06	2·64	·71	5·04	·18	1·31	3·99	8·91	1·66	36·48	
* Days with .01 in. or more.	9	17	16	20	13	7	17	3	12	17	21	20	172	
* Days with .04 in. or more.	7	13	14	17	10	5	15	1	9	15	18	12	136	

† Spare column, no entries required.

(Signed) A. J. Stanton [illegible]

* See Instruction 3 (f) on other side.

P.T.O.

2155

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at Frocester

in the County of Glouc

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

2155

FROCESTER MANOR

1931—40

780402

OPY FOR OFFICIAL USE.

ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in	in.	in.								in.	in.	
1				·13	·01	·04	Trace		·33	·02			1
2	·09	·03	·04	·72	·20				·52		·05	·18	2
3				·01			·02	·37	·67		1·21	·22	3
4			·04				·47	2·05		·01	·20		4
5		·03		·09	·03	1·16			·01		Trace	·50	5
6		·10		·11		·17	·14	·06	·04	·27	·17	·19	6
7					·04		·03	·42		·02	·20	·02	7
8	·02		Trace	·01	·26	·14		·37		·05	Trace		8
9	·02	·09	·02	Trace		·28	·05	Trace			·40		9
10		·03	·01								·19		10
11	·13	·33				·09			·12		·19		11
12		·02		·04			·70	·03	·10	·06			12
13			Trace		·02		·02	·30	·01				13
14		·03			·10	1·21	·60	·75	·01		·15		14
15				·15	·15		·53	·52			·01	·04	15
16		·14		·04	·59	·59		·54	·13				16
17	·03	·17		·06	·24		·20		·10		·02		17
18	·03	Trace	·01	·02		·06		·33			·33		18
19	·02	·03		·22		·15	·05	·22					19
20		·08	·18					·17			·01		20
21	·08				·18								21
22	·27		·03										22
23	·22			·15	·58	·31			·04		·53	·18	23
24				·38	·26		·32		Trace				24
25	·09			·24	·01		·22				·06		25
26				·02			·16				·52		26
27	·08	·36		Trace	·71		·09				·17		27
28	·12	·04	·05	·09	·15							·07	28
29			·01		·20		·14		·05		·09		29
30		×						·05					30
31	·28	×		×	·03	×		·03	×		×	·07	31
TOTAL	1·48	1·48	·39	2·48	3·76	4·20	3·74	6·21	2·13	·43	4·50	1·47	YEAR'S TOTAL 32·27
*Days with ·01 in. or more.	14	14	9	17	18	11	16	15	13	6	18	9	160
*Days with ·04 in. or more.	9	8	4	13	13	11	13	13	10	3	15	8	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Astridge

P.T.O.

2155

Section **A** for the entry of … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Frocester Manor

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·01	·04	Trace		·33	·02			1
2	·09	·03	·04	·72	·20				·52		·05	·18	2
3				·01			·02	·37	·67		1·21	·22	3
4			·04				·47	2·05		·01	·20		4
5		·03		·09	·03	1·16			·01		Trace	·50	5
6		·10		·11		·17	·14	·06	·04	·27	·17	·19	6
7					·04		·03	·42		·02	·20	·02	7
8	·02		Trace	·01	·26	·14		·37		·05	Trace		8
9	·02	·09	·02	Trace		·28	·05	Trace			·40		9
10		·03	·01								·19		10
11	·13	·33				·09			·12		·19		11
12		·02		·04			·70	·03	·10	·06			12
13			Trace		·02		·02	·30	·01				13
14		·03			·10	1·21	·60	·75	·01		·15		14
15				·15	·15		·53	·52			·01	·04	15
16		·14		·04	·59	·59		·54	·13				16
17	·03	·17		·06	·24		·20		·10		·02		17
18	·03	Trace	·01	·02		·06		·33			·33		18
19	·02	·03		·22		·15	·05	·22					19
20		·08	·18					·17			·01		20
21	·08				·18								21
22	·27		·03										22
23	·22			·15	·58	·31			·04		·53	·18	23
24				·38	·26		·32		Trace				24
25	·09			·24	·01		·22				·06		25
26				·02			·16				·52		26
27	·08	·36		Trace	·71		·09				·17		27
28	·12	·04	·05	·09	·15							·07	28
29			·01		·20		·14		·05		·09		29
30		×						·05					30
31	·28	×		×	·03	×		·03	×		×	·07	31
TOTAL	1·48	1·48	·39	2·48	3·76	4·20	3·74	6·21	2·13	·43	4·50	1·47	YEAR'S TOTAL 32·27
*Days with ·01 in. or more.	14	14	9	17	18	11	16	15	13	6	18	9	160
*Days with ·04 in. or more.	9	8	4	13	13	11	13	13	10	3	15	8	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Ashridge

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Frocester Manor

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·01	—	·03	·98	—	·01	·46	·04	·14	Trace	—	1
2	—	—	—	·15	·10	—	—	—	·40	·04	·02	·08	2
3	—	—	—	·54	·02	—	·01	—	·01	—	—	—	3
4	—	—	—	·04	—	—	—	—	—	—	·42	—	4
5	·50	—	·04	—	—	—	—	—	·08	—	—	—	5
6	·17	—	—	·09	—	—	—	—	·14	—	—	—	6
7	1·20	—	·02	Trace	·15	—	—	—	·18	·92	—	—	7
8	—	·02	·26	—	—	—	—	—	·50	·42	—	—	8
9	·26	·03	—	·07	·11	—	—	—	—	—	—	—	9
10	·23	Trace	—	·20	·08	·03	—	—	·02	·24	—	—	10
11	—	—	—	Trace	·01	—	·05	—	·02	—	Trace	·04	11
12	·48	—	—	—	·29	—	—	—	·09	·38	—	·01	12
13	·16	—	—	·11	·02	—	·42	·06	—	·22	—	·03	13
14	·23	—	—	·01	—	—	—	·20	—	·02	·06	—	14
15	·16	—	—	·01	·58	—	·10	—	—	·04	·03	Trace	15
16	·19	—	—	·22	Trace	—	—	—	—	—	—	—	16
17	—	—	—	·02	—	—	—	—	—	·08	—	—	17
18	—	—	—	—	·11	—	—	—	·06	—	·32	—	18
19	—	—	—	·10	·05	—	—	—	·03	·14	—	—	19
20	—	—	—	·07	1·04	—	—	·17	—	·62	·08	·30	20
21	Trace	—	·20	·26	·43	—	—	·54	—	·36	·06	·06	21
22	—	—	·04	·07	·10	—	·06	Trace	·65	·16	·09	·07	22
23	—	Trace	—	—	·66	—	·05	—	·06	·40	Trace	·10	23
24	—	Trace	—	—	·08	—	·03	—	·09	·02	—	—	24
25	—	—	—	·04	—	—	·06	—	·05	·21	·06	—	25
26	—	—	·14	—	—	Trace	·07	—	—	·05	—	—	26
27	—	—	·46	·21	·39	—	·09	—	—	·31	—	—	27
28	—	—	·12	·09	·21	—	·09	—	—	—	—	—	28
29	—	—	·47	·09	·21	·28	·09	·18	·20	·22	—	·34	29
30	—	✕	—	·07	—	1·10	·09	·16	·50	—	·80	—	30
31	Trace	✕	·15	✕	—	✕	·40	—	✕	—	✕	·37	31
TOTAL	3·65	·06	1·89	2·49	5·62	1·41	1·62	1·77	3·12	4·99	1·94	1·40	YEAR'S TOTAL 29·96
*Days with ·01 in. or more.	11	3	10	21	20	3	15	7	18	20	10	10	148
*Days with ·04 in. or more.	11	—	9	17	17	2	12	7	14	18	8	8	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Astridge

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Frocester Manor

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·60	·31	—	—	—	—	—	—	—	·16	—	·03		1
2	·37	—	·43	—	·13	—	—	—	—	—	—	—		2
3	—	·05	·32	—	·03	—	—	—	—	—	—	—		3
4	·14	Trace	—	—	·17	—	—	—	—	—	—	—		4
5	·08	—	·28	—	·03	—	—	—	—	—	·01	—		5
6	—	·33	—	—	·14	—	—	—	—	·16	—	—		6
7	·02	Trace	·03	—	·02	—	Trace	—	—	·10	—	Trace		7
8	·02	Trace	·06	—	·04	·04	·40	—	—	—	—	—		8
9	—	·01	—	—	·01	—	·19	—	—	·45	·06	—		9
10	·03	—	—	—	—	—	·08	—	—	1·26	·03	—		10
11	·18	—	—	—	·01	·08	·11	·05	—	—	—	—		11
12	·02	—	—	—	·01	—	·13	—	·45	—	—	—		12
13	·08	—	—	—	·04	Trace	·17	·06	·08	·02	·08	—		13
14	—	—	—	—	—	—	·05	—	—	·03	·33	—		14
15	·56	—	·05	—	—	—	·16	·11	—	·07	·01	·02		15
16	—	Trace	·58	—	—	·03	·16	—	—	·02	—	·03		16
17	·01	—	·34	—	—	·08	—	·10	·02	—	—	—		17
18	·06	—	·12	—	—	·12	—	—	—	—	·02	—		18
19	·07	—	·30	Trace	—	·16	—	—	·04	—	·11	—		19
20	—	·01	·02	—	·03	—	—	—	·02	—	Trace	—		20
21	—	—	—	—	·15	·04	—	·22	—	·08	—	—		21
22	—	—	—	—	—	—	—	·16	—	·07	—	—		22
23	—	·07	—	·13	—	·05	—	—	·53	·58	—	—		23
24	—	1·39	—	·17	·04	·58	—	—	·02	·13	·01	—		24
25	—	·69	—	·14	·03	·33	—	—	·56	—	—	·05		25
26	—	·89	—	·04	·32	—	—	—	·75	—	—	—		26
27	—	·01	—	—	·87	—	—	—	·09	·06	—	·19		27
28	—	—	—	·34	—	—	—	—	—	—	—	·01		28
29	·05	—	—	·08	—	—	·02	—	—	·03	—	·01		29
30	·03	×	·14	·02	—	—	—	—	·06	—	—	·13		30
31	·30	×	·02	×	—	×	—	·03	×	Trace	×	—		31
TOTAL	2·62	3·76	2·69	·92	2·07	1·51	1·47	·73	2·62	3·22	·66	·47	Year's Total 22·74	
*Days with ·01 in. or more.	17	10	13	7	17	10	10	7	11	15	9	8	134	
*Days with .04 in. or more.	11	7	10	6	9	9	9	6	8	11	4	3	93	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J. Astridge

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Frocester Manor

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	—	—	—	·27	·07	—	—	·48		1
2	·13	—	·03	—	·01	—	—	·06	·54	·01	—	·16		2
3	·01	·03	—	—	—	—	—	—	·01	·07	—	·26		3
4	·15	—	·02	—	·26	—	—	—	·27	·27	·05	·41		4
5	—	—	·01	—	·01	—	—	·50	—	·12	·17	·33		5
6	—	—	·15	·07	·49	—	—	·09	—	·11	—	·42		6
7	·02	Trace	—	—	—	—	—	·15	—	·10	·01	·32		7
8	—	—	—	—	·21	—	—	·01	·01	—	·10	·08		8
9	—	—	·12	—	—	—	—	·10	—	—	·50	·27		9
10	·11	—	·21	·20	—	—	—	—	—	—	·13	—		10
11	·55	—	·03	·25	—	—	Trace	·22	—	—	—	·22		11
12	·02	—	·10	—	—	—	·81	·04	—	—	—	·03		12
13	·42	—	·05	·12	—	—	1·05	—	—	—	—	·14		13
14	·09	—	·31	—	—	—	—	—	—	·03	·09	·36		14
15	—	—	·05	—	·15	—	—	—	Trace	·08	·16	·03		15
16	·08	—	·48	—	—	—	—	—	—	—	·03	—		16
17	·05	—		·04	—	—	Trace	—	·20	—	—	·25		17
18	·17	—	·07	·25	—	—	·22	—	·02	·02	—	·20		18
19	—	—	·17	—	·03	·04	—	·02	Trace	·08	—	·09		19
20	—	—	·12	·09	—	—	—	—	—	·01	—	—		20
21	—	—	·07	—	—	·25	·05	·08	—	·27	—	—		21
22	Trace	—	·02	—	·05	—	—	·10	·07	·08	—	·19		22
23	—	Trace	·02	·13	—	·13	·01	—	—	—	—	—		23
24	—	·34	·06	·10	—	·27	·10	—	·18	—	—	—		24
25	·11	—	·02	·18	—	·17	—	—	—	·13	—	·44		25
26	·01	—	—	·16	—	·06	—	—	·02	·14	—	·07		26
27	—	—	—	·10	—	—	—	—	—	·04	—	·26		27
28	—	—	—	·10	—	·14	—	·21	—	—	—	·60		28
29	—	—	—	—	—	—	—	·02	·42	—	—	—		29
30	·07	×	—	—	—	—	—	—	·06	·08	—	·19		30
31	—	×	—	×	—	×	Trace	—	×	·20	×	·04		31
													Year's Total	
TOTAL	2·0	·37	2·11	1·79	1·21	1·06	2·24	1·87	1·87	1·84	1·24	5·84	23·44	
*Days with ·01 in. or more.	16	2	20	13	8	7	6	14	12	18	9	24	149	
*Days with ·04 in. or more.	11	1	13	13	5	7	5	11	8	14	7	22	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Astridge

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Frocester Manor

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·05	Trace	·03		·10		·16	·02	·07			1
2						·16				·39	·01			2
3		·02	·02			·11			·63	·37	·35			3
4	·01	·01		·13		·19			·07	·06	·06	·04		4
5		·26	·24	Trace		·03			·32	·02	·04	·02		5
6			Trace	·38		·48				·06		·10		6
7				·32		·15				·30	·03	·10		7
8				·30				Trace		·14	·25			8
9	·04			·97		·35				1.15	·24			9
10				·43						·01	·05	·06		10
11	·23					·13	·02				·36			11
12	·01	·04				·30		Trace	·02		·06			12
13	·08	·05		·21	·08				·05		·04			13
14				·04		·26			·01		1·04	·24		14
15		·04		·82	·15	·18			·67		·06	·05		15
16		·07	·06	·25		·15			·24		·81			16
17		Trace		·03	·03	·12	·04		·05		·25			17
18				·35	·03	·03	·06		·38		·13			18
19		·01		·12	·12	·10	·14		·13			·12		19
20	·01	·36		·03	·19	·04	·02				·73			20
21		·41	Trace						·71	·01	·04			21
22		·14	·01	·08					·21					22
23		·15	·06	·04				·16	·10	·76				23
24	·03	·32	·06					·23	·22	·12				24
25	·11	·23		·17		·35								25
26		·24						·29	·06			1·12		26
27		·21			·05			·02	·03			1·10		27
28	Trace				·04				·14			·09		28
29			·01					·17	·06	·05	·39	·07		29
30	·04	✕		·11	·02	Trace		·69	·07	·35	·23	·19		30
31		✕		✕	·01	✕		·09	✕	·40	✕	·26		31
TOTAL	·56	2·56	·51	468	·75	3·13	·38	1.65	4·34	4·21	5·24	3·56	Year's Total 31·57	
* Days with .01 in. or more.	9	16	8	18	11	17	6	7	21	16	21	14	164	
* Days with .04 in. or more.	5	13	5	16	6	15	4	6	18	12	19	13	132	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

FILE-NUMBER
496253/36

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Frocester Manor

in the County of Gloucestershire.

Ann total corr for auth.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·17	·02	·20		·26	·42	·10			·09			1
2	·08		·06	·03		·32	·40	·11			·26			2
3						·25	·02		·19		·16			3
4			·15			·03	·08		·81		·10	·07		4
5	·37		·10			·04		·01			·06	·30		5
6	·07		·02		·05	·02	·18		·06		·24			6
7	·03		·06				·34		·02		·28	·11		7
8	·29		·18				·06				·84			8
9	·62		·10				·40							9
10	·30						·25				·27			10
11						·12	·08				·07			11
12		·30		·15	·02	·42	·20		·10					12
13				·05		·21			·20		·02	·72		13
14				·15		·01	·52			·03	·12	·62		14
15				·01			·16		·10			·11		15
16					·02		·08				·36	·08		16
17		·72			·05							·36		17
18	·11	·09	·02				·42	·06				·13		18
19	·45	·27	·04	·11		·15		·03		·04				19
20	·03	·12		·19		·39								20
21				·50		·01	·03		·42		·03			21
22	·04		·13				·24		·09			·10		22
23	·09	·16	·33	·10	·42		·13							23
24		·05			·05		·10							24
25	·15		·13	·40			·22		·17	16				25
26	·10	·15	·15	·10		·13	·03		·10	·10				26
27	·09	·03	·09				·08			·03				27
28		·04	·27				·02					·16		28
29	·63	·15	·10			·18				·03	·14	·04		29
30	·03	×			·04		·06			·64		·02		30
31	·54	×	·30	×	·03	×	·16		×		×	·10	~~28·62~~	31
TOTAL	4·07	2·25	2·22	1·99	·68	2·54	4·68	·31	2·26	1·03	3·04	2·92	Year's Total. ~~27·89~~	27·99 ✓
* Days with .01 in. or more.	19	12	18	12	8	15	25	5	11	7	15	13	160	✓
* Days with .04 in. or more.	16	11	15	10	5	11	21	3	10	4	13	13	132	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) [P.T.O.

FILE. NUMBER.
496253/36.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Frocester manor

in the County of Gloucester-Shire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·02									·21	·25		1
2	Trace	·20										·17		2
3		·45		·24	·06									3
4	·06	·19			·03		·04					·48		4
5	·23		·10	·05										5
6	·04	·12	·09	·20	·03		·18			·07				6
7		1·05		·21										7
8		·03			·08			·2	·20		·37			8
9				·06	·09									9
10	·01		·58	·87		·48						·37		10
11			·07		·35	·11	·17							11
12	·44	·14	·41		·03				·35			·26		12
13	·02	·04		·12		·87		·50						13
14		·17		·03	Trace			·16						14
15	·18			·32			2·15	·05						15
16		·32	·51	·29				·01	·41					16
17	·30	·07	·49						·86					17
18	·49	·010	·12	·04					·61		·25	·23		18
19	·14	·06	·10	·02					·04		·18			19
20	·36	·04	·72	·40		·32						·13		20
21	·13	·36	·09		·13									21
22			·07		·06					·74	·34			22
23	·23				·05		·16			·40	·04	·03		23
24	·20	·24								·33				24
25		·47			·16				·10	·22				25
26		·26												26
27		·20								·58				27
28		·07								·05				28
29	·05									·28				29
30	·36	✕						·27			·25			30
31	·13	✕		✕		✕			✕		✕			31
TOTAL	3·46	4·50	3·35	2·85	1·07	1·78	2·70	·99	2·57	2·62	1·64	1·92	Year's Total 29·45	✓ ✓
* Days with .01 in. or more.	18	21	12	13	11	4	5	5	7	8	7	8	119	
* Days with .04 in. or more.	16	19	12	11	8	4	5	4	7	8	7	7	108	✓ ✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

FILENUMBER
496253/36

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2155.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Frocester Manor

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·17		·25	·09	·19		1
2	2·14			·11		·03				·20				2
3										·70				3
4					·17	·04	·45	·23		·98		·12		4
5	·09						·20		·05	·10				5
6							·32			·15		·11		6
7							·50	·11	·04	·08		·10		7
8	·65						·05	·06	·04	·40				8
9	·15						·04					·44		9
10	·09						·03	1·51		·04		·16		10
11	·14							·05			·30			11
12	·30				·35			·30		·20	·12	·75		12
13	·11										·32			13
14	·40						·70			106				14
15	·20	·05										·25		15
16	·26		·08					·01						16
17	·10				·03			·02	·03					17
18									·78	·20	·32			18
19		·03									·06			19
20								·35			·50			20
21								·17	·07					21
22	·13			·02				·25			·05	·12		22
23	·			·03					·11		·30			23
24	·03							·12			·34	·10		24
25	·12	·50	·1[illegible]		·15					·20	·18	·9		25
26		·27			·10				·15	·10	·20	·20		26
27					·37	·25	·10							27
28	·25	·07			·02	·11	·20		·12					28
29	·05				·40					·10	·18			29
30		✕			·28	·05			·70		·25	·10		30
31	·22	✕		✕	·47	✕			✕		✕		"d"	31
TOTAL	2·91	·92	·18	·16	2·34	·49	2·69	3·35	2·19	4·76	3·21	2·73	Year's Total 25·93.	✓
* Days with .01 in. or more.	~~18~~	~~5~~	~~2~~	~~3~~	~~10~~	~~5~~	~~10~~	~~13~~	~~10~~	~~15~~	~~14~~	~~13~~	~~118~~	
* Days with .04 in. or more.	~~17~~	~~4~~	~~2~~	~~1~~	~~8~~	~~4~~	~~9~~	~~11~~	~~9~~	~~15~~	~~14~~	~~13~~	~~107~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J.E.H. [illegible]

[P.T.O.

FILE. NUMBER
496253/36

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2155

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Frocester Manor

in the County of Gloucester-Shire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·20	·24				·26			·06		1
2	·05			·03				·70	·30					2
3	·20		·45	·31				·54				·30		3
4				·50	·20		·49	·30			·17	·15		4
5				·91	·15		·40	·12		·30	·40	·20		5
6	·60						1·11			·15				6
7			·40									·42		7
8		·23					·50	·04		·56	·48	·60		8
9								·08		·38	·54			9
10	·28	·20						·12						10
11						·17	·17							11
12	·10	·20							·02					12
13				·07	·20	1·06	·26							13
14	·60				·10		·28			·63				14
15	·53				·05	·75	·40				·23			15
16	·12										·14			16
17	·25					·09	·09				·40			17
18	·32					·40	·30				·48			18
19	·22						·05			·32				19
20	·34	·02					·04	·25						20
21	·06		·38				·80	·98		·20				21
22	·51													22
23	·07	·18				·39	·19				·11			23
24	·98	·26								·14				24
25							·05							25
26											·48			26
27		·11	·15								1·02			27
28		·10					·40			·06	·35	·05		28
29				·10			·43				·09			29
30		✕		1·30			·05			·09				30
31		✕		✕		✕		·32	✕		✕			31
TOTAL	5·23	1·30	1·38	3·42	·94	2·86	6·01	3.21.	·58	2·83	4·89	1·78	Year's Total 34·43	
* Days with .01 in. or more.	~~16~~	~~8~~	~~4~~	~~8~~	~~6~~	~~6~~	~~18~~	~~10~~	~~3~~	~~10~~	~~13~~	~~7~~	~~109~~	
* Days with .04 in. or more.	~~16~~	~~7~~	~~4~~	~~7~~	~~6~~	~~6~~	~~18~~	~~10~~	~~2~~	~~10~~	~~13~~	~~7~~	~~106~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. Graham-Clarke

[P.T.O.

FILE. NUMBER.
496253/36

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2155.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Frocester. Manor.
in the County of Gloucester-Shire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level .... ft.

Jan & Feb adjusted from nearby stns
April May Aug Dec } arr. by mo. totals for omissions & dates of setting.

Letter sent of [illegible] 15/7/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·17			1
2		4									1·55			2
3		(·340)		·25	~~·25~~ ·05					·25	·80			3
4		~~·94~~ +								·09	·29			4
5		·31	~~·16~~								·48			5
6	·10	+								35		20		6
7		·47	·31								·12			7
8										·14				8
9							·73	(·10)				(·15)		9
10						~~·20~~	·70		·06	·55				10
11							·22			·13	·80			11
12							·61					·40		12
13					~~·26~~				·06	21	·25			13
14					1·15		·65		13					14
15	~~·10~~		·15		·50		·12			·03				15
16	·25				·11		·20	·01	·03	·62	·24			16
17			·47											17
18					~~·80~~					·06	·44			18
19		·55	·90		~~·15~~		·91			·33	·23	(·15)		19
20							·25				·03			20
21				(·75)					·08		1·02			21
22						·46								22
23		·18					35		23					23
24		·34			·16				04					24
25		·17									·02			25
26	·90				·25		·61							26
27	~~·04~~ +													27
28	+	·16	·25										d	28
29	~~(·84)~~				·20			·03				·18		29 Print
30	(1·35) +	✕		72						·17		·03		30 WH
31	+	✕		✕		✕			✕	·60	✕			31
TOTAL	2·60 ~~1·39~~	2·48 ~~2·96~~	2·08 ~~2·23~~	[illegible] ~~·47~~ 1·72	2·42 ~~2·44~~	·46 ~~·66~~	5·35	·14 ~~·04~~	·63	3·53	6·44 ~~6·32~~	1·11 ~~·81~~	Year's Total ~~26·33~~	(28·96)
* Days with .01 in. or more.	~~4~~	~~7~~	~~6~~	~~2~~	~~6~~	~~2~~	~~11~~	~~2~~	~~7~~	~~13~~	~~14~~	~~4~~	~~78~~	
* Days with .04 in. or more.	~~4~~	~~7~~	~~6~~	~~2~~	~~6~~	~~2~~	~~11~~	~~0~~	~~6~~	~~12~~	~~12~~	~~3~~	~~71~~	

† Spare column, no entries required.

(Signed) J. Sill[illegible] Clarke

* See Instruction 3 (f) on other side.

P.T.O.

STROUD (OAKRIDGE

Section A for the entry c
AIR MINIST

Station No. 2155/3
LL ORGANIZATION

FORM 1090

REGI

40

Kept at Field Farm
in the County of Glos.
Diameter of Funnel of Gauge.....
Height of top of Gauge above G
,, Ground ,, S

40/31

THE MORNING MEASU **S DAY**

An observer who does not conform *following*
year in the space on the right of
P

Jan. 1, following

2155/3
STROUD
OAKRIDGE
1940

780402

Date	Jan.	Feb.	Mar.								v.	~~Dec.~~ Nov.	Dec.	Date
	in.	in.	in.									in.	in.	
1														1
2													·01	2
3													·01	3
4													·03	4
5													·11	5
6													·02	6
7													Tr	7
8												5·50	·04	8
9													·11	9
10													·10	10
11													·03	11
12														12
13														13
14													·31	14
15												~~#~~		15
16												·72	·10	16
17												·02		17
18												·11	·14	18
19												·38	·01	19
20												·04	Tr	20
21												·97		21
22														22
23												·04	·04	23
24														24
25												Tr		25
26												·01	Tr	26
27												Tr	·01	27
28													·01	28
29													·26	29
30		×											·01	30
31		×		×		×			×		×	×		31
TOTAL											7·79	~~2·29~~	1·35	up
* Days with .01 in. or more.												~~8~~	18	imp
* Days with .04 in. or more.												~~6~~	9	wH

* See Instruction 3 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) Hon Sir Stafford Cripps K.C.

STROUD (OAKRIDGE

Section A for the entry of Daily Observations Station No. 2155/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Frith Farm Far Oakridge

in the County of Glos

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

f. 81140/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓ Nov.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	~~Dec.~~ Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1														1
2													·01	2
3													·01	3
4													·03	4
5													·11	5
6													·02	6
7													Tr	7
8												5·50	·04	8
9													·11	9
10													·10	10
11													·03	11
12														12
13														13
14													·31	14
15												#		15
16												·72	·10	16
17												·02		17
18												·11	·14	18
19												·38	·01	19
20												·04	Tr	20
21												·97		21
22														22
23												·04	·04	23
24														24
25												Tr		25
26												·01	Tr	26
27												Tr	·01	27
28													·01	28
29													·26	29
30		×											·01	30
31		×		×		×			×		×	×		31
TOTAL											7·79	~~229~~	1·35	up
* Days with .01 in. or more.												~~8~~	18	imp
* Days with .04 in. or more.												~~6~~	9	wh

* See Instruction 3 (f) on other side.

N.

† Spare column, no entries required.

(*Signed*) Hon Sir Stafford Cripps K.C.

STROOD(RODG

Section **A** **for the entry of**
AIR MINISTRY

FORM 1090. **REGIST**

Kept at Bear Nurseri

in the County of Glouc

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

2155/5
STROUD
RODBOROUGH COMMON
1931, 1933—38

780402

2155/5

FOR OFFICIAL USE.
ORGANIZATION.

No 2
Cu A.
Glos/3.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							—	—	·42	·03	—	—	1
2							—	—	·91	—	·11	·35	2
3							·03	·61	·33	—	1·75	·14	3
4							·46	2·21	·02	·08	·01	—	4
5							—	·01	·26	—	—	·55	5
6							·53	·11	·10	·32	·17	·22	6
7							·03	·46	—	·04	·17	—	7
8							·01	·43	—	·05	·03	·02	8
9							·06	·02	—	—	·42	—	9
10							·03	·04	—	—	·26	—	10
11							·65	·01	·14	—	·24	—	11
12							·21	·11	·15	·08	—	—	12
13							·02	·45	·03	—	—	—	13
14							·71	·48	·05	—	·11	—	14
15							·66	·71	·01	—	—	·06	15
16							—	·69	·15	—	—	—	16
17							·26	—	·06	—	·02	—	17
18							·04	·42	—	—	·39	—	18
19							·13	·21	—	—	—	—	19
20							—	·23	—	—	·32	—	20
21							—	—	—	—	—	—	21
22							—	—	—	—	—	—	22
23							—	·01	·07	—	·66	·13	23
24							·29	—	—	—	—	—	24
25							·33	—	—	—	·12	—	25
26							·21	—	—	—	·44	—	26
27							·67	—	—	—	·25	—	27
28							—	—	—	—	—	·04	28
29		✗					·14	—	—	—	—	—	29
30		✗					—	·10	—	·06	—	—	30
31		✗		✗		✗	—	—	✗	—	✗	·08	31
TOTAL							5·47	7·31	2·70	·66	5·47	1·59	YEAR'S TOTAL
*Days with ·01 in. or more.							20	19	14	7	17	9	
*Days with ·04 in. or more.							15	15	11	6	14	8	

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) .... [P.T.O.

STROOD (RODB 2155/5

Section **A** **for the entry of** FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. No 2

FORM 1090. Glos/3.

REGISTER OF RAINFALL IN 1931.

Kept at Bear Nurseries Rodborough Common

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							—	—	·42	·03	—	—	1
2							—	—	·91	—	·11	·35	2
3							·03	·61	·33	—	1·75	·14	3
4							·46	2·21	·02	·08	·01	—	4
5							—	·01	·26	—	—	·55	5
6							·53	·11	·10	·32	·17	·22	6
7							·03	·46	—	·04	·17	—	7
8							·01	·43	—	·05	·03	·02	8
9							·06	·02	—	—	·42	—	9
10							·03	·04	—	—	·26	—	10
11							·65	·01	·14	—	·24	—	11
12							·21	·11	·15	·08	—	—	12
13							·02	·45	·03	—	—	—	13
14							·71	·48	·05	—	·11	—	14
15							·66	·71	·01	—	—	·06	15
16							—	·69	·15	—	—	—	16
17							·26	—	·06	—	·02	—	17
18							·04	·42	—	—	·39	—	18
19							·13	·21	—	—	—	—	19
20							—	·23	—	—	·32	—	20
21							—	—	—	—	—	—	21
22							—	—	—	—	—	—	22
23							—	·01	·07	—	·66	·13	23
24							·29	—	—	—	—	—	24
25							·33	—	—	—	·12	—	25
26							·21	—	—	—	·44	—	26
27							·67	—	—	—	·25	—	27
28							—	—	—	—	—	·04	28
29							·14	—	—	—	—	—	29
30		×					—	·10	—	·06	—	—	30
31		×		×		×	—	—	×	—	×	·08	31
TOTAL							5·47	7·31	2·70	·66	5·47	1·59	YEAR'S TOTAL
*Days with ·01 in. or more.							20	19	14	7	17	9	
*Days with ·04 in. or more.							15	15	11	6	14	8	

40-9999

N

(Signed) [illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

XSTROUD (RODBOROUGH COMMON) X

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2155/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

glo/3.

cf 2155/6-2158

Cmp 1931
NR 1932

bay

Kept at ~~BEAR NURSERIES~~

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·39	Tr.	—	Tr.	—	—	—	—	·10	—	—	1
2	·48	—	·61	—	Tr.	—	—	—	—	—	—	—	2
3	—	·11	·25	—	·12	—	—	—	—	—	·02	—	3
4	·13	Tr.	—	—	·22	—	—	—	—	—	—	—	4
5	·06	—	·39	—	·11	—	—	—	—	—	·04	—	5
6	—	·35	Tr.	—	·09	—	—	—	—	·16	—	—	6
7	Tr.	—	—	—	·10	—	—	—	—	·22	—	—	7
8	·06	·05	·07	—	·07	—	·44	—	—	—	—	—	8
9	—	—	—	—	—	—	·24	—	—	·44	·08	—	9
10	·21	1·74	—	—	—	—	—	—	—	1·37	·05	—	10
11	—	—	—	—	—	Tr.	Tr.	·08	—	—	—	—	11
12	Tr.	—	—	—	Tr.	—	·19	—	·62	—	—	—	12
13	—	—	—	—	·07	—	·24	·08	Tr.	·07	—	—	13
14	—	—	—	—	—	—	·09	·06	—	—	·48	—	14
15	·58	—	·12	—	—	—	·11	·06	—	·07	—	·04	15
16	Tr.	—	—	—	—	Tr.	·29	—	Tr.	—	·02	—	16
17	—	—	·36	—	—	·11	—	·11	—	—	—	—	17
18	—	—	·09	—	—	·16	—	—	·05	—	·04	—	18
19	·15	—	·26	—	—	·23	—	—	·15	—	·06	—	19
20	—	—	—	—	—	—	—	—	Tr.	—	—	—	20
21	—	·05	—	—	·17	·09	—	·27	—	·06	—	—	21
22	—	—	—	—	—	—	—	·17	·09	·09	—	—	22
23	—	—	—	·15	—	·12	—	—	·56	·57	—	—	23
24	—	·74	—	·17	Tr.	·44	—	—	·06	·06	—	—	24
25	—	—	—	·23	·10	·18	—	—	·35	—	—	·09	25
26	—	1·15	—	·11	Tr.	—	—	—	·71	·05	—	—	26
27	—	Tr.	—	·06	1·08	—	—	—	·07	·11	—	·19	27
28	—	—	—	·31	—	—	—	—	—	—	—	—	28
29	·07	X	—	·09	—	—	—	—	—	·10	—	·05	29
30	·10	X	·11	Tr.	—	—	·08	—	·12	—	—	·11	30
31	·18	X	—	X	—	X	—	·05	X	·02	X	—	31
TOTAL	2·13	4·58	2·26	1·12	2·13	1·33	1·68	·88	2·78	3·49	·79	·48	YEAR'S TOTAL 23·65
*Days with ·01 in. or more.	~~11~~	~~8~~	~~9~~	~~7~~	~~10~~	~~7~~	~~8~~	~~8~~	~~10~~	~~15~~	~~8~~	~~5~~	~~102~~
*Days with .04 in. or more.	11	8	9	7	10	7	8	8	10	14	6	5	103

[illegible] with it
Print d

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Napier Rowlatt

N X MAJOR H. NAPIER-ROWLATT X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2155/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Bear Nurseries (Rodborough Common)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	·05	·08	–	·21	·47		1
2	–	–	·04	–	–	–	–	–	·71	·06	–	·34		2
3	·22	·04	–	–	–	–	–	–	–	·11	–	·35		3
4	–	–	–	–	·34	–	–	·56	–	·28	·06	·36		4
5	·24	–	·01	–	·07	–	–	–	–	·14	·20	·34		5
6	–	–	·19	·09	·47	–	–	–	–	·16	–	·55		6
7	–	–	–	–	–	–	–	·14	–	·16	·03	·50		7
8	–	–	–	–	·17	–	–	·04	·07	–	·18	·35		8
9	·05	–	·13	–	–	–	–	–	–	–	·09	·07		9
10	·18	–	·20	·27	–	–	–	·10	–	–	·22	·06		10
11	·77	–	·09	·29	–	–	·19	·07	–	–	·19	·34		11
12	·02	·01	·06	–	–	–	1·20	·05	–	–	–	·06		12
13	·49	–	·02	·15	–	–	1·56	–	–	·05	·09	·14		13
14	·14	–	·37	–	–	–	–	–	–	·11	·14	·25		14
15	–	–	·11	–	·15	–	–	–	·06	–	·17	·05		15
16	·18	–	·48	–	·05	–	–	–	–	·05	–	–		16
17	·17	–	–	·08	–	–	·22	–	·24	·11	–	·33		17
18	·34	–	·09	·28	–	–	·05	–	·05	–	–	·21		18
19	–	–	·21	–	–	–	–	·05	–	·07	–	–		19
20	–	–	·18	·09	–	–	·21	·23	–	·02	–	–		20
21	–	–	·06	–	–	·34	·19	–	–	·32	–	·14		21
22	–	–	·03	–	·06	–	–	–	·15	–	–	·06		22
23	–	·02	·02	·17	–	·20	·03	–	·06	·03	–	–		23
24	–	·28	·08	·08	–	·21	·05	–	·29	·20	–	·39		24
25	·24	–	–	·36	–	·16	–	–	–	·09	–	·31		25
26	–	–	·04	·11	–	·10	–	–	·08	·16	–	·19		26
27	–	–	–	·16	–	–	–	·36	–	–	–	·63		27
28	–	–	–	·06	–	·09	–	–	·06	·05	–	·04		28
29	–	×	–	–	–	–	–	·05	·44	–	–	·12		29
30	·05	×	–	–	–	–	–	–	·05	·09	–	·26		30
31	–	×	–	×	–	×	·49	–	×	·09	×	–		31
TOTAL	3·09	·35	2·41	2·19	1·31	1·10	4·19	1·70	2·34	2·35	1·58	6·91	Year's Total 29·52	
*Days with ·01 in. or more.	13	4	19	13	7	6	10	11	13	20	11	26	153	
*Days with .04 in. or more.	12	2	15	13	7	6	9	11	13	18	10	26	142	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P. T. O.

2155/5

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2155/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Bear Nurseries [illegible]

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 600 ft.

day 10

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	·06	·05	·07	·08	·08	—	·24	—	·08	—		1
2	·10	—	—	—	—	—	—	—	—	·55	·12	—		2
3	—	·07	—	—	—	·35	—	—	·54	·37	·30	—		3
4	—	—	—	—	—	·08	—	—	·06	·03	—	·05		4
5	—	·44	·29	—	—	·09	·05	—	·35	·06	·06	·03		5
6	—	—	—	·60	—	·66	—	—	—	—	—	·08		6
7	—	—	—	·32	—	·24	—	—	—	·34	·07	·09		7
8	—	—	—	·53	—	—	—	—	—	·18	·20	·08		8
9	·05	—	—	·82	—	·22	—	—	·03	1·17	·55	—		9
10	—	—	—	·34	—	·24	—	—	—	—	·06	—		10
11	·27	—	—	—	—	·12	—	—	—	—	·29	—		11
12	—	—	—	—	—	·30	—	—	·05	—	·06	—		12
13	—	·14	—	—	—	—	—	—	—	—	·18	·22		13
14	·07	—	—	·98	·16	·05	—	—	·35	—	1·04	·06		14
15	—	·05	—	·08	·14	·34	—	—	·38	·05	·12	—		15
16	—	·15	·08	·22	·02	·24	—	—	·31	—	·98	—		16
17	—	·07	—	·39	—	·24	·08	—	—	—	·34	—		17
18	—	·04	—	·04	·14	·05	·12	—	·48	—	—	—		18
19	—	·52	—	·12	·10	·15	·13	—	·38	·11	·15	·09		19
20	·04	·53	—	·05	·08	·08	—	—	—	—	·79	—		20
21	—	·10	·03	·12	—	—	—	—	·71	—	—	—		21
22	—	·14	—	·21	—	—	—	·26	·15	—	—	—		22
23	—	·09	—	—	—	—	—	·24	·13	·88	—	—		23
24	—	·45	—	·22	—	—	—	·26	·34	·09	—	·32		24
25	·22	·26	—	—	—	·40	—	·24	—	—	—	—		25
26	—	·27	—	—	—	—	—	—	·12	—	—	·94		26
27	—	·07	—	—	·07	—	—	—	·06	—	·12	1·09		27
28	—	—	—	—	·04	—	—	—	·16	—	—	—		28
29	—	—	—	—	—	—	—	·08	·14	·05	·19	·32		29
30	·07	×	—	·16	·22	—	—	·88	·15	·27	·47	·33		30
31	—	×	—	×	·03	×	—	·04	×	·57	×	·33		31
TOTAL	·82	3·39	·46	5·25	1·07	3·93	·46	2·00	5·13	4·72	6·17	4·03	Year's Total. 37·43	
* Days with .01 in. or more.	7	16	4	17	11	18	5	7	20	14	20	14	153	✓
* Days with .04 in. or more.	7	16	3	17	9	18	5	7	19	13	20	13	147	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2155/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at The BEAR NURSERIES,

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·14	·20	·32	—	—	·26	·07	—	—	·07	·03		1
2	·10	·06	·11	·04	—	·26	·85	·03	—	—	·29	—		2
3	—	—	—	·17	—	·18	·04	—	·88	—	·15	·03		3
4	—	—	·14	—	—	·12	—	—	·24	—	·13	·24		4
5	·38	·02	·05	—	·11	·05	·18	·04	·02	—	·07	·03		5
6	·09	—	—	—	—	—	·17	·07	·21	—	·38	—		6
7	·04	—	·11	—	—	·06	·54	—	—	—	·22	·10		7
8	·35	—	·22	—	—	—	·05	—	—	—	1·14	·03		8
9	·53	—	·09	—	—	—	·31	—	·12	—	—	—		9
10	·05	—	—	—	—	—	·32	—	—	—	—	—		10
11	—	—	—	·04	—	—	·18	·05	·09	—	·46	—		11
12	—	—	—	·06	·08	·14	·34	—	·28	—	·09	·06		12
13	—	·06	—	·09	—	·36	—	·04	—	·06	·04	·86		13
14	—	·22	—	·19	—	·08	·58	—	·25	—	·03	·66		14
15	—	—	—	·05	·02	·05	·10	—	·29	—	·07	·14		15
16	—	·27	—	·15	—	—	·12	—	·02	·05	·50	·12		16
17	·18	·71	—	—	·04	—	·12	—	—	—	·06	·48		17
18	—	·12	—	—	—	·17	·42	·04	—	—	—	·16		18
19	·50	·08	·04	·22	—	—	—	·09	—	—	—	—		19
20	—	·19	·03	·08	—	·15	—	—	·34	—	—	—		20
21	—	—	—	·46	—	—	—	—	·02	—	—	—		21
22	·09	·67	·40	—	·25	—	·34	—	—	—	—	·11 ~~·04~~	H.N.R.	22
23	·07	—	·34	·12	·05	—	·14	—	—	·04	—	—		23
24	·13	·07	—	·05	·02	—	·05	—	·22	·21	·02	—		24
25	·08	—	·17	·49	—	—	·21	—	·24	·12	·04	—		25
26	·10	·18	·14	·06	—	·15	—	—	—	·03	—	—		26
27	·08	·05	·09	—	—	—	·03	—	·13	·02	—	—		27
28	·46	—	·32	—	—	—	·08	—	—	—	·02	·26		28
29	·04	·23	·06	—	·05	·37	·03	—	—	·04	·03	·23		29
30	·18	✕	·02	—	·16	·07	·20	—	—	·77	—	·01		30
31	·59	✕	·32	✕	—	✕	·07	—	✕	·18	✕	·46		31
TOTAL	4·20	3·07	2·85	2·59	·78	2·21	5·73	·43	3·35	1·51	3·81	4·01	Year's Total 34·54	✓
* Days with .01 in. or more.	20	15	18	16	9	14	25	8	15	10	19	18	187	✓
* Days with .04 in. or more.	20	14	16	16	7	14	23	7	12	8	15	13	165	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Napier Rowlatt [P.T.O.
major

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 215 5/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The BEAR NURSERIES.

in the County of GLOUCESTERSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" Ground " Sea Level 600 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·02	—	—	—	—	—	—	·05	—	·18	·37		1
2	—	·34	—	·15	—	—	—	—	—	—	—	·32		2
3	—	·42	—	·13	—	—	·05	—	—	—	—	·14		3
4	·10	·39	—	·04	—	—	—	—	—	—	—	·32		4
5	·22	—	·40	·04	·08	—	Tr.	—	—	—	—	—		5
6	·08	·51	—	·12	—	—	·15	—	—	·05	—	—		6
7	—	·59	—	·30	—	—	·03	—	·01	—	—	—		7
8	—	·06	—	·01	·15	—	·03	—	—	—	·38	—		8
9	—	—	—	·10	·12	—	·07	—	·35	—	—	—		9
10	·04	—	·34	1·75	—	·06	—	—	—	—	—	·29		10
11	·01	—	·25	—	·28	·11	·12	—	—	—	—	·06		11
12	·55	·24	·62	·03	·08	·20	·02	·30	·11	—	—	·23		12
13	·18	·05	·13	·08	—	·16	—	·31	·03	—	—	—		13
14	—	—	·48	·05	—	—	—	·07	·03	—	—	·08		14
15	·18	·26	·03	·11	—	—	2·4	—	·18	—	—	·13		15
16	—	·09	·45	·25	—	·17	Tr.	·08	·78	—	—	·03		16
17	·46	·03	·56	—	—	—	—	—	1·07	—	—	·14		17
18	·45	·11	·15	·08	—	—	—	—	·31	—	·18	·23		18
19	·16	·03	·11	·09	·08	·29	—	—	—	—	·17	—		19
20	·42	·11	·53	·37	·02	—	—	—	—	—	—	·16		20
21	·38	·29	·10	·12	·10	—	·03	—	—	—	·04	·06		21
22	·18	·10	·12	—	·17	·07	·12	—	—	·84	·44	·05		22
23	·24	·08	—	—	·03	—	—	—	—	·46	·04	·08		23
24	·24	·42	·10	—	—	—	·04	—	·06	·32	—	—		24
25	·04	·58	·08	—	·15	—	—	—	·02	·30	—	·05		25
26	—	·24	—	—	·45	—	—	—	—	—	—	—		26
27	—	·12	—	·22	—	—	—	—	—	·57	—	—		27
28	—	—	—	—	—	—	—	—	—	—	—	·03		28
29	—	·	—	—	—	—	—	—	—	·20	·05	—		29
30	·39	☒		—	—	Tr.	—	·03	—	—	·27	—		30
31	·11	☒		☒	—	☒	—	—	☒	·37	☒	·02		31
TOTAL	4·51	5·08	4·45	4·04	1·71	1·06	3·07	·79	3·00	3·11	1·75	2·79	Year's Total 35·36	✓
* Days with .01 in. or more.	20	22	16	19	12	7	11	5	12	8	9	19	160	✓
* Days with .04 in. or more.	19	19	15	17	10	7	7	4	8	8	9	16	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) H. T. ... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2155/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at THE BEAR NURSERIES,

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 600 ft.

Totals ✓ W.E.S.R.

Days ✓ W.E.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	–	–	·44	·25	–	–	·33	–	·22		1
2	–	–	–	–	–	–	–	–	–	·19	–	–		2
3	·09	–	–	–	·25	–	·08	–	–	·81	·05	–		3
4	–	–	–	–	–	·04	·44	·45		·82	–	·21		4
5	–	–	–	–	–	·01	·21	–	·07	·22	·01	·03		5
6	·10	–	–	–	–	·03	·34	–	·06	·19	–	·05		6
7	–	–	–	–	–	–	·43	·13	·18	·08	–	·06		7
8	·64	–	–	–	–	–	·10	·07	–	·36	–	–		8
9	·08	–	–	–	–	–	·05	·10	–	–	–	·56		9
10	·10	·03	–	–	–	·60	·03	1·29	–	–	–	·31		10
11	·18	–	–	–	–	–	·02	·02	–	–	·28	·12		11
12	·41	–	–	–	·30	–	–	·12	–	·23	·27	–		12
13	·07	–	–	–	–	–	–	–	·11	·11	·35	·96		13
14	·45	–	–	–	–	–	·78	–	–	–	–	–		14
15	·31	–	–	–	·03	–	·02	·04	–	·04	–	·28		15
16	·34	–	·08	–	–	–	–	–	–	–	–	·04		16
17	–	–	–	–	–	–	–	–	·05	·14	·04	–		17
18	·08	·14	–	–	–	–	–	·07	·68	–	·38	–		18
19	–	–	–	–	–	–	–	·04	·36	–	·33	–		19
20	·03	–	–	–	–	–	–	–	–	–	·32	–		20
21	·04	–	–	–	–	–	–	·38	·03	–	·03	–		21
22	·03	–	–	·02	–	·44	–	26	–	–	·39	–		22
23	–	–	–	–	–	–	–	–	·31	–	·05	–		23
24	·07	–	·05	–	·09	–	–	·10	·08	–	·08	–		24
25	·09	·45	·06	–	·05	–	·04	–	–	·22	·39	–		25
26	·22	·38	–	–	·10	·22	–	–	·11	·10	–	·75		26
27	·03	·02	–	–	·38	–	·38	·08	·08	·07	·32	·47		27
28	·05	·14	–	–	–	·25	–	·61	·06	–	–	·08		28
29	·07	–	–	–	·39	–	–	–	·04	·09	·24	–		29
30	·04	×	–	–	·22	·05	–	–	·65	–	·26	·03		30
31	·30	×	–	×	·56	×	–	–	×	·08	×	·08		31
TOTAL	3·82	1·17	·19	·02	2·37	2·08	3·17	3·46	2·87	4·08	3·79	4·25	Year's Total 31·57	✓
* Days with .01 in. or more.	23	7	3	1	10	9	14	15	15	17	17	20 ~~16~~	151 ~~147~~	✓
* Days with .04 in. or more.	20	4	3	0	9	7	11	14	14	17	15	17 ~~14~~	131 ~~128~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) H. Kopl

[P.T.O.

2155/6

FOR OFFICIAL USE.

Section **A** for the entry

AIR MINIS

ALL ORGANIZATION.

FORM 1090. **REG**

31. Glos/3

Kept at Thrupp

in the County of Gl

Diameter of Funnel of Gauge....

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

AY.

An observer who does not conforn *he following*

year in the space on the right o

Jan. 1, following

2155/6

STROUD

THRUPP

1931 — 40

780402

Date	Jan.	Feb.	Marc							ct.	Nov.	Dec.	Date
	in.	in.	in.							n.	in.	in.	
1	tr.	·17	—	·09	tr.	·02	·01	—	·40	·02	—	—	1
2	·08	·01	—	·81	·15	tr.	—	—	·90	—	·07	·24	2
3	·01	—	·06	·04	tr.	—	·03	·54	·23	—	1·65	·22	3
4	—	—	·03	·04	·01	—	·44	1·80	·08	·06	·02	—	4
5	—	·08	—	·11	·02	·83	—	·01	·12	tr.	tr.	·53	5
6	—	·10	—	·13	·01	·13	·42	·05	·11	·31	·15	·23	6
7	—	tr.	—	tr.	·06	·04	·04	·46	—	·06	·14	·01	7
8	·02	·06	·01	·02	·25	·12	·02	·43	—	·03	·03	tr.	8
9	·04	·28	·01	·01	tr.	·24	·05	·01	·01	—	·40	—	9
10	—	·02	tr.	—	tr.	·04	·03	·03	—	—	·22	—	10
11	·19	·27	—	—	—	·08	·23	·01	·20	—	·24	·02	11
12	—	·02	—	—	tr.	—	·67	·11	·11	·06	—	—	12
13	—	—	—	—	·06	tr.	·02	·67	—	tr.	—	—	13
14	—	·08	—	—	·20	·58	·62	·48	·06	—	·10	—	14
15	·01	·01	—	·09	·18	—	·69	·63	tr.	—	—	·04	15
16	—	·19	—	·08	·35	·63	tr.	·70	·18	—	—	—	16
17	·01	·46	—	·10	·25	—	·23	—	·04	·01	·04	—	17
18	·02	·01	tr.	·23	—	·14	·05	·41	tr.	—	·31	—	18
19	·03	·02	—	·24	—	·01	·01	·22	—	—	—	—	19
20	—	·08	·20	·05	—	tr.	·01	·20	—	—	·02	·03	20
21	·12	—	tr.	—	·20	—	—	—	—	—	tr.	—	21
22	·38	—	tr.	·04	tr.	—	tr.	—	—	—	—	—	22
23	·20	—	—	·13	·78	·47	tr.	·01	·06	—	·67	·14	23
24	—	·01	—	·43	·25	—	·30	—	—	—	—	—	24
25	·08	—	—	·17	tr.	—	·24	—	—	—	·11	—	25
26	—	·01	—	·04	—	—	·19	—	—	—	·37	—	26
27	·18	·41	—	—	·89	—	·47	—	—	tr.	·25	—	27
28	·17	·12	·04	·11	·06	—	—	—	—	·01	tr.	·03	28
29	·10	×	·02	—	·16	—	·14	—	tr.	·12	·09	tr.	29
30	—	×	—	—	—	—	—	·10	·01	—	—	tr.	30
31	·41	×	—	×	·02	×	·01	—	×	—	×	·08	31
TOTAL	2·05	2·41	·37	2·96	3·90	3·33	4·92	6·77	2·51	·68	4·88	1·56	YEAR'S TOTAL 36·34
*Days with ·01 in. or more.	17	20	7	20	18	13	23	19	14	9	18	11	159
*Days with ·04 in. or more.	11	12	3	18	14	11	15	14	12	5	15	7	137

40-9999

(Signed) George G. Doane [P.T.O.

*See Instruction 2 (*f*) on other side.

Section A for the entr

AIR MINISTRY.—METEOROLOGICAL ... ALL ORGANIZATION.

FOR OFFICIAL USE. 2155/6

FORM 1090.

REGISTER OF RAINFALL IN 1931.

[illegible]/3

Kept at Thrupp, Stroud

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

Cmp 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr.	·17	—	·09	tr.	·02	·01	—	·40	·02	—	—	1
2	·08	·01	—	·81	·15	tr.	—	—	·90	—	·07	·24	2
3	·01	—	·06	·04	tr.	—	·03	·54	·23	—	1·65	·22	3
4	—	—	·03	·04	·01	—	·44	1·80	·08	·06	·02	—	4
5	—	·08	—	·11	·02	·83	—	·01	·12	tr.	tr.	·53	5
6	—	·10	—	·13	·01	·13	·42	·05	·11	·31	·15	·23	6
7	—	tr.	—	tr.	·06	·04	·04	·46	—	·06	·14	·01	7
8	·02	·06	·01	·02	·25	·12	·02	·43	—	·03	·03	tr.	8
9	·04	·28	·08	·01	tr.	·24	·05	·01	·01	—	·40	—	9
10	—	·02	tr.	—	tr.	·04	·03	·03	—	—	·22	—	10
11	·19	·27	—	—	—	·08	·23	·01	·20	—	·24	·02	11
12	—	·02	—	—	tr.	—	·67	·11	·11	·06	—	—	12
13	—	—	—	—	·06	tr.	·02	·67	—	tr.	—	—	13
14	—	·08	—	—	·20	·58	·62	·48	·06	—	·10	—	14
15	·01	·01	—	·09	·18	—	·39	·63	tr.	—	—	·04	15
16	—	·19	—	·08	·35	·63	tr.	·70	·18	—	—	—	16
17	·01	·46	—	·10	·25	—	·23	—	·04	·01	·04	—	17
18	·02	·01	tr.	·23	—	·14	·05	·41	tr.	—	·31	—	18
19	·03	·02	—	·24	—	·01	·01	·22	—	—	—	—	19
20	—	·08	·20	·05	—	tr.	·01	·20	—	—	·02	·03	20
21	·12	—	tr.	—	·20	—	—	—	—	—	tr.	—	21
22	·38	—	tr.	·04	tr.	—	tr.	—	—	—	—	—	22
23	·20	—	—	·13	·78	·47	tr.	·01	·06	—	·67	·14	23
24	—	·01	—	·43	·25	—	·30	—	—	—	—	—	24
25	·08	—	—	·17	tr.	—	·24	—	—	—	·11	—	25
26	—	·01	—	·04	—	—	·19	—	—	—	·37	—	26
27	·18	·41	—	—	·89	—	·47	—	—	tr.	·25	—	27
28	·17	·12	·04	·11	·06	—	—	—	—	·01	tr.	·03	28
29	·10	×	·02	—	·16	—	·14	—	tr.	·12	·09	tr.	29
30	—	×	—	—	—	—	—	·10	·01	—	—	tr.	30
31	·41	×	—	×	·02	×	·01	—	×	—	×	·08	31
TOTAL	2·05	2·41	·37	2·96	3·90	3·33	4·92	6·77	2·51	·68	4·88	1·56	YEAR'S TOTAL 36·34
*Days with ·01 in. or more.	17	20	7	20	18	13	23	19	14	9	18	11	189
*Days with ·04 in. or more.	11	12	3	18	14	11	15	14	12	5	15	7	137

40-9999

(*Signed*) George G. Loane [P.T.O.]

*See Instruction 2 (*f*) on other side.

2155/6

2155/6

Section | **A** | for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wood Thorpe, Thrupp

in the County of Gloucester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	tr	—	·02	1·06	—	·02	·04	·04	·14	·01	—	1
2	—	—	—	·17	·08	—	—	—	·47	·02	·01	·10	2
3	—	tr	—	·65	·02	—	·01	—	·01	·07	—	tr	3
4	·01	—	—	·03	—	—	tr	—	—	—	·36	—	4
5	·60	tr	·03	—	tr	—	—	—	} ·36	—	—	—	5
6	1·15	—	—	·11	—	—	—	—		tr	—	—	6
7	·16	—	·07	·02	·13	—	—	—	·37	·95	—	—	7
8	—	tr	·38	·01	·01	—	—	—	·24	·40	—	—	8
9	·42	·05	tr	·12	·11	—	—	—	tr	—	—	—	9
10	·34	·07	tr	·28	·11	·02	—	—	·07	·28	—	·03	10
11	—	—	—	·03	·02	tr	·36	—	·01	—	·01	·02	11
12	·55	—	—	—	·38	—	tr	—	·13	·45	·01	·05	12
13	·21	—	—	·24	·02	—	·57	·03	—	·21	·02	tr	13
14	·17	—	—	tr	·01	—	tr	·28	—	tr	·04	01	14
15	·11	—	—	·03	·63	—	·07	tr	—	·03	·04	—	15
16	·27	—	—	·25	tr	—	—	—	·01	—	—	—	16
17	—	—	—	·01	—	—	tr	—	—	·06	·01	—	17
18	—	—	—	—	·11	—	—	—	·05	—	·31	—	18
19	—	tr	—	·07	·05	—	—	—	·03	·14	tr	·18	19
20	·01	—	—	·10	1·06	—	·01	·09	—	·72	·08	·07	20
21	—	—	·18	·26	·38	—	—	·86	—	·37	·06	—	21
22	—	—	·09	·11	·07	·08	·19	tr	·69	·16	·17	·07	22
23	—	·03	·01	—	·73	—	·05	—	·03	·45	·01	·12	23
24	—	·01	—	—	tr	—	·06	—	·10	·02	—	tr	24
25	—	·01	·11	·04	—	—	·04	—	—	·24	·08	—	25
26	—	—	·40	·01	·05	tr	·17	—	·05	·03	·04	—	26
27	—	—	·31	·30	·43	tr	·26	—	—	·29	—	·01	27
28	—	—	·53	·08	·27	·03	·16	tr	—	—	—	·02	28
29	—	—	—	·13	·83	·23	·07	·14	·23	·26	—	·10	29
30	—	×	01	·11	—	1·45	·37	·15	·65	—	·93	·18	30
31	tr	×	·08	×	—	×	·19	—	×	tr	×	40	31
TOTAL	4·05	·17	2·20	3·18	6·56	1·81	2·60	1·54	3·54	5·29	2·19	1·36	YEAR'S TOTAL 34·54
*Days with ·01 in. or more.	13	5	12	24	22	5	16	7	18	20	17	14	173
*Days with ·04 in. or more.	11	3	9	16	17	3	13	6	13	16	10	9	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) George G. Loane

P.T.O.

2155/6

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Woodthorpe, Thrupp

in the County of Gloucester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

~~Total Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	·38	·02	—	·02	—	—	—	tr	·10	·01	tr	1
2	·44	tr	·57	—	·03	—	—	—	—	—	·01	—	2
3	tr	·11	·29	—	·16	—	—	—	—	—	·02	—	3
4	·13	·02	tr	—	·21	—	—	—	—	—	—	—	4
5	·05	tr	·39	—	·03	—	—	—	—	—	·02	—	5
6	tr	·34	·02	—	·07	—	—	—	—	·20	tr	·01	6
7	·02	·01	·02	—	·03	—	tr	—	—	·23	[illegible]	—	7
8	·03	·02	·07	—	·05	tr	·42	—	—	·01	—	—	8
9	—	·04	tr	—	·03	·02	·22	—	—	·50	·09	—	9
10	·07	·04	—	—	tr	—	·13	—	—	1·20	·05	—	10
11	·16	—	—	—	tr	·01	·05	·07	—	tr	—	—	11
12	·02	—	—	—	·02	·01	·22	—	·62	—	—	·01	12
13	·03	—	—	—	·06	—	·15	·02	·01	·03	·09	—	13
14	tr	—	—	—	—	—	·11	·06	—	·06	·35	·01	14
15	·53	—	·11	—	—	—	·13	·05	—	·06	tr	·01	15
16	·04	tr	·58	—	—	·03	·32	·02	·03	·01	·01	·01	16
17	·02	·02	·33	—	—	·11	tr	·09	·04	—	·01	—	17
18	·12	—	·08	—	—	·14	—	—	—	—	·02	—	18
19	tr	tr	·27	—	—	·17	—	—	·20	—	·06	—	19
20	—	·02	·04	tr	—	·03	—	—	·01	·02	tr	—	20
21	—	·01	—	—	·16	·07	—	·34	·02	·07	tr	—	21
22	—	—	—	·02	—	·08	—	·16	·06	·12	—	tr	22
23	—	·05	—	·13	—	·14	—	—	·56	·52	—	—	23
24	—	1·40	—	·17	·03	·39	—	—	·13	·06	·02	—	24
25	—	·61	—	·21	·11	·19	—	—	·30	·01	—	·07	25
26	—	·83	—	·10	·49	—	—	—	·70	·04	—	—	26
27	—	·03	—	—	·70	·01	—	—	·03	·14	—	·21	27
28	·02	—	—	·40	—	—	tr	—	—	·01	—	·02	28
29	·15	×	—	·05	—	—	tr	—	—	·03	—	01	29
30	·02	×	·10	·05	—	—	·06	—	·16	tr	—	·11	30
31	·34	×	·01	×	—	×	—	·05	×	·02	×	—	31
TOTAL	2·71	3·93	2·90	1·13	2·20	1·40	1·81	·87	2·88	3·42	·76	·47	YEAR'S TOTAL 24·~~3~~48
*Days with ·01 in. or more.	18	16	15	8	16	14	10	10	14	20	13	10	164
*Days with .04 in. or more.	11	9	11	7	9	8	10	7	9	13	5	3	102

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) George G. Loane

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woodthorpe, Thrupp

in the County of Gloucester

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	–	–	–	–	·45	·08	tr	·03	·56		1
2	·01	–	·06	–	–	–	–	·03	·75	·04	·01	·20		2
3	·22	·04	–	tr	–	–	–	tr	·01	·09	tr	·19		3
4	tr	–	·02	–	·31	–	–	–	·04	·28	·03	·44		4
5	–	–	tr	–	·07	–	–	·52	–	·08	·17	·35		5
6	tr	–	·19	·08	·40	–	–	tr	tr	·15	tr	·53		6
7	·03	–	tr	–	tr	tr	–	·15	–	·13	·02	·52		7
8	tr	–	–	–	·16	tr	–	·02	–	tr	·15	·09		8
9	tr	–	·14	–	tr	–	–	–	·01	·	·47	·17		9
10	·15	–	·21	·23	–	–	–	·09	–	–	·17	·05		10
11	·78	–	–	·24	–	–	·11	·06	–	–	tr	·34		11
12	·02	tr	·07	·01	–	–	·07	·04	–	–	–	·07		12
13	·48	–	·02	·13	–	–	1·40	tr	–	–	·01	·13		13
14	·10	–	·35	tr	tr	tr	–	–	–	·03	·12	·21		14
15	tr	–	·07	–	·14	–	–	–	·01	·12	·19	·05		15
16	·17	–	·45	–	·02	–	–	–	–	–	·03	–		16
17	·16	–	tr	·09	–	–	·19	–	·18	·03	–	·29		17
18	·31	–	·07	·25	·01	tr	·01	} ·02	·04	–	tr	·20		18
19	tr	–	·21	tr	·01	·03	–		·01	·05	–	·10		19
20	–	–	·20	·08	tr	·01	·10	–	–	·01	–	–		20
21	–	–	·07	–	–	·26	·18	·04	–	·31	–	tr		21
22	·01	–	·02	·02	·08	–	–	·20	·14	·06	–	·10		22
23	–	–	–	·14	–	·18	·02	–	·06	tr	–	·01		23
24	–	·26	·07	·05	–	·21	·02	–	·22	·02	–	tr		24
25	·21	·01	–	·32	–	·16	–	–	tr	·18	–	·50		25
26	tr	–	·03	·12	–	·08	–	–	·03	·14	–	·01		26
27	·01	–	–	·14	–	–	–	–	–	·03	–	·28		27
28	–	–	–	·03	–	·10	tr	·35	·05	–	–	·62		28
29	–	–	–	tr	–	–	–	·01	·42	–	–	·01		29
30	·05	×	–	–	–	–	–	–	·06	·07	–	·23		30
31	tr	×	–	×	–	×	tr	–	×	–	×	·10		31
TOTAL	2·72	·31	2·25	1·93	1·20	1·03	2·10	1·98	2·07	1·82	1·40	6·35	Year's Total 25·16	
*Days with ·01 in. or more.	16	3	17	15	9	8	9	13	16	18	12	27	163	
*Days with .04 in. or more.	10	2	13	12	6	6	6	9	11	13	6	24	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

2155/6

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woodthorpe, Thrupp

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	tr.	·05	—	·06	·06	·07	—	·23	·03	·07	tr		1
2	—	—	—	—	—	·01	—	—	tr	·45	·02	·01		2
3	—	·09	·02	·02	—	·27	—	—	·63	·40	·29	·04		3
4	tr.	·02	tr.	·20	—	·17	—	—	·06	·04	·01	·02		4
5	·01	·02	·01	·40	—	·61	—	—	—	—	·03	·08		5
6	—	·38	·30	·05	—	·15	·01	—	·34	·02	—	—		6
7	—	tr.	—	·33	—	·19	—	—	—	·26	·08	·08		7
8	—	—	—	·33	—	tr	—	·03	—	·23	·18	·09		8
9	·02	—	—	·95	—	·23	—	—	·02	1·24	·51	tr		9
10	tr	—	—	·47	—	tr	—	—	—	—	·10	—		10
11	·25	—	—	—	—	·13	·02	—	·03	—	·26	tr.		11
12	·01	·05	—	—	—	·28	—	·03	—	—	·06	—		12
13	·07	·07	—	·26	·16	·01	—	—	—	—	·15	—		13
14	tr	—	—	·01	·03	·11	—	—	·09	tr	·96	·20		14
15	—	·05	tr	·91	·13	·21	—	—	·70	tr	·19	·05		15
16	—	·10	·08	·22	—	·20	—	—	·31	·06	·90	·02		16
17	—	·07	tr	·04	·01	·19	·07	tr.	·05	tr	·42	—		17
18	—	·06	—	·37	·08	·04	·18	tr.	·44	·03	tr.	—		18
19	—	·02	—	·10	·15	·13	·13	—	·30	·10	·13	·07		19
20	·02	·45	—	·14	·10	·07	·03	—	tr.	—	·75	—		20
21	tr	·45	·02	·03	—	—	—	—	·77	·02	·03	—		21
22	—	·18	tr	·09	—	—	—	·26	·15	—	—	—		22
23	—	·14	·04	tr.	—	—	—	·24	·12	·80	—	·03		23
24	·06	·42	·07	—	—	—	—	·21	·35	·04	—	·33		24
25	·19	·29	—	·19	—	·43	—	—	tr	tr	—	·20		25
26	—	·14	—	—	—	—	—	·27	·11	—	—	·90		26
27	tr	·18	—	—	·08	—	—	tr	·05	—	·12	1·14		27
28	tr	tr	—	—	0.3	—	—	·01	·14	—	·01	·01		28
29	tr	×	·03	—	—	—	—	·08	·13	·03	·17	·29		29
30	·05	×	—	·11	·21	·01	—	·83	·13	·28	·46	·28		30
31	tr	×	—	×	·02	×	—	·08	×	·57	×	·37		31
TOTAL	·69	3·12	·62	4·85	1·06	3·50	·51	1·96	5·15	4·64	5·90	4·21	Year's Total 36·21	
*Days with ·01 in. or more.	10	19	9	20	12	20	7	10	21	17	24	19	188	
*Days with .04 in. or more.	5	15	5	17	8	17	4	7	19	12	19	14	142	

† Spare column, no entries required.

(*Signed*) George G. Loane

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Woodthorpe Thrupp

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 300 ft.

~~Totals~~ Acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	·15	·09	·32	—	·28	·25	·06	—	—	·07	·03		1
2	·07	·08	·09	·03	—	·30	·81	·02	—	—	·25	—		2
3	tr	—	—	·20	—	·09	·03	—	·91	—	·18	·01		3
4	·01	—	·16	—	—	tr	—	—	·26	—	·12	·22		4
5	·37	·01	·05	—	·10	tr	·20	·01	·01	—	·04	·03		5
6	·06	—	·01	—	—	·08	·12	·07	·20	—	·35	—		6
7	·03	—	·10	—	—		·53	—	—	—	·20	·10		7
8	·33	—	·21	—	—	—	·05	—	—	—	1·11	·02		8
9	·56	—	·07	—	—	—	·30	—	·11	—	tr	tr		9
10	·04	—	tr	—	—	—	·27	—	—	—	—	—		10
11	—	·25	—	·02	—	·14	·14	·05	·11	—	·38	—		11
12	—	—	—	·07	·11	·35	·32	—	·25	—	·14	—		12
13	—	—	—	·11	—	·08	tr	·02	·01	·06	·03	·94		13
14	—	·01	—	·18	—		·57	—	·21	tr	·02	·76		14
15	—	—	—	·08	·03	tr	·05	—	·23	—	·07	·14		15
16	·07	·14	—	·21	tr	—	·10	—	·02	—	·49	·06		16
17	·14	·66	~~tr~~	tr	·03	—	·14	·01	—	·04	·06	·51		17
18	tr	·04	—	—	—	·02	·37	·04	—	·01	—	·18		18
19	·48	·13	·03	·23	—	·02	—	·06	—	—	—	tr		19
20	·03	·19	·02	·05	—	·10	—	—	·42	—	—	—		20
21	—	tr	—	·52	—		·06	—	·02	—	—	—		21
22	·07	·64	·12	tr	·17	tr	·31	—	—	·01	—	·10		22
23	·08	·01	·27	·13	·04	—	·14	—	—	·02	—	—		23
24	·13	·03	tr	·06	·02	—	·04	—	·18	·20	·01	—		24
25	·07	·01	·16	·47	—	—	·20	—	·22	·11	·03	—		25
26	·07	·15	·14	·08	—	·15	—	—	—	·03	tr	—		26
27	·10	·03	·07	—	—	·01	·02	—	·19	·02	—	—		27
28	·43	·01	·28	—	—	—	·10	—	—	—	tr	·24		28
29	·03	·30	·05	tr	·03	·55	·02	—	—	·03	·02	·20		29
30	·18	✕	·01	—	·09	·04	·14	—	—	·60	—	·01		30
31	·55	✕	·25	✕	·01	✕	·13	—	✕	·35	✕	·43		31
TOTAL	4·09	2·84	2·18	2·76	·62	2·23	5·31	·34	3·35	1·38	3·57	3·98	Year's Total 32·65	✓
* Days with .01 in. or more.	23	18	19	16	10	~~14~~ 17	26	9	16	12	18	17	201	✓
* Days with .04 in. or more.	19	10	15	14	5	~~11~~ 12	23	5	12	6	13	12	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Woodthorpe, Thrupp, nr. Stroud

in the County of Glos.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·01	tr	·05	—	—	—	—	·03	—	·16	·32		1
2	—	·32	·01	·09	—	—	—	—	—	—	tr	·40		2
3	tr	·43	—	·09	·04	—	·02	—	—	—	—	·13		3
4	·09	·35	—	·01	·03	—	—	tr	—	—	—	·33		4
5	·22	—	·13	—	—	—	—	—	—	—	—	—		5
6	·08	·13	tr.	·13	·09	—	·16	—	—	·05	·02	—		6
7	—	·70	—	·28	—	tr.	—	—	·01	—	—	—		7
8	—	·04	—	tr	·11	—	—	—	·01	—	·30	—		8
9	—	—	—	·09	·20	—	·02	—	·35	—	—	·08		9
10	·03	—	·50	1·73	·02	·16	·04	—	—	—	—	·21		10
11	tr	—	·13	—	·26	·07	·12	—	—	—	—	·05		11
12	·55	·23	·44	—	·08	·14	—	·40	·12	—	—	·22		12
13	·30	·03	·33	·07	tr	·18	·01	·28	·03	—	—	—		13
14	—	·01	·48	·04	—	—	—	·13	·02	—	—	·07		14
15	·18	·25	—	·28	—	—	2·10	—	·20	—	—	·18		15
16	—	·34	·44	·37	—	·15	·01	·07	·89	—	—	—		16
17	·33	·09	·34	—	—	tr.	tr.	—	·80	—	—	—		17
18	·57	·06	·20	·09	·06	tr.	—	·02	·42	—	·17	·20		18
19	·16	·06	·12	·04	·02	·25	—	—	·01	·01	·14	—		19
20	·39	·03	·48	·37	—	—	—	—	·02	—	—	·10		20
21	·33	·31	·12	·01	·08	—	·03	—	—	—	·02	·10		21
22	·20	·11	·01	—	·14	·08	·17	—	—	·85	·44	·04		22
23	·25	·10	·13	—	·02	—	·02	—	—	52	·03	tr.		23
24	·23	·36	·01	—	—	—	—	—	·05	·32	—	·03		24
25	·02	·37	·07	—	·17	—	tr.	—	·01	·30	—	·01		25
26	—	·36	tr.	—	·45	—	—	—	—	·01	—	·01		26
27	·01	·15	—	·25	—	—	—	—	—	·56	—	—		27
28	·02	·13	—	—	—	tr	—	—	—	·07	tr.	·01		28
29	·03	×	—	—	—	·02	—	—	—	·12	·04	·01		29
30	·30	×	—	—	—	—	—	·03	tr.	tr.	·25	—		30
31	·10	×	—	×	—	×	—	—	×	·35	×	·01		31
													Year's Total.	
TOTAL	4·44	4·97	3·94	3·99	1·76	1·05	2·70	·93	2·97	3·16	1·57	2·51	33·99	✓ ✓
* Days with .01 in. or more.	22	24	17	17	15	8	11	6	15	11	10	20	176	✓ ✓
* Days with .04 in. or more.	17	20	14	15	12	7	5	4	7	9	7	14	131	✓ ✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File no. 4008/30

Kept at Woodthorpe, Thrupp

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	–	–	·40	·42	·02	–	·31	–	·20		1
2	·01	–	–	·02	·03	–	·03	–	–	·20	–	–		2
3	·01	–	–	–	·23	·01	·01	–	–	·87	·04	–		3
4	·07	–	–	–	–	·03	·38	·31	–	·83	tr.	·23		4
5	·02	–	–	–	–	tr.	·35	·01	·06	·23	–	·02		5
6	·09	–	–	–	–	·02	·25	–	·07	·17	–	·06		6
7	·01	–	–	–	–	–	·41	·14	·11	·11	–	·07		7
8	·53	–	–	–	–	·01	·06	·07	·01	·36	–	·01		8
9	·15	·03	–	–	–	–	·04	·12	–	–	–	·05		9
10	·12	·01	–	–	–	·61	·04	1·19	–	–	–	·25		10
11	·18	tr.	–	–	–	tr.	tr.	·01	–	·01	·28	·09		11
12	·42	–	–	–	·29	–	–	·16	–	·21	·07	tr.		12
13	·07	·01	–	–	–	–	–	tr.	–	·10	·53	·90		13
14	·50	·02	–	–	·01	–	·76	–	·15	–	–	–		14
15	·20	·01	–	–	·04	–	·01	tr.	–	·01	·01	·25		15
16	·47	tr.	·08	–	–	–	–	–	–	·02	·02	·04		16
17	–	·10	–	–	·01	–	–	·01	·04	·14	–	–		17
18	·09	tr.	–	–	–	·01	–	·05	·77	tr.	·41	–		18
19	tr.	–	–	–	–	·01	–	·05	·04	–	·22	–		19
20	tr.	–	–	–	–	–	–	–	tr.	–	·40	·01		20
21	·06	–	–	–	–	–	–	·35	·01	–	·02	·60	(snow)	21
22	·01	–	–	·05	tr.	·04	–	·21	–	–	·39	·26	,,	22
23	tr.	–	–	·02	–	–	–	tr.	·31	–	·06	·03		23
24	·01	–	·09	–	·08	–	–	·08	·08	–	·06	–		24
25	·75	·40	·01	–	·05	–	·06	tr.	tr.	·23	·41	} ·46 x		25
26	·20	·26	·01	–	·10	·05	–	–	·16	·13	tr.			26
27	·02	·07	–	–	·38	·18	·36	·02	·03	·07	·31	tr.		27
28	·05	·11	–	–	–	·25	tr.	·65	·04	–	–	·07		28
29	·06	X	–	–	·37	·05	–	–	·03	·07	·22	·07		29
30	·03	✕	–	–	·30	·05	tr.	–	·73	·03	·27	·05		30
31	·24	✕	–	✕	·52	✕	–	–	✕	·06	✕	·18		31
													Year's Total	
TOTAL	3·53	·99	·19	·09	2·45	1·71	3·21	3·45	2·61	4·16	3·72	4·30	30·71	✓
* Days with .01 in. or more.	26	11	4	3	13	13	14	17	16	20	17	2~~1~~ 2	17~~5~~ 6	✓
* Days with .04 in. or more.	19	4	2	1	10	8	11	12	12	16	14	1~~7~~ 8	12~~6~~ 7	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) George G. Loane

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

File no. 9008/30

Kept at Woodthorpe Thrupp

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·04	·15	·15	—	—	·01	·07	tr.	—	·09		1
2	·03	—	·01	·05	—	—	—	·60	·63	—	·06	·01		2
3	·14	—	—	·24	—	—	—	·45	·06	—	·32	·21		3
4	·10	—	·61	·61	·21	—	·34	·25	—	·28	·10	·30		4
5	—	—	—	·95	·19	—	·16	·37	—	·11	·60	·15		5
6	·47	—	—	·05	·01	—	·98	·01	—	tr.	·02	—		6
7	·05	·14	—	—	·14	—	·02	—	—	·01	·35	·57		7
8	tr.	·30	·30	—	—	—	·41	·20	—	·80	·34	·76		8
9	·04	·06	—	—	—	—	—	·11	~~·22~~	·23	tr.	·10		9
10	·30	·01	·15	—	—	·13	—	·08	·02	·01	—	·01		10
11	tr.	·01	·22	—	—	tr.	—	—	—	·16	—	·01		11
12	·05	·10	—	—	—	·14	—	—	—	—	·01	—		12
13	—	—	—	·05	·01	tr.	·22	—	·08	·41	—	—		13
14	·76	—	·01	—	·12	·03	·11	—	—	·03	·14	·01		14
15	·49	—	—	·01	·14	·71	·24	—	·01	·18	·32	—		15
16	·07	—	·01	·01	·08	·05	·01	—	—	tr.	·22	—		16
17	·31	·01	—	—	·01	·19	·03	—	—	·24	·01	·01		17
18	·38	·04	·04	—	—	·36	·25	—	tr.	·12	·45	—		18
19	·23	—	—	—	—	—	·32	—	·01	—	—	—		19
20	·22	—	—	—	·01	—	·12	·11	—	—	—	·01		20
21	·15	·24	·20	·01	—	tr.	·30	·28	—	—	—	—		21
22	·81	·29	·03	·02	—	·11	·01	—	·01	—	·21	tr.		22
23	·01	—	—	·10	—	·05	·21	—	—	·02	·92	—		23
24	·31	—	·01	·14	—	·21	·01	—	—	·14	—	—		24
25	1·15	·05	·06	tr.	—	—	·05	·64	—	·15	·33	tr.		25
26	·25	·01	—	tr.	—	—	·16	·60	—	—	·64	·03		26
27	tr.	·11	·11	·03	—	·02	·30	·01	—	·08	·02	—		27
28	·02	·05	·11	·02	—	·04	—	—	—	—	·27	·09		28
29	—	—	—	·30	—	—	·27	—	—	·10	·11	—		29
30	—	✕	—	1·15	—	—	·03	—	—	·01	·01	·08		30
31	—	✕	—	✕	—	✕	·16	·30	✕	·12	✕	—		31
													Year's Total	
TOTAL	6·37	1·42	1·91	3·94	1·07	2·04	4·71	4·02	·89	3·20	5·25	2·44	37·26	
* Days with .01 in. or more.	23	14	15	17	11	12	23	15	8	19	21	16	194	
* Days with .04 in. or more.	19	10	10	16	7	10	17	12	4	14	16	9	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2155/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 9/40

File no. 9008/30

Kept at Woodthorpe, Thrupp

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 300 ft.

Orig

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·01		·06	·01						·16			1
2				·13			·05				1·56			2
3		·25					tr			·26	1·20	tr		3
4		·14 ~~·29~~					·01 ~~tr~~			·30	·25	·05		4
5		·01					·12			x	·64	·10		5
6	·18	·25					tr			·25				6
7		·56		·01			·29		·01	tr				7
8	·02	tr		·07			tr			·16	·12	·08		8
9				·07		tr	·42	·11	·05	·43	·24	·13		9
10			·01				·70				·01	·04		10
11		tr	·01	·06		tr	·26				·78			11
12			·17			·08	·52		·02	·01				12
13		·01	·52				·12		·05		·39	·01		13
14			·08	·19	·90		·38		·10	·23		·32		14
15		tr	·05	tr	·28	·06	·05		·24	·06	·17			15
16	tr	·31	·30	·13			·51		·06	·49	·63			16
17			·37	·01			tr			tr	·02	·07		17
18	·12	·36	·60	·53				·05	·10	·08	·10	·12		18
19		·28	x ·18	·08			·54		·08	·41	·37	·01		19
20		tr	✓	·02		·18	·10				·01			20
21	tr				·09	·21	·09				1·10			21
22		·05	·12	·08	·01				·37					22
23		·24	·07	·02	·29				·03		·03	·05		23
24			·01		·02		·24							24
25			~~·01~~	·02	·01	·12	tr			·01		·01		25
26	·76	·24	tr	·10	·13	·02	·48							26
27	4 1·20	·09		·55	·10		·01	tr						27
28	4	·10		·22	·12									28
29			·15	·33	·03		·01					·25		29
30		✕		·18	·01					·30		·01		30
31	·07	✕	·12	✕		✕			✕	·62	✕			31
TOTAL	2·35	2·90	2·76	2·86	2·00	·67	4·90	·16	1·11	3·61	7·78	1·24	Year's Total 32·34	
* Days with .01 in. or more.	7	15	16 ~~15~~	20	13	6	19	2	11	15 ~~14~~	18	14	156 ~~154~~	
* Days with .04 in. or more.	6	12	12	15	7	5	16	2	8	13 ~~12~~	14	10	120 ~~119~~	

< Average of 11 years

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

2156

Section **A** for the entry of
AIR MINISTRY

PY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

2156
STROUD
STANLEY PARK
1931 —— 40

7 Y0402

hot

p

ent 26.2.32

Kept at Stanley Par
in the County of Glouc
Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground above Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

owing

Jan. 1, following 1931
·11 see file
To Jan/1 1932

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.65	.49	.11	.00	.00	.00	.00	.00	.07	.00	.00	.00	1
2	.00	.00	.00	.20	.06	.25	.02	.00	.40	.06	.00	.00	2
3	.10	.00	.00	.80	.19	.00	.00	.00	.49	.00	.08	.40	3
4	.00	.00	.06	.03	.00	.00	.02	.24	.59	.00	1.68	.11	4
5	.00	.00	.04	.04	.04	.00	.24	1.75	.06	.05	.20	.00	5
6	.00	.41	.00	.21	.00	1.03	.23	.00	.00	.02	.00	.58	6
7	.00	.06	.00	.06	.09	.00	.25	.16	.00	.30	.15	.16	7
8	.00	.00	.00	.00	.04	.18	.02	.46	.00	.07	.74	.00	8
9	.06	.00	.00	.04	.25	.14	.02	.42	.00	.06	.46	.00	9
10	.04	.26	.00	.06	.00	.29	.02	.00	.00	.00	.11	.00	10
11	.00	.06	.00	.00	.02	.04	.06	.06	.00	.00	.20	.00	11
12	.06	.31	.00	.00	.00	.08	.00	.00	.12	.00	.20	.00	12
13	.00	.06	.00	.02	.00	.00	.92	.36	.00	.06	.00	.00	13
14	.00	.00	.00	.00	.02	.00	.09	.44	.10	.00	.00	.00	14
15	.00	.06	.00	.00	.06	.45	.50	1.06	.08	.00	.14	.00	15
16	.00	.00	.00	.11	.24	.00	.67	.68	.04	.00	.02	.00	16
17	.00	.30	.00	.08	.32	.70	.06	.00	.12	.00	.00	.00	17
18	.00	.32	.02	.12	.32	.00	.21	.38	.10	.00	.06	.00	18
19	.09	.00	.00	.39	.00	.14	.02	.15	.00	.00	.33	.00	19
20	.11	.11	.19	.14	.00	.11	.05	.24	.00	.00	.00	.00	20
21	.00	.04	.00	.04	.00	.00	.00	.00	.00	.00	.04	.02	21
22	.14	.00	.05	.00	.17	.00	.00	.14	.00	.00	.00	.00	22
23	.17	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	23
24	.00	.00	.00	.16	.59	.57	.00	.06	.08	.00	.73	.00	24
25	.00	.02	.00	.32	.40	.00	.00	.00	.00	.00	.00	.00	25
26	.08	.00	.00	.29	.02	.00	.14	.00	.00	.00	.11	.00	26
27	.00	.00	.00	.06	.00	.00	.52	.00	.00	.00	.00	.00	27
28	.00	.47	.00	.04	.73	.00	.36	.00	.00	.00	.09	.00	28
29	.09		.00	.06	.12	.00	.00	.00	.00	.00	.00	.06	29
30	.24	×	.00	.00	.10	.00	.15	.00	.00	.10	.00	.00	30
31	.00	×	.00	×	.00	×	.00	.02	×	.00	×	.00	31
TOTAL	.49 ~~1.83~~ 1.67	.11 ~~2.97~~ 2.59	~~.47~~ .86	3.29	3.78	3.92	4.47	.07 ~~6.64~~ 6.71	~~2.17~~ 2.10	.72	5.34	.11 ~~1.33~~ 1.44	YEAR'S TOTAL 36.39
*Days with ·01 in. or more.	12	14	5	22	19	12	21	17	11	8	17	7	165
*Days with ·04 in. or more.	12	13	4	19	16	12	15	16	11	7	16	6	147

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Frederick C. Walton

P.T.O.

2156

Section **A** for the entry of OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Stanley Park. Stroud
in the County of Gloucestershire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground above Sea Level 265 ft.

365

Total of days

hot

Corr. for WD + Circ C sent 26.2.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1931
·11 To Jan 1st
see file
1932

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.49	.11	.00	.00	.00	.00	.00	.07	.00	.00	.00	1
2	.00	.00	.00	.20	.06	.25	.02	.00	.40	.06	.00	.00	2
3	.10	.00	.00	.80	.19	.00	.00	.00	.49	.00	.08	.40	3
4	.00	.00	.06	.03	.00	.00	.02	.24	.59	.00	1.68	.11	4
5	.00	.00	.04	.04	.04	.00	.24	1.75	.06	.05	.20	.00	5
6	.00	.41	.00	.21	.00	1.03	.23	.00	.00	.02	.00	.58	6
7	.00	.06	.00	.06	.09	.00	.25	.16	.00	.30	.15	.16	7
8	.00	.00	.00	.00	.04	.18	.02	.46	.00	.07	.74	.00	8
9	.06	.00	.00	.04	.25	.14	.02	.44	.00	.06	.46	.00	9
10	.04	.26	.00	.06	.00	.29	.02	.00	.00	.00	.11	.00	10
11	.00	.06	.00	.00	.02	.04	.06	.06	.00	.00	.20	.00	11
12	.06	.31	.00	.00	.00	.08	.00	.00	.12	.00	.20	.00	12
13	.00	.06	.00	.02	.00	.00	.92	.36	.00	.06	.00	.00	13
14	.00	.00	.00	.00	.02	.00	.09	.44	.10	.00	.00	.00	14
15	.00	.06	.00	.00	.06	.45	.50	1.06	.08	.00	.14	.00	15
16	.00	.00	.00	.11	.24	.00	.67	.68	.04	.00	.02	.00	16
17	.00	.30	.00	.08	.32	.70	.06	.00	.12	.00	.00	.00	17
18	.00	.32	.02	.12	.32	.00	.21	.38	.10	.00	.06	.00	18
19	.09	.00	.00	.39	.00	.14	.02	.15	.00	.00	.33	.00	19
20	.11	.11	.19	.14	.00	.11	.05	.24	.00	.00	.00	.00	20
21	.00	.04	.00	.04	.00	.00	.00	.00	.00	.00	.04	.02	21
22	.14	.00	.05	.00	.17	.00	.00	.14	.00	.00	.00	.00	22
23	.17	.00	.00	.02	.00	.00	.00	.00	.00	.00	.00	.00	23
24	.00	.00	.00	.16	.59	.57	.00	.06	.08	.00	.73	.00	24
25	.00	.02	.00	.32	.40	.00	.00	.00	.00	.00	.00	.00	25
26	.08	.00	.00	.29	.02	.00	.14	.00	.00	.00	.11	.00	26
27	.00	.00	.00	.06	.00	.00	.52	.00	.00	.00	.00	.00	27
28	.00	.47	.00	.04	.73	.00	.36	.00	.00	.00	.09	.00	28
29	.09		.00	.06	.12	.00	.00	.00	.00	.00	.00	.06	29
30	.24	×	.00	.00	.10	.00	.15	.00	.00	.10	.00	.00	30
31	.00	×	.00	×	.00	×	.00	.02	×	.00	×	.00	31
TOTAL	.49 ~~1.83~~ 1.67	.11 ~~2.97~~ 2.59	~~.47~~ .66	3.29	3.78	3.92	4.47	.07 ~~6.64~~ 6.71	~~2.17~~ 2.10	.72	5.34	.11 ~~1.33~~ 1.44	YEAR'S TOTAL 36.39
*Days with ·01 in. or more.	12	14	5	22	19	12	21	17	11	8	17	7	165
*Days with ·04 in. or more.	12	13	4	19	16	12	15	16	11	7	16	6	147

40-9999

(Signed) Frederick C. Walton

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stanley Park Road

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 300 ft.

60

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·40

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.00	.00	.11	.19	·00	1.67	.27	.00	.62	.02	.96	1
2	.16	.02	.00	.02	.89	.00	.05	.16	.06	.15	.00	.00	2
3	.00	.00	.00	.22	.21	.00	.00	.00	.46	.06	.04	.11	3
4	.00	.00	.00	.61	.03	.00	.00	.00	.00	.04	.00	.00	4
5	.02	.00	.00	.05	.00	.00	.00	.00	.00	.00	.40	.00	5
6	.35	.00	.00	.00	.02	.00	.00	.00	.60	.00	.00	.00	6
7	1.12	.00	.00	.06	.00	.00	.00	.00	.49	.00	.00	.00	7
8	.18	.00	.14	.04	.20	.00	.00	.00	.06	1.15	.00	.00	8
9	.00	.04	.49	.07	.00	.00	.00	.00	.00	.35	.00	.00	9
10	.21	.11	.00	.09	.03	.00	.00	.00	.00	.00	.00	.00	10
11	.54	.08	.04	.26	.13	.00	.60	.00	.14	.25	.00	.00	11
12	.00	.00	.00	.04	.03	.02	.22	.00	.00	.00	.00	.05	12
13	.60	.00	.00	.00	.39	.00	.00	.00	.11	.47	.00	.00	13
14	.21	.00	.00	.22	.00	.00	.54	.00	.00	.23	.15	.11	14
15	.26	.00	.00	.00	.00	.00	.00	.30	.00	.00	.00	.00	15
16	.16	.00	.00	.04	.59	.00	.09	.00	.00	.06	.00	.03	16
17	.00	.00	.00	.24	.00	.00	.12	.00	.06	.00	.00	.00	17
18	.00	.00	.00	.04	.00	.00	.00	.00	.00	.00	.00	.00	18
19	.00	.00	.00	.00	.16	.00	.00	.00	.08	.00	.34	.00	19
20	.00	.00	.00	.09	.00	.00	.00	.00	.00	.21	.08	.00	20
21	.00	.00	.00	.04	1.18	.00	.02	.14	.00	.65	.06	.06	21
22	.02	.00	.22	.55	.36	.00	.00	1.05	.00	.42	.14	.08	22
23	.00	.00	.08	.12	.07	.02	.10	.00	.71	.11	.02	.00	23
24	.00	.00	.00	.00	.61	.00	.08	.00	.09	.53	.00	.23	24
25	.00	.04	.00	.00	.00	.00	.04	.00	.12	.05	.00	.00	25
26	.00	.00	.00	.10	.08	.00	.07	.00	.06	.24	.08	.00	26
27	.00	.00	.16	.00	.38	.00	.12	.00	.02	.06	.05	.00	27
28	.00	.00	.46	.26	.27	.00	.23	.00	.00	.31	.00	.02	28
29	.00	.00	.29	.09	.48	.00	.13	.00	.00	.00	.00	.00	29
30	.00	×	.44	.14	.00	.25	.17	.08	.23	.26	.00	.19	30
31	.00	×	.02	× ·19	.00	1·67 ×	.00	.22	·62 ×	.00	·96 ×	.26	31
TOTAL	~~3.94~~ 3.83	.29 ✓	·11 ~~2.34~~ 2.45	3.58	5.11	1.96 ~~.29~~	·27 2.75	·95 ~~2.22~~	3.91	·02 5.62	2.17	·40 2.08	YEAR'S TOTAL 3564
*Days with ·01 in. or more.	12	5	11	23	19	4	16	6	16	20	10	11	153
*Days with .04 in. or more.	10	4	10	22	15	2	14	6	15	19	9	9	35

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Frederick C. Walton

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stanley Park Stroud

in the County of Gloucester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Dup° (W D)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Jan 1st ..

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.40	.29	.00	.00	.18	.00	.00	.00	.00	.11	.00	.00		1
2	.67	.36	.07	.00	.00	.00	.00	.00	.00	.15	.00	.00		2
3	.54	.00	.48	.00	.05	.00	.00	.00	.00	.10	.00	.00		3
4	.02	.10	.38	.00	.07	.00	.00	.00	.00	.00	.00	.00		4
5	.16	.00	.00	.00	.22	.00	.00	.00	.00	.00	.00	.00		5
6	.10	.04	.42	.00	.05	.00	.00	.00	.00	.00	.31	.00		6
7	.00	.36	.00	.00	.08	.00	.00	.00	.00	.21	.00	.00		7
8	.06	.00	.08	.00	.06	.00	.32	.00	.00	.17	.00	.00		8
9	.00	.00	.00	.00	.05	.00	.30	.00	.00	.02	.00	.00		9
10	.24	.00	.00	.00	.00	.04	.00	.00	.00	.11	.06	.00		10
11	.00	.00	.00	.00	.00	.00	.12	.00	.00	1.37	.11	.00		11
12	.30	.00	.00	.00	.05	.00	.17	.06	.00	.00	.00	.00		12
13	.05	.00	.00	.00	.02	.00	.22	.00	.52	.00	.00	.00		13
14	.00	.00	.00	.00	.06	.00	.10	.00	.02	.06	.10	.00		14
15	.00	.00	.00	.00	.00	.00	.11	.03	.00	.08	.37	.02		15
16	.63	.00	.11	.00	.00	.11	.10	.00	.00	.06	.00	.00		16
17	.29	.00	.66	.00	.00	.00	.16	.00	.02	.00	.00	.02		17
18	.16	.00	.36	.00	.00	.00	.00	.00	.06	.00	.09	.00		18
19	.00	.00	.12	.00	.00	.25	.00	.00	.00	.00	.16	.00		19
20	.00	.00	.11	.00	.00	.26	.00	.00	.03	.00	.02	.00		20
21	.00	.00	.00	.00	.15	.00	.00	.00	.00	.00	.00	.00		21
22	.00	.00	.00	.00	.00	.06	.00	.50	.00	.17	.00	.00		22
23	.00	.69	.00	.02	.00	.05	.00	.00	39	.07	.00	.00		23
24	.00	1.84	.00	.15	.00	.10	.00	.00	.36	.57	.00	.00		24
25	.00	.79	.00	.20	.08	.66	.00	.00	.00	.07	.02	.00		25
26	.00	.41	.00	.22	.00	.10	.00	.00	.42	.00	.00	.16		26
27	.00	.00	.00	.21	.26	.00	.00	.00	.72	.04	.00	.00		27
28	.00	.00	.00	.00	.87	.02	.00	.00	.07	.09	.00	.00		28
29	.00		.00	.28	.00	.02	.00	.00	.00	.00	.00	.00		29
30	.06	×	.00	.10	.00	.00	.02	.00	.00	.00	.00	.02		30
31	.00	×	.15	×	.00	×	.00	.00	×	.00	×	.14		31
TOTAL	~~3.68~~ 57 29	~~4.88~~ 59	2.94	~~1.18~~ 38	~~2.25~~ .07	1.67	1.62	.59	~~2.61~~ 72	~~3.58~~ .18	1.24	.65	Year's Total 26.~~88~~ 39	
*Days with ·01 in. or more.	13	8	11	8	14	11	10	3	11	15	9	5	~~118~~	
*Days with .04 in. or more.	12	8	11	7	13	9	9	2	8	14	7	2	102	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Frederick L. Walton

[P.T.O.

COPY FOR OFFICIAL USE. w -- K.

Section **A** for the entry of Daily Observations. Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~.

Kept at Stanley Park. Stroud

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in. 8 1·0 ?

,, Ground ,, Sea Level ft.

Gauge W.D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year ~~in the~~ space on the right of this paragraph.

Jan. 1, following
12.4.35
·08.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·00	·00	·00	·00	·00	·00	·00	·00	·07	·28	·00		1
2	·04	·00	·00	·00	·00	·00	·00	·40	·00	·00	·00	·60		2
3	·16	·00	·00	·00	·00	·00	·00	·09	·56	·09	·04	·19		3
4	·03	·00	·00	·00	·28	·00	·00	·00	·00	·11	·00	·25		4
5	·18	·00	·07	·00	·07	·00	·00	·00	·00	·29	·04	·45		5
6	·00	·00	·04	·00	·56	·00	·00	·54	·00	·05	·17	·37		6
7	·04	·00	·18	·08	·00	·00	·00	·00	·30	·27	·00	·54		7
8	·04	·00	·00	·00	·16	·00	·00	·15	·00	·11	·00	·53		8
9	·02	·00	·00	·00	·00	·04	·00	·64	·00	·00	·06	·23		9
10	·22	·00	·14	·00	·00	·00	·00	·00	·08	·00	·56	·33		10
11	·73	·00	·24	·23	·00	·00	·00	·11	·00	·00	·12	·04		11
12	·04	·00	·07	·30	·00	·00	·12	·16	·00	·00	·06	·33		12
13	·39	·00	·10	·02	·00	·00	·55	·40	·00	·00	·13	·06		13
14	·25	·00	·00	·17	·00	·00	1·80	·00	[illegible]	·00	·20	·24		14
15	·00	·00	·34	·02	·00	·00	·00	·00	·00	·05	·05	·25		15
16	·14	·00	·07	·00	·17	·00	·00	·00	·00	·09	·00	·06		16
17	·10	·00	·44	·00	·00	·00	·00	·00	·00	·14	·00	·00		17
18	·18	·00	·00	·00	·00	·00	·00	·00	·24	·00	·00	·40		18
19	·00	·00	·09	·30	·00	·00	·21	·00	[illegible]	·00	·00	·22		19
20	·00	·00	·21	·09	·02	·00	·00	·09	·02	·09	·00	·11		20
21	·00	·00	·14	·00	·00	·02	·05	·06	·00	·06	·00	·00		21
22	·00	·00	·10	·00	·00	·00	·25	·00	·12	·35	·00	·07		22
23	·00	·00	·04	1·10	·06	·24	·00	·36	·00	·07	·00	·16		23
24	·00	·00	·04	·16	·00	·15	·03	·00	·26	·00	·00	·05		24
25	·00	·40	·09	·12	·00	·19	·05	·00	·00	·00	·00	·00		25
26	·23	·00	·00	·33	·00	·14	·00	·00	·07	·25	·00	·47		26
27	·00	·00	·12	·17	·00	·07	·00	·00	·02	·15	·00	·04		27
28	·00	·00	·00	·16	·00	·00	·00	·35	·00	·06	·00	·31		28
29	·00		·00	·10	·00	·08	·02	·00	·47	·00	·00	·70		29
30	·00	×	·00	·00	·00	·00	·03	·00	·00	·00	·00	·03		30
31	·10	×	·00	×	·00	×	·00	·00	× ·07	·07 ·38	×	·21 ·68		31
TOTAL	2·89	·40	2·50	2·35	1·32	·93	3·11	2·45	2·2[illegible]	~~2·27~~ 3·58	~~XX7~~ 1·43	7·34 2	Year's Total ~~29·6~~ ·57	
*Days with ·01 in. or more.	17	1	18	15	7	8	10	12	12	18	10	28	156	
*Days with .04 in. or more.	15	1	18	13	6	7	7	12	10	18	10	27	144.	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Frederick C. Walton

[P.T.O.

COPY FOR OFFICIAL ~~USE.~~

Section **A** for the entry of Daily Observations. Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stanley Park. Stroud

in the County of Gloucestershire

Diameter of Funnel of Gauge ……in. as sent in other years

Height of top of Gauge above Ground ……ft. ……in.

,, Ground ,, Sea Level ……ft.

✓ WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1936: ·32

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·08	·00	·00	·00	·16	·05	·03	·00	·15	·08	·53	·42		1
2	·02	·00	·06	·00	·09	·07	·09	·00	·19	·04	·09	·00		2
3	·00	·00	·00	·00	·00	·05	·00	·00	·09	·47	·04	·00		3
4	·00	·17	·03	·00	·00	·00	·00	·00	·56	·34	·31	·00		4
5	·00	·00	·00	·25	·00	·24	·00	·00	·10	·06	·02	·05		5
6	·00	·40	·31	·06	·00	·08	·03	·00	·36	·04	·07	·04		6
7	·00	·00	·00	·27	·00	·74	·00	·00	·00	·00	·00	·10		7
8	·00	·00	·00	·51	·00	·25	·00	·00	·00	·23	·09	·02		8
9	·00	·00	·00	·23	·00	·00	·00	·04	·04	·23	·36	·16		9
10	·00	·00	·00	1·22	·00	·00	·00	·00	·00	1·08	·20	·00		10
11	·00	·00	·00	·26	·00	·00	·00	·00	·00	·02	·11	·00		11
12	·22	·00	·00	·00	·00	·16	·06	·00	·00	·00	·29	·00		12
13	·00	·06	·00	·00	·00	·38	·00	·00	·06	·00	·06	·00		13
14	·12	·00	·00	·25	·14	·02	·00	·00	·09	·00	·06	·00		14
15	·00	·06	·00	·92	·02	·22	·00	·00	·14	·00	1·08	·16		15
16	·00	·04	·00	·25	·17	·41	·00	·00	·61	·02	·23	·19		16
17	·00	·00	·10	·06	·00	·10	·00	·00	·32	·04	·87	·05		17
18	·00	·14	·00	·19	·02	·32	·00	·00	·10	·00	·30	·00		18
19	·00	·06	·00	·41	·05	·05	·05	·00	·39	·00	·02	·04		19
20	·00	·04	·00	·14	·19	·13	·15	·00	·29	·06	·12	·14		20
21	·04	·42	·00	·09	·12	·11	·00	·00	·00	·00	·90	·00		21
22	·00	·44	·00	·08	·00	·00	·00	·00	1·12	·00	·09	·00		22
23	·00	·19	·00	·31	·00	·00	·00	·44	·26	·00	·00	·00		23
24	·00	·17	·09	·56	·00	·00	·00	·11	·12	·95	·00	·39		24
25	·08	·41	·08	·00	·00	·00	·00	·00	·36	·11	·00	·11		25
26	·00	·21	·00	·19	·00	·45	·00	·00	·06	·00	·00	·14		26
27	·00	·15	·00	·00	·00	·00	·00	·29	·11	·02	·00	·79		27
28	·00	·21	·00	·00	·06	·00	·00	·03	·06	·00	·11	1·16		28
29	·00		·00	·00	·06	·00	·00	·04	·16	·00	·00	·02		29
30	·00	×	·00	·00	·00	·00	·00	·09	·12	·04	·17	·24		30
31	·00	×	·00	× ·16	·23 ·05	× ·03	·00	·84 ·95	× ·08	·32	× ·42	·22 ·32		31
TOTAL	·48 ~~·56~~	3·17	·67	6·58 ~~6·43~~	1·20 ~~1·21~~	3·71 ~~3·73~~	·38 ~~·41~~	2·03 ~~1·88~~	5·72 ~~5·79~~	·53 4·60 ~~4·15~~	6·01 ~~6·12~~	4·34 ~~4·44~~	Year's Total. ~~38·65~~ 38·89	
* Days with .01 in. or more.	5	16	6	19	12	18	4	9	23	18	23	19	172	
* Days with .04 in. or more.	4	16	5	19	10	16	3	8	23	15	21	17	157	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Frederick G. Walton

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Stanley Park Stroud

in the County of Gloucester

Diameter of Funnel of Gauge................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level .....365........ft

Same as other years

W/D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

·32

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·32	·54	·18	·25	·00	·82	·18	·20	·00	·00	·47	·00		1
2	·16	·15	·16	·31	·00	·32	·30	·15	·00	·00	·05	·05		2
3	·12	·09	·09	·05	·00	·20	·59	·14	·00	·00	·26	·00		3
4	·00	·00	·00	·21	·00	·19	·03	·00	·63	·00	·19	·00		4
5	·02	·00	·20	·00	·00	·02	·00	·00	·21	·00	·10	·29		5
6	·41	·00	·06	·00	·58	·00	·07	·06	·00	·00	·11	·06		6
7	·00	·00	·03	·00	·00	·06	·25	·15	·00	·00	·32	·00		7
8	·05	·00	·09	·00	·00	·00	·48	·00	·26	·00	·44	·13		8
9	·35	·00	·23	·00	·00	·00	·06	·00	·00	·00	·74	·00		9
10	·67	·00	·10	·00	·00	·13	·33	·00	·00	·00	·00	·00		10
11	·27	·00	·00	·00	·00	·00	·44	·00	·00	·00	·02	·00		11
12	·00	·19	·00	·09	·00	·11	·12	·06	·08	·00	·35	·00		12
13	·00	·00	·00	·11	·06	·40	·26	·00	·40	·00	·10	·08		13
14	·00	·00	·00	·10	·00	·00	·32	·02	·00	·00	·04	1·02		14
15	·00	·00	·00	·16	·00	·07	·58	·00	·21	·00	·06	·69		15
16	·00	·00	·00	·10	·00	·00	·00	·00	·11	·00	·05	·06		16
17	·09	·10	·00	·08	·02	·00	·12	·00	·00	·02	·40	·15		17
18	·06	·83	·00	·02	·00	·00	·13	·00	·00	·02	·06	·47		18
19	·00	·07	·00	·00	·00	·00	·42	·02	·00	·04	·00	·13		19
20	·46	·23	·00	·28	·00	·00	·50	·09	·00	·00	·00	·00		20
21	·06	·00	·04	·12	·00	·22	·00	·00	·44	·00	·00	·00		21
22	·00	·00	·00	·42	·00	·00	·00	·00	·12	·00	·00	·00		22
23	·07	·75	·15	·00	·36	·00	·30	·00	·00	·00	·00	·00		23
24	·12	·00	·35	·12	·04	·00	·20	·00	·00	·05	·00	·00		24
25	·00	·06	·00	·05	·04	·00	·71	·00	·26	·06	·02	·00		25
26	·00	·00	·15	·00	·00	·00	·22	·00	·46	·20	·04	·00		26
27	·15	·14	·13	·00	·00	·21	·00	·00	·00	·04	·00	·00		27
28	·12	·06	·14	·00	·00	·00	·04	·00	·09	·00	·00	·00		28
29	·45	·03	·37	·00	·00	·00	·07	·00	·00	·00	·00	·00		29
30	·05		·09	·00	·00	·17	·00	·00	·00	·06	·05	·33		30
31	·18 ·54	·18	·25 ·04		·22	·18	·08 ·20	·00		·67 ·47		·00 ·32		31
TOTAL	~~4·48~~ 4·40	~~3·24~~ 2·88	~~2·60~~ 2·67	~~2·47~~ 2·22	~~1·22~~ 1·34	~~2·12~~ 2·28	~~6·20~~ 6·22	~~·89~~ ·69	3·27	~~1·16~~ 1·63	~~3·87~~ 3·40	~~3·44~~ 3·78	Year's Total 34·78	
* Days with .01 in. or more.	20	13	18	15	8	13	25	8	12	10	19	13	174	
* Days with .04 in. or more.	19	12	17	14	6	12	24	6	12	8	17	13	160	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frederick S. Walton [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stanley Park. Stroud

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ~~about 250~~ ft.

corrd. for W. D. Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·00

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·44	·12	·10	·00	·00	·00	·00	·00	·00	·00	·23	·32		1
2	·12	·03	·02	·02	·00	·00	·00	·00	·04	·00	·18	·31		2
3	·00	·31	·00	·04	·00	·00	·00	·00	·00	·00	·00	·30		3
4	·00	·94	·00	·28	·07	·00	·00	·00	·00	·00	·00	·15		4
5	·00	·32	·00	·27	·04	·00	·00	·00	·00	·00	·00	·36		5
6	·22	·00	·13	·00	·00	·00	·02	·00	·00	·00	·00	·00		6
7	·07	·13	·09	·22	·09	·00	·15	·00	·00	·10	·02	·00		7
8	·00	·81	·02	·20	·08	·00	·00	·00	·00	·00	·00	·02		8
9	·00	·06	·65	·00	·09	·00	·03	·00	·00	·00	·00	·09		9
10	·00	·00	·00	·14	·22	·00	·00	·00	·74	·00	·00	·28		10
11	·06	·00	·57	1·30	·08	·19	·00	·00	·00	·00	·00	·00		11
12	·12	·00	·23	·00	·32	·09	·17	·00	·00	·00	·00	·33		12
13	·62	·19	·57	·00	·08	·02	·00	·39	·11	·00	·00	·00		13
14	·24	·06	·18	·00	·00	·35	·00	·00	·06	·00	·00	·07		14
15	·00	·06	·46	·11	·00	·00	·00	·00	·03	·00	·00	·09		15
16	·18	·17	·00	·35	·00	·00	2·36	·00	·07	·00	·00	·00		16
17	·00	·26	·54	·34	·00	·16	·00	·00	·42	·00	·00	·00		17
18	·48	·10	·39	·06	·00	·00	·00	·00	1·28	·00	·00	·00		18
19	·64	·04	·26	·06	·00	·00	·00	·00	·42	·00	·43	·09		19
20	·19	·06	·15	·07	·04	·22	·00	·00	·05	·00	·17	·00		20
21	·45	·09	·60	·09	·02	·00	·00	·00	·00	·00	·00	·41		21
22	·39	·29	·10	·41	·00	·00	·00	·00	·00	·00	·00	·00		22
23	·44	·08	·12	·04	·29	·08	·00	·00	·00	·78	·45	·12		23
24	·36	·09	·00	·00	·03	·00	·00	·00	·00	·48	·06	·00		24
25	·25	·39	·00	·00	·00	·00	·00	·00	·04	·32	·00	·00		25
26	·03	·09	·00	·00	·15	·00	·10	·00	·03	·38	·00	·00		26
27	·00	·35	·07	·00	·49	·00	·00	·00	·00	·00	·00	·00		27
28	·00	·46	·01	·21	·00	·00	·00	·00	·00	·57	·00	·00		28
29	·08	—	·00	·00	·00	·00	·00	·00	·00	·12	·00	·00		29
30	·16	✗	·00	·00	·00	·00	·00	·00	·00	·15	·00	·00		30
31	·16	✗	·00	✗	·00	✗	·00	·06	✗	·00	✗	·00		31
TOTAL	·12 5·~~60~~ 28	·10 5·~~50~~ ·48	4·~~62~~ 5	4·13	2·81	1·11	2·83	·45	3·29	·23 ~~2·90~~ 3·13	·32 1·~~54~~ ·63	·00 2·~~94~~ ·62	Year's Total ~~36·92~~ 48	✓ ✓
* Days with .01 in. or more.	21	24	18	18	14	7	6	2	12	9	7	13	151	✓ ✓
* Days with .04 in. or more.	20	23	16	17	12	6	4	2	10	9	6	12	137	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Frederick C. Walton [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stanley Park Stroud

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level .... ft.

H.D.

Daily

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1st 1939
·04

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·24	·00	·00	·00	·56	·10	·08	·00	·57	·18	·26		1
2	·00	·00	·00	·00	·00	·36	·00	·00	·00	·37	·00	·24		2
3	·11	·00	·00	·00	·00	·00	·06	·00	·10	·66	·00	·00		3
4	·00	·00	·00	·00	·26	·00	·00	·00	·00	·21	·05	·00		4
5	·07	·00	·00	·00	·00	·05	·07	·36	·00	·55	·00	·15		5
6	·00	·00	·00	·00	·00	·00	·14	·00	·10	·20	·00	·03		6
7	·07	·00	·00	·00	·00	·00	·33	·08	·05	·95	·00	·13		7
8	·00	·00	·00	·00	·00	·07	·54	·00	·00	·05	·00	·09		8
9	·47	·00	·00	·00	·00	·00	·16	·00	·00	·27	·00	·72	✓	9
10	·41	·04	·00	·00	·00	·00	·04	·00	·00	·00	·00	·28	✓	10
11	·15	·10	·00	·00	·00	·42	·06	1·16	·00	·00	[illegible]	·14		11
12	·17	·00	·00	·00	·00	·00	·00	·26	·00	·00	·33	·02		12
13	·35	·00	·00	·00	·29	·00	·00	·00	·00	·19	·12	·85		13
14	·19	·00	·00	·00	·04	·00	·02	·00	·00	·00	·52	·00		14
15	·54	·00	·00	·00	·02	·00	·72	·00	·16	·00	·03	·32		15
16	·24	·00	·00	·00	·04	·00	·00	·00	·00	·05	·03	·05		16
17	·35	·00	·11	·00	·00	·00	·00	·00	·00	·00	·04	·00		17
18	·00	·00	·00	·00	·00	·00	·00	·00	·11	·00	·02	·00		18
19	·10	·00	·00	·00	·00	·06	·00	·11	·80	·00	·30	·00		19
20	·00	·00	·01	·00	·00	·00	·00	·00	·06	·00	·25	·00		20
21	·02	·00	·00	·00	·00	·00	·00	·00	·08	·00	·50	·00		21
22	·06	·00	·00	·00	·00	·00	·00	·31	·06	·00	·05	·60		22
23	·04	·00	·00	·00	·00	·00	·00	·23	·02	·00	·39	·22		23
24	·00	·00	·00	·09	·00	·00	·00	·00	·28	·00	·08	·00		24
25	·00	·00	·09	·00	·10	·00	·00	·10	·08	·00	·11	·02		25
26	·15	·55	·11	·00	·14	·00	·00	·00	·00	·25	·40	·04		26
27	·19	·27	·00	·00	·33	·02	·00	·00	·15	·11	·00	·02		27
28	·04	·13	·00	·00	·00	·20	·47	·12	·00	·10	·30	·00		28
29	·07	—	·00	·00	·10	·18	·00	·60	·05	·00	·00	·08		29
30	·08	✕	·00	·00	·32	·00	·00	·00	·05	·14	·00	·00		30
31	·09	✕	·00	✕	·25	·10 ✕	·00	·00	·57 ✕	·00	·26 ✕	·09	"d"	31
TOTAL	·24 4·20 ~~3·76~~	1·09 ~~·23~~	·31	·09	~~·56~~ ~~1·89~~ 2·45	1·46 ~~1·72~~	~~·08~~ ~~2·71~~ 2·69	3·33 ~~3·41~~	2·72 ~~2·15~~	~~·16~~ ~~4·07~~ 3·68	3·75 ~~3·67~~	4·09 ~~4·35~~	Year's Total 29·86	✓
* Days with .01 in. or more.	~~23~~	~~5~~	~~3~~	~~1~~	~~12~~	~~9~~	~~12~~	~~10~~	~~16~~	~~15~~	~~18~~	~~19~~	~~143~~	
* Days with .04 in. or more.	22	5	3	1	11	8	11	10	15	15	16	15	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Frederick C. Walton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stanley Park Stroud Glos

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level .... ft.

Days W.D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.00	.16	.00	1.16	.00	.00	.21	.59	.00	.12	.02		1
2	.02	.00	.10	.00	.21	.00	.00	.02	.00	.00	.07	.08		2
3	.05	.00	.00	.21	.00	.00	.00	.56	.57	.00	.14	.06		3
4	.00	.00	.00	.04	.00	.00	.00	.61	.11	.00	.16	.21		4
5	.40	.00	.68	.32	.00	.00	.28	.14	.00	.15	.64	.26		5
6	.04	.00	.00	.83	.21	.00	.27	.09	.00	.22	.00	.40		6
7	.39	.00	.00	.00	.17	.00	1.15	.03	.00	.00	.37	.00		7
8	.08	.17	.00	.00	.04	.00	.00	.11	.00	.02	.18	.44		8
9	.00	.26	.32	.00	.00	.00	.49	.26	.02	.65	.00	.76		9
10	.00	.09	.00	.00	.00	.11	.00	.09	.00	.46	.00	.16		10
11	.37	.02	.19	.00	.00	.00	.00	.16	.00	.10	.00	.00		11
12	.00	.06	.20	.00	.00	.04	.00	.00	.00	.15	.00	.00		12
13	.09	.05	.00	.06	.00	.06	.00	.00	.00	.00	.02	.00		13
14	.00	.00	.00	.08	.02	.00	.27	.00	.00	.41	.00	.00		14
15	.76	.00	.02	.00	.15	.00	.13	.00	.00	.06	.00	.00		15
16	.47	.00	.00	.02	.12	.58	.70	.00	.00	.41	.20	.00		16
17	.20	.00	.00	.00	.00	.00	.06	.00	.00	.16	.52	.00		17
18	.34	.04	.00	.00	.00	.06	.00	.00	.00	.00	.65	.00		18
19	.39	.00	.00	.00	.00	.00	.00	.00	.00	.10	.46	.00		19
20	.23	.00	.02	.00	.00	.00	.22	.00	.00	.00	.00	.00		20
21	.27	.00	.00	.00	.00	.11	.11	.59	.00	.00	.00	.00		21
22	.15	.11	.19	.02	.00	.70	.00	.96	.00	.20	.00	.00		22
23	.59	.49	.07	.00	.00	.00	.06	.00	.00	.00	.21	.00		23
24	.00	.00	.00	.14	.00	.04	.17	.00	.00	.05	.71	.00		24
25	.60	.00	.00	.05	.00	.28	.02	.00	.06	.07	.00	.00		25
26	.58	.09	.02	.09	.00	.00	.00	.00	.00	.10	.21	.00		26
27	.34	.00	.03	.00	.00	.00	.06	.04	.04	.00	.58	.04		27
28	.04	.00	.11	.02	.00	.18	.64	.46	.00	.16	.04	.00		28
29	.00	×	.10	.04	.00	.06	.66	.00	.00	.00	.26	.10		29
30	.00	×	.00	.16	.00	.00	.16	.00	.00	.12	.10	.00		30
31	.00	× .16	.00	× 1.16	.00	×	.06 .21	.00 .59	×	.00 .12	× .02	.06		31
TOTAL	6.40 ~~6.44~~	1.54 ~~1.38~~	2.05 ~~2.21~~	3.24 ~~2.08~~	~~3.24~~ 2.08	1.22 ~~1.22~~	5.72 ~~5.51~~	4.41 4.33	.80 1.39	3.45 3.33	5.49 ~~5.59~~	2.41 ~~2.43~~	Year's Total ~~38.89~~	37.65 1
* Days with .01 in. or more.	~~11 12~~	~~11 8~~	~~13 14~~	~~15 14~~	~~8 7~~	~~11~~	~~19 18~~	~~14 15 15~~	~~6 7~~	~~17 18~~	~~19~~	~~11 12~~	~~165 165~~	
* Days with .04 in. or more.	20	10	9	12	6	11	18	13	4	16	18	10	147	

† Spare column, no entries required.

(Signed) Frederick G. Walton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2156

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Stanley Park Stroud

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level .... ft.

N.D. Day totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: (·02)

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·00	·00	·22	·06	·04	·00	·00	·00	·00	·70			1
2	·00	·20	·00	·12	·00	·00	·00	·00	·00	·00	·16			2
3	·00	·69	·00	·00	·00	·00	·00	·00	·00	·60	1·58			3
4	·00	·00	·00	·00	·00	·00	·00	·00	·00	·26	1·06			4
5	·00	·00	·00	·00	·00	·00	·00	·00	·00	·12	·21	·03		5
6	·16	·00	·00	·00	·00	·00	·00	·00	·00	·10	·52	·15		6
7	·00	·24	·00	·06	·00	·00	·00	·00	·00	·26	·00			7
8	·00	·50	·00	·02	·00	·00	·10	·00	·02	·00	·00			8
9	·00	·00	·00	·06	·00	·00	·00	·00	·00	·20	·12	·05		9
10	·00	·00	·00	·09	·00	·04	·71	·00	·00	·49	·30	·12		10
11	·00	·00	·02	·00	·00	·04	·54	·08	·00	·12	·03	·07		11
12	·00	·00	·00	·06	·00	·00	·31	·06	·00	·00	·57			12
13	·00	·00	·15	·00	·00	·14	·61	·00	·06	·06	·00			13
14	·00	·00	·47	·00	·00	·00	·10	·00	·04	·00	·36	·06		14
15	·00	·00	·00	·17	·92	·00	·34	·00	·08	·28	·00	·36		15
16	·04	·09	09	·06	·74	·06	·20	·00	·14	·06	·16	·00		16
17	·00	·89	·36	·12	·00	·07	·04	·00	·06	·00	·66	·04		17
18	·00	·00	·18	·03	·00	·00	·06	·00	·00	·19	·04	·00		18
19	·00	·26	·56	·54	·00	·00	·02	·00	·24	·00	·09	·16		19
20	·00	·17	·43	·14	·00	·00	·92	·00	·16	·00	·36	·06		20
21	·00	·00	·11	·06	·00	·00	·00	·00	·00	·76	·06			21
22	·00	·00	·00	·00	·00	·00	·24	·00	·00	·00	1·22			22
23	·00	·00	·31	·15	·20	·27	·00	·00	·00	·00	·00			23
24	·00	·38	·00	·00	·11	·00	·00	·00	·00	·00	·05			24
25	·00	·00	·00	·11	·00	·08	·35	·00	·00	·00	·00	·07		25
26	·00	·00	·09	·09	·06	·04	·00	·00	·00	·00	·00			26
27	·76	·14	·00	·00	·14	·00	·59	·00	·00	·00	·02	·02		27
28	·44	·24	·00	·11	·07	·00	·12	·00	·00	00	·00			28
29	·46	·15	·00	·92	·09	·00	·00	·00	·00	·00	·00			29
30	·00	✕	·00	·38	·00	·00	·00	·00	·00	·00	·00	·24		30
31	·00	✕	·00	✕	·06	✕	·00	·00	✕	·16	✕	·00		31
TOTAL	1·86	3·95	·22 ~~2·77~~ 2·99	·06 ~~3·61~~ 3·45	~~2·44~~ 2·38	·74	5·25	·14	·80	·70 ~~3·66~~ 4·36	~~8·37~~ 7·67	·02 1·43 5	Year's Total 35·04	
* Days with .01 in. or more.	5	12	12	20	9	8	16	2	8	15	19	14	~~140~~	
* Days with .04 in. or more.	5	12	11	18	9	8	15	2	7	15	17	11	130	

"d"

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Frederick C. Walton

[P.T.O.

2157

2157　　462180

STONE HOUSE
WYCLIFFE COLLEGE.
GLOUCESTERSHIRE.
1931 – 1940.

180402

Section **A** for the entry of D
AIR MINISTRY.
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGIST　　31.

Kept at W.YCLIFFE COLLE

in the County of GLOC

Diameter of Funnel of Gauge 4

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR　**DAY.**

An observer who does not conform to th *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.70	.19	.01	.30	.01		.30	.02			1
2		.03		.81	.13				.60		.03	.16	2
3	.08		.03	.03			.02	.13	.72		.87	.11	3
4				.04	.01		.40	1.41	.03	.01	.06		4
5		.03		.06	.02	1.21			.09			.42	5
6		.10		.12		.17	.05	.07	.05	.29	.15	.18	6
7					.04	.03	.01	.39		.06	.10		7
8		.05		.02	.22	.13	.02	.42		.02	.03		8
9	.02	.20		.01		.27	.03				.37		9
10		.01				.04		.03			.16		10
11		.27				.05	.05		.12		.20		11
12		.02		.05			.87	.13	.25	.06			12
13					.02		.01	.27					13
14					.06	.48	.70	.70	.03		.11		14
15		.01		.08	.21		.72	.55				.04	15
16		.04		.05	.40	.55		.56	.13				16
17		.32		.11	.28		.19		.05		.01		17
18	.03	.01	.01	.21		.05	.05	.32			.29		18
19	.03	.02		.20		.13	.02						19
20		.05	.16	.01									20
21	.06				.13								21
22	.22												22
23	.18			.14	.63	.46			.05		.54	.13	23
24		.01		.46	.19		.27					.01	24
25				.11	.02		.24						25
26				.03			.17				.52		26
27	.17	.38			.61		.13				.16		27
28	.13			.10	.16					.01		.03	28
29	.05				.15		.14			.07	.08		29
30		×						.08					30
31	.31	×		×	.04	×		.03	×		×	.04	31
TOTAL	1.28	1.55	.90	2.83	3.33	3.87	4.10	5.09	2.42	.54	3.68	1.12	YEAR'S TOTAL 30.71
*Days with ·01 in. or more.	11	16	4	20	19	13	20	14	12	8	16	9	162
*Days with ·04 in. or more.	8	8	2	15	14	12	13	12	10	4	13	7	118

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W A Sibly

P.T.O.

2157

Section **A** for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WYCLIFFE COLLEGE, STONEHOUSE

in the County of GLOUCESTER

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.70	.19	.01	.30	.01		.30	.02			1
2		.03		.81	.13				.60		.03	.16	2
3	.08		.03	.03			.02	.13	.72		.87	.11	3
4				.04	.01		.40	1.41	.03	.01	.06		4
5		.03		.06	.02	1.21			.09			.42	5
6		.10		.12		.17	.05	.07	.05	.29	.15	.18	6
7					.04	.03	.01	.39		.06	.10		7
8		.05		.02	.22	.13	.02	.42		.02	.03		8
9	.02	.20		.01		.27	.03				.37		9
10		.01				.04		.03			.16		10
11		.27				.05	.05		.12		.20		11
12		.02		.05			.87	.13	.25	.06			12
13					.02		.01	.27					13
14					.06	.48	.70	.70	.03		.11		14
15		.01		.08	.21		.72	.55				.04	15
16		.04		.05	.40	.55		.56	.13				16
17		.32		.11	.28		.19		.05		.01		17
18	.03	.01	.01	.21		.05	.05	.32			.29		18
19	.03	.02		.20		.13	.02						19
20		.05	.16	.01									20
21	.06				.13								21
22	.22												22
23	.18			.14	.63	.46			.05		.54	.13	23
24		.01		.46	.19		.27					.01	24
25				.11	.02		.24						25
26				.03			.17				.52		26
27	.17	.38			.61		.13				.16		27
28	.13			.10	.16					.01		.03	28
29	.05				.15		.14			.07	.08		29
30		×						.08					30
31	.31	×		×	.04	×		.03	×		×	.04	31
TOTAL	1.28	1.55	.90	2.83	3.33	3.87	4.10	5.09	2.42	.54	3.68	1.12	YEAR'S TOTAL 3071
*Days with ·01 in. or more.	11	16	4	20	19	13	20	14	12	8	16	9	162
*Days with ·04 in. or more.	8	8	2	15	14	12	13	12	10	4	13	7	118

40-9999

(Signed) W A Sibly

P.T.O.

*See Instruction 2 (*f*) on other side.

I regret that the envelope with the station number was destroyed before for its insertion was

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WYCLIFFE COLLEGE, STONEHOUSE

in the County of GLOUCESTER

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 120 ft.

N.B. All the 'trace' entries in January & February were made in a period of high barometric readings, & were undoubtedly the result of heavy dew.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	Trace	–	·01	1·02	–	·01	·08	·04	·24	–	–	1
2	·01	Trace	–	·14	·13	–	–	–	·35	·04	·01	·05	2
3	–	Trace	–	·63	·04	–	·01	–	·02	·04	Trace	–	3
4	–	Trace	–	·04	Trace	–	–	–	–	–	·32	–	4
5	·42	Trace	·03	Trace	Trace	–	–	–	·07	–	–	–	5
6	1·20	Trace	–	·09	Trace	–	–	–	·15	Trace	–	–	6
7	·15	–	·07	·02	·14	–	–	–	·38	1·03	–	–	7
8	–	·01	·27	–	Trace	–	–	–	·48	·41	–	–	8
9	·39	·06	–	·07	·12	–	–	–	Trace	–	–	–	9
10	·21	·04	·02	·27	·07	Trace	–	–	·05	·25	–	–	10
11	–	–	–	·02	·02	·03	·13	Trace	·04	–	Trace	·03	11
12	·41	–	–	–	·27	Trace	Trace	–	·11	·33	Trace	Trace	12
13	·14	–	–	·14	·02	–	·52	·05	Trace	·22	Trace	·05	13
14	·25	Trace	–	·03	–	–	–	·25	–	–	·03	Trace	14
15	·10	–	–	·03	·63	–	·13	–	–	·03	·03	–	15
16	·16	–	–	·30	Trace	–	·16	–	·01 (DEW)	–	–	Trace	16
17	Trace	–	–	·04	–	–	–	–	–	·08	–	–	17
18	Trace	–	–	–	·11	–	–	–	–	–	·28	–	18
19	Trace	–	–	·11	·03	–	–	–	–	·09	–	–	19
20	–	–	–	·09	1·32	–	·04	·23	–	·64	–	·30	20
21	Trace	–	·19	·26	·29	–	–	·65	–	·35	·11	·06	21
22	Trace	–	·05	·08	·04	–	·13	–	·64	·20	·09	·06	22
23	–	·02	·02	–	·68	–	Trace	–	·07	·30	·01	·09	23
24	–	·02	–	–	·02	–	·02	–	·10	·02	–	Trace	24
25	–	·01	–	·10	–	–	·06	–	·02	·23	·04	Trace	25
26	–	–	·10	Trace	–	–	·08	–	·01	·05	·04	–	26
27	–	–	·41	·16	·45	–	·16	–	–	·32	–	Trace	27
28	–	–	·16	·08	·25	Trace	·08	Trace	–	–	–	·01	28
29	–	–	·37	·09	·32	·24	·07	·21	·20	·21	–	?	29
30	–	×	·01	·09	–	1·22	·15	·16	·44	–	·77	?	30
31	Trace	×	·12	×	–	×	·39	–	×	·01	×	?	31
TOTAL	3·49	·16	1·82	2·88	5·97	1·49	2·14	1·63	3·15 ~~3·14~~	5·09	1·73	1·31	YEAR'S TOTAL 30·86
*Days with ·01 in. or more.	12	6	13	23	20	3	16	7	17	21	11	11+	160
*Days with .04 in. or more.	11	2	9	18	16	2	13	7	14	18	7	9+	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. A. Sibly (J.P.)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WYCLIFFE COLLEGE STONEHOUSE

in the County of Gloucester

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·59	·27	·02							·12	·01	·01		1
2	·32		·40		·04									2
3		·07	·25		·04									3
4	·14	·01			·16									4
5	·10		·30		·04						·02			5
6		·33			·07					·17				6
7	·02		·03		·03		·02			·12		·01		7
8	·03	·01	·04		·03	·10	·30							8
9		·01			·05	·02	·16			·33	·05			9
10	·06						·14			1·22	·04			10
11	·19				·01	·04	·07	·06						11
12	·07				·01		·13		·47					12
13					·05	·02	·15	·10	·01	·05	·08			13
14	·16						·10	·05		·03	·32	·01		14
15	·44		·03				·06	·06		·09		·02		15
16	·06		·50			·03	·07	·01		·01	·02	·04		16
17	·03	·01	·35			·06		·06	·02					17
18	·07		·08			13					03			18
19			·27			·13			·03		·01			19
20		·01	·02		·02	·02			·01		·01			20
21					·11	·04		·14		·05	·01			21
22				·01		·03		·18	·04	·07				22
23				·13		·06			·59	·53				23
24		1·36		·15	·03	·54			·01	·05	·01			24
25		·68		·17	·06	·19			·44	·01	~~0~~	·06		25
26		·66		·04	·22				·71	·02				26
27		·01			·91	·01			·04	·04		·15		27
28				·34						·02				28
29	·06			·14						·09		·02		29
30	·04	×	·13	·04			·03		·20			·10		30
31	·25	×	·02	×		×		·06	×	·01	×			31
TOTAL	2·63	3·43	2·44	1·02	1·88	1·42	1·23	·72	2·57	3·03	·61	·42	Year's Total 21·40	
*Days with ·01 in. or more.	17	12	14	8	17	15	11	9	12	19	12	9	155	
*Days with ·04 in. or more.	14	6	9	7	11	9	9	8	7	13	4	4	101	

40-9999

*See Instruction 2 (f) on other side.

D

† Spare column, no entries required.

(*Signed*) W A Sibly

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wycliffe College, Stonehouse

in the County of Gloucester

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 120 ft.

Days

alf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-							·39	·14	·01	·02	·40		1
2	·14	Trace	·03					Trace	·48	·02	Trace	·13		2
3	-	·04	Trace	Trace					·01	·06		·24		3
4	·15	Trace	·02		·24				·19	·25	·03	·39		4
5			·01		·04			·46		trace	·24	·29		5
6			·06	·09	·47					·09		·38		6
7	·01		·09			Trace		·20		·06	·02	·33		7
8			Trace		·15			·02	·01		·07	·10		8
9											·46	·43		9
10	·12	Trace	·08	·20				·05			·13	·01		10
11	·53		·04	·24			·18	·04			Trace	·20		11
12	·02		·04				·42	·08				·03		12
13	·38		·04	·12			1·69				·01	·17		13
14	·06		·32							Trace		·29		14
15			·03		·09					·11	·10	·02		15
16	·05		·43		Trace						·04			16
17	·05			·03			·01		·11	·03	Trace	·21		17
18	·19		·07	·24			·49		·03			·15		18
19			·19		Trace	·02		·04	·01	·08		·10		19
20			·10	·07	Trace	Trace	·02			·01				20
21			·09			·24	·12	·08		·23		·01		21
22			·03		·04		·02	·11	·07	·08		·16		22
23		Trace	·02	·11		12	·01							23
24		·35	·06	·14		·22	·08		·20	·02				24
25	·10	·01		·27		·40	Trace			·10		·43		25
26	trace		·03	·16		·06			Trace	·11		·08		26
27	·02	Trace		·13					Trace	·06		·23		27
28				·11		·11	Trace	·22				·53		28
29								Trace			Trace			29
30	·08	×							·42	·03		·18		30
31		×		×		×			×	·26	×	·06		31
TOTAL	1·90	·40	1·78	1·91	1·03	1·17	3·04	1·69	1·67	1·61	1·12	5·55	Year's Total. 22·87	
* Days with .01 in. or more.	14	3	20	13	6	7	10	11	11	18	10	26	149	
* Days with .04 in. or more.	11	2	13	12	6	6	6	10	7	12	6	22	113	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. A. Sibly

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM*1090.

REGISTER OF RAINFALL IN 1935.

Kept at WYCLIFFE COLLEGE STONEHOUSE

in the County of GLOUCESTER

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.04	.01	.05	.09	.11	-	.12	.02	.06	Trace		1
2	-	-	-	-	-	.05	-	-	-	.29	-	-		2
3	-	.06	.02	-	-	.14	-	-	.48	.35	.34	-		3
4	-	.02	-	.18	-	.06	-	-	.20	.07	.03	.02		4
5	-	.27	.25	.02	-	.07	Trace	-	.33	-	.01	.01		5
6	Trace	-	.01	.41	-	.47	-	-	-	.03	Trace	.10		6
7	-	-	-	.35	-	.10	-	-	-	.20	.05	.06		7
8	-	-	-	.28	-	-	-	.19	-	.13	.25	.07		8
9	.03	.01	-	1.01	-	.41	-	-	.01	1.0	.25	Trace		9
10	Trace	-	-	.36	-	-	-	-	-	.01	.14	-		10
11	.21	-	-	-	-	.10	.05	-	-	-	.26	-		11
12	.01	.03	-	-	-	.29	-	.02	.02	-	.03	Trace		12
13	.07	.06	-	.23	.09	.01	-	-	.04	-	.04	-		13
14	-	-	-	-	.02	.29	-	-	.01	-	.81	.13		14
15	-	.03	-	.82	.16	.29	-	-	.61	-	.18	.08		15
16	-	.03	.06	.25	-	.03	-	-	.22	.01	.89	-		16
17	-	-	-	.04	Trace	.13	.03	-	.05	-	.22	.02		17
18	Trace	-	-	.29	.06	.03	.10	Trace	.30	.02	Trace	-		18
19	-	.01	-	.10	.11	.10	.10	-	.14	.04	.10	.08		19
20	.01	.31	-	.02	.21	.05	.02	-	Trace	-	.75	-		20
21	-	.46	.01	-	-	-	-	-	.85	.01	.04	-		21
22	-	.09	.02	.16	-	-	-	.15	.20	-	-	-		22
23	-	.17	.06	.26	-	-	-	.12	.09	.77	-	.15		23
24	.04	.33	.06	Trace	-	-	-	.17	.25	.14	-	.19		24
25	.09	.37	-	.21	-	.36	-	-	-	Trace	-	.01		25
26	-	.20	-	-	-	-	-	.26	.04	Trace	-	.71		26
27	-	.20	-	-	.03	-	-	-	.03	-	.05	.96		27
28	.01	-	-	-	.03	-	-	.02	.14	-	.01	Trace		28
29	Trace		.01	-	Trace	-	-	.10	.05	.03	.12	.14		29
30	.05	×	-	.09	.07	Trace.	-	.70	.06	.25	.35	.22		30
31	-	×	-	×	.01	×	-	.11	×	.35	×	.19		31
TOTAL	.52	2.65	.54	5.09	.845	3.09	.41	1.84	4.24	3.72	4.98	3.14	Year's Total. 31.06	
* Days with .01 in. or more.	9	17	10	19	11	19	6	10	22	18	22	17	180	
* Days with .04 in. or more.	5	11	5.	16	7	16	4	8	18	11	18	13	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. A. SIBLY

[P.T.O.

File No. 762519/27

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Wycliffe College, Stonehouse

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·14	·02	·21	-	·26	·29	·12	-	-	·07	·03		1
2	·13	·02	·08	·01	-	·33	·36	·01	-	-	·26	Trace		2
3	-	-	Trace	·09	-	·27	·03	-	·65	-	·17	·02		3
4	-	-	·16	-	-	Trace	Trace	-	·27	-	·10	·29		4
5	·40	·005	·06	-	·07	-	·07	Trace	Trace	-	·05	·03		5
6	·04	-	·005	-	Trace	·05	·23	·03	·07	-	·21	-		6
7	·08	-	·05	-	-	·02	·33	-	-	-	·26	·10		7
8	·31	-	·13	-	-	-	·02	-	-	Trace	·56	·02		8
9	·56	-	·10	-	-	-	·40	-	·04	Trace	Trace	Trace		9
10	·25	-	Trace	-	-	Trace	·52	Trace	Trace	-	-	-		10
11	-	·24	-	·10	-	·08	·07	·02	·04	·003	·38	Trace		11
12	-	-	-	·04	·03	·47	·17	·02	·32	-	·08	·16		12
13	-	-	-	·05	-	·06	Trace	-	-	·03	·02	·57		13
14	-	·01	-	·17	-	Trace	·45	-	·11	Trace	·02	·55		14
15	-	-	-	·04	·01	-	·13	-	·20	-	·05	·05		15
16	·26	·14	-	·07	Trace	Trace	·08	-	·02	-	·37	·05		16
17	-	·62	-	-	·03	-	·17	Trace	-	·032	·04	·31		17
18	-	·05	-	-	-	·17	·25	·04	-	·01	-	·08		18
19	·39	·27	·03	·19	-	·02	-	·02	-	-	-	-		19
20	·02	·12	·015	·04	-	·32	Trace	-	·53	-	-	-		20
21	-	-	Trace	·45	-	·01	·05	-	·11	-	-	-		21
22	·05	·51	·10	·01	·37	-	·23	-	-	Trace	-	·08		22
23	·05	Trace	·31	·09	·05	-	·16	-	-	·02	-	Trace		23
24	·09	·05	-	·05	·02	-	·12	-	·18	·10	Trace	-		24
25	·04	·02	·14	·40	-	-	·26	-	·155	·09	·02	-		25
26	·04	·10	·11	·06	-	·29	-	-	Trace	·02	·01	-		26
27	·10	·03	·07	-	-	-	·02	-	·05	Trace	-	-		27
28	·47	·02	·29	-	-	-	·06	-	-	-	Trace	·12		28
29	·06	·21	·05	-	·02	·18	·01	-	-	·02	·04	·23		29
30	·08		Trace	-	·19	·05	·09	-	-	·65	-	-		30
31	·48		·25		·03		·15	-		·24		·29		31
TOTAL	3·99	2·56	1·97	2·07	·82	2·58	4·72	·26	2·75	1·22	2·71	2·98	Year's Total 28·63	✓
* Days with .01 in. or more.	21	16	17	17	10	15	26	7	14	10	18	17	188	✓
* Days with .04 in. or more.	20	11	14	15	4	12	22	2	13	4	14	13	144	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W A Sibly

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wycliffe College, Stonehouse,

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	·02	-	Trace	-	-	-	-	·02	-	·25	·29		1
2	Trace	·16	-	·03	-	-	-	-	Trace	-	-	·25		2
3	-	·17	-	·22	·03	-	Trace	-	·06	-	-	·11		3
4	·05	·36	-	·05	·02	-	-	-	-	-	-	·27		4
5	·22	-	·12	·01	-	-	-	-	-	-	-	-		5
6	·05	·18	·16	·19	·06	Trace	·11	-	Trace	-	·02	-		6
7	-	·70	Trace	·11	-	Trace	Trace	-	-	·06	-	-		7
8	-	·03	-	Trace	·14	·01	Trace	-	-	-	·28	·01		8
9	-	-	-	·06	·09	-	·02	-	·35	-	-	·12		9
10	·02	-	·46	1·05	·03	·13	-	-	-	-	-	·24		10
11	-	-	·13	-	·28	·08	·11	-	-	-	-	·06		11
12	·45	·14	·36	-	·06	·23	·01	·73	·09	-	-	·17		12
13	·08	·04	·60	·07	-	·38	-	·02	·06	-	-	-		13
14	-	Trace	·11	·02	-	-	-	·22	-	-	-	·08		14
15	·10	·13	-	·47	-	-	2·13	-	-	-	-	·17		15
16	-	·13	·33	·09	-	·05	-	·04	·38	-	-	-		16
17	·30	·05	·41	-	-	-	-	-	·92	-	-	-		17
18	·55	·04	·16	·07	-	-	-	Trace	·56	-	·17	·25		18
19	·20	·05	·13	·03	·01	·18	·01	-	-	-	·18	·02		19
20	·28	·03	·61	·27	·01	Trace	-	-	-	-	-	·10		20
21	·18	·31	·09	Trace	·03	-	Trace	-	-	-	·06	·05		21
22	·08	·06	·08	Trace	·11	·09	·10	-	-	·64	·31	·02		22
23	·16	·08	Trace	-	·04	-	Trace	-	-	·42	·03	Trace		23
24	·18	·26	-	-	-	-	-	-	·05	·37	-	·04		24
25	·01	·38	·06	-	·13	-	-	-	-	·20	-	-		25
26	Trace	·26	·01	-	·45	-	-	-	-	-	-	·01		26
27	-	·19	-	·20	-	-	-	-	-	·55	-	-		27
28	·02	·07	-	-	-	Trace	-	-	-	·07	·06	·01		28
29	-		-	-	-	Trace	-	-	-	·13	-	·01		29
30	·35	✕	-	-	-	Trace	-	·44	-	-	·15	-		30
31	·09	✕		✕	-	✕	-		✕	·30	✕	-		31
TOTAL	3·43	3·84	3·82	2·94	1·49	1·15	2·49	1·45	2·49	2·74	1·51	2·28	Year's Total 29.63	✓ ✓
* Days with .01 in. or more.	20	23	16	16	15	8	7	5	9	9	10	20	158	✓ ✓
* Days with .04 in. or more.	17	20	15	12	9	7	4	4	8	9	8	14	127	✓ ✓

† Spare column, no entries required.

(*Signed*) W A Sibly

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2757

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at WYCLIFFE COLLEGE, STONEHOUSE
in the County of GLOUCESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 120 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	–	–	·26	–	·10	–	·27	·06	·14		1
2	·03	–	–	·02	–	–	·01	–	–	·22	–	–		2
3	·01	–	–	–	·16	–	·01	–	–	·50	–	–		3
4	·04	–	–	–	–	·03	·46	·29	–	·83	–	·07		4
5	·02	–	–	–	–	–	·17	–	·04	·18	–	–		5
6	·06	–	–	–	–	·02	·31	–	·03	·11	–	·24		6
7	–	–	–	–	–	–	·50	·12	·06	·05	–	·07		7
8	·70	–	–	–	–	–	·07	·04	–	·32	–	–		8
9	·14	·03	–	–	–	–	·02	·03	–	–	–	·47		9
10	·05	–	–	–	–	·25	·05	·84	–	–	–	·24		10
11	·12	–	–	–	–	–	–	·39	–	–	·25	·14		11
12	·26	–	–	–	·29	–	–	·23	–	·15	·20	–		12
13	·07	–	–	–	–	–	–	–	–	·05	·21	·74		13
14	·36	–	–	–	–	–	·85	–	·15	–	–	–		14
15	·25	trace	–	–	·01	–	–	–	–	–	–	·30		15
16	·17	–	·05	–	·01	–	–	–	–	–	–	–		16
17	trace	·1	–	–	–	–	–	–	·01	·15	–	–		17
18	·09	–	–	–	–	·02	–	·02	·83	–	·32	–		18
19	–	–	–	–	–	–	–	·05	·02	–	·21	–		19
20	–	–	–	–	–	–	–	–	trace	–	·35	–		20
21	·05	–	–	trace	–	–	–	·36	·04	–	·03	–		21
22	·02	–	–	·06	–	·04	–	·14	–	–	·31	·33		22
23	–	–	–	·02	–	–	–	–	·15	–	–	–		23
24	–	–	·08	–	·09	–	–	·12	·07	–	·15	–		24
25	·12	·38	·02	–	·06	–	·04	–	–	·22	·29	·04		25
26	·18	·28	–	–	·09	–	–	–	·07	·12	–	·37		26
27	·01	·01	–	trace	·35	·20	·36	·05	·06	·08	·17	–		27
28	·06	·05	–	–	·045	·07	–	·62	·04	–	·03	·04		28
29	·04		–	–	·36	–	–	–	·02	·05	·12	·04		29
30	·03	✕	–	–	·12	·03	–	–	·68	–	·25	·03		30
31	·19	✕	–	✕	·39	✕	·02	–	✕	–	✕	·10	"d"	31
TOTAL	3·07	·86	·15	·10	1·97	·92	2·87	~~3·39~~ 3·40	2·27	3·30	2·95	3·36	Year's Total 25·22	✓
* Days with .01 in. or more.	~~24~~	~~7~~	~~3~~	~~3~~	~~12~~	~~9~~	~~13~~	~~15~~	~~15~~	~~15~~	~~15~~	~~16~~	~~147~~	
* Days with .04 in. or more.	18	4	2	1	10	5	9	13	11	15	13	15	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W A Sibly

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wycliffe College Stonehouse

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 150 ft.

Query Sev re. Oct & Dec. 4/40. wsn

adjusted by surrounding stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·01	·13	·14	–	–	·03	·01	·005		·06		1
2	–	–	–	·06	Trace	–	–	·42	·46	–	0·05	·01		2
3	·10	–	–	·23	–	–	–	·65	·03	–	0·09	·25		3
4	·07	–	·48	·45	·20	–	·35	·30	–	·12	0·10	·25		4
5	–	–	–	1·05	·18	–	·27	·16	–	·06	0·41	(·40)		5
6	·58	–	–	·02	·02	–	1·15	Slight Trace	–	–	0·01	–		6
7	·01	·06	–	–	–	–	–	–	–	–	0·49	·38		7
8	trace	·18	·27	–	–	–	·41	·04	–	·70	0·30	·58		8
9	trace	·09	–	–	–	–	–	·07	–	·25	–	·08		9
10	·23	–	·20	–	–	·15	–	·10	–	–	–	·01		10
11	–	·02	·21	–	–		–	–	–	·14	–	–		11
12	·07	·04	–	–	–	·10	–	–	–	–	–	–		12
13	–	–	–	·03	Trace		·19	–	·05	·34		–		13
14	·56	–	–	–	·16	·01	·06	–	·05	·08	·16	–		14
15	·46	–	–	·01	·13	·48	·58	–	·005	·07	(·31)	–		15
16	·09	–	–	–	·09	·02	·09	–	–	–	·24	–		16
17	·24	–	–	–	·02	·11	·14	–	–	·07	·03	–		17
18	·36	·03	–	–	–	·30	·25	–	–	·19	·38	–		18
19	·16	–	·02	–	–	–	·06	–	·025	–	–	–		19
20	·21	–	–	–	–	Trace	·21	·39	–	–	–	·01		20
21	·10	·21	·14	–	–		·09	·39	–	–		–		21
22	·48	·30	·04	·01	–	·22	·01	–	–	–	·09	–		22
23	–	–	–	·03	–	·05	·16	–	–	–	·62	–		23
24	·13	–	–	·06	–	·26	Trace	–	–	·03	–	–		24
25	1·17	–	·04	Trace	–		·05	Trace	–	·12	·25	–		25
26	·52	·03	Trace	–	–		–	·19	–	·06	·54	·03		26
27	–	·07	·13	·02	–	·02	·09	–	–	·05	·02	·09		27
28	–	·09	·11	·05	–	·08	·25	–	–	–	·24	(·05)		28
29	–	~~·06~~	–	·37	–		·36	–	–	·10	·07	–		29
30	–	✕	–	1·00	–		·04	–	–		–	·09		30
31	–	✕	–	✕	–	✕	·09	·29	✕	·12	✕	–	31·98	31
TOTAL	5·54	1·12	1·65	3·52	·94	1·80	4·90	3·03	·59	2·50 ~~1·88~~	4·40	1·99 ~~1·84~~	Year's Total ~~31·17~~	"d"
* Days with .01 in. or more	17 days	8 days	9 days	9 days	6 days	9 days	20 days	16 days	2 days	15 days	16 days	10 ~~8~~ days	132 ~~130~~	
* Days with .04 in. or more	18 –	11 –	11 –	15 –	8 –	12 –	21 –	12 –	6 –	16 –	19 –	14 ~~12~~ –	163 ~~164~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. M. Sibly

[P.T.O.

There is some doubt as to whether all rainfall was always entered for the previous day, or not. W.A.S.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2157

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~4~~40

Kept at (The Grove) Stonehouse

in the County of Gloucester

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 160 ft.

Regard as continuation of Wycliffe College [illegible]

Feb + Mar. entered one day early second

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08		·17	·06		·05				·11			1
2		·19									1·36			2
3	·01	·05								·22	·82	·04		3
4	~~[illegible]~~							·01		·07	·38	·07		4
5	·12	·19					·12			·14	·50			5
6	~~·12~~	·34					·02			·16	Trace	·02		6
7				Trace	Trace		·04		·01					7
8				·05			~~[illegible]~~			·16	·09	·03		8
9				·05			·41		·05	·52	·26	·12		9
10			·03				·69	·07		·11	·01	·05		10
11			·07	·03			·19				·45	Trace		11
12		·01	·48			·10	~~Trace~~ ·47		·01		·01			12
13			·15				Trace ~~·04~~		·01		·32	Trace		13
14			·07	·14	1·22		~~Trace~~ ·04		·08	·17		·25		14
15	·02	·20	·24		·53		Trace			·08	·17	Trace		15
16	~~·02~~		·11	·06		·08	·25			·55	·61	·04		16
17	·10	·29	·52	·01		·05			·02		·01	·02		17
18	~~·10~~	·15	·19	·52					·03		·06			18
19			·04	·13	·09		·79				·25			19
20				Trace	·01		·08		·06	·41	·03			20
21		·04	·07				·11				1·05			21
22		·30	·06	·08		·40			·24		Trace			22
23		Trace				·01			·06		·06	·03		23
24											Trace	·01		24
25	·82	·18			✓	·06	·38							25
26	·58	·06			✓		·68							26
27	·36	·10		·40	·15 ✓		·07							27
28		Trace	·12	·20	·23 ✓									28
29		—		·34	✓							·24		29
30	·13	×		·20	✓					·18				30
31		×		×		×			×	·60	×			31
TOTAL	2·14	2·18	2·15	2·38	2·29	·70	4·39	·08	·57	3·37	6·55	·94	Year's Total 27·74	
* Days with .01 in. or more.	8	14	13	14	~~7~~ 11	6	16	2	10	13	19	13	~~135~~	139
* Days with .04 in. or more.	6	13	12	12	~~6~~ 8	5	15	1	5	13	15	7	~~110~~	112

* g. formerly at Wycliffe College

* See Instruction 3 (f) on other side.

[illegible]

† Spare column, no entries required.

(*Signed*) W A Tibbs

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

Station No. 2157/3
ORGANIZATION

FORM 1090. **REGIS**

5. Glos/3

Kept at Stonehouse Coun
in the County of Glo
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASURE

An observer who does not conform to … *following*
year in the space on the right of th

Jan. 1, following

2157/3

STONEHOUSE COUNCIL SCHL.
1935—39

7P0402

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											·06	–		1
2											·01	–		2
3											·39	–		3
4											·04	·03		4
5											·01	·02		5
6											–	·11		6
7											·06	·07		7
8											·26	·085		8
9											·265	·01		9
10											·175	–		10
11											·305	·015		11
12											·04	–		12
13											·06	–		13
14											·93	·125		14
15											·15	·105		15
16											·805	·015		16
17											·28	–		17
18											–	·015		18
19											·135	·07		19
20											·73	–		20
21											·04	–		21
22											–	–		22
23											–	·16		23
24											–	·175		24
25											–	·15		25
26											–	·38		26
27											·08	·985		27
28											·01	·005		28
29											·165	·175		29
30		×									·455	·18		30
31		×		×		×			×		×	·345		31
TOTAL											5·455	3·225	Year's Total. [illegible]	
* Days with .01 in. or more.											23	20	–	
* Days with .04 in. or more.											20	14	–	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) ~~B. Parkin~~
× THE HEAD MASTER ×

[P.T.O.

Section **A** **for the entry of Daily Observations.** Station No. 2157/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Glos/3

Kept at Stonehouse Council School

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

,, Ground ,, Sea Level 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											·06	–		1
2											·01	–		2
3											·39	–		3
4											·04	·03		4
5											·01	·02		5
6											–	·11		6
7											·06	·07		7
8											·26	·085		8
9											·265	·01		9
10											·175	–		10
11											·305	·015		11
12											·04	–		12
13											·06	–		13
14											·93	·125		14
15											·15	·105		15
16											·805	·015		16
17											·28	–		17
18											–	·015		18
19											·135	·07		19
20											·73	–		20
21											·04	–		21
22											–	–		22
23											–	·16		23
24											–	·175		24
25											–	·15		25
26											–	·38		26
27											·08	·985		27
28											·01	·005		28
29											·165	·175		29
30		×									·455	·18		30
31		×		×		×			×		×	·345		31
TOTAL											5·455	3·2~~25~~ ~~3·2~~25	Year's Total. nil	
* Days with .01 in. or more.											23	20	–	
* Days with .04 in. or more.											20	14	–	

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*)

X THE HEAD MASTER X

[P.T.O.

COPY FOR OFFICIAL USE. Glos/3

Section **A** for the entry of Daily Observations. Station No. 2157/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

c [illegible] 1935

Kept ~~at~~ STONEHOUSE COUNCIL SCHOOL

in the County of GLOUCESTER 3

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 6 in.

,, Ground ,, Sea Level 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·19	·02	·23	–	·24	·30	·13	–	–	·16	·04		1
2	·13	·02	·08	·02	–	·40	·39	·02	–	–	–	–		2
3	trace	–	–	·09	–	·30	·05	–	·77	–	·12	·02		3
4	trace	–	·16	–	–	trace	–	–	·30	–	·10	·29		4
5	·42	·02	·06	–	·06	–	·14	·01	·01	–	·07	·01		5
6	·06	–	·01	–	–	·06	·16	–	·08	–	·22	·03		6
7	·03	–	·05	–	–	–	·33	·05	·01	–	·02	·10		7
8	·32	–	·13	–	–	–	·05	–	–	–	·96	·02		8
9	·68	–	·10	–	–	–	·40	–	·03	–	–	–		9
10	·28	–	–	–	–	–	·42	–	trace	–	–	–		10
11	–	·25	–	·04	–	·14	·06	·02	·02	–	·31	–		11
12	–	–	–	·11	·02	·51	·08	–	·27	–	·08	·06		12
13	–	–	–	·04	–	·03	–	–	trace	·04	·02	·90		13
14	–	·01	–	·17	–	–	·46	–	·10	–	·05	·62		14
15	–	·04	–	·02	trace	–	·12	–	·13	–	·07	·10		15
16	·14	·13	–	·07	·01	–	·08	–	·01	–	·39	·05		16
17	·12	·67	–	–	·04	–	·16	–	–	–	·05	·41		17
18	–	·09	–	–	–	·16	·28	·05	–	·04	–	·01		18
19	·41	·25	·04	·18	–	·04	–	–	–	·05	–	·01		19
20	·03	·14	·02	·06	–	·36	–	–	·47	–	–	·06		20
21	–	trace	–	·49	–	–	·05	–	·05	–	–	–		21
22	·06	·50	·12	·01	·38	–	·26	–	–	·01	–	·07		22
23	·06	–	·30	·09	·03	–	·13	–	–	·02	–	–		23
24	·11	·07	–	·07	·01	–	·17	–	·23	·12	–	–		24
25	·06	·01	·14	·44	–	–	·42	–	·01	·09	·01	–		25
26	·03	·12	·13	·07	–	·21	–	–	–	·01	trace	·04		26
27	·14	·06	·10	–	–	–	·02	–	·18	·03	trace	–		27
28	·47	·02	·30	trace	–	–	·05	–	–	trace	–	·01		28
29	·05	·22	·08	–	·02	·35	·02	–	–	·03	·06	·45		29
30	·11	✕	trace	–	·20	·04	·07	–	–	·07	–	·01		30
31	·53	✕	·26	✕	·03	✕	·18	–	✕	·87	✕	trace	Print	31
													Year's Total	
TOTAL	4·28	2·81	2·10	2·20	·80	2·84	4·85	·28	2·67	1·38	2·69	3·31	30·21	
* Days with .01 in. or more.	22	18	18	17	10	13	26	6	16	12	16	21	195	
* Days with .04 in. or more.	19	13	15	14	4	12	24	3	10	7	13	13	147	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. B. Parkin [P.T.O.

The Headmaster

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2157/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File No 489880/36

Kept at STONEHOUSE COUNCIL SCHOOL
in the County of GLOUCESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 136 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·01	–	·01	–	–	–	–	·02	–	·24	·28		1
2	–	·19	trace	·04	–	–	–	–	trace	–	trace	·21		2
3	–	·31	trace	·21	·04	–	·01	–	·08	–	–	·12		3
4	·18	·18	–	·05	·02	–	·01	–	–	–	–	·26		4
5	·20	·01	·11	·01	–	–	trace	–	–	–	–	–		5
6	–	·12	·17	·19	·07	–	·17	–	–	·06	–	–		6
7	–	·78	trace	·13	–	trace	–	–	–	trace	·02	–		7
8	–	·03	–	trace	·11	·01	trace	–	trace	–	·28	·03		8
9	–	–	–	·07	·07	–	·01	–	·37	–	–	·11		9
10	·08	–	·46	·98	·03	·13	–	–	·01	–	–	·25		10
11	tr.	–	·16	–	–	·10	·12	–	–	–	–	·15		11
12	·51	·15	·30	–	·06	·07	·01	·71	·10	–	–	·19		12
13	·12	·04	·15	·08	trace	·46	–	·14	·04	–	–	trace		13
14	–	·02	·21	·03	–	–	·16	·08	·01	–	–	·08		14
15	–	·16	trace	·31	–	–	2·13	–	·02	–	–	·17		15
16	·15	·09	·35	·32	–	·05	trace	·05	·39	–	–	trace		16
17	·37	·06	·46	–	–	–	trace	–	·80	–	–	·01		17
18	·48	·04	·11	·09	–	–	–	·02	·77	trace	·18	·26		18
19	·20	·05	·12	·02	·01	·14	·02	–	trace	·01	·19	·01		19
20	·30	·03	·60	·32	·01	trace	–	–	trace	trace	·01	·10		20
21	·21	·24	·09	·01	·03	trace	·01	–	–	·01	·04	·06		21
22	·10	·07	·08	–	·28	·11	·10	–	–	·50	·34	·02		22
23	·16	·07	trace	–	·05	–	·03	–	–	·38	·02	trace		23
24	·18	·24	trace	–	–	–	–	–	·05	·42	trace	·05		24
25	·02	·42	·07	–	·15	–	–	–	·01	·19	–	–		25
26	tr.	·25	·01	–	·38	–	–	–	–	trace	·01	·04		26
27	–	·16	–	·20	–	–	–	–	–	·56	–	–		27
28	·02	·07	–	–	–	trace	–	–	–	·10	trace	·02		28
29	·16	×	–	–	–	·01	–	–	–	·07	·04	–		29
30	·36	×	–	–	–	trace	–	·34	–	trace	·16	·01		30
31	·09	×	–	×	–	×	–	–	×	·09	×	–		31
TOTAL	3·93	3·79	3·45	3·07	1·31	1·08	2·78	1·34	2·67	2·39	1·53	2·43	Year's Total 29·77	✓ ✓
* Days with .01 in. or more.	20	25	16	18	14	9	12	6	13	11	12	21	177	✓ ✓
* Days with .04 in. or more.	18	20	15	13	9	7	5	5	8	9	8	15	132	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. D. Larkin [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2157/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at STONEHOUSE COUNCIL SCHOOL

in the County of GLOUCESTER

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 136 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr.	·01	–	–	–	·24	·01	·11	–	·35	–	·17		1
2	·03	tr.	–	·03	·01	tr.	·05	tr.	–	·27	–	·01		2
3	·02	tr.	–	–	·16	·01	·02	–	–	·46	·01	tr.		3
4	·01	–	–	–	–	–	·51	·23	–	·89	–	·11		4
5	·01	–	–	–	–	–	·13	·10	·05	·21	·01	·02		5
6	·10	–	–	–	–	·03	·31	–	·05	·15	–	·29		6
7	·01	–	–	–	–	–	·50	·17	·07	·08	–	·06		7
8	·37	–	–	–	–	–	·07	·05	·02	·10	tr.	·01		8
9	·15	·01	–	–	–	–	·04	·06	–	·22	–	·46		9
10	·08	·01	–	–	–	·22	·02	–	–	tr.	–	·26		10
11	·12	–	–	–	–	–	tr.	·86	–	tr.	·30	·15		11
12	·27	–	–	–	·31	–	–	·26	–	·18	–	·01		12
13	·07	–	–	–	tr.	–	tr.	·01	–	·05	·43	·75		13
14	·40	–	–	–	·01	–	·74	·24	·06	tr.	–	·02		14
15	·23	·01	–	–	·01	–	·02	–	tr.	·01	–	·34		15
16	·23	tr.	·05	–	tr.	–	–	tr.	–	tr.	·01	·03		16
17	–	·09	–	–	–	–	–	·96	·04	·17	tr.	–		17
18	·10	–	–	–	–	·01	–	·05	·80	·02	·35	–		18
19	tr.	tr.	–	–	–	–	–	–	·03	–	·39	–		19
20	·01	–	–	–	–	–	–	·05	–	–	·18	–		20
21	·04	–	–	–	–	–	–	·38	·05	–	·05	·29		21
22	·02	–	–	·06	–	·04	–	·16	tr.	–	·35	·14		22
23	tr	–	–	·07	–	–	–	–	·15	–	·03	·06		23
24	·01	–	·09	–	·09	–	–	·05	·07	–	·20	·08		24
25	·13	·35	·03	tr.	·07	–	·04	·04	tr.	·22	·35	·05		25
26	·17	·29	·01	–	·08	·01	–	·04	·05	·12	tr	·37		26
27	·02	·01	–	–	·34	·21	·37	·04	·06	·08	·22	tr		27
28	·06	·07	–	–	·05	·10	–	·70	·05	–	·04	·04		28
29	·05	X	–	–	·33	–	–	·02	·02	–	·16	·04		29
30	·02	⊠	–	–	·11	–	tr.	–	·66	·07	·25	·04		30
31	·22	⊠	–	⊠	·38	⊠	–	–	⊠	·11	⊠	·02		31
TOTAL	2·95	·85	·18	·16	1·95	·87	2·83	4·58	2·23	3·76	3·33	3·82	Year's Total 27·51	✓
* Days with .01 in. or more.	27	9	4	3	13	9	14	21	16	19	17	25	177	✓
* Days with .04 in. or more.	17	4	2	2	10	5	10	19	13	17	13	18	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. D. Parkin

P.T.O.

COPY FOR OFFICIAL USE

Section **A.** for the entry of Daily Observations

Station No. 2157/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stonehouse Council School

in the County of Gloucester

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 0 ft. 6 in.

,, Ground ,, Sea Level ft.

Jan. record taken from Gloucester Road by observer Inc.

April, July, August, September + December adjusted to agree with nearby stations WH.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	·02	·12	·19	–	–	–	–					1
2	Tr.	–	·02	·02	·02	–	–	·45	·50					2
3	·13	–	–	·25	–	–	–	·68	·06					3
4	·05	–	·40	·43	·20	–	·37	~~·48~~ ·30	~~·04~~					4
5	–	–	–	~~·43~~	·17	–	·25	~~·68~~ ·18	–					5
6	–	–	–	·95	–	–	1·55	? ~~·58~~ ·18	~~·05~~					6
7	·02	·08	–	·05	–	–	·02	·20	–					7
8	·06	·22	·28	–	–	–	·44	~~·0[illegible] Tr.~~	–					8
9	·01	·09	Tr.	–	–	–	–	~~·0[illegible]~~	~~·01~~					9
10	·26	·01	·20	–	–	·16	–	·10	·02					10
11	–	·02	·14	–	–	Tr.	–	–	–					11
12	·09	·05	Tr.	–	–	·07	–	–	–					12
13	–	–	–	–	Tr.	Tr.	·20	–	–					13
14	·60	–	–	·04	·17	·02	·06	–	·09					14
15	·52	–	–	–	·15	·40	·65	–	·02					15
16	·17	~~·005~~ ·01	–	–	·08	·03	–	–	–					16
17	·28	–	–	–	·03	·14	~~1·10~~ ·20	–	–					17
18	·37	·03	·03	–	·03	·40	·28	–	·01					18
19	·20	–	–	–	–	–	·08	–	–					19
20	·25	–	–	–	Tr.	–	·18	·60	–					20
21	·08	·23	·15	–	–	·01	·14	·32	·01					21
22	·53	·28	·04	–	–	·17	·10	–	–			–		22
23	–	Tr.	–	·04	–	·05	·22	–	–			~~·40~~		23
24	·32	–	–	·05	–	·40	·01	–	–			–		24
25	1·00	·04	·06	–	–	Tr.	·04	·01	–			–		25
26	·26	–	Tr.	–	–	–	–	·06	–			·03		26
27	·01	·06	·14	·04	–	·03	·16	·14	↑			~~·20~~ ·10		27
28	·01	·10	·12	·05	–	·12	·48	–				·15		28
29	Tr.		–	·26	–	–	·40	·04				~~·18~~		29
30	–	✕	–	1·01	–	–	·09	–				·08		30
31	–	✕	–	✕	–	✕	·09	·18	✕		✕	–		31
TOTAL	(5·36)	~~1·215~~ 1·22	1·60	~~3·74~~ 3·31	1·04	2·00	~~6·91~~ 6·01	4·49	~~·31~~ ·71				Year's Total	
* Days with .01 in. or more.	22	~~15~~ 13	15	~~14~~ 13	9	13	22	~~14~~ 15	~~8~~ 7					
* Days with .04 in. or more.	18	9	9	~~13~~ 12	6	9	20	~~13~~ 14	~~4~~ 3					

No record from 26 September till December 22nd

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. W. Wright

P.T.O.

Section **A** for the entry
AIR MINIST

Station No. 2157/4
LL ORGANIZATION

FORM 1090.

REG

9.

Kept at Gloucester Rd

in the County of

Diameter of Funnel of Gauge....

Height of top of Gauge above C

,, Ground ,, S

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

P

following

Jan. 1, following

2157/4

STONEHOUSE
GLOUCESTER ROAD
1939 —— 40

7F0402

Jan. received
[illegible]
totals agree. JS

Date	Jan.	Feb.	Mar.							v.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	-	·02	·13	·20	-	-	-	·02	·01	tr	·05		1
2	tr.	-	·02	·03	·01	-	tr.	·36	·53	-	·03	·02		2
3	·13	-	-	·26	-	-	-	·69	·04	-	·09	·23		3
4	·05	-	·48	·43	·21	-	·43	·32	-	·12	·12	·30		4
5	-	-	tr.	·93	·20	-	·36	·18	-	·12	·48	·11		5
6	-	-	tr.	·06	·01	-	1·95	·01	-	tr.	·04	-		6
7	·02	·08	-	-	-	-	·01	-	-	tr.	·61	·42		7
8	·06	·24	·27	-	-	-	·36	·05	-	·73	·34	·64		8
9	·01	·09	·01	-	-	-	tr.	·10	-	·25	·03	·11		9
10	·26	tr.	·19	-	-	·16	-	·10	·02	·03	tr.	·01		10
11	-	·01	·15	-	tr.	·01	-	tr.	-	·13	-	tr		11
12	·09	·06	-	-	-	·13	-	-	-	tr.	-	-		12
13	-	-	-	·05	tr	tr.	·21	-	·05	·32	-	tr		13
14	·60	-	tr.	-	·16	·02	·05	-	·01	·03	·21	-		14
15	·52	-	-	-	·15	·55	·67	-	·01	·12	·30	-		15
16	·17	-	·01	·02	·09	·01	·06	-	-	tr.	·19	tr		16
17	·28	·01	tr.	-	·02	·11	·31	-	-	·09	·02	-		17
18	·37	·04	·03	-	-	·31	·28	-	·02	·16	·42	-		18
19	·20	-	-	-	-	-	·02	-	tr	tr	·01	-		19
20	·25	-	-	-	-	·01	·21	·61	-	-	-	tr		20
21	·08	·25	·16	·01	-	tr.	·12	·28	·01	-	-	·		21
22	·53	·33	·04	-	-	·09	·02	tr.	·03	·01	·10	-		22
23	-	-	-	·05	-	·06	·25	-	-	·02	·68	-		23
24	·32	-	tr	·09	-	·24	·01	-	-	·08	-	-		24
25	1·00	·04	·04	-	-	-	·03	·02	-	·15	·31	-		25
26	·26	·01	tr	-	-	-	-	·17	-	·04	·53	·02		26
27	·01	·05	·13	·02	-	·03	·10	·01	-	·03	·02	·05		27
28	·01	·10	·14	·05	-	·21	·25	tr.	-	tr.	·25	·06		28
29	tr.	-	-	·37	-	tr.	·40	tr.	-	·10	·08	-		29
30	-	☒	-	1·01	-	-	·04	·01	-	tr.	·01	·08		30
31	-	☒	-	☒	-	☒	·07	·26	☒	·11	☒	-		31
TOTAL	5·36	1·31	1·69	3·51	1·05	1·94	6·21	3·17	·74	2·65	4·87	2·10	Year's Total 34·60	
* Days with .01 in. or more.	22	13	14	15	9	14	23	15	10	20	22	13	190	
* Days with .04 in. or more.	18	10	9	11	6	9	18	11	3	14	16	10	135	

Posted
Cw

40-9999.
* See Instruction 2 (f) on other side.

† Spare column, no entries required.
(*Signed*) B. D. Parkin

[P.T.O.

N

Section **A** for the entry Station No. 2157/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Gloucester Rd. STONEHOUSE

in the County of GLOS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 150 ft.

M.O.R. [illegible] returns [illegible] received as this [illegible] sent – totals agree. JS

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	·02	·13	·20	–	–	–	·02	·01	tr	·05		1
2	tr.	–	·02	·03	·01	–	tr.	·36	·53	–	·03	·02		2
3	·13	–	–	·26	–	–	–	·69	·04	–	·09	·23		3
4	·05	–	·48	·43	·21	–	·43	·32	–	·12	·12	·30		4
5	–	–	tr.	·93	·20	–	·36	·18	–	·12	·48	·11		5
6	–	–	tr.	·06	·01	–	1·95	·01	–	tr.	·04	–		6
7	·02	·08	–	–	–	–	·01	–	–	tr.	·61	·42		7
8	·06	·24	·27	–	–	–	·36	·05	–	·73	·34	·64		8
9	·01	·09	·01	–	–	–	tr.	·10	–	·25	·03	·11		9
10	·26	tr.	·19	–	–	·16	–	·10	·02	·03	tr.	·01		10
11	–	·01	·15	–	tr.	·01	–	tr.	–	·13	–	tr		11
12	·09	·06	–	–	–	·13	–	–	–	tr.	–	–		12
13	–	–	–	·05	tr	tr.	·21	–	·05	·32	–	tr		13
14	·60	–	tr.	–	·16	·02	·05	–	·01	·03	·21	–		14
15	·52	–	–	–	·15	·55	·67	–	·01	·12	·30	–		15
16	·17	–	·01	·02	·09	·01	·06	–	–	tr.	·19	tr		16
17	·28	·01	tr.	–	·02	·11	·31	–	–	·09	·02	–		17
18	·37	·04	·03	–	–	·31	·28	–	·02	·16	·42	–		18
19	·20	–	–	–	–	–	·02	–	tr	tr	·01	–		19
20	·25	–	–	–	–	·01	·21	·61	–	–	–	tr		20
21	·08	·25	·16	·01	–	tr.	·12	·28	·01	–	–	–		21
22	·53	·33	·04	–	–	·09	·02	tr.	·03	·01	·10	–		22
23	–	–	–	·05	–	·06	·25	–	–	·02	·68	–		23
24	·32	–	tr	·09	–	·24	·01	–	–	·08	–	–		24
25	1·00	·04	·04	–	–	–	·03	·02	–	·15	·31	–		25
26	·26	·01	tr	–	–	–	–	·17	–	·04	·53	·02		26
27	·01	·05	·13	·02	–	·03	·10	·01	–	·03	·02	·05		27
28	·01	·10	·14	·05	–	·21	·25	tr.	–	tr.	·25	·06		28
29	tr.	–	–	·37	–	tr.	·40	tr.	–	·10	·08	–		29
30	–	✕	–	1·01	–	–	·04	·01	–	tr.	·01	·08		30
31	–	✕	–	✕	–	✕	·07	·26	✕	·11	✕	–		31
TOTAL	5·36	1·31	1·69	3·51	1·05	1·94	6·21	3·17	·74	2·65	4·87	2·10	Year's Total 34·60	
* Days with .01 in. or more.	22	13	14	15	9	14	23	15	10	20	22	13	190	
* Days with .04 in. or more.	18	10	9	11	6	9	18	11	3	14	16	10	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.D. Parkin [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 163/7 7/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Stonehouse
in the County of Gloucester
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2											1·23			2
3														3
4														4
5														5
6														6
7														7
8														8
9								·04						9
10														10
11														11
12														12
13			·49											13
14					1·25							·31		14
15														15
16		·47												16
17														17
18				·46										18
19							1·16							19
20														20
21														21
22						·21			·29					22
23														23
24														24
25														25
26	·79													26
27														27
28														28
29														29
30														30
31										·61				31
TOTAL	2·44	2·55	2·19	2·13	2·46	·67	4·60	·04	·93	3·57	6·47	1·13	Year's Total 29·18	
* Days with .01 in. or more.	9	14	15	18	13	7	19	1	11	14	19	16	156	
* Days with .04 in. or more.	6	13	12	12	6	6	15	1	6	14	15	8	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

FORM 1090. **B** Mon
Sun

2158

2158

BERRIMANS
1931 — 40

780402

, The following register of monthly
&c., is NOT required if daily or
values are given on the other sid

nd also the space for

ister should be sent:—

d, Glos

Station No 2158

RAINFALL IN 1931

At Berrimans.

In the County of Glouceste

.in Summer

2½ Direction from gauge W

2 Direction from gauge E

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 *ft*
Height of Ground above Sea Level 75

Month.	Total Depth.	Greatest Fall in 24 hours.		Num Days ·01 in or mor
	Inches.	Inches.	Date.	*
JAN.	2·30			
FEB.	2·60			
MAR.	·35			
APRIL	2·90			
MAY	3·85			
JUNE	3·98			
JULY	5·45			
AUG.	6·40			
SEPT.	3·05			
OCT.	·82			
NOV.	5·18			
DEC.	1·43			
Total	38·31			

Directions from gauge ..

If gauge has been moved during the year state—

Date of move............ Distance............ Direction............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature E. Armitage

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

15 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mon
Summary.

2158

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Station No 2158

RAINFALL IN 1931

At Berrimans.

In the County of Gloucester

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* *in.*
Height of Ground above Sea Level 750 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·30				
FEB.	2·60				
MAR.	·35				
APRIL	2·90				
MAY	3·85				
JUNE	3·98				
JULY	5·45				
AUG.	6·40				
SEPT.	3·05				—
OCT.	·82				
NOV.	5·18				
DEC.	1·43				
Total	38·31				

Signature E. Armitage

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. Armitage (Esq)
Berrimans, Stroud, Glos

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Stroud Distance 2½ Direction from gauge W

Nearest Parish Church at Bisley Distance 2 Direction from gauge E

Nature of objects nearest to gauge				
Heights of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

15 JAN 1932

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

2158

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Berrimans

In the County of Gloucester

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* *in.*
Height of Ground above Sea Level 750 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·29				
FEB.	·31				
MAR.	2·06				
APRIL	3·54				
MAY	7·21				
JUNE	1·89				
JULY	2·65				
AUG.	1·48				
SEPT.	3·20				
OCT.	5·76				
NOV.	2·40				
DEC.	1.56				
Total	36,35				

Signature E Armitage

*See Instruction 2 (*f*) below.

C Particulars of Station. No 2158

File No. 70046²/26

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. Armitage (Esq)
Berrimans Stroud. Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ Direction from gauge W

Nearest Parish Church at Bisley Distance 2 mil Direction from gauge E

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2158

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Berrimans

In the County of Gloucester

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft* — *in.*
Height of Ground above Sea Level 750 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·10				
FEB.	3·73				
MAR.	3·31				
APRIL	1·29				
MAY	2·31				
JUNE	2·83				
JULY	1·82				
AUG.	1·04				
SEPT.	3·57				
OCT.	4·85				
NOV.	·95				
DEC.	·55				
Total	29·35 ✓				

Signature E Armitage

*See Instruction 2 (*f*) below.

C Particulars of Station.

No 2158

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. Armitage (Esq)
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ mls Direction from gauge W

Nearest Parish Church at Bisley Distance 2 Direction from gauge S

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from ~~The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.~~

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, ~~sleet or drizzle~~) has ~~fallen~~ since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

D

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Berrimans

In the County of Gloucester

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* — *in.*

Height of Ground above Sea Level 750 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·09				
FEB.	·38				
MAR.	2·52				
APRIL	2·17				
MAY	1·46				
JUNE	1·47				
JULY	2·89				
AUG.	2·48				
SEPT.	2·27				
OCT.	2·42				
NOV.	1·60				
DEC.	6·90				
Total	29·65				

Signature Ernest Armitage

*See Instruction 2 (*f*) below.

C Particulars of Station.

2158

File no 700462/26

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

E. Armitage Esq

Berrimans, Stroud - Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge W

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

M.O. 12 AUG 35

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | ⎫ | 18 | ⎭ ·14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Berrimans

In the County of Gloucester

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* – *in.*
- *Height of Ground above Sea Level* 750 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·73				
FEB.	3·21				
MAR.	·72				
APRIL	5·60				
MAY	1·18				
JUNE	3·78				
JULY	·98				
AUG.	2·42				
SEPT.	5·52				
OCT.	5·44				
NOV.	6·23				
DEC.	4·24				
Total	40-05				

Signature E. Armitage

*See Instruction 2 (*f*) below.

C Particulars of Station.

2158

File no 100462/26

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. Armitage Esq
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2 ½ mile Direction from gauge W

Nearest Parish Church at Bisley Distance 2 mile Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
6 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) **The** observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Berrimans

In the County of Gloucester

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* — *in.*
Height of Ground above Sea Level 250 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·29				
FEB.	3·03				
MAR.	2·20				
APRIL	2·78				
MAY	1·38				
JUNE	2·76				
JULY	6·21				
AUG.	·49				
SEPT.	3·63				
OCT.	1·69				
NOV.	3·61				
DEC.	4·11				
TOTAL	36·18				

✓

Signature Armitage

*See Instruction 2 *(f)* below.

C Particulars of Station, No 2158

file No f 700462/26

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
E. Armitage Esq
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge W

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
15 JAN 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

Form 1090.

B Monthly Summary.

*** **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1937

At Berrimans

In the County of Gloucester

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 750 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·32				
FEB.	5·08				
MAR.	4·13				
APRIL	3·97				
MAY	2·23				
JUNE	1·21				
JULY	3·06				
AUG.	1·03				
SEPT.	2·59				
OCT.	3·75				
NOV.	1·72				
DEC.	2·78				
TOTAL	35·87 ✓				

Signature E Armitage

* See Instruction 3 *(f)* below.

C Particulars of Station.

No 2158
file no 700462/26

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
E. Armitage Esq
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge W.

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge E.

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-4 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Berrimans

In the County of Gloucester

Rain Gauge { Diameter of Funnel 5 in.

Height of Top above Ground 1 *ft.* *in.*

Height of Ground above Sea Level 750 *ft.* 750 ft

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·69				
FEB.	·96				
MAR.	·24				
APRIL	·21				
MAY	2·71				
JUNE	1·76				
JULY	3·15				
AUG.	3·80				
SEPT.	2·91				
OCT.	3·61				
NOV.	3·85				
DEC.	4·54	including	snow		
TOTAL	31·43 ✓				

Signature E. Armitage.

* See Instruction 3 *(f)* below.

No 2158

C Particulars of Station.

File No 700462/26

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E. Armitage Esq
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge W

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Dep?

compares reasonably with nearby stns.
W.E.S.R.

-4 JAN. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* **The** check is of special importance when the total **has** already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

N° 2158

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Berrimans

In the County of Gloucester

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* *in.*
- *Height of Ground above Sea Level* 750 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·84				
FEB.	1·55				
MAR.	2·25				
APRIL	4·08				
MAY	1·33				
JUNE	2·31				
JULY	5·21				
AUG.	3·98				
SEPT.	·98				
OCT.	3·47				
NOV.	5·76				
DEC.	2·63				
TOTAL	39·39				

The late
Signature E Armitage

* See Instruction 3 *(f)* below.

C Particulars of Station. File No 70046²/26

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E Armitage Esq
Berrimans Stroud Glos

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ mil Direction from gauge W

Nearest Parish Church at Bisley Distance 2 mile Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
-3 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 ; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

2158

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Berrimans

In the County of Glos

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 ft. in.
- *Height of Ground above Sea Level* 750 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.73				
FEB.	3.17				
MAR.	1.01				
APRIL	1.93				
MAY	·73				
JUNE	·51				
JULY	2.70				
AUG.	·12				
SEPT.	1.60				
OCT.	3.22				
NOV.	5.10				
DEC.	1.30				
TOTAL	24.12	–			

Signature E. M. Clarke (Mrs.)

for Miss I. Armitage

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Miss I. Armitage
Berrimans. Stroud. Glos.

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge W

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge E

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

[illegible]

WH

M. C. [illegible]a.
3 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
- (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
- (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W.H.&S. 668/91
S.O. Code No. 40-9999

2159

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REGIS

1.

2159
WHITMINSTER
PARKLANDS
1931 — 40

780402

Kept at PARKLANDS:
in the County of GLOUC

ed in error.
5/4 for Nov 2 & 3rd is OK

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA
Y.

An observer who does not conform
year in the space on the right of
e following

~~Jan. 1, following~~

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	·03	—	·11	·06	·08	—	—	·26	·04	—	—	1
2	—	—	—	·91	·18	·01	—	—	·40	·01	·06	·22	2
3	·02	—	·02	·01	—	—	·08	·05	·84	—	1·48	·14	3
4	—	—	·02	·06	·01	—	·29	·84	·03	·01	·04	—	4
5	—	·03	—	·04	·06	1·26	—	—	·01	—	—	·59	5
6	—	·10	—	·12	—	·21	·25	·05	·13	·30	·15	·16	6
7	—	—	—	—	·04	·05	·04	·63	—	·04	·11	·02	7
8	·02	·02	—	·03	·21	·23	—	·40	—	·02	·02	—	8
9	—	·15	·02	·01	—	·47	·06	—	—	—	·38	—	9
10	·02	·02	—	—	—	·03	—	·02	—	·01	·26	—	10
11	·09	·28	—	—	—	·06	—	—	·08	—	·30	—	11
12	—	·03	—	·07	—	—	·54	·02	·13	·08	·02	—	12
13	—	—	·03	—	·03	—	—	·24	·03	—	—	—	13
14	—	·03	—	—	·07	·83	·48	·44	·02	—	·09	—	14
15	·01	·02	—	·06	·19	—	·80	·77	·05	—	—	·06	15
16	—	·12	—	·05	·32	·54	—	·30	·13	—	—	—	16
17		·21	—	·10	·20	—	·21	—	·09	·02	·03	—	17
18	·02	·02	·03	·12	—	·12	—	·37	·01	—	·24	—	18
19	·03	·04	—	·13	—	·03	·03	·25	—	—	·01	—	19
20	—	·08	·21	—	—	—	—	·19	—	—	—	—	20
21	·12	—	—	—	·25	—	—	—	—	—	—	·01	21
22	·23	—	·21	—	·03	—	—	·02	—	—	—	—	22
23	·21	—	—	·13	·60	·44	—	—	·10	—	·39	·13	23
24	—	·02	—	·27	·22	·01	·22	—	—	—	·01	·01	24
25	·10	—	—	·21	·03	—	·28	—	—	—	·08	—	25
26	—	—	—	·04	—	—	·22	—	—	—	·39	—	26
27	·12	·41	—	—	·63	—	·08	—	—	·01	·12	—	27
28	·10	·07	·07	·11	·13	—	—	—	—	—	·01	·05	28
29	·08	×	·01	—	·14	—	·16	—	—	·07	·11	—	29
30	—	×	—	—	·01	—	—	·02	·03	—	—	—	30
31	·19	×	—	×	·01	×	—	·03	×	—	×	·04	31
TOTAL	1·39	1·68	·62	2·58	3·42	4·37	3·74	4·64	2·34	·61	4·30	1·43	YEAR'S TOTAL 31·12.
*Days with ·01 in. or more.	16.	18.	9.	19.	21.	15.	15.	17.	16.	11.	21.	11.	189.
*Days with ·04 in. or more.	9.	9.	2.	16.	15.	11.	14.	12.	10.	5.	15.	8.	126.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Tom S Best
for Wm Grey Robinson.

[P.T.O.

2159

Section **A** for the entry COPY FOR OFFICIAL USE.
AIR MINISTRY LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at PARKLANDS: WHITMINSTER
in the County of GLOUCESTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6. in.
,, Ground ,, Sea Level 103 ft.

Sept 2 + 3 plotted in error.
1.54 for Nov 2 & 3rd ok

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ☒

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	—	·11	·06	·08	—	—	·26	·04	—	—	1
2	—	—	—	·91	·18	·01	—	—	·40	·01	·06	·22	2
3	·02	—	·02	·01	—	—	·08	·05	·84	—	1·48	·14	3
4	—	—	·02	·06	·01	—	·29	·84	·03	·01	·04	—	4
5	—	·03	—	·04	·06	1·26	—	—	·01	—	—	·59	5
6	—	·10	—	·12	—	·21	·25	·05	·13	·30	·15	·16	6
7	—	—	—	—	·04	·05	·04	·63	—	·04	·11	·02	7
8	·02	·02	—	·03	·21	·23	—	·40	—	·02	·02	—	8
9	—	·15	·02	·01	—	·47	·06	—	—	—	·38	—	9
10	·02	·02	—	—	—	·03	—	·02	—	·01	·26	—	10
11	·09	·28	—	—	—	·06	—	—	·08	—	·30	—	11
12	—	·03	—	·07	—	—	·54	·02	·13	·08	·02	—	12
13	—	—	·03	—	·03	—	—	·24	·03	—	—	—	13
14	—	·03	—	—	·07	·83	·48	·44	·02	—	·09	—	14
15	·01	·02	—	·06	·19	—	·80	·77	·05	—	—	·06	15
16	—	·12	—	·05	·32	·54	—	·30	·13	—	—	—	16
17		·21	—	·10	·20	—	·21	—	·09	·02	·03	—	17
18	·02	·02	·03	·12	—	·12	—	·37	·01	—	·24	—	18
19	·03	·04	—	·13	—	·03	·03	·25	—	—	·01	—	19
20	—	·08	·21	—	—	—	—	·19	—	—	—	—	20
21	·12	—	—	—	·25	—	—	—	—	—	—	·01	21
22	·23	—	·21	—	·03	—	—	·02	—	—	—	—	22
23	·21	—	—	·13	·60	·44	—	—	·10	—	·39	·13	23
24	—	·02	—	·27	·22	·01	·22	—	—	—	·01	·01	24
25	·10	—	—	·21	·03	—	·28	—	—	—	·08	—	25
26	—	—	—	·04	—	—	·22	—	—	—	·39	—	26
27	·12	·41	—	—	·63	—	·08	—	—	·01	·12	—	27
28	·10	·07	·07	·11	·13	—	—	—	—	—	·01	·05	28
29	·08	×	·01	—	·14	—	·16	—	—	·07	·11	—	29
30	—	×	—	—	·01	—	—	·02	·03	—	—	—	30
31	·19	×	—	×	·01	×	—	·03	×	—	×	·04	31
TOTAL	1·39	1·68	·62	2·58	3·42	4·37	3·74	4·64	2·34	·61	4·30	1·43	YEAR'S TOTAL 31·12.
*Days with ·01 in. or more.	16.	18.	9.	19.	21.	15.	15.	17.	16.	11.	21.	11.	189.
*Days with ·04 in. or more.	9.	9.	2.	16.	15.	11.	14.	12.	10.	5.	15.	8.	126.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Tom L Best
for Wm Grey Robinson.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at PARKLANDS.
in the County of GLOUCESTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·01	—	·03	1·27	—	—	·21	·03	·14	·01	·01	1
2	·01	—	—	·11	·17	—	—	·01	·29	·06	·02	·11	2
3	—	·02	—	·55	·04	—	·02	—	—	·05	—	·02	3
4	—	—	—	·07	—	—	—	—	·01	—	·50	—	4
5	·50	·02	·32	·01	·01	—	—	—	·08	—	·01	—	5
6	·98	—	—	·09	—	—	—	—	·12	—	—	·01	6
7	·10	—	·08	·05	·13	—	·02	—	·19	·98	—	—	7
8	—	—	·22	·01	—	—	—	—	·42	·29	—	—	8
9	·31	·03	—	·07	·10	—	—	—	—	—	—	—	9
10	·21	·03	·14	·26	·08	·04	—	—	·03	·19	—	—	10
11	—	—	—	·02	·02	·01	·07	—	·04	—	·01	·04	11
12	·43	—	—	—	·29	—	—	—	·10	·12	—	·02	12
13	·05	·02	—	·12	·04	—	·55	·07	—	·16	·02	·04	13
14	·33	—	—	·03	·01	—	—	·32	·01	—	·02	·01	14
15	·06	—	—	·05	·59	—	·12	—	—	·03	·02	·01	15
16	·31	—	—	·27	·01	—	—	—	·01	—	—	—	16
17	—	—	—	·04	—	—	·03	—	—	·10	—	—	17
18	—	—	—	—	·14	—	—	—	·11	—	·23	—	18
19	—	—	—	·15	·05	—	—	—	·04	·10	—	—	19
20	—	—	—	·25	1·13	—	·04	·19	—	·65	·07	·13	20
21	·02	—	·19	·24	·54	—	—	2·20	—	·50	·06	·05	21
22	—	—	·05	·08	·02	—	·12	·03	·76	·16	·12	·04	22
23	—	·02	·03	—	·60	—	—	—	·06	·34	·01	·07	23
24	—	·02	—	—	·06	—	·06	—	—	·04	·01	·02	24
25	·01	·01	—	·08	·01	—	·08	—	·08	·40	·09	·01	25
26	—	—	·12	·02	·02	—	·33	—	·01	·07	·05	—	26
27	—	—	·44	·11	·46	—	·12	—	—	·37	—	·01	27
28	—	—	·06	·08	·19	·08	·13	—	—	—	—	·02	28
29	—	—	·36	·07	·25	·30	·06	·16	·16	·26	·02	·12	29
30	·01	×	·03	·06	·01	·77	·16	·15	·47	—	·71	·23	30
31	·01	×	·09	×	—	×	·69	—	×	·02	×	·24	31
TOTAL	3·41	·18	1·82	2·92	6·24	1·20.	2·60	3·34	3·02	5·03	1·98	1·21	YEAR'S TOTAL 32·96
*Days with ·01 in. or more.	16.	9.	13.	26.	26.	5.	16.	9.	20.	21.	18.	20.	199.
*Days with .04 in. or more.	11.	—	10.	20.	18.	4.	13.	7.	14.	19.	8.	9.	113.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wm L. Best
for Wm Grey Robinson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at PARKLANDS

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in. changed to 1 Ft-P

,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ☒

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	·27	·01	—	·01	—	—	—	—	·24	·02	—	1
2	·45	—	·32	—	·05	—	—	—	—	—	—	—	2
3	·01	·09	·29	—	·07	—	—	—	—	—	—	—	3
4	·14	·02	·01	—	·16	—	—	—	—	—	—	—	4
5	·07	—	·32	—	·01	—	—	—	—	—	·03	—	5
6	·01	·28	·02	—	·17	—	—	—	—	·10	—	—	6
7	·02	·01	·08	—	·01	—	·02	—	—	·14	—	·04	7
8	·02	—	·04.	—	·02	·06	·32	—	—	·01	—	—	8
9	—	—	—	—	·02	·01	·21	—	—	·43	·03	—	9
10	·10	·03	—	—	—	—	·04	—	—	1·32	·02	—	10
11	·09	—	—	—	·05	·11	·03	·05	—	·02	—	—	11
12	·02	—	—	—	·02	—	·17	—	·41	·01	—	·07	12
13	·08	—	—	—	·04	—	·18	·01	—	·06	·07	—	13
14	—	—	—	—	—	—	·09	·03	—	·02	·22	—	14
15	·42	—	·11	—	—	—	·10	·04	—	·21	·02	·04	15
16	·01	—	·50	—	—	·03	·09	·01	·01	·02	·03	·11	16
17	·05	—	·19	—	—	·04	·01	·09	·02	—	·02	—	17
18	·07	—	·09	—	—	·11	·01	—	—	—	·02	—	18
19	·01	—	·29	—	—	·20	—	—	·04	—	·13	·01	19
20	—	—	·02	—	·04	·02	—	—	·03	—	·02	—	20
21	—	—	·02	—	·15	·07	—	·21	—	·05	·01	—	21
22	—	—	—	—	·02	—	—	·28	·05	·12	—	—	22
23	—	·05	—	·15	—	·06	—	—	·48	·61	—	—	23
24	—	·85	—	·19	·01	·57	—	—	·06	·03	—	—	24
25	—	·46	—	·13	·05	·26	—	—	·54	—	—	·09	25
26	—	·72	—	—	·41	—	—	—	·68	·04	—	·01	26
27	—	·01	—	—	·76	—	—	—	·03	·02	—	·09	27
28	—	—	—	·26	·02	—	—	—	·01	·04	—	·01	28
29	·05	×	—	·03	—	—	—	—	—	·02	—	·02	29
30	·04	×	·06	·03	—	—	·03	—	·11	—	—	·11	30
31	·35	×	·03	×	—	×	—	·07	×	·01.	×	—	31
TOTAL	2·55	2·79	2·40	·79	2·09	1·54	1·30	·79	2·47	3·52	·84	·60	YEAR'S TOTAL 21·48
*Days with ·01 in. or more.	20.	11.	17.	6.	20.	12.	13.	9.	13.	21.	13.	11.	166
*Days with .04 in. or more.	13.	7.	11	4.	11.	9.	8.	6.	9.	12.	3.	7.	109.

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) John S Best.
for Wm Grey Robinson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at THE PARKLANDS.

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 103 ft.

Gauge has not been lowered to 1 foot.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	—	·01	—	·24	·16	—	·04	·34		1
2	·12	—	·04	—	·02	—	—	·01	·51	·01	·01	·18		2
3	·03	·03	·01	—	—	—	—	—	·02	·05	—	·20		3
4	·13	·01	·05	—	·25	—	—	—	·21	·30	·07	·31		4
5	·01	—	·02	—	·03	—	—	·45	·01	·11	·21	·48		5
6	—	—	·13	·09	·48	—	—	·01	—	·02	—	·47		6
7	·02	—	·01	—	—	—	—	·14	—	·13	·03	·23		7
8	—	—	—	—	·19	·01	—	·03	—	—	·07	·05		8
9	·01	—	·08	—	—	—	—	—	—	—	·58	·18		9
10	·11	—	·09	·12	—	—	—	·09	—	—	·10	·01		10
11	·64	·01	·05	·21	—	—	·10	·08	—	—	·01	·12		11
12	·01	·01	·13	·01	·08	—	·95	·04	—	—	—	·02		12
13	·37	—	·01	·12	—	—	·81	—	—	—	·02	·11		13
14	·04	·01	·22	·01	—	—	—	—	—	—	·12	·34		14
15	·01	—	·05	—	·14	—	·01	—	·04	·08	·25	·02		15
16	·10	—	·29	—	·02	—	—	—	—	—	·05	—		16
17	·06	·01	—	·10	·01	—	—	·02	·26	·03	·01	·20		17
18	·20	—	·08	·25	—	—	·03	—	·02	—	·01	·28		18
19	·01	—	·11	—	—	·12	—	·02	·02	·10	·01	·12		19
20	—	—	·09	·10	·01	·01	·01	—	—	·02	—	—		20
21	—	—	·07	—	—	·22	·10	·13	—	·24	—	·02		21
22	—	—	·04	—	·03	—	—	·14	·09	·06	—	·18		22
23	—	·02	·03	·13	—	·10	·02	—	·02	—	—	·03		23
24	—	·42	·08	·10	—	·26	·03	—	·23	·03	—	—		24
25	·11	·02	·01	·29	—	·23	—	—	·01	·12	—	·37		25
26	—	—	·05	·14	—	·10	—	—	·03	·16	—	·17		26
27	·01	—	—	·16	—	—	—	—	·01	·06	—	·23		27
28	—	—	—	·12	—	·23	·02	·18	·02	·01	—	·47		28
29	—	×	—	·01	—	—	—	·03	·36	—	·01	·01		29
30	·08	×	—	—	—	—	·01	·02	·04	·03		·21		30
31	—	×	—	×	—	×	·01	—	×	·17	×	·05		31
TOTAL	2·08.	·54.	1·74.	1·96.	1·26.	1·29.	2·10.	1·63.	2·06.	1·73	1·60	5·40	Year's Total. 23·39	
* Days with .01 in. or more.	20.	9.	23.	16.	11.	10.	12.	16.	9	19	17.	28.	190	
* Days with .04 in. or more.	11.	1.	17.	13.	5.	7.	4.	9	9.	12	9.	22.	119.	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John S Best. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at THE PARKLANDS.
in the County of GLOUCESTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 103 ft.

In view of letter Encl 13A — fee accept ht as 1'0"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ×

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	·02	·05	·01	·09	—	·13	·04	·06	·01		1
2	—	—	—	—	—	·27	—	—	·09	·21	·01	—		2
3	—	·03	·04	—	—	·14	—	—	·43	·38	·28	—		3
4	—	—	—	·19	·01	·11	—	—	·05	·40	·02	·06		4
5	—	·30	·25	·02	—	·19	·01	—	·45	·02	—	·01		5
6	—	·01	·02	·22	—	·48	—	—	—	·07	·04	·12		6
7	—	—	—	·33	—	·19	—	—	—	·29	·05	·05		7
8	—	—	—	·26	—	—	—	—	—	·04	·20	·07		8
9	·05	—	—	·74	—	·32	—	—	·01	1·12	·16	—		9
10	·01	—	—	·30	—	·01	—	—	—	—	·05	·01		10
11	·29	·01	—	—	—	·03	·02	·01	·01	·02	·34	—		11
12	·01	·05	—	—	—	·24	—	—	·03	—	·09	—		12
13	·09	·08	—	·22	·10	·02	—	—	·06	—	·11	—		13
14	—	—	—	·07	—	·23	—	—	·06	·01	·96	·15		14
15	—	·08	·01	·68	·22	·30	—	—	·42	—	·11	·03		15
16	—	·04	·10	·26	—	·05	—	—	·29	·04	·85	·01		16
17	—	·01	·01	·03	—	·17	·07	·01	·03	—	·25	—		17
18	—	·02	—	·25	·05	02	·07	—	·35	·02	·01	·01		18
19	—	·01	—	·07	·16	·14	·22	—	·10	·05	·10	·07		19
20	·02	·44	—	·24	·12	·06	·02	—	·01	—	·61	—		20
21	—	·38	·02	—	—	—	·01	—	·93	·02	·02	—		21
22	—	·09	—	·14	—	—	—	·05	·30	—	—	—		22
23	—	·10	·11	·01	—	—	—	—	·11	·78	—	·01		23
24	·06	·22	·07	—	—	—	—	·14	·32	·13	—	·15		24
25	·13	·30	—	·19	—	·67	—	—	·01	—	—	·03		25
26	—	·21	—	—	—	—	—	·23	·10	—	—	·72		26
27	—	·13	—	—	·04	—	·01	·02	·04	—	·08	·95		27
28	·03	·01	—	—	·02	—	—	·03	·12	—	—	·01		28
29	·03	×	·03	—	—	—	—	·20	·08	·07	·10	·15		29
30	·05	×	—	·12	—	·02	—	·53	·05	·42	·47	·14		30
31	—	×	—	×	·01	×	—	·22	×	·38	×	·16		31
													Year's Total	
TOTAL	·78	2·52	·66	4·16	·78	3·67	·52	1·44	4·58	4·51	4·97	2·92	31·51	
* Days with .01 in. or more.	12.	20.	10.	20	10.	21.	9.	10.	26.	20.	23	21.	202	
* Days with .04 in. or more.	6.	13.	4.	16	7	15.	4.	6.	20.	15.	19	12	137.	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John S Best

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at THE PARKLANDS.
in the County of GLOUCESTER.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·05	·02	·27	—	·21	·57	·06	—	—	·06	·05		1
2	·10	·04	·01	·03	—	·81	·69	·02	—	—	·26	—		2
3	—	—	—	·08	—	·09	·02	—	·98	—	·11	·03		3
4	·01	—	·20	—	—	—	—	—	·20	—	·08	·29		4
5	·28	—	·03	—	·07	—	·07	·02	—	—	02	·04		5
6	·05	—	—	—	—	·07	·32	·03	·07	—	14	—		6
7	·03	—	·04	—	—	—	·30	—	—	—	34	·12		7
8	·25	—	·16	—	—	—	·09	—	—	—	·61	—		8
9	·65	—	·16	—	—	—	·34	—	—	—	—	—		9
10	·04	—	·01	—	—	—	·29	—	—	—	—	—		10
11	—	·37	—	·04	—	·14	·11	—	·19	—	·22	—		11
12	—	—	—	·03	·05	·39	·23	—	·07	—	·05	·20		12
13	—	—	—	·04	—	·08	—	·07	—	·02	·04	·69		13
14	—	—	—	·23	—	·02	·54	—	·10	—	·02	·67		14
15	—	—	—	—	—	—	·05	—	·15	—	·10	·08		15
16	·13	·12	—	·05	·04	—	·10	—	—	—	·36	·03		16
17	·07	·53	—	—	·01	—	·16	·02	—	·04	·05	·55		17
18	—	·05	—	—	—	·22	·27	·04	—	·03	—	·15		18
19	·24	·18	·04	·16	—	·02	—	·05	—	—	—	—		19
20	·01	·05	·05	·11	—	·45	—	—	·47	—	—	—		20
21	—	—	—	·35	—	·01	·03	—	·08	—	—	—		21
22	·06	·60	·10	—	·25	—	·23	—	—	—	—	·08		22
23	—	—	·49	·10	·04	—	·16	—	—	·02	—	—		23
24	·12	·06	—	·07	—	—	·11	—	·43	·13	·02	—		24
25	·06	—	·14	·34	—	—	·13	—	·08	·09	·04	—		25
26	·10	·12	·18	·11	—	·11	—	—	—	—	—	—		26
27	·09	·02	·03	—	—	—	·02	—	·04	·05	—	—		27
28	·55	·02	·24	—	—	—	·05	—	—	—	—	·14		28
29	·02	·14	·06	—	—	1·12	·03	—	—	·03	·07	—		29
30	·06	✕	—	—	·23	·03	·07	—	—	·58	—	·03		30
31	·46	✕	·43	✕	·03	✕	·20	—	✕	·19	✕	·19		31
TOTAL	3·47	2·35	2·39	2·01	·72	3·77	5·08	·31	2·86	1·18	2·59	3·34	Year's Total 30·07	✓
* Days with .01 in. or more.	22.	14.	18.	15.	8.	15.	26.	8.	12.	10.	18.	16.	182.	✓
* Days with .04 in. or more.	18.	12.	13.	13.	6.	11.	22.	4.	12.	6.	15.	13.	145.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John L Best.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at THE PARKLANDS.

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	—	—	—	—	—	—	—	·03	—	·12	·26		1
2	—	·24	—	·05	—	—	—	—	—	—	·01	·10		2
3	—	·33	—	·13	·03	—	·02	—	·10	—	—	·05		3
4	·06	·15	—	·02	·03	—	·02	—	—	—	—	·25		4
5	·32	—	·11	·02	—	—	—	—	—	—	—	—		5
6	·08	·08	·13	·20	·08	—	·22	—	—	·05	03	—		6
7	—	1·60	—	·13	—	—	—	—	—	—	—	—		7
8	—	·03	—	—	·12	—	—	—	—	—	·38	—		8
9	—	—	—	·03	·06	—	·08	—	·41	—	—	·11		9
10	·05	—	·33	·75	—	·11.	—	—	—	—	—	·23		10
11	·02	—	15	—	·23	·11	13	—	—	—	—	·09		11
12	·55	·13	30	—	·03	·08	02	·86	·11	—	—	·24		12
13	·09	·10	11	·07	—	·68	—	·21	·10	—	—	—		13
14	—	—	53	·16	—	—	—	·02	·01	—	—	·06		14
15	·11	·13	—	·26	—	—	2·87	·04	·03	—	—	·18		15
16	—	·18	·28	·30	—	·04	·01	·11	·29	—	—	—		16
17	·29	·06	·34	·02	—	—	—	—	·82	—	·02	—		17
18	·38	·10	·06	·03	—	—	—	·01	·60	—	·06	·26		18
19	·20	—	·03	·02	—	·17	—	—	·02	—	·07	·02		19
20	·24	·04	·56	·26	—	·03	—	—	—	—	—	·08		20
21	·15	·30	·08	—	·08	—	03	—	—	—	—	·06		21
22	·08	·05	·07	—	·11	·41	13	—	—	·48	26	—		22
23	·08	·06	·02	—	·06	—	04	—	—	·27	·03	—		23
24	·25	·20	—	—	·05	—	—	—	·05	·20	—	·06		24
25	·02	·41	·06	—	·19	—	—	—	·07	·38	—	—		25
26	—	—	—	—	·46	—	—	—	—	—	—	—		26
27	—	·08	—	·20	—	—	—	—	—	·57	—	—		27
28	—	·30	—	—	—	—	—	—	—	·11	—	·03		28
29	—	✕	—	—	—	·03	—	—	—	·17	·07	·02		29
30	·36	✕	—	—	—	—	—	·07	·01	·01	·16	—		30
31	·08	✕	—	✕	—	✕	—	—	✕	·23	✕	—		31
TOTAL	3·62	4·57	3·16	2·65	1·53	1·66	3·57	1·32	2·65	2·47	1·41.	2·10	Year's Total 30·71	✓ ✓
* Days with .01 in. or more.	20.	20.	16.	17.	13.	9.	11.	7.	14.	10.	11.	17.	165.	✓ ✓
* Days with .04 in. or more.	18	19.	14.	11.	10.	7.	6.	5.	9.	9.	7.	14.	129.	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John S. Best.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at THE PARKLANDS.

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·03	—	—	—	·17	—	·62	—	·20	·02	·15		1
2	·03	—	—	·02	—	—	·24	—	—	·17	—	—		2
3	—	—	—	—	·11	·01	·03	—	—	29	·01	—		3
4	·02	—	—	—	—	·04	·45	·27	—	1·38	—	11		4
5	—	—	—	—	—	—	·18	—	·08	·10	—	01		5
6	·04	·01	—	—	—	·02	·26	—	·04	·08	—	25		6
7	—	—	—	—	—	—	·31	·17	·19	·09	—	·08		7
8	·52	—	—	—	—	—	·05	·03	·02	·31	—	·01		8
9	·17	·02	—	—	—	—	·04	·05	—	·02	—	·60		9
10	·11	·02	—	—	—	·13	·03	·41	—	—	—	·19		10
11	·15	—	—	—	—	—	—	·52	—	01	·24	·11		11
12	·78	—	—	—	·35	—	—	·21	—	08	·11	—		12
13	·05	—	—	—	·02	—	—	·01	—	05	·19	·65		13
14	·42	·02	—	—	·02	—	·76	—	—	—	—	—		14
15	·32	—	—	—	·01	—	·06	—	—	—	—	·21		15
16	·41	—	·05	—	·09	—	—	·02	—	—	—	·02		16
17	—	·09	—	—	—	—	—	—	·09	·24	—	—		17
18	·11	—	—	—	—	·01	—	·04	·60	·02	·34	—		18
19	—	—	—	—	—	—	—	·22	·03	~~·02~~	·29	—		19
20	·02	—	—	—	—	—	—	—	~~·03~~	—	·24	—		20
21	·04	—	—	—	—	—	—	·31	·15	—	·05	·10		21
22	·02	—	—	·04	—	·05	—	·32	—	—	1·34	·04		22
23	·01	—	—	·03	—	—	—	—	·16	—	·02	·06		23
24	·02	—	·07	—	·10	—	—	·12	·10	—	·15	—		24
25	·13	·39	·02	—	·12	—	·08	—	—	·17	·38	·22		25
26	·16	·22	·01	—	·09	·01	—	—	·06	·10	—	·05		26
27	·03	·01	—	—	·36	·20	·29	·14	·14	·04	·26	—		27
28	·09	·03	—	—	·04	·06	·02	·95	·07	—	·08	·05		28
29	·04	×	—	—	·30	—	·01	—	·03	·05	1·19	·03		29
30	·03	×	—	—	·09	·03	—	—	·81	·02	·68	·05		30
31	·21	×	—	×	·37	×	—	—	×	·11	×	·20		31
													Year's Total	
TOTAL	3·93	·84	·15	·09	2·07	·73	2·81	4·41	2·57	3·53	5·59	3·19	29·91	✓
* Days with .01 in. or more.	25.	10.	4.	3.	14.	11.	15	17.	15.	20.	17.	21.	172.	✓
* Days with .04 in. or more.	17.	3.	2.	1.	11.	6.	11.	14.	12.	16.	14.	17.	124.	✓

† Spare column, no entries required.

(*Signed*) Lorna L Best.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at THE PARKLANDS

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
✕

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·03	·12	·25	—	—	—	·25	·03	—	·03		1
2	—	—	·02	·02	—	—	—	·35	·82	—	·04	·04		2
3	·10	—	—	·30	—	—	—	·71	·07	—	·05	·22		3
4	·05	—	·45	·41	·15	—	·33	·14	—	·05	·09	·35		4
5	—	—	—	·81	·11	—	·32	·16	—	·08	·46	·10		5
6	·29	—	—	·6	—	—	1·80	·01	—	—	·11	—		6
7	·02	·12	—	—	—	—	·01	—	—	—	·52	·43		7
8	·04	·20	·24	—	—	—	·39	—	—	·47	·31	·56		8
9	·03	·10	·01	—	—	—	—	·18	—	·30	·02	·11		9
10	·21	·01	·10	—	—	·22	—	·14	·02	·04	·01	·02		10
11	—	·01	·11	—	—	—	—	·01	—	·15	—	—		11
12	·07	·03	—	—	—	·14	—	—	—	—	—	—		12
13	—	—	—	·03	·01	—	·25	—	·08	·31	—	—		13
14	·47	—	—	—	·17	·04	·08	—	·03	·05	·15	—		14
15	·46	—	—	—	·15	·43	·46	—	·01	·10	·42	—		15
16	·13	—	—	·01	·07	·02	·11	—	—	—	·24	—		16
17	·27	·01	—	—	·01	·05	·03	—	—	·05	·02	—		17
18	·32	·03	·04	—	—	·10	·39	—	—	·07	·45	—		18
19	·20	—	—	—	—	—	·23	—	—	—	—	—		19
20	·24	—	—	—	—	—	·12	·49	·01	—	—	—		20
21	·08	·21	·16	·02	—	—	·35	·32	·02	—	—	—		21
22	·58	·17	·04	—	—	·30	·32	—	·05	—	·09	—		22
23	—	—	—	·06	—	·05	·36	—	—	·02	1·47	—		23
24	·30	—	·01	·04	—	·26	·02	—	—	·03	—	—		24
25	1·01	·03	·02	·01	—	—	·03	—	—	·12	·29	—		25
26	·20	·02	—	·01	—	—	—	17	—	·09	·52	02		26
27	—	·10	·11	—	—	·03	·12	·02	—	·02	·02	07	snow	27
28	—	·10	·13	·08	—	·68	·26	—	—	—	·29	01	"	28
29	—	✕	—	·25	—	—	·43	—	—	·11	·05	—		29
30	—	✕	—	·81	—	—	·13	—	—	·01	·01	·13	"	30
31	—	✕	—	✕	—	✕	·02	·22	✕	·10	✕	—		31
TOTAL	5·09	1·14	1·47	3·04	·92	2·32	6·26	2·92	1·36	2·20	5·63	2·09	Year's Total 34·44	
* Days with .01 in. or more.	21.	14.	14.	16.	8.	12.	23.	13.	10.	20.	22.	13	186.	
* Days with .04 in. or more.	18.	7.	9.	10.	6.	10.	17.	10.	5.	15.	17.	9.	133.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Samuel Best. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2159

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at THE PARKLANDS
in the County of GLOUCESTER
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 103 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·03	·03	—	—	—	—	—	·16	—		1
2	—	·16	—	·03	—	—	·05	—	—	—	·71	—		2
3	—	·13	—	—	—	—	—	—	—	·26	1·34	—		3
4	—	·04	—	—	—	—	·02	—	—	·09	·68	·05		4
5	—	—	—	—	·02	—	·05	—	—	·20	·38	·08		5
6	·15	·19	—	—	·01	—	—	—	—	·22	—	·03		6
7	·02	·22	—	·01	·02	—	·03	—	·03	·02	—	—		7
8	—	·01	—	·01	—	—	—	—	—	·10	·10	·05		8
9	—	—	—	·05	—	—	·45	·09	·04	·59	·19	·09		9
10	—	—	·01	—	—	—	·63	—	—	·23	·02	·08		10
11	—	—	—	·02	—	—	·23	—	—	—	·50	·02		11
12	—	—	·08	—	—	—	·33	—	08	·01	—	—		12
13	—	—	·48	—	—	—	·02	—	·04	—	·23	·04		13
14	—	—	·12	·09	1·26	—	·17	·01	·05	·15	—	·31		14
15	—	—	·09	—	·63	·05	·11	—	·15	·09	·10	—		15
16	SNOW —	·38	·17	—	—	·03	·19	—	·10	·89	·58	·03		16
17	—	—	·17	—	—	—	·01	—	—	—	·04	—		17
18	·14	·33	·46	·42	—	—	·01	—	·09	·08	·02	·06		18
SNOW 19	·02	·14	·07	·18	—	—	1·19	—	·11	—	·24	·02		19
20	—	·01	·02	·02	—	—	·17	—	—	·32	·05	—		20
21	—	—	—	—	·10	·03	·02	—	—	—	1·35	—		21
22	—	·06	·07	·11	·01	·45	—	—	·10	—	—	—		22
23	—	·23	·06	·03	·10	—	·01	—	·01	·02	·05	·05		23
24	—	—	—	—	—	—	·30	—	—	—	·01	—		24
25	·02	—	—	·01	·02	·02	—	—	—	—	—	—		25
26	·95	·16	—	·06	·20	—	·69	—	—	—	·01	—		26
27	·64	·09	—	·17	·05	—	·18	—	—	—	—	—		27
28	·40	·19	—	·14	·10	—	—	—	—	—	—	·03		28
29	—	—	·10	·30	·09	·05	—	—	—	—	—	·25		29
30	·08	✕	—	·16	·01	—	·01	—	—	·20	—	—		30
31	·10	✕	·04	✕	—	✕	—	—	✕	·56	✕	·01		31
													Year's Total	
TOTAL	2·52	2·34	1·94	1·84	2·65	·63	4·87	·10	·80	4·03	6·76	1·20	29·68	
* Days with .01 in. or more.	10	15	14	18	15	6	22	2	11	17	20	16	166	
* Days with .04 in. or more.	7	13	12	10	8	3	14	1	9	14	16	10	117	

40-9999.

† Spare column, no entries required.

(*Signed*) L. H. Playford.
Head Gardener To Mrs J. Best.

[P.T.O.

* See Instruction 2 (f) on other side.

2160

—

2160

LYPIATT PARK
1931 — 40

780402

FORM 1090. **B** Mo
Su

*** **The following register of month**
&c., is NOT required if daily
values are given on the other s

and also the space for

egister should be sent:—

RAINFALL IN 1931

At Lypiatt Park

In the County of Glouce

.......in Summer.......

Rain Gauge
Diameter of Funnel.......
Height of Top above Ground.......*ft*
Height of Ground above Sea Level

Direction from gauge ....

Direction from gauge ....

Month.	Total Depth.	Greatest Fall in 24 hours.		N D ·01 or	
	Inches.	Inches.	Date.		
JAN.	2·10				
FEB.	2·25				
MAR.	0·20				
APRIL	3·10				
MAY	3·50				
JUNE	3·77				
JULY	5·43				
AUG.	6·00				
SEPT.	2·95				
OCT.	00·72				
NOV.	5·03				
DEC.	1·50				
Total	36·55				

Directions from gauge ..

Signature A. J. Buck

If gauge has been moved during the year state—

Date of move....... Distance....... Direction.......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st: it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mo
Su

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Lypiatt Park
In the County of Gloucester

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft 14 in.
Height of Ground above Sea Level 820 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·10				
FEB.	2·25				
MAR.	0·20				
APRIL	3·10				
MAY	3·50				
JUNE	3·77				
JULY	5·43				
AUG.	6·00				
SEPT.	2·95				
OCT.	00·72				
NOV.	5·03				
DEC.	1·50				
Total	36·65				

Signature A. J. Buck

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31 Gp. 119/110.

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Lypiatt Park Gardens

In the County of Gloucestershire

Rain Gauge
Diameter of Funnel Five in.
Height of Top above Ground ft. 14 in.
Height of Ground above Sea Level 820 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	4·25				
FEB.	00·18				
MAR.	2-25				
APRIL	3-20				
MAY	6-92				
JUNE	1-80				
JULY	2-50				
AUG.	1-45				
SEPT.	4-00				
OCT.	5-70				
NOV.	2-26				
DEC.	1-47				
Total	35-98				

Signature A. J. Buck

*See Instruction 2 (*f*) below.

C —Particulars of Station. 2160

2160

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Folo number 702508/26

M.O. 7
3 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at* 9 *a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* 0·1 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2160

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Lypiatt Park

In the County of Gloucestershire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft* ____ *in*.
- *Height of Ground above Sea Level* ____ *ft*.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	3·00				
FEB.	3·33				
MAR.	2·95				
APRIL	1·00				
MAY	2·06				
JUNE	2·08				
JULY	1·64				
AUG.	·76				
SEPT.	3·00				
OCT.	3·92				
NOV.	·80				
DEC.	·38				
Total	24·92 ✓?				

[illegible] year ✓

Signature Robert Paget

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
R Paget The Gardens
Lypiatt Park Glos

Hour of observation by the clock—in Winter 8 AM. in Summer 7 AM

Nearest Railway Station Stroud Distance 3 miles Direction from gauge West

Nearest Parish Church at Bisley Distance 2 miles Direction from gauge East

Nature of objects nearest to gauge	Trees			
Heights of objects	50 to 60 ft			
Distances ..	50 yds			
Directions from gauge ..	North			

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(506) Wt.24107/1845 15000 3/33. Gp. 119/110.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.....

At Lypiatt Park

In the County of Gloucestershire

Rain Gauge

Diameter of Funnel 5 in.

Height of Top above Ground 1 ft *ft* .... *in.*

Height of Ground above Sea Level 300 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·92				
FEB.	·30				
MAR.	2·00				
APRIL	2·26				
MAY	1·13				
JUNE	1·25				
JULY	3·21				
AUG.	2·00				
SEPT.	1·60				
OCT.	2·35				
NOV.	1·59				
DEC.	6·22				
Total	26·83				

Signature R. Paget

*See Instruction 2 (*f*) below.

C Particulars of Station. 2160

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter........ in Summer........

Nearest Railway Station........ Distance........ Direction from gauge........

Nearest Parish Church at........ Distance........ Direction from gauge........

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move........ Distance........ Direction........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

2160

FORM 1090. **B** Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Lypiatt Park Stroud

In the County of Gloucestershire

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft* .... *in.*
- *Height of Ground above Sea Level* .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·75				
FEB.	3·06				
MAR.	·58				
APRIL	5·35				
MAY	·87				
JUNE	3·46				
JULY	·65				
AUG.	2·30				
SEPT.	5·53				
OCT.	4·81				
NOV.	6·17				
DEC.	4·35				
Total	37·88	? Part of year			

Signature R. Paget

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

f. 702508/26

10 y[illegible]

M.O.
6 JAN 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}$ ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

2160

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Lypiatt Park Gardens

In the County of Gloucestershire

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground ...... ft. 11 in.*
- *Height of Ground above Sea Level* 820 ~~800~~ *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·12				
FEB.	3·20				
MAR.	1·86				
APRIL	2·80				
MAY	·65				
JUNE	3·12				
JULY	5·48				
AUG.	·28				
SEPT.	3·28				
OCT.	1·45				
NOV.	3·45				
DEC.	4·20				
TOTAL	33·89	✓			

wrote 3/1/37

6/10 2508/26

Signature R. Paget

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state –

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) It is known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

M.O. 7
-8 JAN. 1937

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Lypiatt Park ~~Bu~~ Stroud

In the County of Gloucester

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 650 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·62				
FEB.	4·40				
MAR.	3·45				
APRIL	3·25				
MAY					
JUNE					
JULY					
AUG.					
SEPT.	2·33	1·0	16	13	8
OCT.	2·40	1·55	23	8	8
NOV.	1·30	·61	22	4	4
DEC.	1·41	1·30	2	1	1
TOTAL	23·76				

23·76

Signature C W Ladd

npimp snow water 1·55 ~~22-23~~ Dec.

* See Instruction 3 *(f)* below.

C Particulars of Station.

No. 2160

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

C. W. Ladd.
The Gardens Lypiatt Pk. Stroud. Glos.

Hour of observation by the clock—in Winter 9 am in Summer 10 am

Nearest Railway Station Stroud Distance 2½ miles Direction from gauge S W

Nearest Parish Church at Bisley Distance 1½ miles Direction from gauge E

Nature of objects nearest to gauge	Lettuce	Apple trees (bush)		
Height of objects	4"	9 ft		
Distances ...	2 ft	8 ft		
Directions from gauge ...	S E	N & E		

If gauge has been moved during the year state—

Date of move ——— Distance ——— Direction ———

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

702508/26

1936 np tow

M.O. 7
- 5 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

No. 2160.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938.

At Lypiatt Park Stroud

In the County of Glos.

Rain Gauge
- Diameter of Funnel 6" in.
- *Height of Top above Ground* 1 *ft.* — *in.*
- *Height of Ground above Sea Level* 650 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·60				
FEB.	·88				
MAR.	·13				
APRIL	·04				
MAY	2·35				
JUNE	1·05				
JULY	2·83				
AUG.	3·03				
SEPT.	2·94				
OCT.	3·94				
NOV.	3·23				
DEC.	~~3·13~~ 4·53				
TOTAL	~~27·15~~ 28·55	Not Print ap 12/4/39			

Signature C. W. Ladd.

[illegible] 1935 [illegible] 1936

up [illegible] 1937

702508/26

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
C. W. Ladd
The Lodge. Lypiatt Park. Stroud Glos.

Hour of observation by the clock—in Winter 9 am in Summer 10 am.

Nearest Railway Station Stroud Distance Direction from gauge 2½ mls W.

Nearest Parish Church at Bisley Distance Direction from gauge 2 mls E.

Nature of objects nearest to gauge	Apple Trees (bush)			
Height of objects	5–6 ft			
Distances ...	8–9 ft			
Directions from gauge ...	N–E.			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

For December, 1·40 snow water which has not been added. making a total for Dec. 4·53 inches.

CWB

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

2160

FORM 1090.

B Monthly Summary.

. The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939

At Lypiatt Park

In the County of Glos.

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* 3 *in.*
- *Height of Ground above Sea Level* 650 *ft.*

Month	Total Depth 5·56	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·96	← ·60 snow water			
FEB.	1·32				
MAR.	2·00				
APRIL	3·84				
MAY	1·21				
JUNE	2·09				
JULY	5·18				
AUG.	3·68				
SEPT.	·86				
OCT.	2·93				
NOV.	5·39				
DEC.	6 2·~~4~~1	← ·20 snow water.			
TOTAL	36·67 ~~35·87~~	× 1			

m.r.
W.H.
22/1/40.

Signature C. W. Ladd

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

C. W. Ladd
The Lodge. Lypiatt Park. Stroud. Glos.

Hour of observation by the clock—in Winter 9 AM in Summer 10 AM

Nearest Railway Station Stroud G.W.R. Distance 2½ mls Direction from gauge W

Nearest Parish Church at Bisley Distance 1½ mls Direction from gauge E

Nature of objects nearest to gauge	Apple trees		+ potatoes	
Height of objects	6 ft		2 ft 6"	
Distances	5 ft		6 ft	
Directions from gauge	NE		E.	

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

m.r. 1938

f. 702508/26

Letter sent 24/1 values to be finally amended on receipt of reply

M.O. 7
-3 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2160

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~4...

STROUD

At (Lypiatt Park)

In the County of Glos

Rain Gauge { Diameter of Funnel.........in.

Height of Top above Ground.........ft.........in.

Height of Ground above Sea Level.....800.....ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~1.43~~	(2.43)			
FEB.	3·16				
MAR.	2·70				
APRIL	2·20				
MAY	1·72				
JUNE	~~·20~~	·60			
JULY	~~2.72~~	2·82			
AUG.	~~·62~~	·12			
SEPT.	1·50				
OCT.	2·45				
NOV.	~~3·20~~	5·26			
DEC.	~~[illegible]~~	1·48			
TOTAL	~~24·38~~				

26.38

Signature .... THE HEAD GARDENER

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.........in Summer.........

Nearest Railway Station......... Distance......... Direction from gauge.........

Nearest Parish Church at......... Distance......... Direction from gauge.........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move......... Distance......... Direction.........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan. adj. for snow from nearby stns.

Nov. + Dec. } apportioned.
June - Aug }

n/p 1939

24 APR 1941

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005 : this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91

S.O. Code No. 40-9999

2161

Section **A** for the entry

AIR MINIST

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

Kept at Miser

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

2161

MISERDEN PARK

1931 — 40

780402

Date	Jan.	Feb.	Marc							t.	Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	·23	—	·07	·05	—	·03	—	·43	·03	—	—	1
2	·07	·03	—	·70	·40	—	—	—	·89	—	·14	·27	2
3	—	—	·02	·02	—	—	·04	·03	·29	—	2·10	·20	3
4	—	—	·01	·08	·01	—	·47	1·26	·15	·09	—	—	4
5	—	·16	—	·17	·07	1·47	—	·01	·40	—	·02	·43	5
6	—	·13	—	·16	—	·35	·09	—	·01	·28	·16	·19	6
7	—	·01	—	·01	·04	·15	·20	·49	—	·11	·25	·03	7
8	—	·13	—	·13	—	·15	·02	·43	—	·03	·04	·03	8
9	·07	·30	—	·02	—	·30	·04	·01	—	—	·42	—	9
10	—	—	·02	—	·03	·10	·04	·18	—	—	·22	—	10
11	·30	·22	—	—	—	·09	—	·03	·25	—	·16	·03	11
12	—	—	—	—	—	—	·92	·06	·46	·04	—	—	12
13	—	—	·03	—	·05	—	·07	·50	—	—	—	—	13
14	·01	·10	—	—	·13	1·68	·77	·27	·04	—	·14	—	14
15	—	·03	—	·07	·37	—	·23	·78	·02	—	—	·05	15
16	—	·12	—	·12	·70	·67	·02	·67	·09	—	—	—	16
17	—	·25	—	·19	·27	—	·24	—	·09	·01	·05	—	17
18	·06	·02	·04	·30	—	·16	·04	·36	—	—	·26	—	18
19	·03	·03	—	·30	—	·18	·05	·18	—	—	—	—	19
20	—	·15	·14	·04	—	—	·04	·23	—	—	·03	—	20
21	·14	—	—	—	·39	—	—	—	—	—	—	—	21
22	·33	—	·01	—	—	—	—	—	—	—	·01	—	22
23	·21	—	—	·23	·80	·55	—	·05	·06	—	·62	·19	23
24	—	·01	—	·29	·33	—	·30	—	—	—	—	—	24
25	·12	—	—	·42	—	—	·25	—	—	—	·15	·01	25
26	—	·04	—	·03	—	—	·23	—	—	—	·35	—	26
27	·18	·56	—	—	·36	—	·23	—	—	—	·28	—	27
28	·22	·22	·08	·09	·18	—	—	—	—	·06	—	·04	28
29	·10		—	—	·24	—	·18	—	—	·15	·10	—	29
30	—	×	—	—	—	—	—	·09	—	—	—	·02	30
31	·47	×	—	×	·03	×	—	—	×	—	×	·08	31
TOTAL	2·31	2·74	·35	3·44	4·45	5·85	4·50	5·63	3·18	·80	5.50	1·57	YEAR'S TOTAL 40·32
*Days with ·01 in. or more.	14	19	8	20	18	12	22	18	13	9	19	13	185
*Days with ·04 in. or more.	12	13	3	16	15	12	19	14	11	6	16	8	145

40-9999

(Signed) George E. Arkins [P.T.O.

*See Instruction 2 (*f*) on other side.

2161

Section **A** for the entry [redacted] COPY FOR OFFICIAL USE.
AIR MINIST LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Miserden Park
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 750 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·23	—	·07	·05	—	·03	—	·43	·03	—	—	1
2	·07	·03	—	·70	·40	—	—	—	·89	—	·14	·27	2
3	—	—	·02	·02	—	—	·04	·03	·29	—	2·10	·20	3
4	—	—	·01	·08	·01	—	·47	1·26	·15	·09	—	—	4
5	—	·16	—	·17	·07	1·47	—	·01	·40	—	·02	·43	5
6	—	·13	—	·16	—	·35	·09	—	·01	·28	·16	·19	6
7	—	·01	—	·01	·04	·15	·20	·49	—	·11	·25	·03	7
8	—	·13	—	·13	—	·15	·02	·43	—	·03	·04	·03	8
9	·07	·30	—	·02	—	·30	·04	·01	—	—	·42	—	9
10	—	—	·02	—	·03	·10	·04	·18	—	—	·22	—	10
11	·30	·22	—	—	—	·09	—	·03	·25	—	·16	·03	11
12	—	—	—	—	—	—	·92	·06	·46	·04	—	—	12
13	—	—	·03	—	·05	—	·07	·50	—	—	—	—	13
14	·01	·10	—	—	·13	1·68	·77	·27	·04	—	·14	—	14
15	—	·03	—	·07	·37	—	·23	·78	·02	—	—	·05	15
16	—	·12	—	·12	·70	·67	·02	·67	·09	—	—	—	16
17	—	·25	—	·19	·27	—	·24	—	·09	·01	·05	—	17
18	·06	·02	·04	·30	—	·16	·04	·36	—	—	·26	—	18
19	·03	·03	—	·30	—	·18	·05	·18	—	—	—	—	19
20	—	·15	·14	·04	—	—	·04	·23	—	—	·03	—	20
21	·14	—	—	—	·39	—	—	—	—	—	—	—	21
22	·33	—	·01	—	—	—	—	—	—	—	·01	—	22
23	·21	—	—	·23	·80	·55	—	·05	·06	—	·62	·14	23
24	—	·01	—	·29	·33	—	·30	—	—	—	—	—	24
25	·12	—	—	·42	—	—	·25	—	—	—	·15	·01	25
26	—	·04	—	·03	—	—	·23	—	—	—	·35	—	26
27	·18	·56	—	—	·36	—	·23	—	—	—	·28	—	27
28	·22	·22	·08	·09	·18	—	—	—	—	·06	—	·04	28
29	·10		—	—	·24	—	·18	—	—	·15	·10	—	29
30	—	×	—	—	—	—	—	·09	—	—	—	·02	30
31	·47	×	—	×	·03	×	—	—	×	—	×	·08	31
TOTAL	2·31	2·74	·35	3·44	4·45	5·85	4·50	5·63	3·18	·80	5·50	1·57	YEAR'S TOTAL 40·32
*Days with ·01 in. or more.	14	19	8	20	18	12	22	18	13	9	19	13	185
*Days with ·04 in. or more.	12	13	3	16	15	12	19	14	11	6	16	8	145

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) George E Arkins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Miserden Park

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 780 ~~750~~ ft.

dofp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·01	-	·02	·93	-	-	·46	·06	·10	-	-	1
2	·02	-	-	·20	·05	-	-	-	·75	-	·02	·09	2
3	-	-	-	·43	·03	-	·02	-	·02	·05	-	-	3
4	·02	·01	-	·06	-	-	-	-	-	-	·36	-	4
5	·48	-	·05	-	·01	-	-	-	·09	-	-	-	5
6	1·06	-	·02	·12	-	-	-	-	·56	-	-	-	6
7	·12	-	·20	·05	·12	-	-	-	·37	·73	-	-	7
8	-	·01	·20	·03	·01	-	-	-	·30	·45	-	-	8
9	·63	·06	-	·15	·08	-	-	-	·01	-	-	-	9
10	·39	·07	·01	·36	·10	·01	-	-	·08	·29	-	-	10
11	-	-	-	·11	·02	-	·26	-	·11	-	·02	-	11
12	·54	-	-	-	·35	-	·30	-	·12	·58	·02	-	12
13	·15	-	-	·26	·03	-	·32	·01	-	·06	·02	·12	13
14	·26	-	-	·03	·01	-	-	·25	-	·02	·08	-	14
15	·08	-	-	·05	·69	-	-	-	-	·06	·06	·01	15
16	·26	-	-	·34	·02	-	-	-	-	-	-	-	16
17	-	-	-	·03	-	-	·07	-	- ~~·12~~	·12	·01	-	17
18	-	-	-	-	·15	-	-	-	·08	-	·22	-	18
19	-	-	-	·14	·05	-	-	-	·05	·16	-	-	19
20	-	-	-	·06	1·01	-	·03	·21	-	·78	·12	·05	20
21		-	·11	·22	·60	-	-	1·70	-	·46	·09	·08	21
22	·02	-	·12	·14	·05	·03	·12	·01	·73	·20	·18	·04	22
23	·02	·09	-	-	1·04	-	·08	-	·07	·38	·01	·10	23
24	-	·02	-	-	·01	-	·07	-	·09	·02	·01	·01	24
25	-	·01	-	·08	-	-	·08	-	·04	·58	·08	-	25
26	-	-	·12	·02	·07	-	·27	-	·05	·11	·06	-	26
27	-	-	·50	·30	·45	-	·20	-	-	·24	·02	·01	27
28	-	-	·29	·11	·30	-	·30	-	-	-	-	·03	28
29	-	-	·61	·18	·54	·18	·06	·22	·22	·35	-	·15	29
30	-	✕	·01	·11	-	1·49	·22	·28	·60	-	·98	·31	30
31	-	✕	·13	✕	-	✕	·43	-	✕	·01	✕	·35	31
TOTAL	4·14	·28	2·37	3·60	6·72	1·71	2·83	3·14	4·40	5·75	2·36	1·35	YEAR'S TOTAL 38·65
*Days with ·01 in. or more.	~~4~~15	~~5~~8	~~8~~13	~~5~~25	~~8~~25	~~2~~4	~~2~~16	~~2~~8	~~2~~20	~~3~~21	~~8~~18	~~4~~13	186
*Days with .04 in. or more.	11	3	10	20	17	2 ✓	14	6	18	18	10	9	138

40-9999

*See Instruction 2 (*f*) on other side,

(Signed)

[P.T O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Miserden Park

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 780 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·48	·36	·06	-	-	-	-	-	-	-	-	-		1
2	·61	-	·74	-	·06	-	-	-	-	-	-	-		2
3	-	·15	·30	-	·05	-	-	-	-	-	·04	-		3
4	·17	·04	-	-	·24	-	-	-	-	-	-	-		4
5	·05	-	·46	-	·03	-	-	-	-	-	-	-		5
6	-	·44	·04	-	·10	-	-	-	-	·25	-	-		6
7	·09	·03	·03	-	-	-	-	-	-	·25	-	·01		7
8	·01	·02	·08	-	·07	-	·43	-	-	·03	-	-		8
9	-	·03	-	-	·03	-	·23	-	-	·39	·06	-		9
10	·13	-	-	-	·03	-	·11	-	-	1·40	·18	-		10
11	·13	-	-	-	·03	·08	·02	·06	-	-	-	-		11
12	·03	-	-	-	·06	-	·13	-	·78	-	-	·03		12
13	·03	-	-	-	·07	-	·31	·03	-	·05	·11	-		13
14	-	-	-	-	-	-	·13	·07	-	·10	·43	-		14
15	·53	-	·17	-	-	·46	·58	·10	-	·19	-	·02		15
16	·05	-	·74	-	-	·11	·03	·02	·02	-	-	-		16
17	·03	·10	·54	-	-	·10	-	·08	·07	-	·01	-		17
18	·08	-	·09	-	-	·24	-	-	-	-	·04	-		18
19	-	-	·24	-	-	·07	-	-	·22	-	·07	-		19
20	-	·03	·05	-	-	·17	-	-	·08	-	·01	·01		20
21	-		-	-	·03	·10	-	·24	·02	·11	-	-		21
22	-	-	-	-	·10	-	-	·24	·05	·50	·01	-		22
23	-	·07	-	·18	-	·13	-	-	·57	·68	-	-		23
24	-	1·70	-	·20	·05	·72	-	-	·06	·06	·02	-		24
25	-	·57	-	·28	·20	·25	-	-	·40	-	-	·09		25
26	-	1·45	-	·12	·19	·38	-	-	·66	·09	-	-		26
27	-	·05	-	-	·85	·01	-	-	·06	·20	-	·21		27
28	-	-	-	·46	-	-	-	-	-	·10	-	·05		28
29	·13	-	-	·09	-	-	·01	-	-	-	-	·03		29
30	·04	×	·15	·02	-	-	·10		·07	-	-	·15		30
31	·22	×	·04	×	-	×	-	·06	×	·02	×	-		31
TOTAL	2·81	5·04	3·76	1·35	2·19	2·82	2·08	·90	3·06	4·42	·98	·60	Year's Total 30·01	
*Days with ·01 in. or more.	17	14	15	7	17	13	11	9	13	16	11	9	152	
*Days with ·04 in. or more.	13	10	14	6	12	12	8	7	11	14	7	4	118	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Miserden Park

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 780 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	-	-	-	-	-	·47	-	-	·05	·60		1
2	·16	-	·12	-	-	-	-	·11	·75	·04	·04	·25		2
3	·05	·03	-	-	-	-	-	-	·03	·23	-	·21		3
4	·22	-	·06	-	·30	-	-	-	·04	·25	·07	·65		4
5	·01	-	·01	-	·10	-	-	·60	-	-	·20	·38		5
6	·01	-	·21	·09	·43	-	-	·04	-	·24	-	·68		6
7	·06	·01	-	-	-	-	-	·15	-	·14	·05	·57		7
8	-	-	-	-	·17	-	-	·03	·01	-	·15	·13		8
9	·02	-	·20	-	-	-	-	-	-	-	·51	·14		9
10	·17	-	·30	·24	-	-	-	·06	-	-	·10	·03		10
11	·78	-	·10	·28	-	-	·13	·13	-	-	-	·43		11
12	·01	·01	·09	-	-	-	·13	·03	-	-	-	·07		12
13	·60	-	-	·14	-	-	2·82	·02	-	-	·03	·17		13
14	·06	-	·36	-	-	-	-	-	-	·04	·13	·23		14
15	·01	-	·04	-	·16	-	-	-	·02	·14	·27	·09		15
16	·17	-	·49	-	·09	-	-	-	-	-	·04	-		16
17	·11	-	-	·06	-	-	·03	-	·20	·05	-	·32		17
18	·22	-	·08	·28	-	-	·19	-	·04	-	-	·21		18
19	·01	-	·28	·03	·01	·07	-	·03	·09	·04	-	·19		19
20	-	-	·13	·19	-	·01	-	-	·01	-	-	-		20
21	-	-	·06	-	-	·27	·10	·05	-	·38	-	-		21
22	·02	-	·01	-	·03	-	·01	·10	·19	·06	-	·11		22
23	-	·01	-	·18	-	·20	-	-	-	-	-	·03		23
24	-	·32	·11	·19	-	·09	·72	-	·34	·10	-	-		24
25	·27	·01	-	·39	-	·41	-	-	-	·25	-	·58		25
26	·01	-	-	·22	-	·12	-	-	·07	·14	-	-		26
27	·01	-	-	·15	-	·02	-	-	-	·08	-	·30		27
28	-	-	-	-	-	·19	-	·38	-	-	-	·59		28
29	-	-	-	-	-	-	·02	·05	·57	-	·04	·02		29
30	·03	×	-	-	-	-	-	-	·04	·01	-	·19		30
31	-	×	-	×	-	×	-	-	×	·16	×	·20		31
TOTAL	3·07	·39	2·65	2·44	1·29	1·38	4·15	2·25	2·40	2·35	1·68	7·37	Year's Total. 2 31·42	
* Days with .01 in. or more.	23	6	17	13	8	9	9	15	14	17	13	26	170	
* Days with .04 in. or more.	13	1	15	12	6	7	6	11	10	16	12	23	132	

40-9999

† Spare column, no entries required.

* See **Instruction 2 (f) on other side.**

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Miserden Park

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. 2 ins.

,, Ground ,, Sea Level 780 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·03	·05	·08	·06	·09	-	·30	·05	·12	-		1
2	-	-	-	-	-	·02	-	-	-	·43	·02	-		2
3	-	·09	·04	-	-	·22	-	-	·46	·38	·32	-		3
4	-	-	-	·22	-	·24	-	-	·19	·07	·06	·02		4
5	-	·41	·25	-	-	·54	-	-	·29	·07	·04	·02		5
6	-	·05	·01	·48	-	·68	-	-	-	-	-	·08		6
7	-	-	-	·38	-	·26	-	-	-	·19	·12	·09		7
8	-	-	-	·30	-	-	-	-	-	·18	·20	·08		8
9	·03	-	-	1·05	-	·23	-	-	·01	1·41	·55	-		9
10	-	-	-	·44	-	-	-	-	-	·01	·07	-		10
11	·29	-	-	-	-	·13	-	-	-	-	·29	-		11
12	-	·08	-		-	·31	-	·01	·05	-	·05	-		12
13	·08	·15	-	·43	·20	·01	-	-	-	-	·08	-		13
14	-	-	-	·01	·06	·13	-	-	·19	·02	1·05	·27		14
15	-	·06	-	·90	·15	·01	-	-	·54	·02	·27	·12		15
16	-	·06	·07	·26	-	·12	-	-	·34	·10	·98	·05		16
17	-	·01	-	·12	-	·25	·04	-	·03	-	·49	-		17
18	-	·08	-	·45	·06	·05	·17	-	·40	·04	-	-		18
19	-	·04	-	·19	·26	·23	·19	-	·20	·12	·23	·06		19
20	·03	·54	-	·03	·65	·14	·08	-	-	-	·91	-		20
21	-	·55	·03	-	-	-	-	-	1·10	·02	·04	-		21
22	-	·15	-	·12	-	-	-	·10	·24	-	-	-		22
23	·01	·10	·07	·02	-	-	-	·24	·11	·82	-	·25		23
24	·12	·45	·05	-	-	-	-	·14	·64	·08	-	·27		24
25	·14	·38	-	·20	-	·45	-	-	-	-	-	·30		25
26	-	·17	-	-	-	-	-	·27	·16	-	-	·79		26
27	-	·17	-	-	·08	-	-	-	·07	·01	·14	1·28		27
28	-	-	-	-	·01	-	-	·02	·15	-	-	·06		28
29	-		·06	-	-	-	-	·05	·13	·03	·15	·30		29
30	·05	×	-	·07	·02	-	-	1·08	·09	·26	·38	·27		30
31	-	×	-	×	·01	×	-	·09	×	·54	×	·39		31
TOTAL	·76	3·54	·61	5·72	1·58	4·08	·57	2·00	5·69	4·85	6·56	4·70	Year's Total. 40·66	
* Days with .01 in. or more.	9	18	9	19	11	19	5	9	21	21	22	18	181	
* Days with .04 in. or more.	5	17	6	16	8	16	5	7	19	15	21	16	151	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Miserden Park

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 2 ins

,, Ground ,, Sea Level 780 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·14	·11	·30	-	·33	·42	·14	-	-	·14	·05		1
2	·10	·08	·14	·03	-	·26	·78	·02	-	-	·24	-		2
3	-	-	-	·13	-	·28	·06	·03	·71	-	·07	·03		3
4	·04	-	·23	-	-	·01	-	-	·21	-	·10	·33		4
5	·34	·02	·05	-	·24	-	·06	·04	·07	-	·04	·02		5
6	·07	-	·02	-	-	·08	·26	·16	·23	-	·24	-		6
7	·04	-	·11	-	-	·02	·61	-	·01	-	·22	·11		7
8	·36	-	·24	-	-	-	·02	-	-	-	·60	·05		8
9	·77	-	·15	-	-	-	·50	-	·17	-	-	·01		9
10	·16	-	-	-	-	-	·34	-	-	-	-	-		10
11	-	·09	-	·06	-	·06	·20	·05	·08	-	·50	-		11
12	-	-	-	·07	·48	·38	·52	·01	·66	-	·19	·14		12
13	-	-	-	·03	-	·06	-	·04	-	·09	·06	1·08		13
14	-	·02	-	·15	-	·03	·62	-	·19	·01	·03	·84		14
15	-	·01	-	-	·19	-	·01	-	·06	-	·10	·19		15
16	·09	·21	-	·12	-	-	·11	-	·01	-	·65	·04		16
17	·18	·78	-	·02	-	-	·13	·03	-	·09	·10	·55		17
18	-	·07	-	-	-	-	·43	·04	-	·07	-	·14		18
19	·51	·10	·03	·21	-	·12	-	·15	-	-	-	-		19
20	·03	·18	·05	·09	-	·25	-	-	·47	-	-	-		20
21	-	-	-	·47	-	·11	·04	-	·04	-	·01	-		21
22	·06	·63	·15	-	·17	-	·33	-	-	·02	-	·10		22
23	·07	-	·07	·12	·08	-	·23	-	-	·04	-	·01		23
24	·24	·05	-	·04	-	-	·04	-	·28	·14	·01	-		24
25	·07	-	·18	·58	-	-	·28	-	·52	·18	·04	-		25
26	·06	·20	·17	·06	-	·02	-	-	-	·02	-	-		26
27	·08	·02	·07	-	-	-	·05	-	·09	·07	-	-		27
28	·51	·02	·37	-	-	-	·05	-	-	-	-	·25		28
29	·01	·42	·06	-	-	1·30	·12	-	-	·05	·05	·29		29
30	·20	✕	·01	-	·20	·06	·10	-	-	·69	-	-		30
31	·58	✕	·33	✕	-	✕	·15	-	✕	·24	✕	·37		31
TOTAL	4·65	3·04	2·54	2·48	1·36	3·37	6·46	·71	3·80	1·71	3·39	4·60	Year's Total 38·11	✓
* Days with .01 in. or more.	23	17	19	16	6	16	26	11	16	13	19	19	201	✓
* Days with .04 in. or more.	21	12	16	13	6	12	24	7	14	10	16	15	166	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

for Mrs Noel Wills

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Miserden Park

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. 2 ins

,, Ground ,, Sea Level 780 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·02	-	·07	-	-	-	-	·02	-	·24	·39		1
2	·01	·39	·01	·14	-	-	.	-	-	-	-	·43		2
3	-	·56	-	-	·01	-	·12	-	·04	-	·01	·08		3
4	·11	·42	-	-	·03	-	·02	-	-	-	-	·32		4
5	·22	-	·10	·02	-	-	·01	-	.	-	-	-		5
6	·22	·11	·26	·20	·15	-	·12	.	·01	·06	·02	-		6
7	-	·72	·02	·26	-	-	-	.	-	.	-	-		7
8	-	·06	-	-	·15	-	·03	-	-	.	·33	·02		8
9	·02	-	·02	·11	·31	-	·09	-	·40	.		·05		9
10	·04	-	·60	1·53	-	·22	·02	-	-	.		·21		10
11	-	.	·20	-	·33	·09	·14	-	-	.		·04		11
12	·52	·29	·39	-	·14	·19	·01	·12	·13	.		·22		12
13	·13	·04	·54	·07	.	·08	.	·02	·01	.		-		13
14	-	·07	·18	·05	-	.	.	·48	·05	.		·11		14
15	·24	·22	-	·29	.	-	2·52	.	·13	.		·18		15
16	-	·17	·55	·54	-	·04	·02	·12	·29	.		-		16
17	·43	·04	·25	·04	.	·01	·01	-	·40	.		-		17
18	·52	·15	·24	·01	-	·12	.	·02	·24	·01	·20	·20		18
19	·16	·04	·11	·14	·16	·32	.	-	·05	·01	·22	-		19
20	·47	·04	·27	·37	·19	.	.	-	·03	·01	-	·08		20
21	·38	·32	·14	·01	·05	-	·08	-	-	-	·02	·18		21
22	·26	·05	·09	-	·25	·16	·20	-	·01	1·08	·64	·07		22
23	·33	·12	·05	-	·04	-	·03	-	-	·55	·03	·01		23
24	·19	·45	-	.	·04	-	-	-	·07	·47	-	·06		24
25	-	·45	·06	.	·10	-	-	-	·04	·49	·01	·03		25
26	-	·38	-	.	·56	-	-	-	.	·01	-	·03		26
27	·01	·24	-	·24	.	-	-	-	.	·60	-	-		27
28	-	·06	-	-	.	.	-	-	.	·06	.	·03		28
29	·03	-	.	-	.	·01	-	-	.	·10	·05	·01		29
30	·37	☒	-	.	.	·01	.	-	.	.	·35	-		30
31	·15	☒	.	☒	.	☒	.	-	☒	·35	☒	-		31
TOTAL	4·90	5·41	4·08	4·09	2·51	1·25	3·42	·76	1·92	3·80	2·12	2·75	Year's Total 37·01	✓ ✓
* Days with .01 in. or more.	22	24	19	17	15	11	15	5	16	13	12	21	190	✓ ✓
* Days with .04 in. or more.	18	23	16	14	13	8	7	3	11	9	7	15	144	✓ ✓

† Spare column, no entries required.

(*Signed*) John Rowe

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Miserden

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

as in 1937

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·01	—	—	·63	·09	·19	—	·35	—	·23	1·50	1
2	·02	—	—	·02	·03	—	·01	—	—	·35	—	—	·43	2
3	—	—	—	—	·22	·02	—	—	—	·80	·08	—	1·12	3
4	·06	—	—	—	—	·03	·38	·80	—	·85	—	·31	2·43	4
5	·01	—	—	—	—	·01	·23	·03	·03	·17	·01	—	·49	5
6	·06	·01	—	—	—	·05	·31	—	·04	·22	—	·45	1·14	6
7	·02	—	—	—	—	—	·37	·21	·16	·15	—	·09	1·00	7
8	·49	—	—	—	—	·02	·16	·11	·02	·33	—	·01	1·14	8
9	·08	·04	—	—	—	—	·02	·29	—	—	—	·47	·90	9
10	·13	—	—	—	—	·32	·05	·61	—	—	—	·28	1·39	10
11	·25	—	—	—	·36	—	—	·07	—	·01	·27	·11	1·07	11
12	·41	·02	—	—	—	—	—	—	—	·26	·20	—	·89	12
13	·07	—	—	—	·01	—	·01	—	—	·08	·41	·85	1·44	13
14	·64	·02	—	—	·02	—	·61	—	·08	—	—	—	1·37	14
15	·30	—	—	—	—	—	·02	·01	—	·02	·03	·32	·70	15
16	·32	—	·10	—	·02	—	—	·03	—	—	·04	·04	·55	16
17	—	·08	—	—	—	—	—	—	·03	·18	—	—	·29	17
18	·14	—	—	—	—	—	—	·04	·67	·01	·51	—	1·37	18
19	—	—	—	—	—	—	—	·17	·08	—	·60	—	·85	19
20	·01	—	—	—	—	—	—	—	·02	—	·16	—	·19	20
21	·03	—	—	—	—	—	—	—	·01	—	·01	·42	·47	21
22	·02	—	—	·20	—	·03	—	·13	—	—	·39	·23	1·00	22
23	—	—	—	·02	·01	—	—	·18	·57	—	·03	·02	·83	23
24	·02	—	·17	—	·13	—	—	—	·13	—	·05	—	·50	24
25	·17	·35	·04	—	·07	—	·08	·06	—	·18	·35	·30	1·60	25
26	·20	·33	·03	—	·08	·01	—	—	·13	·24	—	·27	1·29	26
27	·04	·02	—	—	·62	·25	·47	—	·08	·05	·37	—	1·90	27
28	·08	·10	—	—	·04	·27	·02	·02	·05	—	—	·12	·70	28
29	·15	—	—	—	·54	—	—	·65	·03	·09	·20	·11	1·77	29
30	·05	✕	—	—	·02	·04	—	—	·99	·02	·31	·03	1·46	30
31	·25	✕	—	✕	·49	✕	—	—	✕	·09	✕	·19	1·02	31
													Year's Total	
TOTAL	4·02	·97	·35	·24	2·66	1·68	2·83	3·60	3·12	4·45	4·02	4·85	32·79	✓
* Days with .01 in. or more.	26	9	5	3	15	12	15	17	17	20	18	20	177	✓
* Days with .04 in. or more.	19	5	3	1	9	6	10	13	11	16	14	17	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John Poore

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2161

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Miserden Park

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·07	·21	·22	—	—	—	·14	—	—	·08		1
2	·12	—	·02	·05	—	—	—	·65	·43	—	·07	·07		2
3	·15	—	—	·36	—	—	—	·51	·25	—	·18	·19		3
4	·10	—	·58	·60	·18	—	·58	·21	·22	·37	·08	·35		4
5	—	—	—	1·09	·33	—	·20	·61	—	·16	·65	·19		5
6	·53	—	·01	·03	·06	—	1·05	·04	—	·02	·04	·01		6
7	·06	·13	—	—	·03	—	·03	—	—	—	·40	·51		7
8	·01	·27	·49	—	—	—	·54	·14	—	·93	·24	·80		8
9	·05	·05	—	—	—	—	—	·10	·06	·35	·02	·16		9
10	·30	·01	·14	—	—	·16	—	·16	—	·01	—	—		10
11	—	·04	·26	—	—	—	—	—	—	·11	·01	—		11
12	·05	·07	—	—	—	·04	—	—	—	—	·04	—		12
13	—	—	—	·06	·01	—	·26	—	·05	·45	·02	—		13
14	·88	—	·04	·01	·31	·03	·13	—	—	·02	·12	·03		14
15	·45	—	·05	—	·14	·67	·48	—	·01	·26	·35	—		15
16	·09	·04	·02	·06	·11	·10	·17	—	—	—	·40	—		16
17	·43	·04	—	—	·01	·10	·15	—	—	·17	·05	—		17
18	·55	—	·03	—	—	·63	·29	—	—	·20	·48	·01		18
19	·28	—	—	—	·03	—	·25	—	·01	—	—	—		19
20	·33	—	—	—	—	—	·30	·05	—	—	—	·02		20
21	·13	·27	·27	·03	—	—	·42	·57	·01	—	—	—		21
22	·76	·32	·03	·02	—	·10	·03	—	—	·01	·23	·01		22
23	·03	—	·06	·32	—	·11	·38	—	—	—	·70	—		23
24	·38	—	·05	·05	—	·14	·01	—	—	·10	—	—		24
25	·98	·10	·05	—	—	—	·08	·01	—	·08	·25	—		25
26	·25	·07	—	·03	—	—	—	·36	—	·11	·58	·04		26
27	—	·13	·12	—	—	·04	·21	—	—	·05	·03	·06		27
28	·01	·13	·12	·06	—	·04	·35	·01	—	—	·41	·07		28
29	—	×	—	·28	—	—	·26	—	—	·11	·08	—		29
30	—	×	—	1·01	—	—	·02	—	—	—	·02	·16		30
31	—	×	—	×	—	×	·05	·12	×	·10	×	—		31
TOTAL	6·94	1·67	2·41	4·27	1·43	2·16	6·24	3·54	1·18	3·61	5·45	2·76	Year's Total 41·66	
* Days with .01 in. or more.	24	14	18	17	11	12	23	14	9	19	24	17	202	
* Days with .04 in. or more.	7	14	13	13	20	18	8	17	21	12	6	14	163	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2161 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at MISERDEN

in the County of GLOS

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

As previous return

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·06							·19	·01		1
2		·08		·23			·05				1·45	·01		2
3		·24		·01						·25	1·16	·01		3
4		·11								·14	·42	·06		4
5		·02					·11			·18	·95	·09		5
6	·27	·30								·18		·02		6
7	·02	1·08		·05			·13							7
8				·02						·20	·14	·07		8
9				·04		·34	·36	·12	·04	·40	·27	·12		9
10			·03				·80	·03		·06	·16	·14		10
11				·08			·20				·54	·08		11
12			·17			·01	·65		·07		·06			12
13			·57				·07		·02		·40	·02		13
14			·04	·08	·64		·02	·03	·10	·24		·34		14
15			·08	·03	·09	·04	·03		·16	·27	·21			15
16		·33	·30	·02		·04	·17		·17	·79	·63	·10		16
17			·19	·01			·01				·02			17
18	·10	·45	·64	·58			·05	·06	·07	14	·14	·15		18
19	·+	·18	·16	·08			·69		·14		·37	·02		19
20		·02	·02				·04	·02		·36	·04			20
21	·02	·01			·07	·07	·07				1·20			21
22		·05	·13	·06	·07	·29		·01	·52					22
23		·30	·12	·08	·11	·04			·01		·08	·06		23
24			·06				·19					·01		24
25				·02		·05								25
26	·98	·25		·03			·41							26
27	1·25	·26		·16	·10		·03			·02				27
28		·15		·22	·12			·03						28
29			·14	·36	·04		·03			·02		·31		29
30		✕		·12	·04					·37		·04		30
31		✕	·12	✕	·01	✕			✕	·85	✕	·01		31
TOTAL	2·64	3·83	2·77	2·36	1·29	·88	4·11	·30	1·30	4·47	8·43	1·67	Year's Total 34·05	✓
* Days with .01 in. or more.	6	16	15	22	10	8	20	7	10	16	19	20	169	✓
* Days with .04 in. or more.	4	13	13	14	9	8	15	2	8	14	18	12	130	✓

† Spare column, no entries required.

(*Signed*) George E. [illegible]

P.T.O.

* See Instruction 3 (f) on other side.

2162

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGIS

Kept at Whitminst

in the County of Glouc

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t

year in the space on the right of t

ollowing

Jan. 1, following

2162

WHITMINSTER
THE JUNCTION
1931 —— 40

786402

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·02	–	–	·15	·01	·01	–	–	·38	·05	–	–	1
2	·08	–	–	·90	·19	–	–	–	·48	–	·03	·29	2
3	–	–	–	·01	–	–	·08	·05	·98	·01	1·62	·22	3
4	–	–	·03	·07	–	·02	·30	·71	·02	·02	·02	–	4
5	–	·07	–	·02	·07	1·21	·01	·02	·02	–	–	·71	5
6	–	·01	–	·09	–	·24	·05	–	·12	·26	–	·15	6
7	–	–	–	·03	·04	·10	·07	·61	–	·03	·25	·02	7
8	Snow ·01	·13	Snow ·01	·05	·19	·32	·01	·39	–	–	·02	–	8
9	·03	·15	·01	·02	–	·36	·10	–	–	·01	·44	·01	9
10	–	·02	–	–	–	·06	–	·02	–	–	·21	–	10
11	·08	·30	–	–	–	–	·15	–	·03	–	·32	·01	11
12	–	·08	–	–	–	–	–	·01	·12	·10	–	–	12
13	–	–	·04	–	·04	–	·02	·30	·03	–	–	–	13
14	–	·05	–	–	·06	·63	·53	·46	·04	–	·13	–	14
15	–	·03	–	·10	·25	–	·81	·85	·03	–	–	·05	15
16	–	Pt Snow ·15	–	·05	·27	·65	·08	·31	·16	–	–	–	16
17	·03	Pt. Snow ·11	–	·10	·22	·01	·12	–	·04	–	·03	–	17
18	·05	·03	–	·10	–	·29	·01	·42	·03	–	·26	–	18
19	–	·05	·01	·07	–	·07	·01	·15	–	–	·02	–	19
20	–	·10	·22	–	–	–	·01	·26	–	–	–	–	20
21	·24	–	·02	–	·30	–	–	·16	–	–	·03	–	21
22	·29	–	·23	–	·03	–	–	·01	–	–	·05	–	22
23	·18	–	–	·19	·60	·32	–	–	·08	–	·50	·13	23
24	·02	·01	–	·41	·20	–	·35	–	–	–	–	·01	24
25	·15	–	–	·45	·02	–	·37	–	–	–	·10	–	25
26	–	–	–	·02	–	–	·21	–	–	–	·43	–	26
27	·14	·41	–	–	·75	–	·04	–	–	–	·13	·01	27
28	·04	Pt Snow ·13	·09	·09	·19	–	·01	–	–	–	·01	·06	28
29	–	✕	·01	–	·15	–	·17	–	–	–	·10	–	29
30	–	✕	–	–	–	–	–	–	·02	·08	–	–	30
31	·30	✕	–	✕	·02	✕	–	–	✕	–	✕	·05	31
TOTAL	1·66	1·83	·67	2·62	3·60	4·29	3·51	4·73	2·58	·56	4·70	1·72	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	15	17	10	19	19	14	22	16	16	8	20	13	189
*Days with ·04 in. or more.	10	12	4	14	15	11	15	12	9	4	13	8	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

2162

Section **A** for the entry of COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH L ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Whitminster

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	-	-	·15	·01	·01	-	-	·38	·05	-	-	1
2	·08	-	-	·90	·19	-	-	-	·48	-	·03	·29	2
3	-	-	-	·01	-	-	·08	·05	·98	·01	1·62	·22	3
4	-	-	·03	·07	-	·02	·30	·71	·02	·02	·02	-	4
5	-	·07	-	·02	·07	1·21	·01	·02	·02	-	-	·71	5
6	-	·01	-	·09	-	·24	·05	-	·12	·26	-	·15	6
7	-	-	-	·03	·04	·10	·07	·61	-	·03	·25	·02	7
8	Snow ·01	·13	Snow ·01	·05	·19	·32	·01	·39	-	-	·02	-	8
9	·03	·15	·01	·02	-	·36	·10	-	-	·01	·44	·01	9
10	-	·02	-	-	-	·06	-	·02	-	-	·21	-	10
11	·08	·30	-	-	-	-	·15	-	·03	-	·32	·01	11
12	-	·08	-	-	-	-	-	·01	·12	·10	-	-	12
13	-	-	·04	-	·04	-	·02	·30	·03	-	-	-	13
14	-	·05	-	-	·06	·63	·53	·46	·04	-	·13	-	14
15	-	·03	-	·10	·25	-	·81	·85	·03	-	-	·05	15
16	-	Pt Snow ·15	-	·05	·27	·65	·08	·31	·16	-	-	-	16
17	·03	Pt. Snow ·11	-	·10	·22	·01	·12	-	·04	-	·03	-	17
18	·05	·03	-	·10	-	·29	·01	·42	·03	-	·26	-	18
19	-	·05	·01	·07	-	·07	·01	·15	-	-	·02	-	19
20	-	·10	·22	-	-	-	·01	·26	-	-	-	-	20
21	·24	-	·02	-	·30	-	-	·16	-	-	·03	-	21
22	·29	-	·23	-	·03	-	-	·01	-	-	·05	-	22
23	·18	-	-	·19	·60	·32	-	-	·08	-	·50	·13	23
24	·02	·01	-	·41	·20	-	·35	-	-	-	-	·01	24
25	·15	-	-	·15	·02	-	·37	-	-	-	·10	-	25
26	-	-	-	·02	-	-	·21	-	-	-	·43	-	26
27	·14	·41	-	-	·75	-	·04	-	-	-	·13	·01	27
28	·04	Pt Snow ·13	·09	·09	·19	-	·01	-	-	-	·01	·06	28
29	-	X	·01	-	·15	-	·17	-	-	-	·10	-	29
30	-	X	-	-	-	-	-	-	·02	·08	-	-	30
31	·30	X	-	X	·02	X	-	-	X	-	X	·05	31
TOTAL	1·66	1·83	·67	2·62	3·60	4·29	3·51	4·73	2·58	·56	4·70	1·72	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	15	17	10	19	19	14	22	16	16	8	20	13	189
*Days with ·04 in. or more.	10	12	4	14	15	11	15	12	9	4	13	8	127

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Junction Whitminster

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03	–	·02	1·26	–	·01	·35	·05	·14	·01	–	1
2	·01	–	–	·11	·13	–	·01	–	·25	·05	·02	·15	2
3	·01	·03	–	·50	·02	–	·02	–	·01	·04	·03	·02	3
4	·02	·01	–	·05	·01	–	–	–	–	–	·54	–	4
5	·80	–	·03	–	·01	–	–	–	·08	·01	–	–	5
6	·90	–	–	·04	–	–	·03	–	·25	–	–	–	6
7	·13	–	·08	·14	·16	–	–	–	·25	·80	–	·02	7
8	·01	–	·23	·04	·05	–	–	–	·57	·38	–	–	8
9	·42	Snow ·02	·01	·10	·08	–	–	–	·01	·01	–	–	9
10	·30	Snow ·03	·02	·26	·09	·08	–	–	·02	·15	–	–	10
11	·02	–	–	·04	·01	·02	·05	·01	·03	–	·01	–	11
12	·58	–	–	·01	·30	–	–	–	·11	·15	·01	·05	12
13	·08	·03	–	·18	·08	–	·45	·08	–	·15	·01	·03	13
14	·45	–	–	·05	·01	–	–	·38	–	·01	·04	·02	14
15	·03	·01	–	·04	·57	–	·15	–	–	·02	·01	·03	15
16	·26	–	–	·25	·04	–	·01	–	–	–	–	–	16
17	·01	–	–	·03	–	–	–	–	–	–	–	–	17
18	–	–	–	–	·18	–	·02	–	·20	–	·24	–	18
19	–	–	–	·19	·10	–	–	–	·05	·23	–	–	19
20	–	–	–	·29	1·10	–	·01	·23	–	·70	·10	·06	20
21	·01	–	·23	·28	·54	–	·01	2·25	–	·52	·05	·07	21
22	–	–	·03	·10	·01	–	·09	·04	·78	·11	·14	·06	22
23	·01	·01	·04	·01	·52	–	·03	–	·04	·37	·01	–	23
24	–	·02	–	–	·04	–	·03	–	·07	·03	–	·08	24
25	–	–	–	·05	–	–	·11	–	·04	·38	·15	·01	25
26	–	–	·10	·01	·02	–	·35	–	·02	·03	·05	–	26
27	–	–	·50	·17	·45	–	·13	–	–	·54	·01	–	27
28	–	–	·03	·09	·15	·11	·13	–	–	–	–	·03	28
29	·01	–	·45	·08	·35	·28	·05	·19	·13	·38	–	·20	29
30	–	×	·02	·10	·02	1·12	·23	·16	·52	–	·75	·20	30
31	–	×	·10	×	–	×	·56	–	×	·01	×	·32	31
TOTAL	4·13	·19	1·87	3·23	6·30	1·61	2·48	3·69	3·48	5·21	2·18	1·35	YEAR'S TOTAL 35·72
*Days with ·01 in. or more.	20	9	14	27	27	5	21	9	20	23	18	16	209
*Days with .04 in. or more.	10	–	8	22	19	4	11	8	15	16	9	9	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Junction Whitminster

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·59	·30	·02	-	·01	-	-	-	-	·18	·01	·05		1
2	·51	-	·40	-	·06	·01	-	-	-	-	-	-		2
3	·01	·09	·34	-	·08	-	-	-	-	-	-	-		3
4	·12	·03	·02	-	·16	-	-	-	-	-	-	-		4
5	·05	·01	·45	-	·01	-	-	-	-	-	·02	-		5
6	-	·24	·01	-	·22	-	-	-	-	·15	-	-		6
7	·03	·01	·10	-	·01	-	·02	-	-	·15	-	·01		7
8	·01	-	·05	-	·03	·02	·38	-	-	·02	-	-		8
9	-	·03	-	-	·03	-	·30	-	-	·37	·02	-		9
10	·10	-	-	-	·02	-	·01	-	-	1·65	·01	-		10
11	·10	-	-	-	·04	·06	·05	·05	-	·01	-	-		11
12	·02	-	-	-	·03	-	·15	-	·38	-	-	-		12
13	·03	-	-	-	·04	·02	·22	·02	-	·11	·05	-		13
14	·09	-	-	-	-	-	·14	·03	-	·01	·25	-		14
15	·47	-	·08	-	-	-	·12	·05	-	·28	-	-		15
16	·01	-	·58	-	-	·06	·14	·09	·02	·02	·02	·11		16
17	Snow ·02	-	·23	-	-	·01	·01	-	·01	-	·01	-		17
18	·18	·01	·09	-	-	·03	-	-	-	-	·01	-		18
19	-	-	·35	-	-	·19	-	-	·02	-	·14	-		19
20	-	·01	·04	-	·03	·03	-	-	·10	-	·01	-		20
21	-	-	-	-	·12	·04	-	·05	-	·05	-	-		21
22	-	-	-	·01	·03	·15	-	·33	·02	·09	-	-		22
23	-	·03	-	·18	-	·07	-	·01	·54	·73	-	-		23
24	-	Pt. Snow 1·20	-	·28	-	·75	-	-	·02	·04	-	-		24
25	-	·50	-	·11	·05	·21	-	-	·52	-	-	·07		25
26	-	·55	-	·03	·40	-	-	-	·67	·03	-	-		26
27	-	·01	-	-	·71	-	-	-	·02	·04	-	·06		27
28	-	-	-	·30	-	-	-	-	·03	·01	-	·01		28
29	·05	×	-	·05	·01	-	-	-	-	-	-	·01		29
30	·07	×	·08	·02	-	-	-	-	·15	-	-	·10		30
31	·42	×	·02	×	-	×	·01	·07	×	·01	×	-		31
TOTAL	2·88	3·02	2·86	·98	2·09	1·65	1·55	·70	2·50	3·95	·55	·42	Year's Total 23·15	
*Days with ·01 in. or more.	19	14	16	8	20	14	12	9	13	19	11	8	163	
*Days with ·04 in. or more.	12	6	12	5	10	8	8	6	6	12	3	5	93	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Junction Whitminster

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	–	–	–	–	·28	·13	·02	·02	·39		1
2	·11	–	·03	–	·02	–	–	–	·50	·01	·01	·15		2
3	·02	·01	–	–	–	–	–	–	·01	–	–	·12		3
4	·12	–	·04	–	·29	–	–	–	·15	·38	·06	·32		4
5	–	–	–	–	–	–	–	·50	–	–	·14	·58		5
6	·01	–	·11	·09	·50	–	–	·02	–	·14	–	·42		6
7	·02	·01	·01	–	–	–	–	–	–	·13	·02	·32		7
8	–	–	–	–	·18	·01	–	·14	·01	–	·06	·08		8
9	–	–	·06	–	–	–	–	–	·01	–	·45	·12		9
10	·13	·01	·07	·10	–	–	–	·06	–	–	·08	–		10
11	·90	–	·06	·30	–	–	·08	·08	–	–	–	·14		11
12	–	–	·11	–	·18	–	·46	·03	–	–	–	·02		12
13	·45	–	–	·10	–	–	·61	–	–	–	–	·13		13
14	·02	–	·29	–	–	–	–	–	–	–	·10	·28		14
15	–	–	·02	–	·14	–	·01	–	·03	·08	·22	·02		15
16	·14	–	·44	–	–	–	–	–	–	–	·01	·01		16
17	·08	–	–	·03	·01	–	–	–	·31	·02	·02	·22		17
18	·15	–	·04	·36	–	–	–	–	·01	–	–	·33		18
19	–	–	·09	–	–	·01	–	–	·02	·08	–	·10		19
20	–	–	·10	·09	–	–	·01	–	–	·01	–	–		20
21	–	–	·05	–	–	·25	·11	·16	–	·24	–	–		21
22	–	–	·03	–	·03	–	–	·10	·06	·04	–	·22		22
23	–	–	·02	·10	–	·10	·01	–	·01	·01	–	–		23
24	–	·44	·06	·08	–	·20	·03	–	·22	·01	–	–		24
25	·16	·01	–	·40	–	·24	–	–	–	·18	–	·36		25
26	–	–	·04	·27	–	·10	–	–	·05	·08	–	·14		26
27	–	–	–	·15	–	–	–	–	–	·06	–	·16		27
28	–	–	–	·19	–	·21	–	·21	–	–	–	·51		28
29	–	×	–	·10	–	–	–	–	·34	–	–	·01		29
30	·06	×	–	–	–	–	–	–	–	·02	–	·13		30
31	–	×	–	×	–	×	–	–	×	Pt. Snow ·15	×	·04		31
TOTAL	2·39	·48	1·67	2·36	1·35	1·12	1·32	1·58	1·86	1·66	1·19	5·32	Year's Total. 22·30	
* Days with .01 in. or more.	15	5	19	14	8	8	8	10	15	18	12	26	158	
* Days with .04 in. or more.	10	1	14	13	5	6	4	8	8	11	7	22	109	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Junction Whitminster

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·01	·01	·06	·03	·01	-	·11	·05	·09	·01		1
2	-	-	·01	-	-	·23	-	-	·07	·21	·01	-		2
3	-	·01	·02	-	-	·13	-	-	·34	·33	·26	-		3
4	·02	·02	-	·15	-	·09	-	-	·04	·30	·01	·07		4
5	-	·20	·25	·01	-	·20	-	-	·25	·03	·01	-		5
6	-	-	·01	·27	-	·47	-	-	-	·04	·03	·08		6
7	-	-	-	·34	-	·21	-	-	-	·24	·04	·10		7
8	-	-	-	·30	-	-	-	-	-	·08	·20	·06		8
9	·03	-	-	·83	-	·31	-	-	-	1·10	·18	-		9
10	-	-	-	·33	-	-	-	-	-	-	·05	-		10
11	Pt Snow ·32	·01	-	-	-	·03	-	-	-	·01	·33	-		11
12	-	·07	-	-	-	·22	-	-	·01	-	·07	-		12
13	·09	·07	-	·28	·09	·02	-	-	·06	-	·06	-		13
14	-	-	-	·01	-	·28	-	-	·06	-	1·03	·14		14
15	-	·07	-	·72	·19	·30	·07	-	·39	-	·20	·05		15
16	-	·03	·11	·29	-	·04	-	-	·38	·01	·63	-		16
17	-	-	-	·03	-	·20	-	-	·02	·02	·24	-		17
18	-	·01	-	·19	·04	·01	·05	-	·40	·03	-	·01		18
19	-	·02	-	·04	·13	·12	·31	-	·07	·04	·10	Snow ·09		19
20	-	·51	-	·05	·22	·03	·03	-	·01	·03	·59	-		20
21	-	·43	·01	·01	-	-	-	-	1·20	·01	·01	-		21
22	-	·05	-	·12	-	-	-	-	·25	-	-	-		22
23	-	·06	·12	-	-	-	-	·16	·11	·85	-	·02		23
24	·04	·20	·12	-	-	-	-	·11	·31	·13	-	·22		24
25	·12	·23	-	·17	-	·66	-	-	-	-	-	·11		25
26	-	·19	-	-	-	-	-	·17	·09	-	-	·75		26
27	-	·15	-	-	·05	-	-	-	·03	-	·07	1·01		27
28	·03	-	-	-	·02	-	-	·07	·11	-	-	·01		28
29	·02	×	·02	-	-	-	-	·20	·09	·03	·08	·19		29
30	·03	×	-	·12	-	-	-	·56	·08	·50	·60	·12		30
31	-	×	-	×	-	×	-	·20	×	·38	×	·19		31
TOTAL	·71	2·33	·68	4·27	·80	3·58	·47	1·47	4·48	4·42	4·89	3·23	Year's Total 31·33	
* Days with .01 in. or more.	10	18	10	20	8	19	5	7	23	21	23	18	182	
* Days with .04 in. or more.	4	12	4	15	7	14	3	7	19	13	18	14	130	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

27·4

[R.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Whitminster (The Junction)

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.03	.01	.29	—	.29	.63	.19	—	—	.05	.04		1
2	.05	.02	.01	.02	—	.50	.69	.02	—	—	.24	—		2
3	—	—	—	—	—	.05	.01	.03	.75	—	.09	.02		3
4	.01	—	.17	—	—	—	—	—	.19	—	.07	.30		4
5	.27	.01	.03	—	.05	—	.07	.01	.02	—	.02	.05		5
6	.04	—	.01	—	—	.03	.41	.02	.06	—	.12	—		6
7	.02	—	.08	—	—	.03	.37	—	—	—	.26	.07		7
8	.29	—	.17	—	—	—	.05	—	—	—	.71	.01		8
9	.74	—	.09	—	—	—	.32	—	.01	—	—	—		9
10	.02	—	—	—	—	—	.40	—	.01	—	.01	—		10
11	—	Snow .40	—	.10	—	.16	.05	.01	.09	—	.24	—		11
12	—	—	—	.03	.05	.30	.37	.01	.17	—	.04	pt Snow .15		12
13	—	—	—	.10	—	.05	.01	.03	—	.02	.04	.90		13
14	—	.01	—	.24	—	.02	.59	—	.09	—	.03	.75		14
15	—	.01	—	.03	.01	—	—	—	.29	—	.12	.16		15
16	Snow .07	.12	—	.01	.02	—	.09	—	—	—	.38	.03		16
17	pt Snow .08	.45	—	—	.02	—	.10	—	—	.04	.04	.74		17
18	—	.04	—	—	—	.25	.35	.04	—	.01	—	.07		18
19	.20	.13	.04	.21	—	.02	—	.02	—	.02	—	.01		19
20	—	.04	.10	.05	—	.50	—	—	.55	—	—	—		20
21	—	—	—	.36	—	.03	.01	—	.09	—	.01	—		21
22	.04	.56	.07	.01	.31	—	.22	—	—	—	—	—		22
23	.10	—	.53	.10	.05	—	.21	—	—	.01	—	.10		23
24	.10	.05	—	.05	.01	—	.06	—	.40	.18	—	—		24
25	.08	.02	.14	.33	—	—	.23	—	.06	.09	.04	—		25
26	.07	.09	.17	.05	—	.11	—	—	—	.01	—	—		26
27	.11	.02	.04	—	—	—	.02	—	.01	.05	—	—		27
28	.57	.02	.24	—	—	—	.06	—	—	—	.01	.11		28
29	.01	.08	.05	—	.01	.53	.02	—	—	.02	.05	.02		29
30	.09	☒	—	—	.17	.05	.07	—	—	.48	—	—		30
31	.43	☒	.49	☒	.15	☒	.07	—	☒	.08	☒	.33		31
TOTAL	3·37	2·10	2·44	1·98	·85	2·92	5·48	·38	2·79	1·01	2·57	3·86	Year's Total 29·75	✓
* Days with .01 in. or more.	22	18	18	16	11	16	26	10	15	12	20	18	202	✓
* Days with .04 in. or more.	18	10	14	11	6	11	21	2	11	6	15	13	138	✓

40-9999.

* See Instruction 2 (f) on other side.

TF

† Spare column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at WHITMINSTER (THE JUNCTION)
in the County of GLOUCESTERSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 32 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·01	–	·01	–	–	–	–	–	–	·13	·28		1
2	·01	·23	–	·04	–	–	–	–	Tr	–	·01	·08		2
3	–	·28	–	·11	·04	–	·01	–	·03	–	–	·02		3
4	·05	·19	–	·02	·02	–	–	–	–	–	–	·23		4
5	·34	·01	·10	·01	–	–	–	–	–	–	–	–		5
6	·09	·03	·11	·20	·07	–	·15	–	–	·05	·02	–		6
7	–	·80	SNOW ·02	·10	–	–	–	–	–	–	–	–		7
8	–	·02	–	·01	·10	–	–	–	·01	–	·30	–		8
9	·01	–	–	·03	·15	–	·03	–	·48	–	–	·05		9
10	·04	–	·20	·62	–	·10	–	–	–	–	–	·23		10
11	–	–	·12	–	·33	·07	·13	–	–	–	–	·06		11
12	·63	·15	·31	–	·02	·03	·01	·65	·08	–	–	·23		12
13	·09	·02	·12	·04	–	1·03	–	·30	·06	·01	–	–		13
14	–	·05	PT SNOW ·30	·18	–	–	·48	·08	·04	–	–	·07		14
15	·10	·16	–	·23	–	–	2·40	–	·03	–	–	·10		15
16	·01	·19	·27	·25	–	·04	·01	·07	·33	–	–	·02		16
17	·19	·07	·50	–	–	–	–	–	·54	–	·03	–		17
18	·40	·07	·05	·01	–	–	·01	–	·51	–	·25	·25		18
19	·17	·02	·02	·02	–	·17	–	–	·01	–	·09	–		19
20	·20	·03	·43	·22	·01	·11	–	–	–	–	–	·07		20
21	·16	·38	·04	·01	·05	–	–	–	–	–	·01	·06		21
22	·03	·05	·05	–	·13	·30	·13	–	–	·53	·39	·02		22
23	·07	·03	–	–	·07	–	·05	–	–	·23	·05	–		23
24	·20	·30	·01	–	·08	–	–	–	·03	·26	–	·04		24
25	·02	·45	·05	–	·15	–	–	–	·08	·43	–	·01		25
26	–	·23	·02	–	·50	–	–	–	–	–	–	·01		26
27	–	·20	–	·17	–	–	–	–	–	·45	–	–		27
28	·01	·04	–	–	–	–	–	–	–	·06	–	·01		28
29	·01	✕	–	–	–	·01	–	–	–	·24	·05	·01		29
30	·40	✕	–	–	–	·01	–	·05	·01	·01	·13	–		30
31	·09	✕	–	✕	–	✕	–	–	✕	·22	✕	·01		31
TOTAL	3·38	4·01	2·72	2·28	1·72	1·87	3·41	1·15	2·24	2·49	1·46	1·86	Year's Total 28·59	
* Days with .01 in. or more.	24	25	18	19	14	10	11	5	14	11	12	21	184	
* Days with .04 in. or more.	17	17	14	11	11	7	6	5	8	9	8	13	126	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Whitminster, The Junction

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 32 ft.

TRAVELLING FORM

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·02	-	-	-	·21	-	-	-	·24	·01	·18		1
2	·02	-	-	·01	·01	·13	-	·49	-	·15	-	-		2
3	-	-	-	-	·02	-	·62	·01	-	·62	·02	-		3
4	·02	-	-	-	·10	·03	·01	-	-	·67	-	·13		4
5	-	-	-	-	-	·03	·43	·34	·07	·09	-	·01		5
6	·05	·01	-	-	-	-	·10	·01	·02	·15	-	·14		6
7	·01	-	-	-	-	·01	·38	-	·16	·11	-	·07		7
8	·53	-	-	-	-	-	·33	·17	·01	·52	·01	·01		8
9	·15	·02	-	-	-	-	·05	·04	-	-	-	·59		9
10	·09	·01	-	-	-	-	·04	·04	-	·01	-	·22		10
11	·16	-	·01	-	-	·01	·02	·17	-	·02	·24	·12		11
12	·34	-	-	-	-	-	-	·04	-	·15	·21	-		12
13	·05	-	-	-	·35	-	·01	·36	-	·04	·19	·72		13
14	·47	-	-	-	·03	-	-	·01	-	-	-	-		14
15	·23	-	-	-	·02	-	·74	-	-	·01	-	·22		15
16	·65	-	·03	-	·02	-	·05	·01	-	-	-	·03		16
17	-	·08	-	-	-	-	-	·01	·07	·21	·01	-		17
18	·09	-	-	-	-	-	-	-	·38	·03	·34	-		18
19	-	-	-	-	·01	·04	-	·03	·02	-	·38	-		19
20	·01	-	-	-	-	-	-	·17	-	-	·28	-		20
21	·06	-	-	-	-	-	-	·01	·11	-	·05	·11		21
22	·02	-	-	·02	-	-	-	·12	-	-	·40	·02		22
23	·01	-	-	·02	-	·04	-	·18	·08	-	·02	·05		23
24	·02	-	·05	·03	-	-	-	-	·06	-	·16	-		24
25	·13	·43	·01	-	·07	-	-	·10	-	·16	·39	·17		25
26	·13	·30	·01	-	·10	-	·06	-	·03	·10	-	·13		26
27	·02	·01	-	-	·09	·07	-	-	·11	·05	·33	-		27
28	·09	·03	-	-	·37	·14	·33	·14	·08	-	·10	·03		28
29	·05	✕	-	-	·08	·06	·02	·80	·03	·05	·22	·03		29
30	·03	✕	-	-	·39	·02	-	-	·56	·04	·24	·06		30
31	·29	✕	-	✕	·18	✕	-	-	✕	·10	✕	·22		31
TOTAL	3·72	·91	·11	·08	1·84	·79	3·19	3·25	1·79	3·52	3·60	3·26	Year's Total 26·06	
* Days with .01 in. or more.	26	9	5	4	15	12	15	21	15	21	19	21	183	
* Days with .04 in. or more.	17	3	1	-	9	7	11	14	10	17	14	15	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. J. Cullis

P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2162

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Whitminster. The Junction

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 32 ft.

[illegible] FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	·05	·13	·29	-	·01	-	·19	·03	-	·02		1
2	-	-	·03	·03	-	-	·01	·29	·70	-	·08	·04		2
3	·12	-	-	·48	-	-	-	·75	·08	-	·07	·22		3
4	·05	-	·48	·38	·17	-	·36	·15	-	·06	·06	·29		4
5	-	-	-	·64	·09	-	·38	·23	-	·05	·44	·08		5
6	·37	-	-	·08	·01	-	1·23	·01	-	-	·13	-		6
7	·01	·10	-	-	-	-	·07	-	-	-	·46	·40		7
8	·03	·24	·26	-	-	-	·28	·02	-	·66	·29	·43		8
9	·04	·11	-	-	-	-	-	·14	-	·31	·04	·10		9
10	·32	·01	·05	-	-	·20	-	·13	·01	·04	·01	·02		10
11	-	·02	·09	-	-	-	-	-	-	·31	-	-		11
12	·08	·06	-	-	-	·08	-	-	-	-	-	-		12
13	-	-	-	·03	-	-	·31	-	·05	·32	·01	-		13
14	·57	-	-	-	·19	·07	·14	-	·06	·05	·11	-		14
15	·42	-	-	-	·19	·47	·52	-	-	·09	·38	-		15
16	·16	-	-	·04	·07	·01	·08	-	-	-	·28	-		16
17	·29	·01	-	-	·01	·08	·01	-	-	·03 ✓	·03	-		17
18	·33	·04	·07	-	-	·09	·39	-	-	·06	·44	-		18
19	·20	-	-	-	-	-	·13	-	·01	-	-	-		19
20	·32	-	-	-	-	·01	·12	·28	-	-	-	-		20
21	·05	·26	·18	·03	-	-	·22	·68	·01	·01	-	-		21
22	·58	·15	·03	-	-	·30	·02	-	·02	·01	·08	-		22
23	-	-	-	·10	-	·05	·33	-	-	·03	·64	·01		23
24	·09	·01	-	·07	-	·27	·01	-	-	·01	-	-		24
25	·81	·03	·03	-	-	-	·05	-	-	·09	·24	·01		25
26	·13	·03	-	·01	-	-	-	·31	-	·12	·46	-		26
27	-	·14	·09	·03	-	·06	·12	·01	-	·04	·04	·09		27
28	·01	·10	·12	·10	-	·37	·21	-	-	-	·29	·03		28
29	-	×	-	·25	-	-	·47	-	-	·13	·05	-		29
30	-	×	-	·77	-	-	·06	-	-	-	-	·10		30
31	-	×	-	×	-	×	·02	·11	×	·09	×	-		31
TOTAL	5·00	1·31	1·48	3·17	1·02	2·06	5·49	3·11	1·13	2·54	4·63	1·84	Year's Total 32·78	
* Days with .01 in. or more.	22	15	12	16	8	13	25	13	9	21	22	14	190	
* Days with .04 in. or more.	18	9	9	11	6	11	18	10	5	15	19	9	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Challis

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2162 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940.

Kept at Whitminster, The Junction

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 32 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·03	·18	–	·07	–	–	–	·21	–		1
2	–	·12	–	·05	–	–	–	–	–	–	·53	–		2
3	–	·10	–	–	–	–	–	–	–	–	·10	·01		3
4	–	·10	–	–	–	–	·04	–	–	–	1·27	–		4
5	–	·01	–	–	·02	–	–	–	–	·27	·94	–		5
6	·20	·24	–	–	·01	–	·02	–	–	·12	·54	·06		6
7	·02	·23	–	–	·03	–	·07	–	–	·19	·43	·09		7
8	–	–	–	–	–	–	–	–	–	·30	–	·03		8
9	–	–	–	·05	–	–	–	–	·01	–	–	–		9
10	–	–	·01	–	–	–	–	–	·02	·16	·11	·06		10
11	–	–	–	·02	–	–	·43	·14	·03	·52	·23	·08		11
12	–	–	·09	–	–	–	·61	·01	–	·39	·04	·09		12
13	–	·01	·47	–	–	–	·25	–	–	–	·58	·01		13
14	–	–	·03	·09	1·27	–	·36	–	·06	·02	·03	–		14
15	–	–	·09	–	·64	–	·17	–	·03	–	·20	·03		15
16	·03	·35	·19	·01	–	–	·13	·03	·06	·16	–	·44		16
17	–	–	·20	–	–	·07	·09	–	·19	·20	·11	–		17
18	·13	·37	·44	·34	–	·01	·20	–	·07	·86	·59	·03		18
19	–	·16	·09	·17	–	–	–	–	·01	–	·01	–		19
20	–	–	·03	·03	–	–	–	–	·07	·12	·04	·06		20
21	–	–	–	–	·11	–	·77	–	·20	–	1·35	–		21
22	–	·04	·07	·12	·01	–	·06	–	–	·31	·07	–		22
23	–	·32	·08	·03	·06	·17	·03	–	–	–	·25	–		23
24	–	–	–	–	–	·32	·02	–	·08	–	–	–		24
25	–	–	–	–	·01	–	–	–	–	–	·06	* ·02		25
26	·95	·20	–	·04	·13	–	·28	–	–	·03	–	·02		26
27	·70	·14	–	·14	·09	·01	–	–	–	–	·01	–		27
28	·44	·11	–	·03	·13	·04	·66	–	–	–	–	–		28
29	–	–	·10	·37	·12	–	·18	–	–	–	–	–		29
30	·06		–	·17	–	–	–	–	–	–	–	·01		30
31	·09		·04		–		–	–		–		·28		31
TOTAL	2·62	2·50	1·93	1·69	2·81	·62	4·44	·18	·83	3·65	7·70	1·32	Year's Total 30·29	✓
* Days with .01 in. or more.	9	15	14	16	14	6	19	3	12	14	22	16	160	✓
* Days with .04 in. or more.	7	13	11	10	9	4	16	1	7	12	19	8	117	✓

2·24

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Cullis

[P.T.O.

2163

Section **A** for the entry c

AIR MINISTI

FORM 1090. **REGIS**

Kept at Haresfield t

in the County of Glou

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

2163

HARESFIELD COURT

1931 — 40

780402

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

Y.

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.				in.	in.	in.	in.	in.	in.	
1						·16			·35				1
2	·12	·09		·10					·46	·04	·08	·33	2
3				1·03	·21		·06	·03	·57		1·88	·15	3
4			·04				·45	1·0					4
5		·07				1·22		~~·05~~	·05			·64	5
6		·10		·13	·03	·34	·07	·05	·23	·30	·16	·15	6
7				·12	·02	·06	·09	·62		·04	·10		7
8		·03				·22		·55			·03		8
9	·05	·22		·05	·20	·48	·08				·40		9
10		·01				·05		·06	·07		·27	·02	10
11	·13.	·30				·08					·27		11
12		·04				·02	·90	·08	·16	·09			12
13					·04		·01	·30	·03				13
14		·08			·03	·53	·55	·82	·04		·14		14
15		·02			·28		·73	·52	·04			·05	15
16		·09		·10	·28	·55		·36	·14				16
17	·01	·28		·13	·33		·20		·08		·04		17
18	·03	·02		·15		·25	·01	·38			·30		18
19	·03	·03		·19		·10	·12	·25					19
20		·12	·24				·01	·15			·02		20
21	·13			·01	·27				·03		·01		21
22	·30		·03			·10		·01			·03		22
23	·24			·14	·72				·05		·61	·18	23
24				·30	·25		·25				·02		24
25	·10			·26	05		·14				·05		25
26	·02	·04		·03			·23			·02	·07		26
27	·13	·52	·04		·77		·10				·68	·02	27
28	·12	·02	·05	·09	·13		·02					·03	28
29	·08	·10	·04		·15		·18			·10	·10		29
30	·02	×						·03					30
31	·38	×		×	·07	×	·03	·03	×		×	·06	31 34·58
TOTAL	1·89	2·18	·44	2·83	3·83	4·16 ~~4·60~~	4·23	5·24	2·30	·59	5·26	1·63	YEAR'S TOTAL ~~35·02~~
*Days with ·01 in. or more.	16	19	6	15	17	14	20	17	14	6	20	10	174
*Days with ·04 in. or more.	11	13	5	13	14	13	15	13	12	5	15	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alice Tidswell

[P.T.O.

2163

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Haresfield Court.

in the County of Gloucester.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·16			·35				1
2	·12	·09		·10					·46	·04	·08	·33	2
3				1·03	·21		·06	·03	·57		1·88	·15	3
4			·04				·45	1·0					4
5		·07				1·22		~~·85~~	·05			·64	5
6		·10		·13	·03	·34	·07	·05	·23	·30	·16	·15	6
7				·12	·02	·06	·09	·62		·04	·10		7
8		·03				·22		·55			·03		8
9	·05	·22		·05	·20	·48	·08				·40		9
10		·01				·05		·06	·07		·27	·02	10
11	·13.	·30				·08					·27		11
12		·04				·02	·90	·08	·16	·09			12
13					·04		·01	·30	·03				13
14		·08			·03	·53	·55	·82	·04		·14		14
15		·02			·28		·73	·52	·04			·05	15
16		·09		·10	·28	·55		·36	·14				16
17	·01	·28		·13	·33		·20		·08		·04		17
18	·03	·02		·15		·25	·01	·38			·30		18
19	·03	·03		·19		·10	·12	·25					19
20		·12	·24				·01	·15			·02		20
21	·13			·01	·27				·03		·01		21
22	·30		·03			·10		·01			·03		22
23	·24			·14	·72				·05		·61	·18	23
24				·30	·25		·25				·02		24
25	·10			·26	·05		·14				·05		25
26	·02	·04		·03			·23		≠	·02	·07		26
27	·13	·52	·04		·77		·10				·68	·02	27
28	·12	·02	·05	·09	·13		·02					·03	28
29	·08	·10	·04		·15		·18			·10	·10		29
30	·02	×						·03					30
31	·38	×		×	·07	×	·03	·03	×		×	·06	31 34·58
TOTAL	1·89	2·18	·44	2·83	3·83	4·16 ~~4·66~~	4·23	5·24	2·30	·59	5·26	1·63	YEAR'S TOTAL ~~35·02~~
*Days with ·01 in. or more.	16	19	6	15	17	14	20	17	14	6	20	10	174
*Days with ·04 in. or more.	11	13	5	13	14	13	15	13	12	5	15	7	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alice Tidswell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Haresfield Court
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·03	1·25			·15	·02	·15	·01	·12	1
2	·05	·01		·15	·10			·01	·25	·04			2
3		·04		·60	·05				·02	·05			3
4				·13					·02		·49		4
5	·64		·07		·03				·06				5
6	1·0			·08					·12				6
7	·13		·13	·03	·13				·21	1·05			7
8			·24	·01	·13				·50	·02			8
9	·47			·10					·03				9
10	·28			·29	·09				·06	·20		·05	10
11	·60			·02	·02		·15		·10		·05		11
12	·05				·35				·01	·15		·05	12
13		·03		·14	·05		·68	·08		·14	·05	·04	13
14	·37			·02	·02			·38		·02			14
15	·04			·05	·64		·09			·04	·05		15
16	·31	·03		·35			·14						16
17				·02	·03				·02	·12			17
18					·02				·15		·24		18
19		·03		·24	·05				·04	·09			19
20				·18	1·46			·22		·76	·10	·26	20
21			·16	·28	·49			1·82	·73	·57	·05	·07	21
22				·11	·01		·06	·02	·01	·17	·12	·07	22
23		·07		·02	·68		·21		·07	·33		·11	23
24					·05		·03		·07	·42	·01		24
25				·09			·12		·04	·09	·15	·02	25
26			·18		·04		·37		·02	·03	·05		26
27			·42	·13	·42		·08			·34			27
28			·06	·05	·20	·08	·14			·01		·05	28
29			·50	·10	·28	·33	·04	·15	·18	·36		·12	29
30		×	·01	·10		1·23	·18	·21	·47		·82	·28	30
31	·02	×	·11	×		×	·49	·62	×	·02	×	·37	31
TOTAL	3·96	·23	1·88	3·32	6·59	1·64	2·98	3·06	3·20	5·17	2·19	1·61	YEAR'S TOTAL 35·63
*Days with ·01 in. or more.	12	7	10	25	24	3	14	10	23	23	13	13	177
*Days with ·04 in. or more.	11	2	9	18	18	3	13	7	15	18	11	12	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Alice Tidswell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Haresfield Court

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·67	·29								·15			1
2	·65		·40		·01								2
3		·10	·34		·06								3
4	·21	·01			·18								4
5	·07		·39		·05						·06		5
6		·30	·02		·09					·17			6
7	·03	·01	·09		·03		·01			·22			7
8	·03					·25	·38			·01			8
9		·02				·04	·21			·48	·02		9
10	·10	·02					·04			1·70	·07		10
11	·16				·03		·03	·06					11
12							·13		·46		·01		12
13	·07				·09		·22	·05		·07	·09		13
14	·03						·12	·04		·03	·30		14
15	·55		·11				·20	·05		·22			15
16			·67			·04	·36	·09	·02	·02	·04	·09	16
17	·23		·28			·10	·02		·03				17
18			·12								·03		18
19			·32			·25			·04		·06		19
20					·04	·24					·02		20
21					·11	·12		·32		·08			21
22						·02			·08	·09			22
23		·30		·20	·01	·05			·49	·57			23
24		1·50		·23		·90			·04	·08			24
25		·98		·21	·11	·24			·48			·15	25
26		·98		·03	·26				·63	·04			26
27					·90				·03	·09		·12	27
28				·36						·02		·02	28
29							·02			·10			29
30	·05	×		·05			·02		·13				30
31	·39	×	·04	×		×		·07	×		×		31
TOTAL	3·24	4·51	2·78	1·08	1·97	2·25	1·76	·68	2·43	4·14	·70	·38	YEAR'S TOTAL 25·92
*Days with ·01 in. or more.	14	11	11	6	14	11	13	7	11	18	10	4	130
*Days with .04 in. or more.	11	7	10	5	10	10	8	NIL	8	14	6	2	91

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Aline Tidswell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13				·01			·42	·07	·01	·07	·40		1
2	·10		·07					·02	·50	·01		·15		2
3	·02	·04							·02	·09		·23		3
4	·11		·03		·27				·29	·30	·10	·50		4
5	·01		·02		·05			·45		·02	·23	·56		5
6	·01		·14	·11	·50			·06		·15		·47		6
7								·13		·10	·03	·38		7
8					·21	·01		·04			·10	·12		8
9	·03		·20								·57	·49		9
10	·19		·13	·21			·11	·07			·15	·01		10
11	·75		·07	·25			~~·24~~	·04				·16		11
12	·02		·15	·02	·04		+·29	·02			·02	·04		12
13	·63		·01	·11			1-15					·20		13
14	·05		·40							·03	·15	·37		14
15			·04		·14					·09	·35	·03		15
16	·08		·40					·02			·05			16
17	·06			·03					·20	·05		·25		17
18	·21		·08	·21					·02	·12	·01	·30		18
19			·21	·03	·05	·02			·02			·12		19
20			·09	·08			·04			·02				20
21			·07			·26	·43	·10		·30		·02		21
22			·03		·03			·18	·08	·06		·03		22
23			·03	·10		·12	·02		·02			·25		23
24		·58	·11	·08		·23	·20		·26	·03		·01		24
25	·15		·02	·40		·40			·01	·18		·50		25
26			·08	·29		·12			·03	·20		·19		26
27				·19		·01			·01	·05		·22		27
28				·12		·08		·23				·57		28
29								·03	·49			·01		29
30	·12	×						·01	·04	·04		·21		30
31		×		×		×	·02		×	·18	×	·10		31
TOTAL	2·67	·62	2·38	2·23	1·30	1·25	2·26	1·82	2·06	2·03	1·83	6·89	Year's Total. 27·34	
* Days with .01 in. or more.	17	2	21	15	9	9	8	15	15	20	12	29	172	
* Days with .04 in. or more.	12	2	14	12	7	6	6	9	8	14	9	23	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Alice Tidswell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 10 in.

,, Ground ,, Sea Level 100 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·04		·07	·03	·14		·13	·04	·07	·01		1
2						·17			·09	·25	·02	·02		2
3			·03			·33			·40	·43	·47			3
4				·26		·08			·04	·23	·01	·03		4
5		·39	·25			·35			·28	·02	·03	·02		5
6			·01	·40		·58				·07	·03	·13		6
7				·40		·20				·20	·07	·07		7
8				·32		·02		·01		·10	·20	·05		8
9	·03			1·03		·40				1·18	·20			9
10	·02			·30						·02	·13	·01		10
11	·30					·04				·04	·35	·02		11
12	·01	·06				·27			·05		·06			12
13	·08	·12		·20	·11	·02			·05		·06			13
14	·01			·01		·25			·04	·01	·95	·25		14
15		·09		·90	·22	·30			·58		·15	·09		15
16		·02	·12	·29		·08			·37	·06	·87	·01		16
17		·02		·05		·22	·06		·02		·26			17
18				·29	·07	·02	·13		·36	·04	·01			18
19				·12	·16	·15	·19		·10	·07	·13			19
20	·01	·62		·07	·12	·08	·05		·02		·72			20
21		·37		·01					1·00		·04			21
22		·14		·17				·02	·35					22
23		·06	·10	·01				·25	·11	·85		·23		23
24	·12	·32	·08					·14	·35	·14		·20		24
25	·14	·28		·23		·63		·01				·12		25
26		·30						·20	·10		·09	·72		26
27		·15			·07			·02	·65			1·10		27
28					·02			·16	·15		·02			28
29	·03		·02					·20	·08	·05	·09	·19		29
30	·08	✕		·06	·54			·62	·09	·42	·52	·16		30
31		✕		✕	·02	✕		·25	✕	·44	✕	·27		31
TOTAL	·85	2·94	·65	5·12	1·40	4·22	·57	1·88	4·81	4·66	5·55	3·70	Year's Total 36·35	
* Days with .01 in. or more.	12	14	8	19	10	20	5	11	23	20	25	20	187	✓
* Days with .04 in. or more.	5	12	5	16	8	16	5	7	21	17	19	13	144	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Alice Tidswell

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2163

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Haresfield Court
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·10	·02	·26		·22	·43	·04	·		·06	·03		1
2	·07	·02	·07	·02	·	·69	1·36	·03	·		·26	·		2
3	·01	·	·01	·09	·	·30	·04		·48		·	·05		3
4	·04	·	·20	·	·		·	·	·20		·08	·35		4
5	·38	·	·03	·	·25	·	·07	·03	·01		·13	·03		5
6	·05	·	·02	·		·06	·30	·05	·05		·06	·		6
7	·03	·	·04	·	·	·04	·29	·	·		·02	·09		7
8	·32	·	·15	·	·	·	·05	·	·		·21	·		8
9	·68	·	·13	·	·	·	·35	·	·		·30	·		9
10	·04	·	·01	·	·	·	·53	·	·		·62	·02		10
11	·	·32	·	·03	·	·14	·15	·01	·07		·24	·		11
12	·	·	·	·09	·05	·57	·30	·	·21		·06	·20		12
13	·	·	·	·09	·	·05	·	·03	·	·04	·05	1·0		13
14	·	·	·	·30	·	·02	·56	·	·14	·	·04	·84		14
15	·	·	·	·07	·	·	·02	·	·13	·	·11	·10		15
16	·14	·18	·	·11	·	·	·06	·		·	·33	·03		16
17	·09	·73	·	·	·07	·	·15	·	·	·	·06	·50		17
18	·	·05	·	·	·	·02	·24	·05	·	·09	·	·13		18
19	·42	·29	·03	·18	·	·03	·	·03	·	·	·	·		19
20	·	·10	·03	·10	·	·27	·	·	·47	·	·	·01		20
21	·	·01	·03	·47	·	·04	·		·07	·	·	·		21
22	·09	·49	·06	·01	·20	·	·27		·	·63	·	·11		22
23	·10	·01	·67	·10	·05	·	·18		·	·12	·06	·		23
24	·10	·05	·	·07	·02	·	·10		·49	·12		·		24
25	·03	·02	·17	·37	·	·	·22		·37	·02		·		25
26	·09	·09	·07	·08	·	·13	·02		·	·		·		26
27	·08	·07	·09	·	·	·	·03		·05	·06	·	·		27
28	·55	·04	·28	·	·	·	·		·	·02	·	·13		28
29	·05	·17	·05	·	·	1·04	·05			·03	·07	·08		29
30	·10	✕	·01		·10	·04	·08			·65	·	·01		30
31	·45	✕	·37	✕	·	✕	·16		✕	·23	✕	·27		31
													Year's Total	
TOTAL	3·96	2·74	2·54	2·44	·74	3·66	6·01	·27	2·74	1·41	2·76	3·98	33·25	
* Days with .01 in. or more.	23	17	22	17	7	16	25	8	13	11	18	19	196	
* Days with .04 in. or more.	20	13	13	14	6	13	22	3	12	7	16	13	152	

† Spare column, no entries required.

(*Signed*) Alice Tidswell [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 10 in.

,, Ground ,, Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·01	-		-	-	-		·04		·18	·33		1
2	·01	·19	-	·16	-	-	-		·04		·03	·14		2
3	-	·32	-	·04	·04	-	-		·03		·01	·07		3
4	·04	·16	-	·02	·03	-	-		-		·01	·26		4
5	·25	-	·13	·02	-	-	-		-					5
6	·07	·12	·18	·18	·12	-	·21		-	·07	·03			6
7	-	·75	·02	·14	-	·	-		-					7
8	·	·05	-	-	·07	-	·02		-		·31			8
9	-	·	-	·09	·09	-	·09		·44		·03	·14		9
10	·05	·	·50	·95	·02	·12	-		-			·21		10
11	·01	·	·18	-	·44	·07	·10		-			·08		11
12	·57	·14	·36	-	·07	·07	-	·34	·12			·22		12
13	·11	·04	·12	·07	-	·95	-	·11	·06			·02		13
14	·01	·09	·25	·12	-	-	-	·11	·02			·09		14
15	·15	·14	-	·29	-	-	2·68	·06	-			·12		15
16	·01	·17	·33	·30	-	·14	-		·30			-		16
17	·30	·10	·30	-	-	-	-		1·10			-		17
18	·52	·04	·10	·05	-	-	-		·45		·29	·24		18
19	·20	·05	·42	·04	-	·19	·05		·01		·09	·		19
20	·32	·04	·08	·23	·08	·01	-					·14		20
21	·26	·35	·05	-	·04	·58	·04					·12		21
22	·12	·09	·04	-	·17	-	·11			·68	·38			22
23	·15	·08	·01	-	·06	-	·07			·41	·03			23
24	·20	·25	·02	-	·01	-			·06	·27	·02	·06		24
25	·02	·43		-	·15	-			·05	·21		-		25
26	-	·28		-	·50	-			·			-		26
27	-	·18		·17		-			·	·67		-		27
28	-	·05		-		-			·	·08		·04		28
29	-	-		-		-			·	·25	·07	-		29
30	·36	✕		-		-		·02	·	·01	·14	·03		30
31	·12	✕		✕		✕			✕	·25	✕	·01		31
													Year's Total	
TOTAL	3·94	4·12	3·09	2·87	1·89	2·13	3·37	0·64	2·72	2·90	1·62	2·32	31·61	✓ ✓
* Days with .01 in. or more.	23	24	17	16	15	8	9	5	13	10	14	18	172	✓ ✓
* Days with .04 in. or more.	18	23	14	14	12	7	8	4	10	9	7	15	141	✓ ✓

† Spare column, no entries required.

(*Signed*) Alice L. Tidswell [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 106 ft.

Rain day Ann. Total Corr. for Arith.
1.3.39. EM7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·20		1
2					·03	·31	·05	·10		·18				2
3	·05				·17	·02	·02			·15	·01			3
4	·03					·03	·03	·26		·68		·14		4
5	·01						·42	·01	·03	·78				5
6	·04					·04	·05		·05	·09		·13		6
7	·01						·35	·15	·11	·14		·06		7
8	·69						·60	·05	·03	·12		·01		8
9	·21						·09	·03		·50		·62		9
10	·13					·06	·03	·30				·25		10
11	·20						·03	·25		·01	·27	·14		11
12	·30				·39			·12		·18	·05			12
13	·04									·04	·30	·68		13
14	·45						·89		·06			·02		14
15	·30				·01		·02					·31		15
16	·53		·05					·01				·02		16
17	·01								·10	·19	·01			17
18	·11							·03	·72		·44			18
19								·10	·03		·30			19
20								·03			·27			20
21	·05							·10	·08		·04			21
22	·03			·06		·05		·17			·34	·10		22
23	·03			·03				·11	·16		·01	·05		23
24	·01		·07		·12				·08		·15			24
25	·12	·46	·01		·10		·06	·04		·22	·40			25
26	·15	·32			·08				·02	·15		·52		26
27	·03	·01			·55	·23	·40	·03	·07	·05	·22			27
28	·06	·02			·05	·12		·91	·05		·09			28
29	·08				·31				·02	·04	·15	·10		29
30	·04	✕			·04				·56	·02	·25	·03		30
31	·23	✕		✕	·36	✕			✕	·10	✕	·15		31
TOTAL	3·94	·81	·13	·09	2·21	·86	3·04	2·80	2·17	3·67	3·30	3·53	Year's Total 26·55	✓
* Days with .01 in. or more.	27	4	3	2	12	8	14	19	16	18	17	18	159 8	✓
* Days with .04 in. or more.	19	2	2	1	10	6	9	13	11	16	14	14	117	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alice Tidswell

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2163

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2		3	15	30				3	3		2		1
2			3	2				35	74		5	3		2
3	13			25				78	1		6	22		3
4	7		38	49	15		34	23		10	15	26		4
5			1	90	17		25	28		8	52	13		5
6	43		1	10			1.94	TR			6			6
7	1	8					1	TR			63	39		7
8	1	22	30				40	2		60	31	50		8
9	3	8	9					10		40	2	8		9
10	33					21		12	1	2	TR			10
11	1	1	18							11				11
12	7	13				10								12
13				3			21		5	40				13
14	57		1		12		5			11	12			14
15	55				15	58	42		1	9	38			15
16	15				7	3					29			16
17	26				5	5	2			11	2			17
18	30	5	5			15	25			10	44			18
19	18						7							19
20	27						17	9				TR		20
21	11	20	15	3			21	9	2					21
22	60	30	5			25	6		2		11			22
23	1			17		7	28			14	74			23
24	35	2		4		20	2			8				24
25	78		6				5	20		11	22			25
26	30	2	1					16		1	54	4		26
27		8	12			3	9				2	1		27
28		9	15	6		50	25			9	22	11		28
29				25			46				4			29
30		✕		85			6				1	12		30
31		✕		✕		✕	4	26	✕	7	✕			31
TOTAL	5.54	1.28	1.63	3.34	1.01	2.17	5.65	2.68	.90	2.65	4.95	1.91	Year's Total 3371	
* Days with .01 in. or more.	23	12	16	[illegible]	7	11	22	12	9	18	21	[illegible]	176	
* Days with .04 in. or more.	17	9	10	10	[illegible]	9	19	11	2	15	17	9	134	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Alice Tidswell

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~1~~0

Kept at Haresfield Court

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 100 ft.

Rgcs - see note on back.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				3	1									1
2		9		3			5				6			2
3		11		3						8	1.17	1		3
4		9								25	1.01			4
5							3			17	81	9		5
6	16	23			1					22	47	2		6
7	01	28		TR			2		TR					7
8				10						16	10	4		8
9				5			38	7	4	56	25	7		9
10			1				61			21	4	9		10
11				2			18				5D			11
12			8				23		TR	TR	1			12
13		TR	52						2		24			13
14			10	5	1.25		15		8			45		14
15			4	1	43	8	5		18	15	14			15
16	✓	25	19			8	18		9	7	60	3		16
17			15	TR			TR			56	1			17
18	x	30	46	TR					4	6	4	8		18
19		14	8	47	6		1.15		8		25			19
20		TR	2	18	2		14			41	4	2		20
21				1	19	15	2				1.40			21
22		6	6	8		28	5		12					22
23		25	5	3							4			23
24							23				2			24
25				2										25
26	x	17			23	T.R.	63							26
27	x	9		12	2		4					8		27
28	x 2.27	11		22	2			1						28
29			8	36	5	4	2					23		29
30	10	✕		11	1					21				30
31	06	✕	3	✕		✕			✕	60	✕	1		31
TOTAL	2.60	2.17	1.87	1.92	2.30	63	4.16	8	65	3.71	7.20	1.22	Year's Total 28.51	
* Days with .01 in. or more.	9~~5~~	13	14	18	12	5	18	2	8	14	20	13	146 ~~142~~	
* Days with .04 in. or more.	7~~4~~	13	9	10	6	5	14	1	7	14	17	8	111 ~~108~~	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(Signed) Alice Tidswell

[P.T.O.

PAINSWICK (Verl

—

2163/5

PAINSWICK, VERLANDS

1939+40

780402

Section A for the entry of D
AIR MINISTRY

tion No. 2163/5
ORGANIZATION

FORM 1090

REGIST

Kept at ....Verlands.... P

in the County of ....Glou

Diameter of Funnel of Gauge......4

Height of top of Gauge above Grou

,, Ground ,, Sea L

Nov. corrected
... sh

THE MORNING MEASUREM ... DAY

An observer who does not conform to ... *lowing*
year in the space on the right of this

Pleas

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr								Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·07	—	·75	—	—	·02	·10	—	·07	·01		1
2	—	—	·03	·15	·21	—	—	—	·06	·01	—	·05		2
3	·05	—	·03	·03	·01	—	—	·46	·52	—	·07	·05		3
4	·10	—	—	·15	—	—	—	·71	·03	—	·23	·15		4
5	·10	—	·43	·47	·19	—	·41	·29	—	·15	·07	·23		5
6	—	—	—	·76	·15	—	·21	·44	—	·15	·45	·19		6
7	·44	—	—	·02	·01	—	·71	·01	—	—	·02	—		7
8	·02	·07	—	—	·09	—	·01	—	—	·01	·30	·46		8
9	·01	·17	·32	—	—	—	·31	·02	—	·67	·17	·51		9
10	·03	·02	—	—	—	—	—	·05	·02	·23	·03	·09		10
11	·22	—	—	—	—	·17	—	·09	—	·04	·01	—		11
12	—	·01	·33	—	—	·01	—	—	—	·13	—	—		12
13	·05	—	—	—	—	·07	—	—	—	·25	·01	—		13
14	·01	—	—	·03	·01	—	·21	—	·07	—	—	—		14
15	·60	—	·02	—	·25	·02	·13	—	·01	·05	·11	·01		15
16	·49	—	—	—	·18	·44	·22	—	—	·21	·32	—		16
17	·09	—	·02	·06	·13	·02	—	—	—	—	·37	—		17
18	·31	·10	—	—	·03	·10	·26	—	—	·15	·02	—		18
19	·51	·05	·06	—	—	·28	·18	—	—	·10	·35	·01		19
20	·19	—	—	—	—	—	·79	—	—	—	—	—		20
21	·24	—	—	—	—	·03	·40	·25	—	—	—	—		21
22	·16	·17	·15	·02	—	—	·17	·11	·03	—	—	—		22
23	·30	·31	—	—	—	·18	·12	—	—	—	·12	—		23
24	·04	—	·02	·20	—	·07	·40	—	—	—	·59	—		24
25	x	—	·02	—	—	·10	—	—	—	·06	—	—		25
snow 26	1"·35	—	·05	—	—	—	·05	·44	—	·22	·14	—		26
27	✓	·11	·01	·07	—	—	—	·35	—	—	·54	—		27
28	—	·13	·18	·02	—	·02	·09	—	—	·02	·03	·06		28
29	—	·07	·17	—	—	·08	·22	—	—	—	·05	—		29
30	—	✕	—	·48 5	—	=	·22	—	=	·14	·04	·24		30
31	~~·81~~	✕	— 4	✕	— 6	✕	·02	·10	✕	·07	✕ ·01	(=)	32·34	31
TOTAL	~~4·82~~ ~~4·14~~ 5	1·21 ~~1·14~~	1·8X ~~1·88~~	3·21 ~~2·46~~	1·24 ~~1·99~~	1·59	5·24 1.5 ~~5·22~~	X·62 3·32 ~~1·54~~	·74 ~~·84~~	2·66 ~~2·59~~	5·95 4·0 ~~4·01~~	2·00 ~~2·01~~	Year's Total ~~29·21~~	
* Days with .01 in. or more.	3 ~~24~~	10	16	5 14	4 12	5 14	22	13	7 8	18	[illegible]	4 13 2	183 ~~51~~	
* Days with .04 in. or more.	8 ~~16~~	8 9	9 8	8 9	8 7	9	18	10	3	14	16	9	~~120~~ 132	

Np los
SW

Mrs F. Sleeman

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....Frances Sleeman.... [P.T.O.

PAINSWICK (Veri

Section **A** for the entry of Daily Observations … tion No. 2153/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Verlands Painswick
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 450 ft.

Jan, mar, may, july, aug, nov corrected for action sub

A 200104/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·12	—	·07	—	·75	—	—	·02	·10	—	·07	·01		1
2	—	—	·03	·15	·21	—	—	—	·06	·01	—	·05		2
3	·05	—	·03	·03	·01	—	—	·46	·52	—	·07	·05		3
4	·10	—	—	·15	—	—	—	·71	·03	—	·23	·15		4
5	·10	—	·43	·47	·19	—	·41	·29	—	·15	·07	·23		5
6	—	—	—	·76	·15	—	·21	·44	—	·15	·45	·19		6
7	·44	—	—	·02	·01	—	·71	·01	—	—	·02	—		7
8	·02	·07	—	—	·09	—	·01	—	—	·01	·30	·46		8
9	·01	·17	·32	—	—	—	·31	·02	—	·67	·17	·51		9
10	·03	·02	—	—	—	—	—	·05	·02	·23	·03	·09		10
11	·22	—	—	—	—	·17	—	·09	—	·04	·01	—		11
12	—	·01	·33	—	—	·01	—	—	—	·13	—	—		12
13	·05	—	—	—	—	·07	—	—	—	·25	·01	—		13
14	·01	—	—	·03	·01	—	·21	—	·07	—	—	—		14
15	·60	—	·02	—	·25	·02	·13	—	·01	·05	·11	·01		15
16	·49	—	—	—	·18	·44	·22	—	—	·21	·32	—		16
17	·09	—	·02	·06	·13	·02	—	—	—	—	·37	—		17
18	·31	·10	—	—	·03	·10	·26	—	—	·15	·02	—		18
19	·51	·05	·06	—	—	·28	·18	—	—	·10	·35	·01		19
20	·19	—	—	—	—	—	·79	—	—	—	—	—		20
21	·24	—	—	—	—	·03	·40	·25	—	—	—	—		21
22	·16	·17	·15	·02	—	—	·17	·11	·03	—	—	—		22
23	·30	·31	—	—	—	·18	·12	—	—	—	·12	—		23
24	·04	—	·02	·20	—	·07	·40	—	—	—	·59	—		24
25	x	—	·02	—	—	·10	—	—	—	·06	—	—		25
snow 26	1·35	—	·05	—	—	—	·05	·44	—	·22	·14	—		26
27	✓	·11	·01	·07	—	—	—	·35	—	—	·54	—		27
28	—	·13	·18	·02	—	·02	·09	—	—	·02	·03	·01		28
29	—	07	·17	—	—	·08	·22	—	—	—	·05	—		29
30	—	✕	—	·48 15	—	—	·22	—	—	·14	·04	·24		30
31	[illegible]	✕	— 4	✕	— 6	✕	·82	— 10	✕	~~·07~~	✕ ~~·01~~	(—)	32·34	31
TOTAL	~~4·44~~ 5	1·21 ~~1·14~~	1·84 ~~1·88~~	3·21 ~~2·46~~	1·24 ~~1·99~~	1·59	5·24 ~~5·22~~	3·32 ~~1·54~~	·74 ~~·84~~	2·66 ~~2·69~~	3·95 ~~4·01~~	2·00 ~~2·01~~	Year's Total ~~29·91~~	
* Days with .01 in. or more.	3 24	21	16	15	12	14	22	13	8	18	23	13	183	
* Days with .04 in. or more.	8 16	9	8	9	7	9	18	10	3	14	16	9	126 132	

Np loss S

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

Mrs F. Sleeman

(Signed) Frances Sleeman [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2163/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

A 2001 04/40

Kept at Verlands Painswick

in the County of Gloucestershire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 450 ft.

Feb. Mar. Apr. May. June July
Oct. Nov. corr. for B.A.
Pt Feb. Mar. Pt Apr
card for W.D.

Np 1939

? W.D

Acc Day.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·03	—	—	—	—	—	—	·09			1
2	—	—	—	·05	—	—	·05	—	—	·24	1·10	·01		2
3	—	—	—	·09	—	—	—	—	—	—	·78	—		3
4	—	·20	—	—	—	—	—	—	—	·04	·56	—		4
5	—	·08	—	—	—	—	·05	—	—	·10	·57	—		5
6	·18	{ — }	—	—	—	—	—	—	—	·07	—	·08		6
7	·02	·23	—	—	·01	—	·13	—	·01	—	—	—		7
8	—	$\overset{3}{\cdot 49}$	—	·03	—	—	—	—	—	·19	·07	·04		8
9	—	—	—	·02	—	—	·27	·04	·03	·58	·25	·08		9
10	—	—	—	·05	—	—	·70	—	—	·09	·07	·08		10
11	—	—	tr	·04	—	—	✗	—	—	—	·33	tr		11
12	—	—	tr	—	—	·08	{·51 ✗	—	·03	·10	·04	—		12
13	—	—	— ✗	—	—	—	—	·02	—	—	·31	·03		13
14	—	—	✗ {·61	—	·95	—	·25	—	·12	·11	—	·13		14
15	—	—	{snow ✗	·03	·19	·06	·05	—	·20	·04	·15	tr		15
16	·01	—	·07	—	—	·07	·22	—	·04	·46	·35	—		16
17	—	-	·32	—	—	—	·01	—	—	—	·02	—		17
18	·10	✗ 61	·21	·62	—	—	·01	·04	·03	·06	·17	·10		18
19	—	✗	·42	·07	—	—	— ✗	—	·04	—	·25	·04		19
20	—	·16	·09	·0~~4~~1	—	—	(·90) — ✗	—	—	·39	·02*	—		20
21	—	tr	—	—	·02	·21	·9 ✓	—	—	—	*·99	—		21
22	—	—	·17	·04	·01	·21	·04	—	·28	—	·04	·05		22
23	—	{ — }	·07	·05	·22	·01	·01	—	—	—	—	—		23
24	—	·32	·05	—	—	—	·18	—	—	—	—	—		24
25	{ — }	—	—	·01	—	·04 ~~·4~~	·48	—	—	—	—	—		25
26	{·02}	{ — }	—	—	·14	—	·01	—	—	—	—	—		26
27	·85	·18	—	1·26	·01	—	—	—	—	—	—	—		27
28	✗	{ — }	—	·13	·05	—	—	·04	—	—	—	·01		28
29	}·84 ✗	·10	—	·28	·03	—	—	—	—	—	—	·14		29
30	—	✕	·09	·07	—	—	—	—	—	·20	—	—		30
31	—	✕	—	✕	—	✕	—	—	✕	·58	✕	·03		31
TOTAL	2·02	2·31 ~~2·41~~	·03 ~~2·10~~ ~~2·10~~	~~2·88~~ ~~1·68~~ ~~2·78~~	1·63 ~~1·68~~	·68 ~~·47~~	3·69 ~~3·73~~	·14	·78	3·25 ~~2·99~~	6·16 ~~5·97~~	·82	Year's Total ~~27·6~~	~~26·23~~ ~~28·79~~ 26·34
* Days with .01 in. or more.	~~8~~	~~10~~	~~12~~	~~18~~	~~10~~	~~7~~	~~20~~	~~4~~	~~9~~	~~15~~	~~19~~	~~13~~	~~145~~	"
* Days with .04 in. or more.	5	10	12	11	5	6	15	3	5	14	17	9	113	"a"

Print Wt

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

MRS (F). SLEEMAN (Signed) F. Sleeman [P.T.O.

2·13 2·75 3·25 6·16

2164

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

LL ORGANIZATION.

Form 1090.

REGIS

1 .

2164

HARESCOMBE GRANGE

1931 —— 40

780402

Kept at Harescombe

in the County of Glou

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

Date	Jan.	Feb.	March							.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	06	—	10	02	03	01	—	30	02	—	—	1
2	05	01	—	79	23	—	—	01	60	01	05	—	2
3	—	—	01	04	—	—	04	03	70	—	1·54	21	3
4	—	—	01	07	01	—	46	83	03	02	03	08	4
5	—	10	—	09	02	89	—	02	05	—	15	44	5
6	—	10	—	13	03	31	12	—	06	34	—	20	6
7	—	—	—	—	—	04	12	48	—	05	12	61	7
8	01	06	01	04	23	18	01	55	—	—	·02	—	8
9	05	03	01	—	—	35	09	—	—	01	32	—	9
10	—	19	—	—	—	07	—	06	—	01	24	—	10
11	13	20	—	—	—	10	03	03	11	—	38	02	11
12	—	02	05	—	~~02~~	04	92	03	~~02~~15	15	—	—	12
13	—	~~08~~	—	—	02	~~37~~	~~66~~	48	02	—	—	—	13
14	—	08	—	—	04	37	66	46	04	—	09	—	14
15	—	03	—	07	21	—	69	52	08	—	—	05	15
16	—	16	—	06	41	65	—	58	10	—	—	—	16
17	—	16	—	09	45	—	20	—	12	—	05	—	17
18	03	02	02	13	—	10	01	32	—	—	25	—	18
19	02	02	—	18	—	14	05	19	—	—	—	—	19
20	—	08	15	—	—	—	—	12	—	—	01	—	20
21	09	—	—	—	30	—	—	—	—	—	01	—	21
22	17	—	31	01	—	—	—	—	—	—	56	—	22
23	16	—	—	10	68	—	—	—	11	—	—	13	23
24	—	01	—	21	25	55	20	—	01	—	—	01	24
25	10	—	—	30	03	—	31	—	—	—	06	—	25
26	—	—	—	02	—	—	22	—	—	—	48	—	26
27	15	49	—	09	65	—	12	—	—	—	17	—	27
28	13	10	03	—	11	—	—	—	—	04	—	03	28
29	05	×	—	—	11	—	18	—	—	11	09	—	29
30	—	×	—	—	—	—	—	—	—	—	—	—	30
31	28	×	—	×	15	×	—	05	×	—	×	·05	31
TOTAL	1·42	1·92	·60	2·52	3·95	3·82	4·44	4·71	2·48	76	4·62	1·23	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	14	19	9	18	19	14	19	17	15	10	19	11	184
*Days with ·04 in. or more.	11	12	3	16	13	13	15	12	12	5	15	7	134

40-9999 Heaviest monthly falls. O

*See Instruction 2 (*f*) on other side.

(*Signed*) Stamford Hutton

[P.T.O.

2164

Section **A** for the entry [redacted] LL ORGANIZATION. FOR OFFICIAL USE.

AIR MINISTR

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	06	—	10	02	03	01	—	30	02	—	—	1
2	05	01	—	79	23	—	—	01	60	01	05	—	2
3	—	—	01	04	—	—	04	03	70	—	1·54	21	3
4	—	—	01	07	01	—	46	83	03	02	03	08	4
5	—	10	—	09	02	89	—	02	05	—	15	44	5
6	—	10	—	13	03	31	12	—	06	34	—	20	6
7	—	—	—	—	—	04	12	48	—	05	12	01	7
8	01	06	01	04	23	18	01	55	—	—	·02	—	8
9	05	03	01	—	—	35	09	—	—	01	32	—	9
10	—	19	—	—	—	07	—	06	—	01	24	—	10
11	13	20	—	—	—	10	03	~~13~~03	11	—	38	02	11
12	—	~~02~~	05	—	~~02~~	04	92	03	~~02~~15	15	—	—	12
13	—	~~08~~	—	—	02	~~37~~	~~66~~	48	02	—	—	—	13
14	—	08	—	—	04	37	66	46	04	—	09	—	14
15	—	03	—	07	21	—	69	52	08	—	—	05	15
16	—	16	—	06	41	65	—	58	10	—	—	—	16
17	—	16	—	09	45	—	20	—	12	—	05	—	17
18	03	02	02	13	—	10	01	32	—	—	25	—	18
19	02	02	—	18	—	14	05	19	—	—	—	—	19
20	—	08	15	—	—	—	—	12	—	—	01	—	20
21	09	—	—	—	30	—	—	—	—	—	01	—	21
22	17	—	31	01	—	—	—	—	—	—	56	—	22
23	16	—	—	10	68	—	—	—	11	—	—	13	23
24	—	01	—	21	25	55	20	—	01	—	—	01	24
25	10	—	—	30	03	—	31	—	—	—	06	—	25
26	—	—	—	02	—	—	22	—	—	—	48	—	26
27	15	49	—	09	65	—	12	—	—	—	17	—	27
28	13	10	03	—	11	—	—	—	—	04	—	03	28
29	05	×	—	—	11	—	18	—	—	11	09	—	29
30	—	×	—	—	—	—	—	—	—	—	—	—	30
31	28	×	—	×	15	×	—	05	×	—	×	05	31
TOTAL	1·42	1·92	·60	2·52	3·95	3·82	4·44	4·71	2·48	76	4·62	1·23	YEAR'S TOTAL 32·47
*Days with ·01 in. or more.	14	19	9	18	19	14	19	17	15	10	19	11	184
*Days with ·04 in. or more.	11	12	3	16	13	13	15	12	12	5	15	7	134

40-9999 Heaviest monthly falls. O

*See Instruction 2 (*f*) on other side.

(Signed) Stamford Hutton [P.T.O.

2164

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Station no 2164

Kept at Harescombe Grange
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	—	02	1.18	01	02	13	04	16	—	—	1
2	—	—	—	18	15	—	—	01	26	03	—	08	2
3	—	03	—	65	07	—	03	—	01	—	—	—	3
4	—	—	—	12	—	—	01	—	—	—	43	—	4
5	01	—	04	—	01	—	—	—	10	—	—	—	5
6	1.23	—	—	05	—	—	—	—	19	—	—	—	6
7	12	—	15	—	11	—	—	—	23	1.05	—	—	7
8	—	—	23	02	07	—	—	—	58	40	—	—	8
9	37	08	—	05	11	—	—	—	—	—	—	—	9
10	25	05	—	27	10	02	—	—	03	21	—	—	10
11	01	—	—	65	—	—	18	—	06	—	03	04	11
12	42	—	—	—	29	—	—	~~06~~	10	24	02	03	12
13	03	02	—	10	08	—	61	06	06	09	04	06	13
14	26	—	—	02	—	—	—	30	—	02	05	—	14
15	03	—	—	06	64	—	05	—	—	03	03	—	15
16	19	—	—	32	—	—	21	—	—	—	—	—	16
17	—	—	—	04	—	—	—	—	—	11	—	—	17
18	—	—	—	—	15	—	—	—	10	—	20	—	18
19	—	—	—	11	07	—	—	—	—	08	—	01	19
20	—	—	—	19	1.13	—	—	15	—	63	09	30	20
21	—	—	07	26	52	—	—	62	—	41	03	07	21
22	—	—	17	09	03	11	18	02	71	17	08	05	22
23	—	04	—	—	87	—	06	—	09	29	—	07	23
24	—	02	—	—	05	—	05	—	09	03	—	01	24
25	—	02	—	08	—	—	13	—	06	41	08	01	25
26	—	—	13	03	04	—	35	—	02	08	05	—	26
27	—	—	40	16	~~49~~ 47	—	08	—	—	81	—	01	27
28	—	—	09	07	29	05	11	01	—	—	—	—	28
29	—	—	39	12	29	20	05	14	15	25	—	11	29
30	—	×	—	—	—	1.29	16	18	36	—	72	25	30
31	02	×	11	×	—	×	48	—	×	01	×	33	31
TOTAL	2.99	[illegible]28	1.78	3.26	6.70	1.68	2.78	1.62	3.24	5.01	1.85	1.43	YEAR'S TOTAL 32.62
*Days with ·01 in. or more.	13	8	10	24	22	6	17	10	19	21	13	15	178
*Days with ·04 in. or more.	8	3	10	20	20	4	14	7	16	16	9	10	137

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Clamford Hutton P.T.O.
(1-1-33)

Heaviest daily falls + O

2164

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~33

Kept at Harescombe Grange
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	60	29	03	—	—	—	—	—	—	—	—	—	1
2	47	—	36	—	02	—	—	—	—	—	—	—	2
3	—	10	26	—	08	—	—	—	—	—	—	—	3
4	17	01	30	—	19	—	—	—	—	—	—	—	4
5	—	—	01	—	06	—	—	—	—	—	04	—	5
6	—	30	05	—	08	—	—	—	—	16	—	—	6
7	02	01	02	—	01	—	02	—	—	17	—	02	7
8	03	—	06	—	03	33	33	—	—	02	—	—	8
9	—	01	—	—	01	—	17	—	—	39	02	—	9
10	06	—	—	—	—	—	04	—	—	1·45	09	—	10
11	17	—	—	—	02	01	02	06	—	—	—	—	11
12	02	—	—	—	03	—	13	—	48	—	—	—	12
13	03	—	—	—	09	~~05~~	22	03	—	06	08	—	13
14	—	—	—	—	—	~~02~~	11	04	—	03	27	—	14
15	46	—	06	—	—	—	28	05	—	21	~~03~~	04	15
16	04	—	38	—	—	07	29	01	—	—	08	05	16
17	06	02	30	—	03	08	04	06	—	—	02	—	17
18	08	—	09	—	—	16	—	—	06	—	01	—	18
19	—	01	18	—	—	21	—	—	05	—	08	—	19
20	—	—	08	—	01	13	—	—	—	—	01	01	20
21	—	04	—	—	09	13	—	08	—	10	01	—	21
22	—	—	—	—	—	13	—	23	02	17	—	—	22
23	—	15	—	14	—	07	—	—	54	52	01	—	23
24	—	1·17	—	23	01	88	—	—	05	—	02	—	24
25	—	70	—	17	13	39	—	—	42	01	—	10	25
26	—	75	—	09	23	—	—	—	58	05	—	—	26
27	—	03	—	—	89	—	—	—	04	13	—	14	27
28	—	—	—	53	—	—	—	—	—	02	—	04	28
29	01	X	—	12	—	—	03	—	—	05	—	02	29
30	09	×	10	02	—	—	05	—	09	—	—	11	30
31	18	×	02	×	—	×	—	09	×	01	×	—	31
TOTAL	2·49	3·59	2·50	1·30	2·01	2·61	1·73	·65	2·33	3·55	·69	·53	YEAR'S TOTAL 23·98
Days with ·01 in. or more.	16	14	16	7	18	13	13	9	10	17	13	9	155
Days with ·04 in. or more.	11	8	12	6	9	11	10	7	9	12	5	6	106

40-9999 Heaviest daily fall denoted ⊙

(Signed) Stamford Hutton

[P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

2164

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 19~~2~~34.

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 557 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1	01	—	—	—	—	—	—	40	08	—	—	36	1
2	11	—	05	—	—	—	—	06	44	02	04	14	2
3	02	06	—	—	—	—	—	—	01	08	—	21	3
4	11	—	02	—	23	—	—	—	21	19	10	33	4
5	—	—	01	—	06	—	—	40	—	05	30	40	5
6	—	—	14	10	40	—	—	02	—	17	—	43~~8~~	6
7	02	01	—	—	—	—	—	16	—	07	04	33	7
8	01	—	—	—	22	—	—	03	01	—	08	11	8
9	—	—	14	—	—	—	—	—	—	—	55	49	9
10	15	—	12	—	—	—	—	04	—	—	14	02	10
11	55	—	10	20	—	—	15	23	—	—	—	18	11
12	01	—	15	20	02	—	04	02	—	—	01	05	12
13	34	—	01	12	—	—	1·29	—	—	—	02	15	13
14	—	—	26	—	—	—	—	—	—	04	16	25	14
15	—	—	03	—	11	—	—	—	—	11	37	06	15
16	06	—	29	—	02	—	—	05	—	—	08	—	16
17	06	—	—	07	02	—	—	—	16	03	01	21	17
18	16	—	06	24	—	—	16	—	10	—	—	21	18
19	—	—	18	01	01	02	—	03	02	08	—	10	19
20	—	—	21	08	—	—	—	—	—	—	—	—	20
21	—	—	10	—	—	24	15	09	—	22	—	04	21
22	—	—	04	02	—	—	—	21	09	10	—	15	22
23	01	01	02	—	—	15	—	—	—	—	—	01	23
24	—	38	10	12	—	22	34	—	21	01	—	—	24
25	12	02	—	35	—	09	—	—	—	16	—	34	25
26	01	—	07	23	—	11	—	—	02	16	—	12	26
27	01	—	—	15	—	—	—	—	—	05	—	18	27
28	—	—	—	06	—	04	—	27	—	—	—	45	28
29	—	X	—	02	—	—	—	06	47	—	03	—	29
30	09	X	—	—	—	—	—	—	03	—	—	19	30
31	—	X	—	X	—	X	—	—	X	22	X	14	31
TOTAL	1·85	·48	2·10	1·97	1·09	·87	2·13	2·07	1·85	1·77	1·93	5·65	YEAR'S TOTAL 23·76
Days with ·01 in. or more.	18	5	20	15	9	7	6	15	13	17	14	27	166
Days with ·04 in. or more.	9	3	15	12	5	6	6	11	8	14	10	25	124

Day with largest fall in each month marked. O

(Signed) Stamford Hutton [P.T.O.

Average for 35 years (1900 to 1934) = 30·47

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 2164

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.		
1	01	—	04	03	07	05	10	—	13	05	07	01		1
2	—	—	—	—	—	07	—	—	01	24	01	—		2
3	—	07	03	—	—	29	—	—	44	34	27	—		3
4	—	01	—	23	—	12	—	—	05	14	—	03		4
5	—	25	25	01	—	30	—	—	23	02	04	02	Average rainfall for 36 years (1900 to 1935) 30·55	5
6	—	—	02	29	—	54	—	—	—	—	02	11		6
7	—	—	—	40	—	12	—	—	—	14	13	06		7
8	—	—	—	27	—	—	—	—	—	18	20	04		8
9	02	01	—	76	—	37	—	20	—	1·00	26	—		9
10	—	—	—	20	—	—	—	—	—	01	08	01		10
11	21	—	—	—	—	05	—	—	—	04	25	—		11
12	01	02	—	—	—	28	—	02	03	—	06	—		12
13	08	09	—	22	13	01	—	—	03	—	06	—		13
14	—	—	—	01	—	27	—	—	07	—	75	24		14
15	—	06	—	80	19	20	—	—	63	—	21	07		15
16	—	01	07	23	—	08	—	—	30	07	1·01	01		16
17	—	01	01	07	—	17	~~[illegible]~~	—	02	—	32	—		17
18	—	02	—	28	09	02	06	—	28	02	01	02		18
19	—	01	—	12	19	15	14	—	13	10	11	05		19
20	02	40	—	17	23	08	16	—	1·00	—	70	—		20
21	—	28	01	03	—	—	05	—	30	01	05	—		21
22	—	15	—	11	—	—	—	04	26	—	—	—		22
23	—	07	06	10	—	—	—	43	11	77	—	15		23
24	11	29	07	—	—	—	—	13	33	10	—	26		24
25	15	23	—	28	—	31	—	~~[illegible]~~	—	—	—	11		25
26	—	13	—	—	—	—	—	19	11	—	01	71		26
27	—	14	—	—	08	—	—	—	06	—	08	·25		27
28	01	—	—	—	—	—	—	05	18	25	—	02		28
29	—	X	—	—	—	—	—	12	06	03	08	16		29
30	06	X	03	09	27	03	—	66	07	29	34	13		30
31	—	X	—	X	02	X	—	22	X	42	X	26		31
TOTAL	·68	2·25	·59	4·70	1·27	3·51	·51	2·06	4·83	4·22	5·12	3·72	Year's Total 33·46	
*Days with ·01 in. or more.	10	19	10	21	9	20	5	10	23	20	24	21	192	
*Days with .04 in. or more.	5	12	5	17	8	17	5	9	19	15	20	14	146	

40-9999

*See Instruction 2 (*f*) on other side.

Heaviest daily fall in each month marked O

† Spare column, no entries required.

(*Signed*) Stamford Hutton

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2164

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	10	09	29	—	18	—	07	—	—	05	03		1
2	07	07	06	03	—	50	29	03	—	—	24	—		2
3	—	—	—	16	—	24	58	—	59	—	12	01		3
4	06	01	24	01	—	—	05	—	21	—	09	26		4
5	29	—	03	—	11	—	—	—	06	—	02	01		5
6	04	—	02	—	—	06	06	09	10	—	23	—		6
7	04	—	07	—	—	06	24	—	—	—	19	07		7
8	20	—	18	—	—	—	32	—	—	—	42	02		8
9	57	—	11	—	—	—	504	—	03	—	—	—		9
10	03	—	—	—	—	—	38	03	—	—	—	01		10
11	—	19	—	03	—	11	16	—	06	—	26	—		11
12	—	—	—	12	07	46	23	—	33	—	05	24		12
13	—	—	—	13	—	11	—	—	—	05	06	76		13
14	—	01	—	23	—	02	46	—	19	—	02	66		14
15	—	03	—	07	01	—	01	—	14	—	29	08		15
16	21	13	—	16	—	—	09	—	01	—	32	03		16
17	10	65	—	—	03	—	12	—	—	05	01	32		17
18	—	03	—	—	—	~~24~~	24	06	—	04	07	09		18
19	31	20	03	19	—	02	—	05	—	—	—	—		19
20	02	10	03	10	—	25	—	—	44	—	—	—		20
21	—	—	—	34	—	06	01	—	06	—	—	—		21
22	07	59	11	01	22	—	20	—	—	01	—	·14		22
23	08	07	26	08	07	—	25	—	—	03	—	—		23
24	10	—	—	06	—	—	10	—	44	10	02	—		24
25	06	02	18	40	—	—	19	—	22	13	25	—		25
26	06	09	11	04	—	27	—	—	01	—	—	—		26
27	07	03	10	—	—	—	02	—	20	37	—	—		27
28	45	04	27	—	—	—	03	—	—	—	01	·13		28
29	06	20	04	—	—	3·14	06	—	—	03	04	·29		29
30	10	×	01	—	08	06	08	—	—	70	01	·01		30
31	46	×	32	×	—	×	14	—	×	18	×	·21		31
TOTAL	3·55	2·65	2·26	2·45	·59	5·54	4·95	·33	3·09	1·39	2·57	3·37	Year's Total. 32·74	
* Days with .01 in. or more.	23	18	19	18	7	15	26	6	16	11	21	19	199	
* Days with .04 in. or more.	21	12	14	14	5	13	22	4	13	8	15	12	153	

40-9999

† Spare column, no entries required

(*Signed*) Stamford Hutton [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2164

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Harescombe Grange
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	09	—	—	02	—	—	—	—	06	—	26	37		1
2	01	15	—	09	—	—	—	—	—	—	—	19		2
3	—	22	—	—	02	—	04	—	05	—	01	10		3
4	06	18	—	03	06	—	01	—	—	t	—	33		4
5	13	—	15	02	[illegible]	—	—	—	—	—	—	—		5
6	09	07	15	17	[illegible]	—	19	—	—	08	03	—		6
7	—	75	03	10		—	—	—	—	—	—	—		7
8	—	07	—	—	06	·01	01	—	—	01	29	02		8
9	—		—	10	12	—	19	—	39	—	—	06		9
10	05	—	41	93	—	15		—		—	—	24		10
11	—	—	18	—	38	05	10	—	12	—	—	08		11
12	44	16	40	—	15	07	01	25	—	—	—	15		12
13	—	03	22	16	—	34	—	70	07	—	—	—		13
14	23	08	28	08	—	—	—	15	—	—	—	07		14
15	13	15	—	25	—	—	2.38	—	03	—	—	16		15
16	—	15	39	26	—	08	02	08	44	—	—	05		16
17	28	07	29	01	—	02	—	—	1.18	—	18	—		17
18	50	06	13	05	—	07	—	—	35	—	—	19		18
19	17	05	10	04	03	17	06	—	—	—	10	01		19
20	25	05	29	27	16	02	04	—	—	—	01	07		20
21	20	31	15	—	·02	—	—	—	—	—	—	09		21
22	12	05	10	—	17	30	10	—	—	86	33	02		22
23	16	07	—	—	02	—	06	—	—	60	[illegible]	—		23
24	18	25	02	—	04	—	—	—	·09	30	—	05		24
25	02	33	07	—	10	—	—	—	04	29	—	01		25
26	—	25	—	—	48	—	—	—	—	—	—	01		26
27	—	13	—	26	~~48~~	—	—	—	—	62	—	01		27
28	—	11	—	—	—	—	—	—	—	08	—	02		28
29	03	×	—	—	—	·01	—	—	—	13	06	03		29
30	23	×	—	—	—	01	—	16	—	—	15	01		30
31	10	×	—	×	—	×	—	—	×	30	×	—		31
TOTAL	3·49	3·74	3·36	2·84	1·92	1·30	3·21	1·34	2·82	3·27	1·45	2·34	Year's Total. 31·08	✓ ✓
* Days with .01 in. or more.	21	23	17	17	15	13	13	5	11	10	11	24	180	✓ ✓
* Days with .04 in. or more.	17	22	15	13	11	8	9	5	10	9	7	15	141	✓ ✓

40-9999 Heaviest daily fall in month = O

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Stamford Hutton

[P.T.O.

COPY FOR OFFICIAL USE

Section | A | for the entry of Daily Observations

Station No. 2164

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	01	—	—	01	35	15	05	—	22	—	16		1
2	04	—	—	—	02	—	—	—	—	15	—	—		2
3	—	—	—	—	17	03	—	—	—	21	—	—		3
4	02	—	—	—	—	05	45	29	03	82	—	10		4
5	01	—	—	—	—	—	05	02	—	08	—	—		5
6	03	—	—	—	—	03	28	—	07	09	01	11		6
7	01	—	—	—	—	—	44	16	09	11	—	07		7
8	01	—	—	—	—	—	13	05	04	37	—	—		8
9	13	01	—	—	—	—	02	06	—	—	—	49		9
10	11	—	—	—	—	07	03	46	—	—	—	24		10
11	14	—	—	—	—	—	—	06	—	01	27	13		11
12	22	—	—	—	39	—	—	17	—	17	09	—		12
13	06	—	—	—	—	—	—	—	—	—	31	66		13
14	38	01	—	—	03	—	85	—	06	—	—	01		14
15	15	01	—	—	01	—	03	—	—	05	—	24		15
16	32	01	04	—	01	—	—	01	—	—	01	—		16
17	—	09	—	—	02	—	—	—	07	17	—	—		17
18	09	—	—	—	—	05	—	02	45	01	41	—		18
19	—	—	—	—	—	—	—	09	03	—	22	01		19
20	—	—	—	—	—	—	—	10	—	—	22	—		20
21	04	—	—	—	—	—	—	09	03	—	04	20		21
22	01	—	—	07	—	02	—	18	—	—	28	09		22
23	01	—	—	03	01	—	—	—	22	—	01	01		23
24	—	—	10	—	12	—	—	09	08	—	13	—		24
25	09	30	02	—	03	—	06	01	—	19	32	11		25
26	16	23	01	—	—	01	—	—	05	13	—	26		26
27	02	01	—	—	86	23	36	05	07	07	18	07		27
28	06	02	—	—	04	08	02	76	06	—	08	—		28
29	06	X	—	—	35	—	—	—	03	08	12	09		29
30	04	✕	—	—	07	01	—	—	66	04	9	02		30
31	18.	✕	—	✕	33	✕	—	—	✕	08	✕	13		31
TOTAL	2·97	·70	·17	·10	2·67	·93	2·87	~~2·04~~ 2·72	2·04	3·35	2·89	3·20	Year's Total 24·61	✓
* Days with .01 in. or more.	25	10	4	2	16	11	13	19	16	19	17	20	172	✓
* Days with .04 in. or more.	18	3	2	1	9	6	9	15	12	17	14	16	122	✓

Average for 39 years (1900–1938) = 30·50

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Stamford Hutton

P.T.O.

Greatest fall in month, marked ○

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2164.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 557 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	—	03	17	30	—	—	—	08	02	—	02		1
2	—	—	02	03	01	—	—	42	47	—	06	08		2
3	12	—	—	27	—	—	—	73	03	—	11	16		3
4	10	—	35	38	14	—	30	48	—	18	10	31		4
5	—	01	02	86	21	—	31	45	—	11	45	15		5
6	35	—	—	10	—	—	1·82	02	—	—	05	—		6
7	—	06	—	—	—	—	01	—	—	07	57	42		7
8	—	—	28	—	—	—	34	01	—	63	26	58		8
9	04	16	—	—	—	—	—	10	—	32	01	10		9
10	22	04	12	—	—	18	—	12	02	02	01	—		10
11	—	01	18	—	—	—	—	—	—	09	—	—		11
12	05	09	—	—	—	12	—	—	—	01	—	—		12
13	—	—	—	04	01	—	22	—	08	39	—	—		13
14	51	—	—	—	18	04	09	—	01	05	10	—		14
15	54	—	01	—	14	55	29	—	01	24	34	—		15
16	13	—	01	04	10	04	01	—	—	—	32	—		16
17	29	03	—	—	02	08	17	—	—	23	04	—		17
18	35	05	05	—	—	40	11	—	01	16	38	—		18
19	16	—	—	—	—	—	42	—	03	—	—	—		19
20	24	—	—	—	—	—	21	27	—	—	—	03		20
21	13	15	17	—	—	—	24	75	04	—	—	—		21
22	44	25	03	06	—	22	05	—	—	01	11	—		22
23	04	—	—	15	—	09	34	—	—	—	66	—		23
24	15	—	06	04	—	19	01	—	—	05	—	02		24
25	77	02	03	03	—	01	05	20	—	11	12	—		25
26	48	03	01	02	—	—	—	20	—	10	54	06		26
27	01	06	11	02	—	03	09	—	—	03	08	04		27
28	—	09	20	06	—	32	28	—	—	01	24	07		28
29	—	×	—	38	—	—	52	—	—	10	04	—		29
30	—	×	—	1·06	—	—	04	—	—	—	01	14		30
31	—	×	—	×	—	×	05	22	×	10	×	—		31
TOTAL	5·14	1·05	1·68	3·63	1·11	2·27	5·97	3·97	·78	3·03	4·60	2·18	Year's Total 35·41	
*Days with ·01 in. or more.	21	14	17	17	9	13	23	13	10	22	22	14	195	
*Days with .04 in. or more.	19	9	9	13	6	11	20	11	4	17	19	11	149	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Stamford Hutton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 2164

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Harescombe Grange

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 557 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	02		03	01	—	—	—	—	—	06	—		1
2	—	05	—	05	—	—	06	—	—	—	1.02	—		2
3	—	18	—	—	—	—	—	—	—	28	80	01		3
4	—	08	—	—	—	—	—	—	—	12	86	01		4
5	—	01	—	—	—	—	03	—	—	14	55	05		5
6	17	20	—	—	02	—	—	—	—	18	—	03		6
7	01	—	—	01	—	—	28	—	—	—	—	01		7
8	01	33	—	04	—	—	—	—	—	15	24	05		8
9	—	—	—	—	—	—	40	06	03	54	21	08		9
10	—	—	01	07	—	—	69	—	—	14	09	07		10
11	—	—	02	—	—	—	15	—	—	—	30	—		11
12	—	—	05	—	—	—	24	—	03	—	04	—		12
13	—	02	53	—	—	—	06	—	—	22	29	01		13
14	—	—	06	04	1.05	—	31	02	10	—	—	26		14
15	—	—	06	02	35	07	04	—	25	12	16	—		15
16	01	23	21	—	—	11	18	—	12	49	53	03		16
17	—	—	14	—	—	—	01	—	—	—	02	01		17
18	12	30	60	47	—	—	01	02	03	07	12	06		18
19	—	15	[illegible]	20	—	—	1.28	—	08	—	19	03		19
20	—	—	02	02	—	—	05	—	—	38	02	—		20
21	—	01	—	—	05	15	01	—	30	—	1.11	—		21
22	—	05	07	05	02	37	—	—	—	—	01	—		22
23	—	25	06	06	14	01	—	—	—	—	05	03		23
24	—	01	01	—	—	—	20	—	—	—	—	04		24
25	—	—	—	—	—	—	—	—	—	—	—	—		25
26	·85	16	01	05	11	—	54	—	—	—	—	—		26
27	29	09	—	09	03	—	02	—	—	—	—	—		27
28	27	15	—	13	04	—	—	01	—	—	—	—		28
29	09	—	06	33	02	03	01	—	—	—	—	22		29
30	23	✕	—	10	06	—	—	—	—	17	—	—		30
31	09	✕	02	✕	—	✕	—	—	✕	55	✕	02		31
TOTAL	2.07	2.29	2.02	1.76	1.90	·74	4.57	·11	·94	3.52	6.67	1.02 ~~27.61~~	Year's Total 27.61	—
* Days with .01 in. or more.	11	18	17	17	12	6	20	4	8	14	20	18 ~~165~~	165	—
* Days with .04 in. or more.	7	13	11	13	7	4	14	1	5	14	17	8 ~~44~~	114	—

·41

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Stamford Hutton

P.T.O.

Section **A** **for the entry of D**

AIR MINISTRY.

FORM 1090.

REGIST

Kept at Woodside CRA

in the County of GLOS.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

P

2164/5

CRANHAM. WOODSIDE
1933 — 40

780402

ation No. 2164/5

ORGANIZATION.

owing

Jan. 1, following

Date	Jan.	Feb.	March	A							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·29	·04	–	·02	–	–	–	–	·07	–	–	1
2	·49	–	·53	–	–	–	–	–	–	–	·01	–	2
3	–	·09	·18	–	·20	–	–	–	–	–	·01	–	3
4	·15	–	–	–	·23	–	–	–	–	–	–	–	4
5	–	·02	·39	–	–	–	–	–	–	–	·05	–	5
6	–	·35	·01	–	·03	–	–	–	–	·16	·01	–	6
7	·11	–	–	–	–	–	–	–	–	·26	–	–	7
8	–	·05	·07	–	·07	·15	·02	–	–	–	–	–	8
9	–	·01	–	–	·01	–	·36	–	–	·44	·03	–	9
10	·16	–	–	–	·01	–	·22	–	–	1·37	·08	–	10
11	–	–	–	–	·07	·01	–	·09	–	–	–	–	11
12	·04	–	–	–	·05	–	·26	–	·67	–	–	·01	12
13	·05	–	–	–	·14	·01	·21	–	–	·10	–	–	13
14	·04	–	–	–	–	–	·11	·05	–	–	·36	–	14
15	·59	–	·11	–	–	–	·67	·24	–	·19	·01	·04	15
16	·06	–	·51	–	–	·84	–	·03	·02	–	·02	·03	16
17	·04	–	·39	–	·02	·08	·02	·15	·04	–	·01	–	17
18	·08	–	·24	–	–	·20	–	–	–	–	·03	–	18
19	–	·05	·1	–	–	·05	–	–	·04	–	·05	–	19
20	~~·005~~	·02	·05	–	–	·20	–	–	·07	–	·02	·01	20
21	–	–	–	–	·02	·01	–	·11	–	–	·01	–	21
22	–	–	–	–	–	·04	–	·16 ·16	–	·11	–	–	22
23	–	–	–	·14	–	·05	–	–	–	·3	·01	–	23
24	–	1·16	–	·19	·07	·99	–	–	–	·8	·01	–	24
25	–	·54	–	·17	·56	·13	–	–	·51	·03	–	·1	25
26	–	1·1	–	·07	·67	·03	–	–	·16	·07	–	–	26
27	–	·04	–	–	·51	–	–	–	·20	·11	–	·16	27
28	–	–	–	·41	–	–	–	–	·66	·01	–	·04	28
29	·09	–	–	·05	–	–	–	–	·07	·01	–	·03	29
30	–	×	·12	·02	–	–	–	–	–	–	–	·1	30
31	·23	×	·03	×	·01	×	–	·07	×	·01	×	–	31
TOTAL	2·39	3·72	2·77	1·05	2·69	1·99	1·87	·90	2·44	4·04	·72	·52	YEAR'S TOTAL 25·10
*Days with ·01 in. or more.	14	12	14	7	17	14	8	8	10	16	16	9	145
*Days with .04 in. or more.	14	9	12	6	16	10	6	7	9	12	4	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Herbert Edwards

P.T.O.

Section **A** for the entry of D ation No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Woodside CRANHAM

in the County of GLOS.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level 650 ft.

V.G. record.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·29	·04	—	·02	—	—	—	—	·07	—	—	1
2	·49	—	·53	—	—	—	—	—	—	—	·01	—	2
3	—	·09	·18	—	·20	—	—	—	—	—	·01	—	3
4	·15	—	—	—	·23	—	—	—	—	—	—	—	4
5	—	·02	·39	—	—	—	—	—	—	—	·05	—	5
6	—	·35	·01	—	·03	—	—	—	—	·16	·01	—	6
7	·11	—	—	—	—	—	—	—	—	·26	—	—	7
8	—	·05	·07	—	·07	·15	·02	—	—	—	—	—	8
9	—	·01	—	—	·01	—	·36	—	—	·44	·03	—	9
10	·16	—	—	—	·01	—	·22	—	—	1·37	·08	—	10
11	—	—	—	—	·07	·01	—	·09	—	—	—	—	11
12	·04	—	—	—	·05	—	·26	—	·67	—	—	·01	12
13	·05	—	—	—	·14	·01	·21	—	—	·10	—	—	13
14	·04	—	—	—	—	—	·11	·05	—	—	·36	—	14
15	·59	—	·11	—	—	—	·67	·24	—	·19	·01	·04	15
16	·06	—	·51	—	—	·84	—	·03	·02	—	·02	·03	16
17	·04	—	·39	—	·02	·08	·02	·15	·04	—	·01	—	17
18	·08	—	·24	—	—	·20	—	—	—	—	·03	—	18
19	—	·05	·1	—	—	·05	—	—	·04	—	·05	—	19
20	·005	·02	·05	—	—	·20	—	—	·07	—	·02	·01	20
21	—	—	—	—	·02	·01	—	·11	—	—	·01	—	21
22	—	—	—	—	—	·04	—	·16 ·16	—	·11	—	—	22
23	—	—	—	·14	—	·05	—	—	—	·3	·01	—	23
24	—	1·16	—	·19	·07	·99	—	—	—	·8	·01	—	24
25	—	·54	—	·17	·56	·13	—	—	·51	·03	—	·1	25
26	—	1·1	—	·07	·67	·03	—	—	·16	·07	—	—	26
27	—	·04	—	—	·51	—	—	—	·20	·11	—	·16	27
28	—	—	—	·41	—	—	—	—	·66	·01	—	·04	28
29	·09	—	—	·05	—	—	—	—	·07	·01	—	·03	29
30	—	×	·12	·02	—	—	—	—	—	—	—	·1	30
31	·23	×	·03	×	·01	×	—	·07	×	·01	×	—	31
TOTAL	2·39	3·72	2·77	1·05	2·69	1·99	1·87	·90	2·44	4·04	·72	·52	YEAR'S TOTAL 25·18
*Days with ·01 in. or more.	14	12	14	7	17	14	8	8	10	16	16	9	145
*Days with ·04 in. or more.	14	9	12	6	10	10	6	7	9	12	4	5	104

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Herbert Edwards [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Woodside, CRANHAM.

in the County of Gloucester.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 5 in.

,, Ground ,, Sea Level ft.

Hour of Observation – 10 a.m.
Nearest Ry – Gloucester. 6 mls N.NE.
" Church – Cranham – ¾ ml. S.
Nature of objects nearest gauge – flowers & low roses – height 1ft. distance 1ft all around.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	.	.	.	-	.	.	·38 38	·05	.	-	·43	1
2	·09	.	·06	.	·04	.	.	.	·42	·03	·05	·15	2
3	·04	·07	.	.	-	.	.	.	Trace	·06	.	·22	3
4	·13	·01	·03	.	·21	.	.	.	·19	·26	-	·31	4
5	·01	-	·02	.	·03	.	.	·33	-	.	·3	·4	5
6	·005	.	·13	.	·36	·16	.	.	.	·14	.	·41	6
7	·03	.	.	.	-	.	.	·15	.	·08	·07	·36	7
8	.	.	.	.	·19	.	.	·01	Trace	.	·1	·11	8
9	·01	-	·13	.	-	.	.	.	·01	.	·45	·21	9
10	·1	.	·14	·23	-	.	.	·06	.	.	·12	·03	10
11	·54	.	·07	·2	-	.	·18	·22	.	.	.	·27	11
12	·02	.	·08	.	·015	.	·09	·06	.	.	.	·06	12
13	·42	.	·01	·09	.	.	1·11	·01	.	·01	·03	·14	13
14	·04	.	·27	.	.	.	-	.	.	·02	·24	·24	14
15	.	-	·03	.	·13	.	.	.	·01	·11	·26	·08	15
16	·1	.	·33	.	·02	.	.	·03	.	.	·02	Trace	16
17	·08	.	-	·08	.	.	1·7	.	·19	·03	Trace	·26	17
18	·18	.	·09	·23	.	.	·05	.	·03	.	.	·25	18
19	.	.	·13	·02	·03	·02	.	·04	·02	·05	·01	·14	19
20	.	.	·23	·11	.	-	.	.	.	.	.	Trace	20
21	.	.	·08	.	.	·2	·06	·07	.	·24	.	·02	21
22	.	.	-	.	trace	.	-	·2	·08	·07	.	·12	22
23	.	.	·03	·24	-	·13	.	.	·02	.	Trace	·01	23
24	.	·47	·09	·11	.	·13	·03	.	·16	·02	.	-	24
25	·2	·01	-	·23	.	·16	.	.	-	·19	.	·31	25
26	·01	.	·08	·17	.	·1	.	.	·03	·16	.	·1	26
27	.	.	-	·16	.	·08	-	.	-	·02	.	·21	27
28	.	.	.	·04	.	·06	.	·26	·04	.	.	·38	28
29	.	.	.	.	.	.	.	·06	·47	.	·02	·01	29
30	·06	×	.	.	.	.	.	·03	·03	·02	.	·21	30
31	.	×	.	×	.	×	.	.	×	·17	×	·17	31
TOTAL	2·13	·56	2·03	1·91	1·025	1·04	3·22	1·91	1·75	1·68	1·67	5·61	YEAR'S TOTAL 54 24·535
*Days with ·01 in. or more.	18 ~~5~~	~~2~~4	~~5~~19	~~x~~13	~~4~~9	~~x~~9	~~x~~7	~~4~~15	~~X~~15	~~X~~18	~~4~~12	28 ~~4~~	~~41~~164
*Days with .04 in. or more.	13	2	14	12	5	8	6	11	8	11	7	24	97

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Herbert Edwards

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 21645 Ant.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Woodside, CRANHAM.

in the County of Gloucestershire

Diameter of Funnel of Gauge .... in. please see over page

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·05	·04	·07	·05	·07	–	·18	·05	·06	tr.	1
2	–	–	–	–	–	·01	–	–	·01	·29	·01	–	2
3	–	·06	·08	–	–	·19	–	–	·38	·35	·33	·02	3
4	–	tr	–	·18	–	·11	–	–	·08	·28	·02	–	4
5	–	·26	·23	–	–	·42	–	–	·21	·02	·02	·02	5
6	tr.	–	tr.	·34	–	·47	–	–	–	·01	–	·09	6
7	tr.	tr.	–	·4	–	·09	–	–	–	·18	·1	·08	7
8	–	–	–	·45	–	–	–	·19	–	·05	·2	·06	8
9	·02	·01	–	·82	–	·18	–	–	·01	·97	·43	tr.	9
10	·01	–	–	·23	–	·07	–	–	–	tr.	·03	–	10
11	·24	–	–	–	–	–	–	–	–	–	·24	tr.	11
12	tr.	·07	–	–	–	·25	–	–	–	–	·04	–	12
13	·06	·08	–	·27	·17	–	–	–	·13	–	·11	–	13
14	tr.	–	–	tr.	–	·23	–	–	·11	·01	·85	·28	14
15	–	·03	–	·72	·1	·1	–	·01	·51	tr.	·12	·08	15
16	–	·02	·06	·23	–	·05	–	–	·23	·12	1·19	·02	16
17	–	tr.	–	·1	–	·16	·1	–	·01	–	·21	–	17
18	–	·04	–	·28	·11	·07	·03	·01	·28	·05	–	·07	18
19	–	·02	–	·1	·12	·18	·15	–	·12	·08	·16	·02	19
20	·03	·45	–	·02	·25	·09	·13	–	·79	–	·73	·01	20
21	–	·44	·01	·025	–	–	–	–	·23	·02	·04	·01	21
22	–	·09	–	·11	–	–	–	·15	·08	–	–	–	22
23	·01	·05	·03	·04	–	–	–	·3	·3	·7	–	·13	23
24	·07	·32	·04	–	–	–	–	·16	–	·07	–	·12	24
25	·12	·21	–	·27	–	·5	–	–	–	–	tr.	·3	25
26	–	·22	–	–	–	–	–	·22	·1	tr	–	·73	26
27	–	·11	–	–	·06	–	–	–	·05	–	·1	1·26	27
28	·01	–	–	–	·01	–	–	·04	·19	–	–	·02	28
29	tr.	–	·05	–	–	–	–	·08	·05	·04	·09	·2	29
30	·07	×	–	·04	·04	·01	–	·76	·09	·38	·34	·22	30
31	–	×	–	×	·01	×	–	·11	×	·52	×	·26	31
TOTAL	·65	2·48	·53	4·705	·94	3·23	·48	2·03	4·14	4·19	4·42	3·95	YEAR'S TOTAL 31·745
*Days with ·01 in. or more.	11	17	8	19	10	19	5	11	19	19	22	21	184
*Days with .04 in. or more.	5	13	5	17	8	17	4	9	15	15	18	14	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Florencella Williams.
(for J. Herbert Edwards. Esq.)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Woodside CRANHAM nr. Gloster

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level ? ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	·12	·2	·29	-	·18	·28	·09	-	-	·1	·03		1
2	·06	·04	·08	·03	-	·43	·44	·02	-	-	·25	·01		2
3	·01	-	-	·14	-	·24	·06	-	·72	-	·08	·04		3
4	·03	·01	·21	-	-	·01	-	-	·2	-	·11	·24		4
5	·33	·01	·05	-	·11	-	·14	·03	·14	-	·02	·03		5
6	·04	-	·01	-	·01	·1	·12	·09	·1	-	·25	-		6
7	·08	-	·09	-	-	·01	·68	-	·01	-	·19	·08		7
8	·23	-	·19	-	-	-	·06	-	-	-	·47	·03		8
9	·73	-	·09	-	-	-	·71	-	·04	-	·01	·01		9
10	·02	-	·01	-	-	-	·33	-	-	-	-	-		10
11	-	·1	-	·04	-	·62	·2	·02	·05	-	·27	-		11
12	.	-	-	·06	·28		·3	-	·21	-	·07	·22		12
13	+	-	-	·05	·01	·11	·08	·03	·01	·09	·06	·71		13
14	-	·02	-	·33	-	·02	·5	-	·19	·01	·02	·78		14
15	-	·02	-	·01	-	-	·01	-	·23	-	·09	·09		15
16	·13	·12	-	·21	-	-	·06	-	·01	-	·34	·02		16
17	·17	·57	-	·02	.	-	·13	·01	-	·04	·08	·38		17
18	-	·03	-	-	-	-	·22	·04	-	·09	·01	·08		18
19	·36	·2	-	·12	-	·08	-	·06	-	-	-	·01		19
20	·03	·14	·04	·08	-	·67	-	-	·75	-	-	-		20
21	-	·01	-	·39	-	·09	·05	-	·06	-	·01	-		21
22	·1	·76	·1	·01	·18	-	·27	-	-	·02	-	·18		22
23	·08	·01	·15	·09	·02	-	·12	-	-	·04	-	·02		23
24	·09	·06	·01	·06	-	-	·08	-	·36	·13	-	-		24
25	·05	·02	·2	·47	.	-	·16	-	·22	·11	·04	-		25
26	·07	·11	·15	·01	-	·21	-	-	-	·01	-	-		26
27	·06	·02	·06	-	-	-	·03	-	·1	·03	·01	-		27
28	·4	·02	·24	-	-	-	·01	-	-	-	·01	·15		28
29	·06	·18	·04	-	·06	1·97	·02	-	-	·03	·03	·36		29
30	·09		·23	-	·02	·08	·13	-	-	·69	·01	·01		30
31	·43				-		·1	-		·2		·2		31
TOTAL	3·64	2·57	2·15	2·41	·69	4·82	5·29	·39	3·40	1·49	2·53	3·68	Year's Total 33·06	
* Days with ·01 in. or more.	~~5~~ 24	21 ~~19~~	19	~~5~~ 18	~~4~~ 8	16	27 ~~4~~	9	17 ~~3~~	13 ~~5~~	22 ~~8~~	22 ~~9~~	216	
* Days with ·04 in. or more.	19	11	~~7~~ 6	13	4	13	23	4	14	8	14	13	152	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Florence M. Williams [P.T.O.

pro H. J. Edwards
Woodside.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cranham, Woodside

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·01	–	·02	–	–	–	–	·02	·01	·32	–		1
2	·01	·21	–	·08	–	–	·07	–	–	–	·01	·24		2
3	–	·33	–	·01	·01	–	–	–	·02	–	·01	·08		3
4	·07	·22	–	·01	·03	–	–	–	–	–	·01	·30		4
5	·14	·01	·30	·01	·15	–	·01	–	–	–	–	·01		5
6	·09	·14	·23	·15	–	–	·11	–	–	·08	·01	–		6
7	–	·59	·03	·14	–	·01	–	–	–	·01	–	–		7
8	·01	·10	–	·01	·06	–	·01	–	–	–	·27	·02		8
9	–	·01	·01	·08	·06	–	·11	–	·39	–	·01	·16		9
10	·04	–	·38	1·06	–	·13	·01	–	·01	–	–	·16		10
11	·01	–	·12	·01	·37	·04	·11	–	–	–	–	·08		11
12	·42	·16	·38	–	·26	·11	·01	·06	·09	–	–	·19		12
13	·17	·13	·51	·05	·01	·07	–	·43	·28	–	–	·01		13
14	–	·01	·13	·06	–	·01	–	·25	·02	–	–	·06		14
15	·17	·14	–	·36	–	–	2·05	·01	·03		–	·22		15
16	·01	·19	·43	·44	–	·04	·02	·08	·29	–	–	–		16
17	·34	·05	·38	·01	–	·01	–	·01	·62	–	–	–		17
18	·46	·09	·22	·02	–	·05	–	–	·33	·01	·13	·16		18
19	·16	·06	·10	·10	·03	·16	·01	–	·01	·01	·14	·01		19
20	·34	·02	·19	·28	·31	·01	–	–	–	–	·01	·09		20
21	·22	·42	·16	·01	·04	–	·05	–	–	·01	·01	·11		21
22	·17	·02	·16	·01	·24	·08	·17	–	–	·92	·33	·05		22
23	·21	·08	·03	–	·01	–	·03	–	–	·56	·02	–		23
24	·18	·25	–	–	·02	–	–	–	·08	·33	–	·02		24
25	–	·37	·05	–	·10	–	–	–	·03	·25	–	–		25
26	–	·33	·01	–	·54	–	–	–	–	·01	–	·02		26
27	–	·22	–	·27	–	–	–	–	–	·69	·01	–		27
28	–	·06	–	–	–	–		–	–	·07	–	·05		28
29	–	–	–	–	–	·01	–	–	–	·08	·23	·03		29
30	·23	✕	–	–	–	–	–	–	–	·01	·28	·02		30
31	·10	✕	–	✕	–	✕	–	–	✕	·31	✕	·01		31
TOTAL	3·64	4·22	3·82	3·19	2·24	·73	2·77	·84	2·22	3·36	1·80	2·10	Year's Total 30·93	✓ ✓
* Days with .01 in. or more.	22	26	19	22	16	13	14	6	14	16	16	23	207	✓ ✓
* Days with .04 in. or more.	18	20	15	12	10	8	7	4	7	9	7	14	131	✓ ✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cranham, Woodside

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 650 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01			·01	·38	·53	·01	–	·27	TR	·35		1
2	·03		·03	·02	·02	·01	·07	–	–	·15	–	·01		2
3	·01				·15	·02	·01	–	–	·44	·02	–		3
4	·03		·01		·01	–	·38	·32	–	·84	TR	–		4
5	·01					·02	·02	·02	·05	·05	–	·14		5
6	·03					·05	·28	–	·01	·09	·01	·05		6
7	·01	·01				·07	·28	·24	·20	·15	TR	·06		7
8	·61	·01				TR	·09	·03	–	·38	–	·01		8
9	·05					–	·03	·13	TR	·01	–	·51		9
10	·13					·09	·03	·39	–	·01	–	·24		10
11	·16					–	tr	·28	–	·01	·26	·09		11
12	·25				33	TR	–	·07	–	·20	·28	·01		12
13	·07				·01	–	tr	·01	TR	·06	·14	·84		13
14	·39	·02			·01	–	·76	–	·10	tr	·01	·01		14
15	·20	·01			06	–	·04	·01	TR	–	·01	·24		15
16	·29	·01	·05			–	·01	·04	–	–	–	·05		16
17		·08	·01			–	–	–	·04	·17	·06	·01		17
18	·11				·02	·04	–	·04	·44	·01	·44	–		18
19	·01					–	–	·07	·04	tr	·29	–		19
20	† –					–	–	–	·01	–	·25	·01		20
21	·02					–	–	·12	·02	tr	·02	·38		21
22	·01			·09		·01	–	·12	TR	tr	·30	·18		22
23	·01			·03	·01	–	–	·01	·38	–	·01	·05		23
24	·02		·16	·01	·09	–	–	·07	·08	–	·09	·01		24
25	·08	·26	·01		·29	–	·04	·01	·01	·22	·43	·29		25
26	·18	·25	·02		·06	·01	–	tr	·10	·19	·01	·09		26
27	·03	·01			·68	·22	·30	·04	·01 ·07	·05	·23	·01		27
28	·09	·03			·01	·08	·02	·86	·03	·01	·08	·07		28
29	·10				·36	–	–	tr	·79	·13	·12	·09		29
30	·05	✕			·03	TR	–	–	tr	·01	·22	·02		30
31	·25	✕		✕	·26	✕	–	–	✕	·08	✕	·14		31
TOTAL	3·23 ✓	·70 ✓	·28 ✓	·15 ✓	2·41	·94	2·89 ✓	2·89	2·38	3·53	3·28	3·96	Year's Total 26·64	✓
* Days with .01 in. or more.	28 ✓	11 ✓	7 ✓	4 ✓	18	12	16 ✓	21	17	22	21	27	204	✓
* Days with .04 in. or more.	16 ✓	3 ✓	2 ✓	~~2~~1	9	6	10 ✓	14	11	16	14	18	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Wexham

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cranham, Woodside

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

,, Ground ,, Sea Level 650 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	·03	·14	·33	–	–	tr	·04	·02	–	·03		1
2	·04	–	·01	·02	·01	–	–	·38	·51	–	·06	·03		2
3	·09	TR	tr	·24	–	–	–	·64	·02	–	·29	·17		3
4	·11	–	·43	·39	·11	–	·43	·39	·21	·15	·08	·25		4
5	TR	TR	·03	·72	·19	–	·36	·54	·01	·12	·44	·24		5
6	·34	TR	–	·06	tr	–	1·57	·02	–	tr	·06	–		6
7	·03	·07	–	·01	–	–	·02	–	–	·02	·36	·44		7
8	·01	·16	36	–	–	–	·37	·01	–	·48	·23	·69		8
9	·04	·04	·01	–	–	–	·01	·12	–	·24	·03	·17		9
10	·24	·01	·08	–	–	·23	–	·11	·04	·03	·01	·01		10
11	·01	·09	·22	–	–	tr	–	–	–	·08	tr	·01		11
12	·06	·03	·01	–	–	·01	–	–	–	·01	·01	–		12
13	·02	·01	–	·03	·01	–	·17	–	·04	·39	·01	tr		13
14	·49	TR	·02	–	·32	·03	·11	–	·01	·05	·18	·01		14
15	·63	–	·01	–	·16	·55	·36	–	·01	·20	·32	tr		15
16	·12	·01	·01	·04	·09	·05	·02	–	–	·01	·30	–		16
17	·27	·03	–	TR	·02	·21	·07	–	·02	·30	·01	–		17
18	·35	·03	·06	–	·01	·15	·20	–	·02	·08	·41	tr		18
19	·18	·01	–	–	–	–	·25	–	–	·01	·01	–		19
20	·24	–	·01	–	–	tr	·16	·07	·01	–	–	·02		20
21	·11	·20	·19	·02	–	·04	·75	·04	·04	tr	–	tr		21
22	·49	TR	·02	·01	–	·47	·04	tr	·02	·01	·21	·01		22
23	·02	·01	·05	·12	–	·11	·34	–	tr	tr	·65	·01		23
24	·26	–	·01	–	–	·08	–	–	–	·07	·01	–		24
25	·94	·03	·04	·03	–	–	·06	·07	–	·15	·12	tr		25
26	·31	·01	·01	·01	–	–	–	·25	–	·02	·52	·03		26
27	·01	·08	·17	TR	–	·02	·08	·01	–	tr	·07	·05		27
28	·01	·11	·22	·05	–	·24	·30	–	–	·01	·29	·07		28
29	–		·01	·40	–	tr	·33	–	–	·10	·05	·01		29
30	–	✕	–	·82	–	–	·02	–	–	tr	·01	·11		30
31	–	✕	–	✕	–	✕	·15	·16	✕	·08	✕	·01		31
TOTAL	5·44	·93	2·01	3·11	1·25	2·19	6·17	2·81	1·00	2·63	4·74	2·37	Year's Total 34·65	
* Days with .01 in. or more.	27	14	23	17	10	13	23	14	14	23	26	20	227	
* Days with .04 in. or more.	19	7	10	10	6	10	19	11	6	14	18	9	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2164/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Cranham Woodside
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
,, Ground ,, Sea Level 650 ft.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	.02	TR	-	-	-	-	-	.07	-		1
2	-	.04	-	.08	-	-	.03	-	-	-	1.12	-		2
3	-	.18	-	.01	-	-	-	-	-	.39	.86	.01		3
4	.01	.08	-	tr	TR	-	.02	-	-	.13	.66	-		4
5	.01	.01	-	-	-	-	.02	-	-	.15	.64	.05		5
6	.18	.21	-	-	TR	-	.09	-	-	.18	-	.01		6
7	.02	.48	-	.03	-	-	.08	-	.01	-	-	-		7
8	tr	tr	-	.03	-	-	-	-	-	.15	.12	.05		8
9	-	-	-	-	-	-	.27	.06	.02	.56	.20	.06		9
10	-	-	.01	-	-	-	.70	.03	-	13	.10	.10		10
11	-	-	.02 ✓	.04	-	-	.20	-	-	-	.42	.02		11
12	-	-	.05	tr	-	.04	.28	-	.04	.02	.01	-		12
13	-	tr	.48	-	-	-	.03	.02	.02	-	.23	-		13
14	-	-	.16	.04	.87	-	tr	.01	.09	.19	-	.28		14
15	-	-	.09	.02	.21	.02	.02	-	.18	.04	.15	-		15
16	-	.29	.16	tr	-	.07	.29	-	.07	.68	.60	.09		16
17	-	-	.25	.02	-	-	tr	-	-	-	.02	-		17
18	-	.38	.55	.54	-	-	.02	.03	.04	06	.12	.09		18
19	-	.16	.08	.17	-	-	1.24	-	.07	-	.24	.05		19
20	-	tr	.05	.02	-	-	.04	.01	-	36	.03	-		20
21	-	tr	-	tr	.05	.18	.03	-	-	-	1.05	-		21
22	-	.06	.07	06	05	.19	-	-	.40	-	-	-		22
23	-	.31	.07	.05	.13	.04	-	-	-	-	.06	-		23
24	-	-	tr	tr	TR	-	.14	-	-	-	.01	.08		24
25	-	-	.01	.01	.01	-	-	-	-	-	-	-		25
26	.83	.17	-	-	.16	-	.46	-	-	-	-	-		26
27	52	.11	-	.08	.01	-	.03	.02	-	-	-	-		27
28	.48	.13	-	.16	.02	-	-	-	-	-	-	-		28
29	.01	tr	.07	.38	.01	.02	.01	-	-	.01	-	.23		29
30	.02	✕	tr	.07	.06	-	-	-	-	.20	-	.04		30
31	.04	✕	.03	✕	TR	✕	-	-	✕	.49	✕	-		31
TOTAL	2.12	2.61	2.15	1.83	1.58	.56	4.00	.18	.94 ~~.91~~	3.74	6.71	1.16	Year's Total ~~[illegible]~~	27.58
* Days with .01 in. or more.	10	14	16	19	11	7	20	7	10	16	20	14	164	
* Days with .04 in. or more.	5 ✓	13 ✓	12 ✓	11 ✓	7 ✓	5 ✓	11 ✓	1 ✓	7 ✓	14 ✓	16 ✓	11	113	

19·0
1·83

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ~~[illegible] Wexham~~ J. H. Edwards. [P.T.O.

2165.

Section **A** for the entry
AIR MINIST

FOR OFFICIAL USE.
ALL ORGANIZATION.

FORM 1090.

REGI

I .

Kept at Quedgeley H

in the County of Glo

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

AY.

An observer who does not conform
year in the space on the right of

e following

Jan. 1, following

2165

QUEDGELEY HOUSE

1931 — 40

780402

Date	Jan.	Feb.	March							t.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	2	—	14	3	8	—	—	29	3		—	1
2	9	—	—	88	11	—	—	—	45	2	6	19	2
3	—	—	—	2	—	—	5	10	71	—	160	20	3
4	—	—	—	7	1	2	37	77	—		6		4
5	—	3	—	6	6	120	—	—	4		1	52	5
6	—	8	—	14	2	11	3	—	16	29	4	20	6
7		—	—	—	2	8	42	65	—	4	6	—	7
8	1	3	—	4	16	13	2	44		1	10	—	8
9	2	17	—	—	—	20	8	—	—	1	27	—	9
10	—	2	—	—	1	8	—	6	—	1	15		10
11	9	33	—	—	—	5	12	—	4	—	64		11
12	—	2	—		—	—	50	3	12	10	—		12
13	—	—	3	—	2	—	6	11	3				13
14	—	—		—	4	62	47	56	4		13		14
15	—	8		4	23	—	70	74	7			8	15
16	—	12		7	24	58	—	33	8			—	16
17	—	15		15	32	—	22	—	10	1	4	—	17
18	3	2	2	11	—	10	4	55	—		25	—	18
19	2	4		11	—	60	4	12	—		1	—	19
20	—	10	15	—	—	—	—	10	—	—	1	—	20
21	19	—		—	31	—	—	—	—		2	—	21
22	15	—	6	1	2	—	—	2	—		—	—	22
23	17	—		10	58	34	—		9		52	13	23
24	—	—		25	33	1	19	—	—		—	1	24
25	12	1	—	28	2		14	—	—		8	—	25
26	—	—		1	56	—	16	—	—		44	—	26
27	12	50		6	—	—	9	—	—		12	—	27
28	8	10	4	—	14	—			—	2		3	28
29	4		1	—	12	—	21		—	10	8	—	29
30	—	×		—	—	—	—	—	1	—	—	—	30
31	13	×		×	9	×	—		×	—	×	5	31
TOTAL	726	182	31	254	338	420	391	458	223	64	479	141	YEAR'S TOTAL 3107
*Days with ·01 in. or more.	14	17	6	18	22	15	19	14	14	11	21	9	180
*Days with ·04 in. or more.	10	10	3	15	14	13	17	12	12	4	17	7	134

40-9999

(Signed) E. F. Curtis Hayward

P.T.O.

*See Instruction 2 (*f*) on other side.

2165.

Section A for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 65 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	2	—	14	3	8	—	—	29	3		—	1
2	9	—	—	88	11	—	—	—	45	2	6	19	2
3	—	—	—	2	—	—	5	10	71		160	20	3
4	—	—	—	7	1	2	37	77	—		6		4
5	—	3	—	6	6	120	—	—	4		1	52	5
6	—	8	—	14	2	11	3	—	16	29	4	20	6
7	—	—	—	—	2	8	42	65	—	4	6	—	7
8	1	3	—	4	10	13	2	44		1	10	—	8
9	2	17	—	—	—	20	8	—	—	1	27	—	9
10	—	2	—	—	1	8	—	6	—	1	15		10
11	9	33	—	—	—	5	12	—	4	—	64		11
12	—	2	—		—	—	50	3	12	10	—		12
13	—	—	3	—	2	—	6	11	3				13
14	—	—		—	4	62	47	56	4		13		14
15	—	8		4	23	—	70	74	7			8	15
16	—	12		7	24	56	—	33	6			—	16
17	—	15		15	32	—	22	—	10	1	4	—	17
18	3	2	2	11	—	10	4	55	—		25	—	18
19	2	4		11	—	60	4	12	—		1	—	19
20	—	10	15	—	—	—	—	10	—		1	—	20
21	19	—		—	31	—	—	—	—		2	—	21
22	15	—	6	1	2	—	—	2	—		—	—	22
23	17	—		10	58	34	—	—	9		52	13	23
24	—	—		25	33	1	19	—	—		—	1	24
25	12	1	—	28	2	—	14	—	—		8	—	25
26	—	—		1	56	—	16	—	—		44	—	26
27	12	50		6	—	—	9	—	—		12	—	27
28	8	10	4	—	14	—	—	—	—	2		3	28
29	4	×	1	—	12	—	21	—	—	10	8	—	29
30	—	×		—	—	—	—	—	1	—	—	—	30
31	13	×		×	9	×	—	—	×	—	×	5	31
TOTAL	126	182	31	254	338	420	391	458	223	64	479	141	YEAR'S TOTAL 3107
*Days with ·01 in. or more.	14	17	6	18	22	15	19	14	14	11	21	9	180
*Days with ·04 in. or more.	10	10	3	15	14	13	17	12	12	4	17	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. F. Curtis Hayward

P.T.O.

2165

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 65 ft.

File Ref 668094/26

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	4	—	2	125	1	1	14	4	20	—	1	1
2	—	—	—	9	14	—	1	2	20	1	—	11	2
3	1	2	—	68	4	—	2	—	2	1	—	—	3
4	3	—	—	9	—	—	—	—	—	—	60	—	4
5	45	—	3	—	3	—	—	—	11	—	—	—	5
6	64	—	1	7	—	—	2	—	24	—	—	—	6
7	6	—	11	3	15	—	—	—	21	79	—	—	7
8	—	—	20	8	1	—	—	—	27	42	—	—	8
9	39	5	—	25	12	—	—	—	—	—	—	—	9
10	22	5	—	3	10	1	—	—	2	18	—	—	10
11	—	—	—	—	1	1	10	—	2	—	2	7	11
12	41	—	—	13	27	—	—	—	10	16	1	—	12
13	5	2	—	—	5	—	—	7	1	6	5	5	13
14	28	—	—	—	—	—	67	34	—	2	4	3	14
15	1	—	—	7	56	—	—	—	—	2	3	1	15
16	21	—	—	28	10	—	4	—	—	—	—	—	16
17	—	—	—	1	—	—	14	—	—	7	—	—	17
18	—	—	—	—	17	—	—	—	15	—	15	—	18
19	—	—	—	19	11	—	—	—	3	8	—	13	19
20	—	—	—	14	126	—	—	12	—	64	7	7	20
21	2	—	9	21	56	—	—	235	—	48	7	—	21
22	—	—	3	8	—	—	20	—	75	13	7	—	22
23	—	2	—	—	70	—	4	—	6	25	—	10	23
24	—	2	—	—	4	—	3	—	7	2	—	—	24
25	—	—	—	—	—	—	12	—	4	30	7	2	25
26	—	—	13	3	3	—	17	—	3	4	3	—	26
27	—	—	50	18	39	—	7	—		40	—	1	27
28	—	—	3	10	15	1	25	2	—	—		1	28
29			38	8	28	23	3	20	12	20	—	26	29
30		×	1	10	—	108	11	23	43	—	71	15	30
31		×		×		×			×		×		31
TOTAL	264	22	229	294	660	135	265	349	292	448	192	128	YEAR'S TOTAL 3298
*Days with ·01 in. or more.	14	7 ~~4~~	11 ~~4~~	22 ~~5~~	23 ~~4~~	6 ~~2~~	17 ~~6~~	9 ~~2~~	20 ~~6~~	21 ~~5~~	13 ~~4~~	14 ~~6~~	177 ~~52~~
*Days with .04 in. or more.	10	3	6 ~~3~~	17	19 ~~2~~	2	11 ~~2~~	7	14	16	9	~~9~~ 8	122 ~~104~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. F. Curtis-Hayward

P.T.O.

2165

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Quedgeley House
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 65 ft.

B A

Corrected for arithmetic in Feb June, October & year. Obs. notified 12/6/34 and sends corrected values.

Correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	56	23	—	—	1	—	—	—	—	2	—	1	1
2	47	—	33	—	2	—	—	—	—	—	1		2
3	—	7	27		6		—	—	—	—	—	—	3
4	10	2		—	·21	—	—	—	—	—	—	—	4
5	3	—	40	—	6	—	—	—	—	—	2	—	5
6	—	33	1	—	·12	—	—	—	—	13	—	—	6
7	2	3	2	—		—	—	—	—	19	—	—	7
8	3	—	5	—	3	—	37	—	—	3	—	—	8
9	—	1	—	—	—	5	24	—	—	35	3	—	9
10	10	2	—	—	3	—	5	—	—	1·77	7	—	10
11	11	—	—	—	5	4	3	—	—	1	—	—	11
12	2	—	—	—	7	—	14	—	40	—	—	1	12
13	2	—	—	—		1	15	4	1	7	8	—	13
14	—	—	—	—	—	—	10	2	—	3	23	—	14
15	50	—	8	—	—	—	33	7	—	47	—	4	15
16	6	1	59	—	—	4	20	—	1	—	3	7	16
17	4	—	21	—	7	6	5	9	2	—	—	—	17
18	—	—	6	—		13	—	—	—	—	2	—	18
19	—	—	29	—	3	2	—	—	2	—	6	—	19
20	—	2	5		—	7	—	—	2	—	2	—	20
21	—	3	—	—	4	21	—	24	—	11	—	—	21
22	—	—	—	2	10	13	—	21	5	8	—	—	22
23	—	10	—	12	—	4	—	—	43	50	—	—	23
24	—	110	—	21	—	105	—	—	4	10	—	—	24
25	—	65	—	11	16	18	—	—	48	—	—	7	25
26	—	68	—	1	20	—	—	—	70	4	—	—	26
27	—	1	—	—	96	—	—	—	2	7	—	6	27
28	—	—	—	36	—	—	—	—	1	2	—	2	28
29	7		—	5	—	—	9	—		10	—	2	29
30	7	×	10	3	—	—	5	6	·11	—	—	16	30
31	30	×	3	×		×	—		×	1	×		31
TOTAL	2·50	3·31	2·49	·91	2·22	2·03	1·80	·73	2·32	4·10	·57	·46	YEAR'S TOTAL 23·44
*Days with ·01 in. or more.	16	15	14	8	17	13	12	7	14	19	10	9	154
*Days with ·04 in. or more.	11	7	11	5	12	11	11	6	7	13	4	5	103

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M. F. Curtis-Hayward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2165.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Quedgeley House

in the County of

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Corrections by observer
22/6/34.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·01					·02			1
2					·02								2
3					·06								3
4					·21								4
5					·06								5
6					·12					·13			6
7										·19			7
8					·03					·03			8
9						·05				·35			9
10					·03					1·77			10
11					·05	·04				·01			11
12					·07				·40				12
13						·01			·01	·07			13
14										·03			14
15										·47			15
16						·04			·01				16
17					·07	·06			·02				17
18						·13							18
19					·03	·02			·02				19
20						·07			·02				20
21					·04	·21				·11			21
22					·10	13 ~~·12~~			·05	·08			22
23						·04			·43	·50			23
24						1·05			·04	·10			24
25					·16	·18			·48				25
26					·20				·70	·04			26
27					·96				·02	·07			27
28									·01	·02			28
29										·10			29
30		×							11				30
31		×		×		×			×	·01	×		31
TOTAL	2·50	3·31	2·49	·91	2.27 ~~1·92~~	2 0 3 ~~2·08~~	1·80	·73	3 2 ~~2·21~~	4·10	·57	·46	YEAR'S TOTAL 33.64
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Quedgeley House
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 65 ft.

Station number 2165
File number 668094/16 TL.
Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2							20	14			36	1	1
2	12		5		3				32	3	6	16		2
3	2	1							1	6		25		3
4	7	—	2	9	29				13	25	8	22		4
5	—	—	2	—				31			20	59		5
6	1	—	9	—	41			2		13		46		6
7	—							14		9	4	29		7
8	—	1			23	3		2				10		8
9	—	—	9						1		59	24		9
10	13	—	5	11				5			12	1		10
11	72	—	5	22			13	9				15		11
12	3	—	15	—	22		85	2				2		12
13	37			9			104					16		13
14	2		20	—						4	12	31		14
15	—		3	—	10		Tr	3		8	38	4		15
16	9		42	—							3	—		16
17	6			3	2				34	3		22		17
18	15		6	23			3		1			32		18
19	—		12	3		2			1	8		12		19
20	—		10	7		1	2	3		1		—		20
21	—		4	—		20	60	13		12				21
22	—		3	5	1	[illegible]		15	7	5		17		22
23	—		4	9		13				1				23
24	—	42	8	10		30	3		19	3				24
25	16	1		29		40				21		28		25
26	1		10	17		11			4	11		16		26
27	1			—		—				3		18		27
28	—			17		4		18				54		28
29	—					—		12	42					29
30	6	×			—	—		15				15		30
31		×		×	—	×			×	10	×	13		31
TOTAL	207	45	174	174	131	124	270	164	169	146	162	565	Year's Total. 2331	✓
* Days with .01 in. or more.	17	4	16	14	8	9	7	15	12	18	9	25	~~23~~	157
* Days with .04 in. or more.	10	1	15	12	5	6	4	10	8	12	6	23	114	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) M. F. Curtis-Hayward

[P.T.O.

File no 668094126 2165

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Quedgeley House
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 65 ft.

dep

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	1		2	4	7		13		15	4	6	2		1
2						27			1	14		2		2
3		4	3			24			26	34	35			3
4				22		16			5	72		4		4
5		32	26	1		7			20	2	3	1		5
6		1	2	26		41				1	5	12		6
7				36		20				18	7	9		7
8				32		4				12	22	4		8
9	3			73		39				100	15			9
10				33							12			10
11	37					4					27			11
12		4				23			5		8			12
13	7	10		25	10						6			13
14						21			11	1	100	17		14
15		5		78	18	15			32		17	11		15
16		2	9	33		5			26	8	72			16
17			1	7		16	4	1			25			17
18		3		27	6	1	8	1	26	6				18
19		2		5	16		32		8	7	12	9		19
20	1	53		8	26		6				70			20
21		24	1						129	1	3			21
22		8		26				4	25					22
23		2	5	6				20	10	77		17		23
24	7	20	7					14	25	13		9		24
25	13	24		22		41						11		25
26		21						14	8			61		26
27		15			7				3	1	6	119		27
28	3	1			2			16	13					28
29			2					9	10	2	9	17		29
30	8	×		8	15			52	8	55	45	12		30
31		×		×		×		20	×	36	×	19		31
TOTAL	0 8~~1~~	3 2~~4~~1	58	470	107	3.04 ~~322~~	63	181	406	4 46~~5~~	4 50~~5~~	336	Year's Total. ~~3205~~	31.74
* Days with .01 in. or more.	10~~5~~	18~~8~~	~~8~~ 10	19 ~~1~~	~~1~~ 9	~~1~~ 17	5	~~8~~ 10	~~2~~ 20	~~8~~ 20	~~2~~ 21	~~5~~ 20	~~35~~	179
* Days with .04 in. or more.	5	12	4	16	8	16	5	8	18	14	19	15	142	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) M. F. Curtis-Hayward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

TL

Dups.

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10	3	3	32		26	38	4			4	3		1
2	4	5	3	3		55	40	2			24			2
3	—		—			11	1	1	88		5	2		3
4	7		12						35		7	19		4
5	27		4		21		6	2	7		—	2		5
6	3		2		1	6	37	5	4		4			6
7	2		3			4	27		1		22	7		7
8	25		16				4				66			8
9	68		16				60		2		—			9
10	4		—				46				2			10
11	—	32		5	65	9	12		8		20			11
12	—			5		52	31		20		5	21		12
13	—			7		9	15	5		3	6	98		13
14	—			27		5	64		14		2	75		14
15	—	3		1		1	1		21		13	17		15
16	16	16		1	4	1	7				28	3		16
17	10	57		1	3	1	15	1		4	6	53		17
18	—	5			10		20	4		15	—	11		18
19	21	21	6	10				5			—			19
20	—	6	3	8		26	1		79					20
21	—	—	—	38		4	3		10		—			21
22	8	74	7		19		22			1	—	11		22
23	7	—	61	9	5		22			1	—	1		23
24	14	7	—	4			8		40	30	—			24
25	4	—	22	39			19		21	13	5			25
26	4	10	7	3		11	1				—			26
27	9	—	7				5		9	6	—			27
28	54	5	22				10				—	7		28
29	2	10	6			30	4			4	4	3		29
30	9	✕	—		2	6	7			61	—	—		30
31	38	✕	35	✕	7	✕	12		✕	14	✕	25		31
													Year's Total	
TOTAL	345	254	235	193	127	253	540	29	359	152	223	358	3068	+ ✓
* Days with .01 in. or more.	22 ~~3~~	14 ~~2~~	18 ~~4~~	16 ~~5~~	10 ~~3~~	17	29 ~~5~~	9 ~~4~~	15 ~~2~~	11 ~~3~~	17 ~~2~~	17 ~~6~~	195 ~~39~~	✓
* Days with .04 in. or more.	19	12	13	11	7 ~~8~~	14	24	5	13	8	15	11	15~~1~~2	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Curtis Hayward

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 65 ft.

Totals ck. Daily

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	7	—	TR	—	—	—	—	—	5		13	40		1
2	1	20	—	TR	—	—	—	—	—		—	9		2
3	—	23	—	10	2	—	2	—	9		—	4		3
4	4	20	—	1	3	—	—	—	—		—	25		4
5	20	—	14	2	—	—	12	—	—		—	—		5
6	7	7	12	20	14	—	—	—	—	9	—	—		6
7	—	85	2	10	—	—		—	—		4	—		7
8	—	8	—	—	7	—		—	—	—	25	13		8
9	—	TR	—	4	14	—	5	—	37	—	—	20		9
10	3		29	75	—	11		—	—			5		10
11	2	—	19	—	41	4	10	—	—	—	—	20		11
12	48	14	45	—	6	6	TR	14	8	—	—	—		12
13	26	7	23	5	—	65		8	7	—	—	—		13
14	—	5	34	23	—	—		10	1		—	6		14
15	11	13	—	20	—	—	261	—	3		—	—		15
16	—	14	28	25	—	6	TR	9	25	—	—	17		16
17	25	10	34	—	—	TR	3	—	77	—	—	—		17
18	44	5	8	8	—	2	2	—	33	—	24	19		18
19	15	3	10	3	—	18	4	—	1	—	10	TR		19
20	18	6	19	30	11	1			TR	—		5		20
21	16	34	6	—	4	—	7	—	—	3	—	5		21
22	7	6	7	1	16	10	10	—	—	60	40	—		22
23	9	5	1	—	5	—	8	—	—	35	3	1		23
24	18	23	—	—	TR	—	—	—	7	22	—	—		24
25	1	37	4	—	12	—	—	—	6	23	—	4		25
26	—	34	—	—	47	—	—	—	—	64	—	1		26
27	—	19	16	—	—	—	—	—	—	7	—	—		27
28	—	11	—	—	—	—	—	—	—	13	—	2		28
29	3	—	—	—	—	1	—	—	—	—	5	1		29
30	25	✕	—	—	—	—	—	—	TR	22	10	1		30
31	7	✕		✕		✕			✕		✕			31
TOTAL	317	409	295	253	182	124	324	41	219	258	134	198	Year's Total 2754	✓
* Days with .01 in. or more.	22	23	18	15	13	10	11	4	13	10	9	19	167	✓
* Days with .04 in. or more.	17	22	16	11	11	7	8	4	10	9	8	14	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Curtis-Hayward

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 65 ft.

Days T.L. Totals

W.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		2	TR	—	1	17	12	18	—	23	—	23		1
2	4		—	—	TR	TR	—	—	—	14	—	—		2
3			—	—	12	4	—	—	—	64	2			3
4	TR		—	—	—	3	38	23	—	56	—	10		4
5	1		—	—	—	—	10	1	3	5	—	1		5
6	2		—	—	—	1	30	—	4	11	—	3		6
7			—	—	—	—	39	20	14	11	—	9		7
8	53		—	—	—	—	4	7	1	57	—	—		8
9	10	1	—	—	—	—	—	3	—	—	—	54		9
10	10	TR	—		—	—	4	14		TR		18		10
11	10		—	—		5	—	1	—	2	20	10		11
12	28		—	—	33	—	1	10	—	21	16	—		12
13	9		—	—	3	—	—	—	—	4	19	70		13
14	42	2	—	—	3	—	70	—	—		—	—		14
15	15		—	—	3	—	3	—	14		—	21		15
16	41		4	—	—	—	—	3	—		—	3		16
17		8	—	—	—	4	—	—	—	20	—	—		17
18	7		—	—	2	—	—	—	33	2	39	—		18
19	TR		—	—	—	—	—	14	2		20	—		19
20	2			—		—	—	—	—		33	—		20
21	2		—	TR	—	—	—	20	10		3	7		21
22	TR		—	5	—	3	—	15	TR		42	8		22
23	TR		—	3	1	—	—	—	11		—	5		23
24	2	TR	—	—	10	—	—	6	6		7	—		24
25	7	34	7	—	11	—	5	2	—	16	33	11		25
26	12	22	—	—	9	2	—	—	3	10	—	20		26
27	2	1	1	—	44	25	40	8	13	3	28	—		27
28	7	1	—	—	3	11	2	88	6		6	3		28
29	7		—	—	25	—	—	—	—	3	16	4		29
30	2	✕	—	—	3	2	—	—	71	10	26	4		30
31	25	✕		✕	24	✕	—		✕		✕	15		31
TOTAL	300	71	12	8	187	77	258	242	191	332	312	299	Year's Total 2289	✓
* Days with .01 in. or more.	23	8	3	2	16	11	13	17	14	~~2~~ 18	15 ~~2~~	20 ~~4~~	160	✓
* Days with .04 in. or more.	16	3	2	1	8	6	10	12	10	14	13	16	111	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) M. F. Curtis Hayward [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Quedgeley House

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" Ground " Sea Level 65 ft.

Feb. Sept. & Nov. corrected for arithmetic

T. L

Days

[illegible] ?

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2	—	02	15	29	—	—	—	16		6	2		1
2	TR	—	02	02	—	—	—	29	50					2
3	10	—	—	26	—	—	—	75	8		(7)	5		3
4	6	—	44	42	13	—	28	21	6		(3)	20		4
5	—	—	—	57	15	—	34	28		11	(14)	22		5
6	46		01	06	—	—	105	02		8	(42)	16		6
7	1	06	—	—	—	—	2	—			(10)			7
8	1	21	30	—	—	—	33	03			(55)	38		8
9	2	05	—	—	—	—		15		65	(30)	40		9
10	19	TR	06	—	—	24		10	4	32	(6)	10		10
11	—	01	11	—						5	(1)			11
12	4	09	—	—		9				20				12
13	—	—	—	02	1		21			2				13
14	—	—	—	—	12	9	5		7	34				14
15	56	—	01		19	43	31			8	(10)			15
16	53	—	—	06	9	3	1			15	(30)			16
17	28	—	04	—	1	5	2				(33)			17
18	20	04		—	—	14	21			22	(4)			18
19	21	16		—	—	—	20		3	16	(40)			19
20	26	30		—	—	—	21	33	2					20
21	6	—	15	02	—	3	76	10						21
22	48	—	04	01	—	41	4							22
23	1	—		11	—	6	33		5		(10)	2		23
24	27	—	4	—	—	13	TR				(62)			24
25	105	02	02		—	—	3	17		8				25
26	18	02	—	TR	—	—	—	10		8	(12)			26
27	—	09	08	02	—	5	7	015		10	(50)			27
28	TR	09	15	(·98) ~~98~~	—	30	20	02			(4)			28
29	—	—	—	28	—	—	44				(22)	15		29
30	—	X	~~90~~		—	—				14	(5)	11		30
31	—	X		X		X		28	X		X	11		31
TOTAL	500	1·14 ~~115~~	149	298	99	205	511	288	1·01 ~~100~~	278	4·76 ~~461~~	192	Year's Total ~~3206~~	32·11 ✓
* Days with .01 in. or more.	21 ~~5~~	~~3~~ 12	~~5~~ 15	~~8~~ 14	~~2~~ 8	~~2~~ 13	~~4~~ 20	~~3~~ 15	~~8~~ 9	~~1~~ 16	~~2~~ 22	~~2~~ 12	~~36~~	177
* Days with .04 in. or more.	16	~~8~~ 9	10	9	6	11	16	~~N~~ 12	7	15	20	10	~~120~~	141

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) M. F. Curtis Hayward

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2165

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Quedgeley House Gardens

in the County of Gloucester

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·16	·13	·03	·08	–	–	–	–	–	·52	–		1
2	–	–	–	·04	–	–	–	–	–	–	·07	–		2
3	–	–	–	·02	–	–	·03	–	–	–	·95	–		3
4	–	·22	–	·02	–	–	–	–	–	·23	·88	–		4
5	–	·13	–	–	–	–	·04	–	–	·15	·65	·05		5
6	–	–	–	–	–	–	·04	–	–	·18	·43	·08		6
7	–	·26	–	–	–	–	–	–	–	·25	·01	·05		7
8	–	·25	–	·01	·03	–	–	–	·02	–	–	–		8
9	–	–	–	·12	–	–	–	–	–	·13	·11	·06		9
10	–	–	–	·06	–	·14	·34	·05	·03	·47	·18	·08		10
11	–	–	·03	–	–	–	·65	–	–	·28	·04	·08		11
12	–	–	·01	·02	–	–	·16	–	–	–	·48	–		12
13	–	–	·10	–	–	–	·26	–	·05	·02	·03	–		13
14	–	·02	·40	–	–	–	·15	–	–	–	·20	–		14
15	–	–	·08	·05	1·28	–	·25	–	·05	·13	–	·44		15
16	–	–	·05	·02	38	·07	·05	–	·15	·10	·10	–		16
17	–	·32	·18	–	–	·05	·20	–	·13	·55	·60	–		17
18	·20	–	·20	–	–	–	–	–	–	–	·02	–		18
19	–	·34	·46	·37	–	–	·02	·01	·07	·10	·06	·07		19
20	–	·15	·12	·18	–	–	·62	–	·25	–	·22	·02		20
21	–	–	·03	·03	–	–	·02	–	–	·40	·04	–		21
22	–	–	–	–	·05	·15	·04	–	–	–	1·40	–		22
23	–	·03	·04	·05	·02	·30	·02	–	·10	–	–	–		23
24	–	·30	·06	·05	·15	–	·01	–	–	–	·06	·03		24
25	–	–	–	·02	–	–	·20	–	–	–	·02	–		25
26	·96	–	–	·01	–	–	–	–	–	–	–	–		26
27	·70	·18	–	–	·24	·02	·45	–	–	–	–	–		27
28	·45	·10	–	·09	·07	–	·05	–	–	–	–	–		28
29	–	·13	–	24	·04	–	–	–	–	–	–	·02		29
30	–	×	–	32	·03	·07	·03	–	–	–	–	·18		30
31	–	×	–	×	–	×	–	–	×	·22	×	–		31
TOTAL	2.31	2.59	1.89	1.75	2.37	·80	3.63	·06	·85	3.21	7.07	1.16	Year's Total 27·69	
* Days with .01 in. or more.	4	14	14	20	11	7	21	2	9	14	22	12	150	
* Days with .04 in. or more.	4	12	11	11	8	6	15	1	7	13	18	9	115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. G. Sims

[P.T.O.

2166

Section **A** for the entry of Dail… …OPY FOR OFFICIAL USE.

AIR MINISTRY.—M… …L ORGANIZATION.

FORM 1090.

REGISTE…

2166

WITCOMBE RES.

1931 - 1940

459378

Kept at Witcombe Res…

in the County of Glouces…

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·03	·	·09	·09	·	·	·	·30	·02	·		1
2	·06	·	·	·67	·23	·	·	·01	·55	·03	·04	·16	2
3	·01	·		·	·	·	·02	·10	·71	·	1·73	·17	3
4	·	·	·01	·05	·	·	·38	·55	·	·01	·18	·	4
5	·	·05	·	·08	·	1·21	·	·01	·08	·	·	·50	5
6	·	·11	·	·12	·03	·19	·20	·	·	·35	·14	·14	6
7	·	·		·	·02	·06	·27	·38	·	·05	·19	·03	7
8	·	·04	SNOW ·01	·07	·01	·17	·	·26	·	·	·03	·02	8
9	·05	·26	SNOW ·01	·01	·	·18	·04	·	·	·	·32	·	9
10	·	·02	·	·	·01	·05	01	·16	·	·	·17	·	10
11	·19	·19	·	·	·	·08	·01	·02	·12	·	·38	·02	11
12	·	·01	·	·	·	·	·86	·06	·41	·06	·		12
13	·	·	·05	·	·04	·	·	·45	·	·	·		13
14	·	·07	·	·	·04	·72	·54	·33	·02	·	·14	·	14
15	·	·03	·	·05	·26	·	·28	·41	·06	·	·	·04	15
16	·	·03	·	·07	·48	·60	·	·64	·08	·	·		16
17	·	Rain+Snow ·32	·	·05	·47	·	·25	·	·11	·	·05		17
18	·05	·02	·02	·15	·	·12	·05	·24	·	·	·20		18
19	·01	·03	·	·19	·	·10	·03	·20	·	·	·		19
20	·	·08	·09	·	·	·	·04	·09	·	·	·03		20
21	·10	·	·	·	·34	·	·	·	·	·	·02		21
22	·19	·	·22	·	·	·	·	·	·	·	·01		22
23	·16	·	·	·14	·72	·40	·	·	·06	·	·55	·18	23
24	·	·	·	·24	·22	·	·16	·	·	·	·		24
25	·16	·	·	·51	·02	·	·48	·	·	·	·09		25
26	·	·01	·	·04	·	·	·21	·	·	·	·42		26
27	·08	·44	·	·	·25	·	·05	·	·	·	·15		27
28	·13	Snow ·14	·03	·05	·16	·	·	·	·	·03	·	·04	28
29	·04	X	·	·	·21	·	·16	·	·	·07	·11	·01	29
30	·	X	·	·	·	·	·	·	·	·	·		30
31	·35	X	·	X	·01	X	·	·02	X	·	X	·05	31
TOTAL	1·58	1·88	·44	2·58	3·61	3·88	4·04	3·93	2·50	·62	4·95	1·36	YEAR'S TOTAL 31·37
*Days with ·01 in. or more.	14	18	8	17	19	12	19	17	11	8	20	12	175
*Days with ·04 in. or more.	12	10	3	16	13	12	15	13	10	4	16	8	137

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) …

City Surveyor & Waterworks Engineer

P.T.O.

2166

Section **A** for the entry of Dai OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

459378

Kept at Witcombe Reservoirs

in the County of Gloucester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 294 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·03	·	·09	·09	·	·	·	·30	·02	·		1
2	·06	·	·	·64	·23	·	·	·01	·55	·03	·04	·16	2
3	·01	·		·	·	·	·02	·10	·41	·	1·43	·14	3
4	·	·	·01	·05	·	·	·38	·55	·	·01	·18	·	4
5	·	·05	·	·08	·	1·21	·	·01	·08	·	·	·50	5
6	·	·11	·	·12	·03	·19	·20	·	·	·35	·14	·14	6
7	·	·	·	·	·02	·06	·24	·38	·	·05	·19	·03	7
8	·	·04	SNOW ·01	·04	·01	·14	·	·26	-	·	·03	·02	8
9	·05	·26	SNOW ·01	·01	·	·18	·04	·	·	·	·32	·	9
10	·	·02	·	·	·01	·05	·01	·16	·	·	·14	·	10
11	·19	·19	·	·	·	·08	·01	·02	·12	·	·38	·02	11
12	·	·01	·	·	·	·	·86	·06	·41	·06	·		12
13	·	·	·05	·	·04	·	·	·45	·	·	·		13
14	·	·04	·	·	·04	·42	·54	·33	·02	·	·14	·	14
15	·	·03	·	·05	·26	·	·28	·41	·06	·	·	·04	15
16	·	·03	·	·04	·48	·60	·	·64	·08	·	·		16
17	·	Rain+Snow ·32 }	·	·05	·44	·	·25	·	·11	·	·05		17
18	·05	·02	·02	·15	·	·12	·05	·24	·	·	·30		18
19	·01	·03	·	·19	·	·10	·03	·20	·	·	·		19
20	·	·08	·09	·	·	·	·04	·09	·	·	·03		20
21	·10	·	·	·	·34	·	·	·	·	·	·02	·	21
22	·19	·	·22	·	·	·	·	·	·	·	·01		22
23	·16	·	·	·14	·42	·40	·	·	·06	·	·55	·18	23
24	·	·	·	·24	·22	·	·16	·	·	·	·		24
25	·16	·	·	·51	·02	·	·48	·	·	·	·09		25
26	·	·01	·	·04	·	·	·21	·	·	·	·42		26
27	·08	·44	·	·	·25	·	·05	·	·	·	·15		27
28	·13	Snow ·14 }	·03	·05	·16	·	·	·	·	·03	·	·04	28
29	·04	X	·	·	·21	·	·16	·	·	·04	·11	·01	29
30	·	X	·	·	·	·	·	·	·	·	·		30
31	·35	X	·	X	·01	X	·	·02	X	·	X	·05	31
TOTAL	1·58	1·88	·44	2·58	3·61	3·88	4·04	3·93	2·50	·62	4·95	1·06	YEAR'S TOTAL 31·34
*Days with ·01 in. or more.	14	18	8	14	19	12	19	14	11	8	20	12	145
*Days with ·04 in. or more.	12	10	3	16	13	12	15	13	10	4	16	8	134

40-9999

(Signed) P.T.O.

City Surveyor & Waterworks Engineer

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at *Witcombe Reservoirs.*
in the County of *Gloucester.*
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 297 ft.

459378

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	·	·04	·74	·01	·	·02	·03	·17	·	·	1
2	·	·	·	·11	·09	·	·	·	·29	·	·	·07	2
3	·	·02	·	·57	·04	·	·01	·	·01	·01	·		3
4	·01	·	·	·05	·	·	·	·	·	·	·47		4
5	·36	·	·02	·	·02	·	·	·	·09	·	·		5
6	·71	·	·02	·05	·	·	·	·	·28	·	·		6
7	·05	·	·18	·01	·13	·	·	·	·21	1·04	·		7
8	·	·01	·17	·01	·01	·	·	·	·44	·46	·		8
9	·60	(Snow) ·05	·	·08	·07	·	·	·	·	·01	·		9
10	·29	(Snow) ·03	·01	·22	·08	·	·	·	·02	·16	·		10
11	·	·	·	·06		·	·18	·	·01	·	·01	·01	11
12	·42	·	·	·	·30	·	·16	·	·08	·31	·02		12
13	·05	·01	·	·15	·03	·	·25	·03	·	·02	·04	·06	13
14	·36	·	·			·	·	·39	·	·01	·06	·	14
15	·01	·	·	·04	·57	·	·02	·	·	·06	·07	·01	15
16	·20	·	·	·33	·03	·	·01	·	·	·	·		16
17	·	·	·	·01		·	·03	·	·	·13	·		17
18	·	·	·		·18	·	·	·	·15	·	·16		18
19	·	·	·	·17	·03	·	·	·	·04	·13	·		19
20	·	·	·	·26	1·00	·	·	·09	·	·64	·10	·40	20
21	·	·	·12	·31	·48	·	·	·91	·	·45	·05	·08	21
22	·	·	·10	·07	·05	·	·20	·	·67	·23	·10	·03	22
23	·	·07	·	·	·97	·	·04	·	·08	·23	·	·10	23
24	·	·02	·	·	·03	·	·05	·	·08	·02	·		24
25	·	·01	·	·01		·	·08	·	·11	·27	·07	·01	25
26	·	·	·11	·04	·03	·	·19	·	·01	·05	·01		26
27	·	·	·39	·18	·50	·	·07	·	·	·28	·01	·01	27
28	·	·	·07	·08	·19	·	·29	·01	·	·	·	·01	28
29	·	·	·50	·23	·27	·20	·03	·09	·13	·27	·	·12	29
30	·	×	·	·11	·	1·37	·40	·16	·52	·	·84	·28	30
31	·	×	·21	×	·02	×	·17	·	×	·	×	·31	31
TOTAL	3·10	·23	1·90	3·19	5·86	1·58	2·18	1·70	3·25	4·95	2·01	1·50	YEAR'S TOTAL 31·45
*Days with ·01 in. or more.	12	9	12	24	24	3	17	8	19	21	14	14	177
*Days with .04 in. or more.	10	2	9	20	16	2	12	5	14	16	10	8	124

40-9999

*See Instruction 2 (*f*) on other side,

(Signed)
City Surveyor & Waterworks Engineer.

P.T.O.

2166.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Witcombe Reservoirs

in the County of Gloucester

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 297 ft.

File Number:-
814790/27

459378

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·62	·28	·04	·	-	·	-	·	·	·	-			1
2	·62	-	·48	·	·02	·	-	·	·	·	·			2
3	-	·08	·08	-	·09	·	-	·	·	·	-			3
4	·15	·01	-	·	·19	-	-	·	·	-	-			4
5	·03	-	·38	·	·02	-	-	·	·	-	·03			5
6	-	·34	·05	·	·05	·	-	·	·	·17	-			6
7	·04	·01	·02	·	·01	-	·03	·	·	·22	-	·01		7
8	·02	·	·07	·	·03	·05	·36	·	·	·03	-			8
9	-	·01	-	·	·03	-	·17	·	·	·40	·04			9
10	·04	-	-	·	-	-	·04	·	·	1·37	·16			10
11	·18	·	-	·	·14	·	·01	·05	·	·01	-			11
12	·01	-	-	·	·07	-	·13	·	·64	-	·	Snow ·01		12
13	·03	-	-	·	·09	-	·24	·01	·	·08	·06	-		13
14	·04	-	-	·		-	·01	·01	·	·03	·30	-		14
15	·57	-	·08	·		-	·15	·05	·	·24	·	·01		15
16	-	-	·60	·		·02	·02	·02	·02	·01	·02	·03		16
17	Snow ·07	Snow ·10	·27	·		·05	·	·04	·03	-	-	·01		17
18	·08	-	·07	·		·14	·	·	·	-	·03			18
19	-	-	·27	·		·03	-	·	·09	-	·04			19
20	·	·01	·03	·		·02	·	·	·03	-	-			20
21	-	-	·	-	·02	·13	-	·16	·01	·06	·01			21
22	-	-	·	·01	-	·08	·	·14	·04	·37	-			22
23	-	Snow ·07	·	·12	-	·04	-	·	·49	·60	-			23
24	-	Rain + snow 1·63	·	·15	·03	1·00	-	·	·04	·12	-			24
25	-	·88	·	·19	·08	·12	-	·	·30	-	-	·10		25
26	-	·89	·	·07	·07	·03	-	·	·77	·06	-			26
27	-	·03	·	-	·98	·	-	·	·04	·10	-	·17		27
28	-	-	·	·48	·	·	-	·	-	·02	-	·05		28
29	·04	×	·	·02	·	-	·03	·	-	·01	-	·02		29
30	·04	×	·15	·01	·	-	·07	·	·08	-	-	·10		30
31	·15	×	·04	×	·02	×	·	·05	×	·01	×	-		31
TOTAL	2·73	4·34	2·63	1·05	1·94	1·71	1·26	·53	2·58	3·91	·69	·51	Year's Total 23·88	
*Days with ·01 in. or more.	17	13	15	8	17	12	12	9	13	19	9	10	154	
*Days with .04 in. or more.	13	8	13	5	9	8	7	6	9	12	5	4	99	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

City Surveyor + Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

459378

File Nº 814490/24

Kept at Witcombe Reservoirs
in the County of Gloucester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	.	.	.	.	.	.	·42	·07	.	·03	·47		1
2	·09	.	·05	.	·02	.	.	·03	·44	·01	·02	·15		2
3	·02	·06	.	.	.	.	.	.	.	·07	.	·16		3
4	·11	.	·03	·01	·27	.	.	.	·22	·25	·11	·44		4
5	.	.	·11	.	·09	.	.	·38	.	.	·15	·40		5
6	.	.	·15	·07	·38	.	.	.	.	·11	.	·49		6
7	·05	.	.	.	.	.	.	·15	.	·06	05	·45		7
8	.	.	.	.	·14	.	.	·01	·01	.	·10	·13		8
9	.	.	·26	.	.	.	.	.	·05	.	·47	·20		9
10	·11	.	·18	·31	.	.	.	·05	.	.	·10	·03		10
11	·68	.	·07	·29	.	.	·10	·24	.	.	.	·28		11
12	·02	.	·08	·01	.	.	·33	·02	.	.	.	·08		12
13	·50	.	.	·14	.	.	1·90	·01	.	.	·01	·14		13
14	·05	.	·50	.	.	.	.	.	.	·01	·10	·26		14
15	.	.	·03	.	·17	.	.	.	·01	·07	·43	·06		15
16	·12	.	·48	.	·02	.	.	·01	.	.	·02	.		16
17	·06	.	.	·07	·01	.	.	.	·21	·02	·01	·31		17
18	·20	.	·08	·28	.	.	·20	.	·04	.	.	·30		18
19	.	.	·26	·01	·01	·04	.	.	·01	·04	.	·12		19
20	.	.	·19	·14	.	.	.	·04	.	.	.	.		20
21	.	.	·08	.	.	·21	·04	·06	.	·29	.	.		21
22	·02	.	·01	·02	·02	.	.	·13	·09	·04	.	·13		22
23	.	.	.	·15	.	·17	.	.	.	.	.	·01		23
24	.	·42	·09	·06	.	·07	·03	.	·17	·02	.	·01		24
25	·20	.	.	·22	.	·11	.	.	.	·25	.	·39		25
26	.	.	·04	·43	.	·08	.	.	·03	·11	.	·10		26
27	.	.	.	·09	.	.	.	.	.	·02	.	·22		27
28	.	.	.	·11	.	·10	.	·28	.	.	.	·44		28
29	.	X	.	.	.	.	.	·13	·47	.	·04	.		29
30	·05	X	.	.	.	.	.	·18	·03	.	.	·17		30
31	.	X	.	X	.	X	.	.	X	·03	X	·14		31
TOTAL	2·29	·48	2·69	2·41	1·13	·78	2·60	2·14	1·85	1·40	1·64	6·08	Year's Total 25·49	
*Days with ·01 in. or more.	16	2	18	17	10	7	6	16	14	16	14	27	163	
*Days with .04 in. or more.	12	2	15	13	5	7	5	11	9	10	9	24	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

City Surveyor & Waterworks Engr.

P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

File No. 814490/27.

459378

Kept at Witcombe Reservoirs,
in the County of Gloucester,
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 294 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·	·03	·01	·05	·04	·06	·	·23	·02	·07	·		1
2	·	·	·	·	·	·01	·	·	·	·29	·01	·		2
3	·	·06	·04	·	·	·17	·	·	·26	·33	·32	·		3
4	·	·	·	·19	·	·12	·	·	·06	·22	·02	·02		4
5	·	·22	·27	·	·	·44	·	·	·18	·	·03	·01		5
6	·	·	·	·42	·	·51	·	·	·	·	·02	·10		6
7	·	·	·	·44	·	·09	·	·	·	·15	·07	·11		7
8	·	·	·	·30	·	·03	·	·16	·	·28	·23	·05		8
9	·03	·01	·	·85	·	·17	·	·	·01	·98	·45	·		9
10	·	·	·	·20	·	·	·	·	·	·	·06	·		10
11	·27	·	·	·	·	·08	·	·	·	·	·28	·		11
12	·01	·03	·	·	·	·25	·	·01	·03	·	·04	·		12
13	·05	·12	·	·32	·14		·	·	·01	·	·04	·		13
14	·	·	·	·01	·03	·21	·	·	·05	·	·88	·23		14
15	·	·02	·	·87	·12	·07	·	·	·55	·	·25	·10		15
16	·	·02	·06	·26	·	·04	·	·	·31	·08	1·02	·01		16
17	·	·	·	·10	·	·17	·04	·	·02	·	·15	·		17
18	·	·04	·	·27	·14	·08	·21	·	·24	·04	·01	SNOW ·02		18
19	·	·02	·	·11	·10	·16	·18	·	·10	·06	·14	SNOW ·06		19
20	·02	·45	·	·01	·24	·07	·08	·	·	·	·78	·		20
21	·	·52	·01	·01	·	·	·	·	1·03	·03	·02	·		21
22	·	·07	·01	·13	·	·	·	·04	·30	·	·	·		22
23	·01	·02	·03	·	·	·	·	·30	·07	·68	·	SNOW ·03		23
24	·06	·39	·04	·	·	·	·	·14	·24	·10	·	·27		24
25	·11	·14	·	·20	·	·56	·	·	·	·	·	·20		25
26	·	·24	·	·	·	·	·	·18	·10	·	·	·80		26
27	·	·27	·	·	·05	·	·	·	·05	·	·09	1·24		27
28	·	·	·	·	·01	·	·	·01	·12	·	·	·01		28
29	·	×	·04	·	·	·	·	·09	·04	·02	·14	·23		29
30	·06	×	·	·04	·02	·02	·	·60	·11	·42	·35	·18		30
31	·	×	·	×	·01	×	·	·20	×	·53	×	·30		31
TOTAL	·62	2·64	·53	4·71	·91	3·29	·57	1·73	4·11	4·23	5·47	3·97	Year's Total. 32·78	
* Days with .01 in. or more.	9	17	9	19	11	20	5	10	22	16	24	19	181	
* Days with .04 in. or more.	5	11	5	15	7	17	5	8	18	13	18	13	135	

✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....
City Surveyor & Water Engineer.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Witcombe Reservoirs

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 297 ft.

File No. 814790/27.

459378

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	.10	.02	.26	-	.21	.30	.04	-	-	.09	.02		1
2	.07	.04	.10	.01	-	.41	.50	.01	-	-	.23	-		2
3	-	.01	-	.06	-	.21	.03	-	.65	-	.05	.05		3
4	.04	-	.33	-	-	-	-	-	.27	-	.10	.25		4
5	.38	-	.06	-	.12	-	.05	.01	.03	-	.02	.01		5
6	.04	-	.01	-	-	.09	.22	.05	.09	-	.26	-		6
7	.02	-	.08	-	-	-	.56	-	.01	-	.19	.07		7
8	.25	-	.16	-	-	-	.03	-	-	-	.60	.03		8
9	.71	-	.09	-	-	-	.58	-	.04	-	-	-		9
10	.02	-	-	-	-	-	.17	-	-	-	.02	-		10
11	-	snow .12	-	.04	-	.07	.18	.01	.04	-	.35	-		11
12	-	-	-	.04	.12	.41	.27	-	.23	-	.03	.14		12
13	-	-	-	-	-	.07	.20	.01	-	.06	.06	.86		13
14	-	-	-	.25	-	.01	.46	-	.15	.01	.03	.92		14
15	-	.02	-	-	.02	-	.01	-	.24	-	.09	.13		15
16	snow .08	.15	-	.20	-	-	.06	-	-	-	.36	.01		16
17	(snow&rain) .14	.71	-	-	-	-	.11	-	-	.03	.07	.42		17
18	-	.02	-	-	-	-	.26	.02	-	.05	-	.07		18
19	.49	.20	.02	.13	-	.10	-	.06	-	-	-	-		19
20	.02	.17	.02	.09	-	.24	-	-	.60	-	-	-		20
21	-	-	-	.56	-	.08	.08	-	.06	-	-	-		21
22	snow .10	.74	.12	-	.05	-	.26	-	-	.01	-	.15		22
23	.08	-	.05	.11	.02	-	.23	-	-	.03	-	-		23
24	.08	.06	-	.05	-	-	.09	-	.37	.15	-	-		24
25	.04	.01	.20	.50	-	-	.12	-	.81	.12	.04	-		25
26	.06	.11	.15	.01	-	.01	.01	-	.01	.01	.01	-		26
27	.10	-	.09	-	-	-	.03	-	.07	.01	-	-		27
28	.43	.03	.30	-	-	-	.01	-	-	-	-	.13		28
29	.06	.16	.04	-	-	1.56	.04	-	-	.02	.02	.29		29
30	.07	✕	-	-	.07	.05	.07	-	-	.44	-	-		30
31	.41	✕	.22	✕	-	✕	.11	-	✕	.12	✕	.17		31
TOTAL	3.72	2.65	2.06	2.31	.40	3.52	5.04	.21	3.67	1.06	2.62	3.72	Year's Total 30.98 ✓	
* Days with .01 in. or more.	23	16	18	14	6	14	28	8	16	13	19	17	192 ✓	
* Days with .04 in. or more.	19	11	14	12	4	12	22	3	13	6	13	13	142 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

City Surveyor & Water Engineer.

[P.T.O.

459378

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Witcombe Reservoirs

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 297 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.01	-	.02	-	-	-	-	.01	-	.20	.25		1
2	-	.21	-	.09	-	-	-	-	-	-	-	.18		2
3	-	.35	-	-	-	-	.04	-	.05	-	-	.05		3
4	.09	.21	-	.02	.04	-	-	-	-	-	-	.33		4
5	.15	-	.15	.01	-	-	-	-	-	-	-	-		5
6	.10	.15	.24	.12	.16	-	.10	-	-	.07	-	-		6
7	-	.66	.01	.17	-	-	-	-	-	-	-	-		7
8	-	.05	-	-	.09	-	.01	-	-	-	.27	.01		8
9	-	-	-	.09	.07	-	.08	-	.37	-	-	.10		9
10	.04	-	.61	.82	-	.13	-	-	-	-	-	.21		10
11	.01	-	.13	-	.38	.05	.10	-	-	-	-	.08		11
12	.50	.22	.54	-	.06	.23	-	.06	.08	-	-	.22		12
13	.21	.03	.50	.04	.01	.03	-	.17	.28	-	-	-		13
14	-	.05	.06	.09	-	-	-	.30	.02	-	-	.02		14
15	.20	.15	-	.35	-	-	1.80	-	.03	-	-	.16		15
16	.01	.22	.47	.37	-	.02	.02	.07	.17	-	-	-		16
17	.35	.03	.43	.01	-	-	-	-	.42	-	-	-		17
18	.50	.07	.28	.01	-	.18	.02	-	.28	-	.15	.14		18
19	.17	.05	.16	.08	.05	.17	-	=	-	-	.11	-		19
20	.40	.02	.16	.31	.40	-	-	-	-	-	-	.07		20
21	.28	.40	.13	.01	.04	-	.06	-	-	-	-	.11		21
22	.18	.02	.04	-	.26	.04	.14	-	-	.94	.36	.03		22
23	.26	.09	.02	-	.02	-	.03	-	-	.53	.03	-		23
24	.24	.25	-	-	-	-	.01	-	.04	.37	-	.01		24
25	.01	.35	.05	-	.07	-	-	-	.02	.29	-	.02		25
26	-	.50	-	-	.55	-	-	-	-	.01	-	.02		26
27	-	.20	-	.23	-	-	-	-	-	.61	-	-		27
28	-	.06	-	-	-	-	-	-	-	.06	-	.03		28
29	.03	X	-	-	-	-	-	-	-	.08	.03	.03		29
30	.28	X	-	-	-	-	-	-	-	-	.21	.01		30
31	.12	X	-	X	-	X	-	-	X	.28	X	-		31
TOTAL	4.28	4.35	3.98	2.84	2.20	.85	2.41	.60	1.77	3.24	1.36	2.08	Year's Total 29.96	✓ ✓
* Days with .01 in. or more.	22	24	17	18	14	8	12	4	12	10	8	21	170	✓ ✓
* Days with .04 in. or more.	18	19	15	12	12	6	7	4	8	9	6	12	128	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

City Surveyor & Water Engineer.

459378

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938.

Kept at Witcombe Reservoirs

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	.01	.01	-	.01	.43	.31	.01	-	.22	-	.41		1
2	.02	-	-	.02	.01	-	.06	-	-	.19	-	-		2
3	.01	-	-	-	.13	.02	-	-	.01	.50	-	-		3
4	.03	-	-	-	-	.01	.38	.29	-	.70	-	.15		4
5	.01	-	-	-	-	-	.11	.04	.08	.04	-	-		5
6	.01	-	-	-	-	.05	.30	-	.03	.08	-	.02		6
7	-	-	-	-	-	.01	.40	.25	.07	.15	-	.06		7
8	.62	-	-	-	-	-	.05	.12	.02	.39	-	-		8
9	.08	.01	-	-	-	-	.02	.26	-	-	-	.56		9
10	.16	-	-	-	-	.01	.03	.16	-	.02	-	.25		10
11	.16	-	-	-	-	-	-	.08	-	.01	.31	.11		11
12	.28	.01	-	-	.34	-	-	.04	-	.20	.18	-		12
13	.10	.01	-	-	-	-	-	-	-	.04	.28	.93		13
14	.45	.01	-	-	-	-	.62	-	.05	-	-	-		14
15	.16	-	-	-	.06	-	.02	.01	-	-	-	.28		15
16	.41	-	-	-	-	-	-	.04	-	-	.04	.04		16
17	-	.08	.04	-	-	-	-	-	.03	.18	-	-		17
18	.10	-	-	-	.03	.02	-	.02	.41	.01	.40	-		18
19	-	-	-	-	-	-	-	.10	.04	-	.25	-		19
20	-	-	-	-	-	-	-	-	.01	-	.35	-		20
21	.03	-	-	-	-	-	-	.15	.01	-	.01	.16		21
22	-	-	-	.12	-	.02	-	.10	-	-	.31	.10		22
23	-	-	-	.02	-	-	-	-	.55	-	-	.03		23
24	.02	-	.14	-	.08	-	-	.04	.09	-	.10	.01		24
25	.08	.31	.01	-	.26	-	.05	-	-	.13	.31	.16		25
26	.20	.29	.03	-	.04	.01	-	-	.02	.17	-	.10		26
27	.03	.01	-	-	.65	.22	.33	.04	.07	.03	.23	-		27
28	.14	.02	-	-	.02	.10	.02	.56	.06	-	.09	.06		28
29	.05	X	-	-	.43	-	-	-	.03	.05	.12	.08		29
30	.05	✕	-	-	.06	-	-	-	.88	.01	.20	.01		30
31	.25	✕	-	✕	.27	✕	-	-	✕	.09	✕	.15		31
TOTAL	3.45	.76	.23	.16	2.39	.90	2.70	2.31	2.46	3.21	3.18	3.67	Year's Total 25.42	✓
* Days with .01 in. or more.	24	10	5	3	14	11	14	18	18	20	15	20	172	✓
* Days with .04 in. or more.	16	3	2	1	10	4	10	15	10	15	14	16	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) City Surveyor & Water Engineer.

[P.T.O.

459378

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Witcombe Reservoirs

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	–	.03	.16	.30	–	–	–	.03	–	–	.02		1
2	.03	–	.01	.02	.01	–	–	.35	.44	.02	.05	.06		2
3	.10	–	–	.25	–	–	–	.63	.01	–	.17	.18		3
4	.07	–	.44	.38	.10	–	.52	.20	–̣	.25	.08	.33		4
5	–	–	.01	.70	.23	–	.31	.46	–	.10	.52	.20		5
6	.42	–	.01	.14	–	–	1.74	.01	–	–	.06	–		6
7	.03	.05	–	–	–	–	.01	–	–	.01	.38	.44		7
8	.01	.18	.27	–	–	–	.35	.02	–	.68	.24	.73		8
9	.03	.04	–	–	–	–	–	.10	–	.39	.10	.14		9
10	.30	–	.08	–	–	.18	–	.15	.05	.03	.01	–		10
11	–	.04	.15	–	–	–	–	–	–	.05	–	–		11
12	.08	.06	–	–	–	.02	–	–	–	–	.01	–		12
13	–	–	–	.03	.01	–	.18	–	.05	.37	–	–		13
14	.53	–	.01	–	.28	.03	.08	–	–	.02	.09	.01		14
15	.75	–	.03	–	.07	.55	.40	–	–	.21	.26	–		15
16	.16	–	.01	.03	.04	.06	.04	–	–	–	.42	–		16
17	.33	.01	–	–	.01	.06	.10	–	–	.15	.03	–		17
18	.34	.02	.05	–	–	.31	.16	–	–	.16	.44	–		18
19	.20	–	–	–	–	–	.30	–	.01	–	–	–		19
20	.23	–	–	–	–	–	.10	–	–	–	–	.03		20
21	.13	.25	.21	.02	–	.05	.13	.10	.01	–	–	–		21
22	.47	.29	.06	–	–	.40	.03	–	.01	.02	.18	–		22
23	–	–	.03	.10	–	.09	.27	–	–	–	.53	–		23
24	.27	–	.04	.04	–	.10	–	–	–	.05	–	–		24
25	.70	.02	.04	.02	–	–	.04	.02	–	.03	.08	–		25
26	.22	.02	–	.04	–	–	–	.21	–	.10	.52	.05		26
27	–	.08	.09	.02	–̣	.02	.13	–	–	.03	.03	.03		27
28	.01	.12	.14	.05	–̣	.39	.30	–	–	–	.30	.07		28
29	–	X	–	.30	–	–	.31	–	–	.09	.03	–		29
30	–	✕	–	.80	–	–	.01	–	–	.01	.01	.11		30
31	–	✕	–	✕	–	✕	.03	.16	✕	.06	✕	–		31
TOTAL	5.43	1.18	1.71	3.10	1.05	2.26	5.54	2.41	.61	2.83	4.54	2.40	Year's Total 33.06	
* Days with .01 in. or more.	23	13	19	17	9	13	22	12	8	21	23	14	194	
* Days with .04 in. or more.	17	9	11	11	6	10	18	9	3	13	17	10	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

459378

Section **A** for the entry of Daily Observations

Station No. 2166

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Witcombe Reservoirs

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 297 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	.01	.01	-	-	-	-	-	.05	-		1
2	-	.10	-	.06	-	-	.03	-	-	-	1.04	-		2
3	-	.16	-	-	-	-	-	-	-	.24	.77	.01		3
4	-	.09	-	-	-	-	.02	-	-	.12	.48	.01		4
5	-	.21	-	-	.01	-	.01	-	-	.13	.64	.03		5
6	.16	.46	-	-	-	-	.06	-	-	.17	-	.01		6
7	.01	-	-	.02	-	-	.09	-	-	-	-	-		7
8	-	-	-	-	-	-	-	-	-	.18	.12	.05		8
9	-	-	-	.03	-	-	.26	.08	.01	.47	.26	.05		9
10	-	-	.03	-	-	-	.69	.01	-	.12	.04	.05		10
11	-	-	-	.05	-	-	.17	-	-	-	.54	.02		11
12	-	-	.06	-	-	.02	.24	-	.02	-	-	-		12
13	-	-	.37	-	-	-	.07	-	.02	-	.24	.02		13
14	-	-	.10	.05	.82	-	-	.03	.13	.17	-	.30		14
15	-	-	.10	-	.16	.05	.01	-	.15	.08	.17	-		15
16	-	.16	.22	-	-	.03	.20	-	.08	.75	.55	.09		16
17	-	-	.15	.05	-	-	-	-	-	-	.01	-		17
18	.08	.31	.52	.50	-	-	.02	.05	.05	.05	.07	.06		18
19	-	.13	.07	.18	-	-	1.21	-	.04	-	.20	.02		19
20	-	-	.08	.02	-	-	.05	.01	-	.36	.03	-		20
21	-	-	-	-	.07	.17	.06	-	-	-	1.14	-		21
22	-	.02	.07	.05	.06	.19	-	-	.32	-	-	-		22
23	-	.35	.07	.08	.07	.04	-	-	-	-	.04	.03		23
24	-	-	-	-	-	-	.13	-	-	-	-	.02		24
25	-	-	-	-	-	-	-	-	-	-	-	-		25
26	.85	.17	-	-	.15	-	.44	-	-	.01	-	-		26
27	.57	.14	-	.09	-	-	-	-	-	-	-	-		27
28	.50	.10	-	.20	.01	-	-	-	-	-	-	-		28
29	-	-	.10	.23	.02	.03	.01	-	-	-	-	.21		29
30	-	X	-	.06	.05	-	-	-	-	.21	-	.05		30
31	-	X	.03	X	-	X	-	-	X	.55	X	.01		31
TOTAL	2.17	2.40	1.97	1.68	1.43	.53	3.77	.18	.82	3.61	6.39	1.04	Year's Total 25.99	✓
* Days with .01 in. or more.	6	13	14	16	11	7	19	5	9	15	18	18	151	✓
* Days with .04 in. or more.	5	12	12	12	7	4	13	2	6	14	16	8	111	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

Form 1090.

B

2167.

2167

BROCKWORTH

"THE KIA"

1931 —— 40

780402

*** The following register of mon
is required if daily or
cannot be given on the o

and also the space for notes

is register should be sent :—

Gloucester

in Summer 10

RAINFALL IN 19

At The Kia B

In the County of Glouce

4¼ mls Direction from gauge West

½ ml. Direction from gauge N.W.

Rain Gauge.
- Diameter of Funnel
- *Height of Top above Ground* 1
- *Height of Ground above Sea Level*

Laurel			
4 ft			
4 ft			
Directions from gauge	North	South	S.W.

Month.	Total Depth.	Greatest Fall in 24 hours.			
	Inches.	Inches.	Date		
Jan.	1·36	0·29	31st	13	11
Feb.	1·72				
Mar.	0·30	0·15	22nd	4	2
Apr.	2·40	0·09	2nd	9	5
May	3·19	0·69	23rd	19	10
June	3·52				
July	3·92	0·81	15th	13	12
Aug.	3·67	0·68	12th	15	12
Sept.	3·03	0·69	3rd	11	9
Oct.	6·60	0·32	6th	6	4
Nov.	4·26	1·79	3rd	15	12
Dec.	1·44	0·39	5th	5	6
Total	29·41			~~113~~ "	~~66~~ "

If gauge has been moved during the year state—

Date of move.................. Distance.............. Direction..............

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in ***British Rainfall,*** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (*a*) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (*b*) What note was made of the times of beginning and end of this fall?
- (*c*) When was the measurement made?

Observer says she is sorry record has been so incomplete.

Signature Grace Buckle

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, *i.e.*, the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O.7

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by Waterlow & Sons Limited, Birchin Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

40-9999.

2167

Form 1090.

B Summary.

*** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.*

RAINFALL IN 1921

At The Kia Brockworth

In the County of Gloucester

Rain Gauge. Diameter of Funnel 5 in.

Height of Top above Ground 1 ft. 4 in.

Height of Ground above Sea Level 220 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				0·1 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	1·36	0·29	31st	13	11
FEB.	1·72				
MAR.	0·30	0·15	22nd	4	2
APR.	2·40	0·69	2nd	9	5
MAY	3·19	0·69	23rd	19	10
JUNE	3·52				
JULY	3·92	0·81	15th	13	12
AUG.	3·67	0·68	12th	15	13
SEPT.	3·03	0·69	3rd	11	9
OCT.	0·60	0·32	6th	6	4
NOV.	4·26	1·79	3rd	15	12
DEC.	1·44	0·39	5th	5	6
Total	29·41			~~143~~ "	~~66~~ "

Signature Grace Buckle

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mrs Grace Buckle
The Kia Brockworth Gloucester

Hour of observation by the clock—in Winter 9 in Summer 10

Nearest Railway Station Gloucester Distance 4¼ mls Direction from gauge West

Nearest Parish Church at Brockworth Distance ½ ml. Direction from gauge N.W.

Nature of objects nearest to gauge	House	Flower bed	Laurel	
Heights of objects	29 ft.	2 ft.	4 ft.	
Distances	29 ft.	4 feet	4 ft.	
Directions from gauge	North	South	S.W.	

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in ***British Rainfall,*** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(*a*) Is it known that the gauge was empty at the beginning of the measured rainfall?
(*b*) What note was made of the times of beginning and end of this fall?
(*c*) When was the measurement made?

Observer says she is sorry record has to be so incomplete.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st ; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, *i.e.*, the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 ; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

M.O. 7

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 120, George Street, Edinburgh ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; 15, Donegall Square West, Belfast ; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by Waterlow & Sons Limited, Birchin Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9-27 W & S Ltd.

40-9999.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·01	0·03	·	0·03	0·80	·	0·01	0·02	0·02	0·18	·	·	1
2	·	·	-	0·12	0·07	·	·	·	0·25	·	·	0·05	2
3	·	0·01	-	0·61	0·02	·	0·01	·	·	0·01	·	·	3
4	·	·	-	0·06	·	·	·	·	·	·	0·42	·	4
5	0·30	·	·	·	0·03	·	·	·	0·09	·	·	·	5
6	0·62	·	-	0·03	·	·	·	·	0·37	·	·	·	6
7	0·04	·	0·19	·	0·11	·	·	·	0·26	1·03	·	·	7
8	·	·	0·15	·	·	·	·	·	0·54	0·29	·	·	8
9	0·46	0·04	·	0·09	0·08	·	·	·	·	0·01	·	·	9
10	0·34	0·03	·	0·24	0·07	·	·	·	0·01	0·15	·	·	10
11	·	·	0·01	0·08	·	·	0·31	·	0·01	·	·	0·01	11
12	0·45	·	·	0·12	0·24	·	0·09	·	0·07	0·14	0·01	·	12
13	0·03	·	·	·	0·02	·	0·23	0·02	·	·	0·03	0·04	13
14	0·32	0·01	·	·	·	·	·	0·41	·	0·03	0·04	·	14
15	·	·	·	0·05	0·56	·	·	·	·	0·04	0·03	·	15
16	0·18	·	·	0·28	0·05	·	0·01	·	·	·	·	·	16
17	·	·	·	0·01	·	·	0·02	·	·	0·10	·	·	17
18	·	·	·	·	0·16	·	·	·	0·20	·	0·14	·	18
19	·	·	·	0·29	0·08	·	·	·	0·01	0·11	·	·	19
20	·	·	·	0·02	1·14	·	·	0·09	·	0·58	0·09	0·42	20
21	·	·	0·08	0·27	0·39	·	·	1·50	·	0·37	0·05	0·05	21
22	·	·	0·19	0·04	0·02	·	0·12	·	0·70	0·18	0·03	0·02	22
23	·	0·06	·	·	0·99	·	0·02	·	0·05	0·21	·	0·08	23
24	·	0·01	·	·	0·01	·	0·03	·	0·05	0·01	·	·	24
25	·	·	·	·	0·01	0·01	0·08	·	0·08	0·24	0·02	·	25
26	·	·	0·08	0·02	0·05		0·12	·	·	·	0·01	·	26
27	·	·	0·38	0·15	0·46		0·05	·	·	0·27	0·01	·	27
28	·	·	0·01	0·07	0·28		0·27	0·02	·	·	·	0·01	28
29	·	·	0·43	0·20	0·24	0·19	0·01	0·04	0·11	0·25	0·02	0·15	29
30	·	×	0·01	0·11	0·01	1·36	0·34	0·14	0·52	·	0·67	0·25	30
31	·	×	0·35	×	0·02	×	0·18	·	×	·	×	0·27	31
TOTAL	2·75	0·19	1·88	2·89	5·91	1·56	1·90	2·24	3·34	4·20	1·57	1·35	YEAR'S TOTAL 29·78
*Days with ·01 in. or more.	10	7	11	21	25	3	17	8	17	19	14	11	163
*Days with .04 in. or more.	8	2	8	16	17	2	10	5	13	13	6	8	108

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Grace Buckle

[P.T.O.

2167

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2167~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.61	0.22	0.03	–	·		·	·	·	·	0.01	·		1
2	0.57	–	0.41	·	0.02	·	·	·	·	·	·	·		2
3	–	0.06	0.20	·	0.11	·	·	·	·	·	0.01	·		3
4	0.15	–	–	·	0.20	·	·	·	·	·	·	·		4
5	0.01	–	0.36	·	0.03	·	·	·	·	·	0.03	·		5
6	–	0.34	0.03	·	0.06	·	·	·	·	·	·	·		6
7	–	0.01	0.07	·	·	·	·	·	·	0.35	·	·		7
8	0.04	–	0.05	·	·	0.05	0.37	·	·	0.03	·	·		8
9	–	–	–	·	0.05	0.01	0.15	·	·	0.25	·	·		9
10	0.05	–	–	·	0.11	·	0.04	·	·	1.52	0.17	·		10
11	0.15	–	–	·	·	·	0.02	0.04	·	0.08	·	·		11
12	–	–	–	·	0.10	0.01	0.18	·	0.54	·	·	0.02		12
13	–	–	–	·	0.06	·	0.18	·	·	0.05	0.04	·		13
14	0.03	–	–	·	·	·	0.03	0.02	·	0.01	0.23	·		14
15	0.60	–	0.08	·	·	·	0.09	0.01	·	0.25	0.01	0.02		15
16	–	–	0.66	·	·	0.01	0.14	0.01	0.01	0.01	·	0.03		16
17	0.07	0.08	0.22	·	·	0.06	0.01	0.02	·	·	·	·		17
18	0.06	–	0.05	·	·	0.13	·	·	0.04	·	0.02	·		18
19	–	0.01	0.25	·	·	0.04	·	·	0.03	·	0.03	·		19
20	–	–	–	·	·	0.16	·	·	0.02	·	·	·		20
21	–	–	–	·	0.02	0.02	·	0.23	·	0.06	·	·		21
22	–	–	–	·	·	0.10	·	0.12	0.04	0.35	·	·		22
23	–	1.55	–	0.10	·	0.02	·	·	0.41	0.60	0.01	·		23
24	–		–	0.15	0.03	0.84	·	·	0.07	0.12	·	·		24
25	–	0.65	–	0.15	0.10	0.11	·	·	0.25	·	·	0.06		25
26	–	0.91	–	0.05	0.37	0.02	·	·	0.89	0.03	·	·		26
27	–	–	–	–	0.65	·	·	·	0.03	0.14	·	0.11		27
28	–	0.03	–	0.44	·	·	·	·	·	0.02	·	0.02		28
29	–		–	0.02	·	·	·	·	·	·	·	0.02		29
30	0.07	×	0.11	0.01	·	·	0.06	·	0.07	·	·	0.08		30
31	0.12	×	0.02	×	·	×	·	0.04	×	·	×	·		31
TOTAL	2.53	3.86	2.44	0.92	1.91	1.58	1.27	0.49	2.40	3.87	0.56	0.36	Year's Total 22.19	
*Days with ·01 in. or more.	13	10	14	7	14	14	11	8	12	16	10	8	137	
*Days with .04 in. or more.	12	6	12	5	10	8	8	4	8	11	3	3	90	

† Spare column, no entries required.

(*Signed*) Grace Buckle

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~2168~~ 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 220 ft.

May 1" high

Adjustment in May agreed by obsr 154837/31.

906 ser 19/4

suggesting ·02 for May 2nd

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.03							0.37	0.09	0.01	0.01	0.43		1
2	0.09		0.04		X·02			0.01	0.46	0.01		0.15		2
3	0.01	0.04							0.01	0.07		0.18		3
4	0.06		0.01		0.27				0.19	0.15	0.11	0.38		4
5	-		0.06		0.06			0.31		0.03	0.18	0.48		5
6			0.10	0.07	0.39			0.01		0.10	-	0.43		6
7	0.02					0.01		0.12		0.02	0.05	0.45		7
8					0.13			0.01	0.01		0.08	0.11		8
9			0.19						0.03		0.41	0.31		9
10	0.13		0.16	0.25				0.01			0.10	0.02		10
11	0.64		0.06	0.25			0.09	0.35				0.21		11
12	0.01		0.09	0.01	0.01		0.11	0.09				0.05		12
13	0.42			0.11			1.78				0.01	0.12		13
14	0.03		0.42								0.09	0.25		14
15			0.02		0.08				0.01	0.07	0.41	0.07		15
16	0.07	0.01	0.51		0.01			0.01			0.01	0		16
17	0.03			0.07			0.16		0.16	0.01	0.01	0.23		17
18	0.18		0.09	0.27			0.01		0.02			0.24		18
19			0.17		0.02	0.04		0.04		0.03	0.01	0.09		19
20			0.18	0.12			0.01		0.01					20
21			0.07	0.01		0.16	0.03	0.07		0.25		0.02		21
22			0.02	0.01				0.24		0.01		0.11		22
23		0.01		0.15		0.13			0.15			0.01		23
24		0.42	0.07	0.05		0.16	0.03		0.07	0.01				24
25	0.17		0.04	0.20		0.13						0.31		25
26				0.40		0.05			0.02	0.25		0.11		26
27				0.26						0.05		0.23		27
28				0.17		0.05		0.22	0.04		0.03	0.42		28
29								0.13	0.45	0.01		0.01		29
30	0.04	×						0.38				0.10		30
31		×		×		×			×	0.10	×	0.12		31
TOTAL	1.93	0.48	2.30	2.40	X·99	0.73	2.12	2.37	1.72	1.18	1.51	5.64	Year's Total ~~24.37~~	23.37
*Days with ·01 in. or more.	15	4	18	16	9	8	8	16	15	17	14	28	168	
*Days with ·04 in. or more.	9	2	15	13	5	7	4	11	6	8	8	24	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Grace Buckle

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01		0.01	0.03	0.01	0.02	0.04		0.16	0.02	0.07			1
2		0.01				0.01			0.01	0.25	0.01			2
3		0.05				0.27			0.39	0.31	0.33			3
4			0.03	0.22		0.11			0.06	0.22	0.01	0.01		4
5		0.25	0.25	0.01		0.64			0.15	0.01	0.02	001		5
6				0.38		0.50					0.04	0.07		6
7				0.36		0.12				0.22	0.07	0.12		7
8				0.30		0.01		0.18		0.13	0.21	0.04		8
9	0.03			0.69		0.20				0.65	0.45			9
10		0.01		0.16							0.02			10
11	0.25					0.07					0.29			11
12	0.01	0.02				0.22		0.01	0.02		0.05			12
13	0.05	0.10		0.27	0.13				0.02		0.05			13
14				0.01	0.01	0.17			0.03		0.81	0.23		14
15		0.01		0.87		0.11			0.45		0.21	0.07		15
16			0.05	0.20	0.12	0.14			0.25	0.06	1.03			16
17				0.16		0.11	0.07		0.05		0.25			17
18		0.01		0.13	0.09	0.06	0.06	0.02	0.17	0.04	0.01	0.01		18
19		0.01		0.08	0.11	0.13	0.17		0.05	0.08	0.10	0.07		19
20	0.01	0.38		0.01	0.19	0.05	0.06				0.67			20
21		0.45							1.25	0.02	0.01			21
22		0.10						0.32	0.27					22
23		0.02	0.02	0.10				0.22	0.06	0.75		0.13		23
24	0.03	0.35	0.02					0.15	0.18	0.13		0.16		24
25	0.14	0.15		0.18		0.48				0.08		0.09		25
26		0.20						0.11	0.08			0.74		26
27		0.22			0.07				0.03		0.07	1.18		27
28								0.01	0.15			0.03		28
29			0.03					0.12	0.04	0.02	0.09	0.22		29
30	0.06	✕		0.06	0.03	0.01		0.58	0.10	0.37	0.30	0.15		30
31		✕		✕	0.01	✕		0.20	✕	0.44	✕	0.30		31
													Year's Total	
TOTAL	0.59	2.34	0.41	4.22	0.77	3.43	0.40	1.92	3.97	3.80	5.17	3.63	30.65	
* Days with .01 in. or more.	9	17	7	19	10	20	5	11	22	18	24	18	180	
* Days with .04 in. or more.	4	10	2	15	6	16	5	8	17	14	17	14	128	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Grace Buckle

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "The Kia" Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	0.07	0.02	0.19	·	0.21	0.30	0.03	·	·	0.06	0.01		1
2	0.07	0.05	0.05	0.01	·	0.54	0.41	0.02	·	·	0.20	·		2
3	·	·	·	·	·	0.23	0.02	·	0.60	·	0.06	0.03		3
4	0.02	0.01	0.18	·	·	·	·	·	0.32	·	0.06	0.04		4
5	0.38	·	0.05	0.03	0.10	·	0.15	0.02	0.04	·	·	0.03		5
6	0.03	·	·	·	·	0.07	0.07	0.03	0.06	·	0.25	·		6
7	0.04	·	0.05	·	·	0.01	0.44	·	0.01	·	0.18	0.07		7
8	0.27	·	0.12	·	·	·	0.06	·	·	·	0.55	0.02		8
9	0.59	·	0.09	·	·	·	0.62	·	·	·	·	·		9
10	0.02	·	·	·	·	·	0.15	·	·	·	0.03	·		10
11	·	0.03	·	0.06	·	0.16	0.17	·	0.04	·	0.31	·		11
12	·	·	·	0.04	0.15	0.41	0.23	·	0.21	·	0.04	0.15		12
13	·	·	·	0.01	·	0.06	0.31	·	—	0.05	0.05	0.87		13
14	·	·	·	0.27	·	·	0.43	·	0.17	·	0.01	0.52		14
15	·	0.01	·	·	0.01	·	0.01	·		·	0.05	0.12		15
16	0.12	0.13	·	0.16	·	·	0.03	·	0.21	·	0.26	0.01		16
17	0.12	0.66	·	·	·	·	0.13	·		0.01	0.05	0.24		17
18	·	0.05	·	·	·	·	0.20	·		0.02	·	0.12		18
19	0.41	0.20	0.02	0.12	·	0.09	·	0.04	·	·	·	·		19
20	·	0.16	0.01	0.03	·	0.27	·	·	0.83	·	·	·		20
21	·	·	·	0.45	·	0.07	0.11	·	0.04	·	·	·		21
22	0.05	0.67	0.09	0.01	0.09	·	0.24	·	·	·	·	0.15		22
23	0.04	·	0.03	0.10	0.01	·	0.23	·	·	·	·	·		23
24	0.07	0.05	·	0.02	·	·	0.07	·	0.64	0.13	0.01	·		24
25	0.01	·	0.20	0.42	·	·	0.28	·	0.35	0.10	0.03	·		25
26	0.11	0.09	0.10	0.05	·	0.01	0.02	·	·	·	·	·		26
27	0.07	·	0.05	·	·	·	0.02	·	0.13	0.02	·	·		27
28	0.44	0.03	0.23	·	·	·	·	·	·	·	·	0.09		28
29	0.04	0.15	0.01	·	0.03	0.97	0.04	·	·	0.01	0.01	0.29		29
30	0.05	✗	·	·	0.10	0.11	0.09	·	·	0.54	·	·		30
31	0.40	✗	0.24	✗	·	✗	0.06	·	✗	0.18	✗	0.17		31
TOTAL	3.47	2.36	1.54	1.97	0.49	3.21	4.89	0.14	3.65	1.06	2.21	3.23	Year's Total 26.22	✓
* Days with .01 in. or more.	22	15	17	16	7	14	27	5	14	9	18	17	181	✓
* Days with .04 in. or more.	17	11	12	10	4	12	22	1	~~10~~ 13	5	13	12	~~128~~ 132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Grace Buckle [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 220 ft.

All (see over)

Totals ck.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06			0.02					0.03		0.24	0.22		1
2				0.07							0.01	0.17		2
3							0.03		0.05			0.05		3
4	0.05				0.03							0.33		4
5	0.10		0.14	0.03										5
6	0.07		0.20	0.15			0.08			0.08				6
7			0.01	0.04										7
8		1.69			0.06		0.01				0.26	0.03		8
9				0.08	0.04		0.20					0.13		9
10	0.02		0.74	0.85		0.12			0.83			0.20		10
11			0.17		0.30	0.05	0.08							11
12	0.47		0.57		0.12	0.12		0.07				0.28		12
13	0.14		0.39	0.04		0.08		0.21						13
14			0.26	0.18			0.01	0.32				0.02		14
15	0.19			0.30			1.87							15
16			0.52	0.33		0.01		0.06	0.18					16
17	0.37	0.03	0.39				0.01		0.48					17
18	0.49	0.07	0.18	0.02		0.19			0.43		0.13	0.10		18
19	0.17	0.03	0.13	0.07	0.01	0.18	0.02		0.01		0.10			19
20	0.32	0.02	0.14	0.27	0.34							0.06		20
21	0.21	0.35	0.12		0.05		0.05			0.02		0.08		21
22	0.15	0.04	0.10		0.14	0.12	0.14			0.92	0.32			22
23		0.06	0.01		0.01					0.53	0.02			23
24		0.23			0.01				0.07	0.35				24
25		0.49	0.02		0.10				0.02	0.25		0.01		25
26	1.05	0.34			0.47					0.01	0.01	0.01		26
27		0.18		0.20						0.67				27
28		0.12								0.07		0.03		28
29										0.07	0.02	0.01		29
30											0.12			30
31										0.22				31
TOTAL	3.86	3.65	4.09	2.65	1.68	0.87	2.50	0.66	2.10	3.19	1.23	1.73	Year's Total 28.21	
* Days with .01 in. or more.	20	25	17	15	13	8	11	4	~~9~~ 13	11	10	16	163	
* Days with .04 in. or more.	17	19	14	12	9	7	6	4	~~6~~ 8	9	6	10	121	

† Spare column, no entries required.

(*Signed*) Grace Buckle [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 220 ft.

Totals acc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0.01	–	–	–	0.40	0.14	0.01	–	0.16	–	0.34		1
2	0.03	–	–	0.01	0.01	0.01	0.03	–	–	0.17	–	–		2
3	0.01	–	–	–	0.01	0.03	–	–	0.01	0.45	–	–		3
4	–	–	–	–	–	–	0.39	0.25	0.07	0.62	–	0.10		4
5	0.02	–	–	–	–	–	0.31	0.03	–	0.07	–	–		5
6	0.01	–	–	–	–	0.02	0.26	–	0.02	0.06	–	0.01		6
7	–	–	–	–	–	0.01	0.39	0.26	0.12	0.40	–	0.04		7
8	0.64	–	–	–	–	–	0.01	0.10	–	–	–	–		8
9	0.07	–	–	–	–	–	0.02		–	–	–	0.55		9
10	0.13	0.01	–	–	–	0.11	0.02		–	0.02	–	0.20		10
11	0.13	–	–	–	–	–	–		–	–	0.26	0.19		11
12	0.20	0.01	–	–	0.29	–	–	0.36	–	0.17	0.13	–		12
13	0.05	0.02	–	–	–	–	–		–	0.02	0.29	0.84		13
14	0.42	0.01	–	–	0.01	–	0.74		0.12	–	–	–		14
15	0.12	–	–	–	–	0.01	0.01		–	–	–	0.24		15
16	0.39	0.07	0.01	–	–	–	–		–	–	0.03	0.04		16
17	–	–	–	–	–	–	–		0.04	0.18	–	–		17
18	–	–	–	–	0.02	–	–	0.01	–	0.01	0.45	–		18
19	0.06	–	–	–	–	–	–	0.05	0.36	–	0.28	–		19
20	0.01	–	–	–	–	–	–	0.01	–	–	0.35	0.27		20
21	–	–	–	–	–	–	–	0.13	0.01	–	0.01	0.02		21
22	–	–	–	0.11	–	0.01	–	0.07	–	–	0.28	–		22
23	–	–	–	0.02	0.01	–	–	–	0.41	–	0.01	0.03		23
24	–	–	0.09	–	0.10	–	–	0.06	0.07	–	0.08	–		24
25	0.06	0.35	0.02	–	0.35	–	0.02	0.01	–	0.17	0.26	0.17		25
26	0.14	0.26	0.02	–	0.04	0.01	–	–	0.08	0.18	–	0.13		26
27	0.02	0.01	–	–	0.92	0.16	0.33	0.04	–	0.03	0.21	–		27
28	0.15	0.01	–	–	0.02	0.07	0.01	0.59	0.02	–	0.09	0.05		28
29	0.08		–	–	0.32	–	–	–	0.02	0.03	0.10	0.07		29
30	0.03	✕	–	–	0.12	0.01	–	–	0.81	0.02	0.20	–		30
31	0.29	✕	–	✕	0.19	✕	–	–	✕	0.05	✕	0.10		31
													Year's Total	
TOTAL	3.06	0.76	0.14	0.14	2.51	0.85	2.68	1.98	2.16	2.81	3.03	3.39	23.51	✓
* Days with .01 in. or more.	22	10	4	3	14	12	14	20	14	18	16	18	165	✓
* Days with .04 in. or more.	15	3	1	1	10	4	7	14	9	12	13	15	104	✓

† Spare column, no entries required.

(*Signed*) Grace Buckle

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40 39

Kept at The Kia, Brockworth
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	·	0.02	0.16	0.31	·	·	·	·	0.01	·	0.01		1
2	-	·	0.02	0.01	0.01	·	·	0.26	·	·	0.04	0.05		2
3	0.13	·	·	0.16	·	·	·	0.62	·	·	0.32	0.17		3
4	0.09	·	0.40	0.39	0.10	·	0.55	0.31	·	0.22	0.06	0.25		4
5	·	·	·	0.91	0.16	·	·	0.39	0.01	0.10	0.46	0.20		5
6	0.47	·	·	0.07	·	·	1.75	0.01	·	·	0.05	0.01		6
7	0.01	0.22	·	·	·	·	0.01	·	·	0.05	0.44	0.41		7
8	·	0.15	0.38	·	·	·	0.22	0.01	·	0.78	0.22	0.67		8
9	0.01	0.03	·	·	·	·	·	0.09	·	0.23	0.03	0.11		9
10	0.23	·	0.07	·	·	0.21	·	0.03	0.01	0.02	·	·		10
11	·	·	0.14	·	·	·	·	—	·	0.04	·	·		11
12	0.04	0.07	·	·	·	0.01	0.18	—	0.04	·	0.01	·		12
13	·	-	·	0.03	0.01	·	·	—	·	0.32	·	·		13
14	0.48	·	0.02	·	0.28	0.03	0.17	—	·	0.04	0.07	·		14
15	0.61	·	·	·	0.14	0.59	0.38	—	·	0.20	0.35	·		15
16	0.09	·	0.01	0.03	0.06	0.02	0.54	—	·	0.01	0.27	·		16
17	0.29	·	·	-	·	0.09	0.03	—	·	0.15	0.01	·		17
18	0.27	0.02	0.05	·	·	0.19	0.29	—	·	0.16	0.36	·		18
19	0.20	·	·	·	·	·	0.15	—	0.02	·	·	·		19
20	0.25	·	·	·	·	·	0.08	—	·	·	·	0.02		20
21	0.08	0.25	0.19	0.03	·	0.05	0.02	x	0.04	·	·	·		21
22	0.41	0.30	0.05	0.02	·	0.24	0.03	—	0.02	0.02	0.12	·		22
23	0.01	0.01	0.02	0.09	·	0.12	0.30	—	·	·	0.59	·		23
24	1.21 x	·	0.04	0.02	·	0.08	0.01	—	·	0.06	·	·		24
25	Snow x	0.01	0.04	0.02	·	·	0.02	/	·	0.13	0.06	0.01		25
26	0.18	0.03	·	0.01	·	·	·	x	·	·	0.52	·		26
27	0.01	0.08	0.12	0.01	·	0.03	0.14	—	·	0.03	0.02	·		27
28	·	0.08	0.16	0.06	·	0.40	0.16	—	·	·	0.30	·		28
29	·		·	0.36	·	·	0.44	—	·	0.12	0.03	·		29
30	·	✗	·	0.79	·	0.02	·	—	·	·	0.01	0.08		30
31	·	✗	·	✗	·	✗	·	(·50) x	✗	0.05	✗	·		31
TOTAL	5.08	1.05	1.73	3.19	1.07	2.08	4.97	~~1.72~~ 2·22	0.14	2.74	4.34	1.99	Year's Total ~~30.10~~	30·60
* Days with .01 in. or more.	22	12	16	18	8	14	20	12	6	20	22	12	182	
* Days with .04 in. or more.	17	7	11	9	6	9	14	9	2	15	16	8	123	

† Spare column, no entries required.

(*Signed*) Grace Buckle

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2167

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Kia Brockworth

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 220 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	0.01	·	·	·	·	·	·	0.04	·		1
2	·	0.03	·	0.03	·	·	0.02	·	·	·	0.87	·		2
3	·	0.15	·	·	·	·	·	·	·	0.32	1.22	0.01		3
4	·	·	·	·	·	·	0.02	·	·	0.09	0.15	0.01		4
5	·	·	·	·	0.01	·	0.01	·	·	0.08	0.62	0.03		5
6	0.11	0.26	·	·	·	·	0.03	·	·	0.10	0.01	·		6
7	·	0.28	·	·	0.01	·	·	·	0.04	0.14	·	·		7
8	·	·	·	·	·	·	·	·	·	·	0.11	0.04		8
9	·	·	·	0.04	·	·	0.03	0.09	0.01	0.16	0.20	0.07		9
10	·	·	0.01	·	·	·	1.02	·	·	0.52	0.04	0.07		10
11	·	·	·	0.05	·	·	0.12	·	·	·	0.37	·		11
12	·	·	0.10	·	·	·	0.16	·	·	·	0.01	·		12
13	·	·	0.38	·	·	·	0.01	0.01	0.04	0.03	0.23	0.06		13
14	·	·	0.09	0.07	0.85	·	·	0.01	0.02	0.11	·	0.31		14
15	·	·	0.11	0.03	0.22	0.05	0.01	·	0.26	0.03	0.15	0.01		15
16	·	0.34	0.22	·	·	0.06	0.21	·	0.07	0.66	0.45	0.04		16
17	0.09	·	0.17	0.47	·	·	·	·	·	·	0.03	·		17
18	·	0.23	0.41	·	·	·	·	0.03	0.08	0.04	0.05	0.05		18
19	·	0.13	0.06	0.25	·	·	~~1.00~~	·	0.04	·	0.20	0.02		19
20	·	·	0.05	0.01	·	·	1.00	0.01	·	0.35	0.01	·		20
21	·	·	·	·	0.06	0.18	0.03	·	·	·	1.13	·		21
22	·	0.02	·	·		0.17	·	·	0.31	·	·	·		22
23	·	0.31	0.15	0.07		0.04	·	·	·	·	0.03	·		23
24	·	·	·	0.03		·	0.12	·	·	·	·	0.05		24
25	·	·	·	·		·	·	·	·	·	·	·		25
26	0.89	0.16	·	0.01	}0.35	·	0.45	·	·	·	·	·		26
27	0.62	0.11	·	0.13		·	·	·	·	·	·	·		27
28	0.53	0.10	·	0.19		·	·	·	·	·	·	·		28
29	·		0.10	0.09		0.05	·	·	·	·	·	0.12		29
30	·	✕	·	0.14	0.04	·	·	·	·	0.20	·	0.07		30
31	0.06	✕	0.02	✕		✕	·	·	✕	0.58	✕			31
TOTAL	2.30	2.12	1.87	1.62	1.54	0.54	3.24	0.15	0.87	3.40	5.92	0.96	Year's Total 24.53	
* Days with .01 in. or more.	6	12	13	16	7	6	15	5	9	15	20	15	139	
* Days with .04 in. or more.	6	10	11	10	5	6	6	1	7	13	15	10	100	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Grace Buckle [P.T.O.

2168

Section **A** for the entry of

AIR MINISTRY

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

Kept at Gloucester

in the County of Gloucest

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

lowing

Jan. 1, following

2168

GLOUCESTER

THE LANNETT

1931 — 40

780402

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	-	.01	tr	.14	.07	.02	tr	-	.29	.03	-	-	1
2	.08	.01	-	.84	.11	-	-	.03	.43	.03	.03	.18	2
3	tr	-	-	.01	tr	-	.03	.03	.47	tr	1.65	.11	3
4	-	-	-	.06	.02	tr	.34	.36	.01	tr	.04	-	4
5	-	tr	-	.06	.08	1.15	tr	tr	.01	tr	tr	.45	5
6	-	.11	-	.15	tr	.23	.02	-	tr	.25	.11	.16	6
7	-	tr	-	tr	.01	.04	.59	.63	-	.06	.05	.02	7
8	.01	.03	tr	.07	.15	.17	tr	.39	-	tr	-	-	8
9	.03	.16	tr	tr	tr	.13	.08	tr	-	tr	.30	.01	9
10	-	.02	-	-	tr	.07	-	.10	-	.01	.09	9	10
11	.13	.20	-	-	-	.04	.32	.01	.08	-	.51	tr	11
12	-	tr	-	-	-	-	.48	.02	.24	.07	tr	-	12
13	-	-	-	-	.01	-	.02	.46	.02	-	-	-	13
14	-	.07	tr	-	.03	.40	.52	.47	.03	-	.12	-	14
15	.01	.03	-	.04	.22	-	.53	.50	.05	-	tr	.04	15
16	-	.10	-	.06	.18	.53	tr	.25	.08	-	-	-	16
17	-	.15	-	.12	.35	tr	.21	-	.07	tr	.03	-	17
18	.04	.01	.01	.08	tr	.03	.05	.36	-	-	.20	-	18
19	.01	.04	-	.10	-	.12	tr	.08	-	-	tr	-	19
20	-	.09	.09	-	-	-	-	.14	-	-	tr	tr	20
21	.19	-	tr	-	.34	-	-	tr	-	-	tr	-	21
22	.12	-	.03	-	tr	-	-	.03	-	-	tr	-	22
23	.13	-	tr	.11	.55	.35	-	-	.07	-	.43	.11	23
24	-	tr	-	.16	.22	tr	.16	-	tr	-	tr	tr	24
25	.17	-	-	.31	.02	-	.08	-	-	-	.04	-	25
26	-	-	-	tr	tr	-	.13	-	-	-	.60	-	26
27	.08	.54	-	-	.61	-	.05	-	-	-	.08	tr	27
28	.10	.18	.03	.05	.12	-	-	-	-	.01	tr	.04	28
29	.04	-	-	tr	.12	-	.17	-	-	.08	.09	-	29
30	-	X	-	-	-	-	-	-	tr	tr	tr	-	30
31	.18	X	-	X	.17	X	-	-	X	-	X	.07	31
TOTAL	1.32	1.75	0.16	2.36	3.38	3.28	3.78	3.86	1.85	0.54	4.37	1.19	YEAR'S TOTAL 27.84
*Days with ·01 in. or more.	15	16	4	16	19	13	17	16	13	8	16	10	163
*Days with ·04 in. or more.	11	10	1	15	14	11	14	11	9	4	14	8	122

40-9999

(Signed) Rowland H Ellis

P.T.O.

*See Instruction 2 (*f*) on other side.

2168

Section **A** **for the entry of** [redacted]**PY FOR OFFICIAL USE.**

AIR MINISTRY.—~~METEOROLOGICAL OFFICE.—BRITISH RAINFALL~~ ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gloucester

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 56 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.01	tr	.14	.07	.02	tr	-	.29	.03	-	-	1
2	.08	.01	-	.84	.11	-	-	.03	.43	.03	.03	.18	2
3	tr	-	-	.01	tr	-	.03	.03	.47	tr	1.65	.11	3
4	-	-	-	.06	.02	tr	.34	.36	.01	tr	.04	-	4
5	-	tr	-	.06	.08	1.15	tr	tr	.01	tr	tr	.45	5
6	-	.11	-	.15	tr	.23	.02	-	tr	.25	.11	.16	6
7	-	tr	-	tr	.01	.04	.59	.63	-	.06	.05	.02	7
8	.01	.03	tr	.07	.15	.17	tr	.39	-	tr	-	-	8
9	.03	.16	tr	tr	tr	.13	.08	tr	-	tr	.30	.01	9
10	-	.02	-	-	tr	.07	-	.10	-	.01	.09	-	10
11	.13	.20	-	-	-	.04	.32	.01	.08	-	.51	tr	11
12	-	tr	-	-	-	-	.48	.02	.24	.07	tr	-	12
13	-	-	-	-	.01	-	.02	.46	.02	-	-	-	13
14	-	.07	tr	-	.03	.40	.52	.47	.03	-	.12	-	14
15	.01	.03	-	.04	.22	-	.53	.50	.05	-	tr	.04	15
16	-	.10	-	.06	.18	.53	tr	.25	.08	-	-	-	16
17	-	.15	-	.12	.35	tr	.21	-	.07	tr	.03	-	17
18	.04	.01	.01	.08	tr	.03	.05	.36	-	-	.20	-	18
19	.01	.04	-	.10	-	.12	tr	.08	-	-	tr	-	19
20	-	.09	.09	-	-	-	-	.14	-	-	tr	tr	20
21	.19	-	tr	-	.34	-	-	tr	-	-	tr	-	21
22	.12	-	.03	-	tr	-	-	.03	-	-	tr	-	22
23	.13	-	tr	.11	.55	.35	-	-	.07	-	.43	.11	23
24	-	tr	-	.16	.22	tr	.16	-	tr	-	tr	tr	24
25	.17	-	-	.31	.02	-	.08	-	-	-	.04	-	25
26	-	-	-	tr	tr	-	.13	-	-	-	.60	-	26
27	.08	.54	-	-	.61	-	.05	-	-	-	.08	tr	27
28	.10	.18	.03	.05	.12	-	-	-	-	.01	tr	.04	28
29	.04	-	-	tr	.12	-	.17	-	-	.08	.09	-	29
30	-	×	-	-	-	-	-	-	tr	tr	tr	-	30
31	.18	×	-	×	.17	×	-	-	×	-	×	.07	31
TOTAL	1.32	1.75	0.16	2.36	3.38	3.28	3.78	3.86	1.85	0.54	4.37	1.19	YEAR'S TOTAL 27.84
*Days with ·01 in. or more.	15	16	4	16	19	13	17	16	13	8	16	10	163
*Days with ·04 in. or more.	11	10	1	15	14	11	14	11	9	4	14	8	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Rowland H Ellis

P.T.O.

2168

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gloucester.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 56 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.03	-	.02	.84	-	-	.11	.02	.40	-	-	1
2	-	-	-	.08	.13	-	-	.01	.18	.19	-	.07	2
3	-	.02	-	.65	.04	-	.01	-	tr	-	tr	tr	3
4	.02	-	-	.05	-	-	-	-	-	tr	.54	-	4
5	.36	-	.01	-	-	-	-	-	.09	-	-	-	5
6	.45	-	.01	.05	-	-	.01	-	.30	-	-	-	6
7	.04	-	.12	.02	.12	-	-	-	.15	-	-	tr	7
8	-	-	.18	tr	-	-	-	-	.41	.81	-	-	8
9	.47	.02	tr	.08	.07	-	-	-	tr	.39	-	-	9
10	.19	.03	tr	.21	.06	.02	-	-	.03	.02	-	-	10
11	tr	-	-	.05	-	-	.15	-	-	.15	.01	.02	11
12	.38	-	-	-	.24	-	tr	-	.08	-	-	.01	12
13	.04	.02	-	.11	.03	-	.27	.04	tr	.15	.02	.02	13
14	.29	-	-	tr	tr	-	-	.23	-	.03	.04	.01	14
15	tr	-	-	.04	.58	-	.02	-	-	.03	.04	.01	15
16	.22	-	-	.22	.04	-	.15	-	-	.02	-	-	16
17	-	-	-	tr	-	-	-	-	-	-	-	-	17
18	-	-	-	-	.16	-	-	-	.13	.04	.12	-	18
19	-	-	-	.20	.08	-	-	-	.02	.45	-	-	19
20	-	-	-	.11	1.07	-	tr	.15	-	.07	.07	.19	20
21	-	-	.09	.18	.55	-	-	2.71	-	.63	.06	.08	21
22	tr	-	.04	.04	.02	.03	.22	tr	.74	.45	.04	.02	22
23	-	.02	.01	-	.93	-	.02	-	.05	.13	-	.05	23
24	-	tr	-	-	.02	-	.03	-	.06	.19	-	tr	24
25	-	-	-	-	-	-	.18	-	.02	tr	.06	tr	25
26	-	-	.11	.03	.03	-	.13	-	.02	.21	tr	-	26
27	-	-	.44	.15	.36	-	.09	-	-	.03	-	-	27
28	-	-	.04	.06	.20	-	.25	-	-	.34	-	.01	28
29	-	-	.34	.08	.41	.23	.02	.15	.09	-	-	.15	29
30	-	×	tr	.10	-	.96	.35	.22	.40	.25	.63	.17	30
31	tr	×	.65	×	tr	×	.16	-	×	-	×	.26	31
													YEAR'S TOTAL
TOTAL	2.50	0.14	2.04	2.53	5.98	1.24	2.06	3.62	2.79	4.98	1.63	1.07	30.58
*Days with ·01 in. or more.	11	6	12	21	21	4	16	8	17	21	11	14	162
*Days with .04 in. or more.	10	-	9	17	17	2	10	7	12	16	9	7	116 ~~99~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Rowland H Ellis

P.T.O.

2168

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** ~~2168~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gloucester

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 54 ft.

File No. 774682/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.		
1	.52	.18	.01	–	Trace	–	–	–	–	–	Trace	–		1
2	.41	Trace	.25	–	.01	–	–	–	–	–	Trace	–		2
3	–	.06	.22	–	.05	–	–	–	–	–	–	–		3
4	.12	.01	Trace	–	.18	–	–	–	–	–	–	–		4
5	.01	–	.36	–	.14	–	–	–	–	–	.02	–		5
6	–	.31	.01	–	.07	–	–	–	–	.14	Trace	–		6
7	.02	.01	.01	–	.17	–	.01	–	–	.19	–	.01		7
8	.02	Trace	.04	–	.02	Trace	.35	–	–	.02	Trace	–		8
9	–	Trace	–	–	.01	.07	.15	–	–	.28	.03	–		9
10	.08	.01	–	–	Trace	–	.10	Trace	–	1.73	.05	–		10
11	.11	–	–	–	.08	.02	Trace	.02	–	Trace	Trace	–		11
12	.01	–	–	–	.02	–	.12	–	.37	–	–	Trace		12
13	.01	–	–	–	.08	.01	.17	.01	–	.07	.07	–		13
14	.05	–	–	–	–	–	.07	.03	–	.02	.20	–		14
15	.45	–	.03	–	–	–	.06	.06	–	.21	Trace	.02		15
16	.02	–	.56	–	–	.04	.08	.01	.01	.02	.01	.09		16
17	.05	.02	.23	–	.01	.06	Trace	.03	.01	–	–	–		17
18	.10	Trace	.03	–	–	.12	–	–	–	–	.02	–		18
19	–	Trace	.35	–	–	Trace	–	–	.02	–	.08	Trace		19
20	–	–	.05	–	.01	.05	–	–	.01	–	.01	–		20
21	–	.02	–	–	.02	.08	–	.36	–	.09	Trace	–		21
22	–	–	–	.01	.07	1.22	–	.13	.63	.16	–	–		22
23	–	.06	–	.12	–	.02	–	–	.46	.60	–	–		23
24	–	1.27	–	.17	.02	.85	–	–	.16	.15	Trace	–		24
25	–	.78	–	.11	.21	.07	–	–	.49	Trace	–	.08		25
26	–	.56	–	.02	.15	Trace	–	–	.97	.05	–	–		26
27	–	.01	–	–	.84	–	–	–	.02	.11	–	.04		27
28	–	–	–	.37	Trace	–	Trace	–	.01	.01	–	.01		28
29	.05	–	–	.06	–	–	.01	–	–	.05	–	.01		29
30	.04	×	.08	Trace	–	–	.03	–	.10	–	–	.09		30
31	.26	×	.02	×	–	×	–	.05	×	.01	×	–		31
TOTAL	2.33	3.30	2.25	0.86	2.16	2.61	1.15	0.70	3.26	3.91	0.49	0.35	Year's Total 23.37	
*Days with ·01 in. or more.	18	13	15	7	19	12	11	9	13	18	9	8	152	
*Days with ·04 in. or more.	12	7	9	5	11	9	8	4	7	13	4	4	93	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Rowland H Ellis

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GLOUCESTER

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

File No. 774682/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in	in.	†	
1	.05	–	–	–	–	–	–	.21	.18	–	.03	.32		1
2	.10	–	.04	–	–	–	–	Tr.	.32	Tr.	.01	.12		2
3	.01	.01	–	–	–	–	–	–	.02	.03	–	.15		3
4	.04	Tr.	.01	.01	.27	–	–	–	.10	.25	.07	.32		4
5	–	–	.06	–	.02	–	–	.32	–	.04	.19	.46		5
6	Tr.	–	.09	.07	.35	Tr.	–	.03	–	.13	Tr.	.43		6
7	.02	.01	Tr.	–	Tr.	Tr.	–	.13	–	.04	.03	.29		7
8	Tr.	–	–	–	.17	.01	–	.01	.01	–	.04	.09		8
9	Tr.	–	.08	–	Tr.	–	–	–	.02	–	.47	.37		9
10	.09	–	.04	.10	–	–	–	.03	– –	–	.13	Tr.		10
11	.72	.01	.04	.15	–	–	.13	.18	–	–	Tr.	.11		11
12	.01	Tr.	.11	–	.27	–	.19	.02	–	–	–	.02		12
13	.37	Tr.	–	.09	–	–	1.58	–	–	–	Tr.	.15		13
14	.02	–	.28	Tr.	Tr.	–	–	–	–	.02	.09	.26		14
15	.01	–	.03	–	.08	–	–	–	Tr.	.09	.41	.05		15
16	.07	Tr.	.41	–	Tr.	–	–	.01	–	Tr.	.02	.01		16
17	.04	–	Tr.	.04	–	–	–	–	.25	.01	.01	.18		17
18	.14	–	.03	.20	–	–	.03	–	.01	Tr.	Tr.	.32		18
19	–	–	.15	.01	Tr.	.06	Tr.	.01	.01	.06	.01	.09		19
20	–	–	.09	.07	–	Tr.	Tr.	.10	Tr.	Tr.	Tr.	–		20
21	–	–	.04	–	–	.14	.10	.10	–	.18	–	–		21
22	–	–	.02	–	–	Tr.	–	.13	.06	.04	–	.15		22
23	–	Tr.	.06	.11	–	.12	–	–	.01	Tr.	Tr.	.01		23
24	–	.38	–	.08	–	.29	Tr.	–	.15	.02	–	Tr.		24
25	.15	Tr.	.07	.23	–	.13	–	–	Tr.	.19	–	.26		25
26	Tr.	–	–	.15	–	.07	–	–	.03	.09	–	.14		26
27	–	–	–	.10	–	.04	–	–	Tr.	.01	Tr.	.16		27
28	–	–	–	.14	–	Tr.	–	.19	Tr.	–	–	.44		28
29	–		–	Tr.	–	–	–	.13	.47	–	.01	Tr.		29
30	.05	×	–	–	–	–	–	.37	–	Tr.	–	.10		30
31	Tr.	×	–	×	–	×	–	Tr.	×	.11	×	.13		31
TOTAL	1.89	.41	1.67	1.55	1.16	.86	2.03	1.87	1.64	1.31	1.52	5.13	Year's Total 21.04	
*Days with ·01 in. or more.	16	4	18	15	6	8	5	15	14	16	14	26	157	
*Days with .04 in. or more.	11	1	14	13	5	7	4	9	7	10	7	23	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Rowland H Ellis

[P. T. O.

2168

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gloucester.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level ft.

File No: 474682/27.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01		·02	·02	·04	·05	·11		·10	·05	·07	·01		1
2	Tr	Tr				·11			·04	·11	Tr	·01		2
3		·02	·02			·11			·20	·38	·28	Tr		3
4		Tr	Tr	·13		·12			·10	·27	Tr	·03		4
5		·25	·30	Tr		·07			·15	·01	Tr	Tr		5
6		Tr		·27		·42					·04	·10		6
7			Tr	·37		·17				·13	·11	·09		7
8				·28		·02		Tr.		·19	·18	·04		8
9	·02	·01		·59		·36				·79	·18	Tr		9
10	Tr			·28		Tr					·04	Tr		10
11	·30			Tr		·03	Tr.			·01	·28	Tr		11
12	·01	·03				·18		Tr	·02		·07			12
13	·05	·08		·17	·09	·01			·01		·04			13
14	Tr			·01	Tr	·14			·09	Tr	·83	·15		14
15	Tr.			·72	·16	·13		Tr.	·26		·12	·07		15
16		Tr	Tr	·29		·18			·25	·04	·75	·01		16
17			·09	·08		·12	·05	Tr	·02	Tr	·16			17
18		·03	·01	·25	·09	·04	·10	·01	·21	·05	Tr	·02		18
19		·01	Tr	·06	·13	·16	·26		·05	·08	·08	·04		19
20		·40		·10	·22	·04			·01		·57			20
21		·33		·01					1·01	·01	·01			21
22		·08	Tr	·07				·02	·22					22
23	Tr	·01	Tr	·02	Tr.			·30	·07	·71	Tr	·17		23
24	·06	·19	·03					·16	·18	·11		·09		24
25	·11	·20	·04	·17		·33		Tr				·13		25
26		·22	Tr.					·11	·07			·71		26
27		·14			·09			Tr	·02	·01	·06	·94		27
28	·01	Tr			Tr			·01	·10	Tr		·01		28
29	·02							·14	·06	·03	·10	·19		29
30	·05	×	·02	·05	·29	·02		·43	·01	·48	·36	·10		30
31		×		×	·01	×		·15	×	·36	×	·19		31
TOTAL	·64	2·00	·53	3·94	1.12	2.81	·52	1·33	3.25	3.82	4.33	3.10	Year's Total. 24.39	
* Days with .01 in. or more.	10	15	8	20	9	21	4	9	23	19	20	20	178	
* Days with .04 in. or more.	4	9	3	16	8	17	4	6	17	14	19	14	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Rowland H Ellis

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Gloucester.

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 56 ft.

Ann total corr for auth.

774682/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09	.03	.02	.24	-	.27	.30	.02	-	-	.05	.02		1
2	.06	.02	.06	.01	-	.55	.25	.04	.72	-	.21	Tr		2
3	Tr	-	Tr	Tr	-	.10	.02	Tr	-	-	.08	.02		3
4	.05	Tr	.16	-	-	-	-	-	.75	-	.06	.16		4
5	.30	-	.08	-	.14	-	.05	.01	.05	-	Tr	.04		5
6	.01	.01	Tr	-	Tr	.06	.28	.06	.02	-	.15	-		6
7	.01	-	.01	-	-	.01	.36	-	Tr	-	.29	.06		7
8	.20	-	.14	-	-	-	.03	-	-	-	.65	.03		8
9	.64	-	.17	-	-	Tr	.51	-	Tr	Tr	Tr	Tr		9
10	.02	-	Tr	-	-	-	.16	-	-	-	.01	-		10
11	-	.23	-	.03	-	.07	.07	Tr	.04	-	.20	-		11
12	-	-	-	.08	.51	.46	.23	Tr	.18	-	.05	.19		12
13	-	-	-	.10	-	.07	.20	.02	-	.03	.06	.84		13
14	-	.01	-	.27	-	.04	.60	-	.13	Tr	.01	.77		14
15	-	.02	-	.04	Tr	-	Tr	-	.21	-	.08	.17		15
16	.13	.11	-	.02	Tr	-	.05	-	Tr	-	.26	.01		16
17	.09	.57	-	.01	.01	-	.15	-	-	.03	.06	.42		17
18	.01	.03	-	-	-	-	.18	.01	-	.07	-	.08		18
19	.23	.22	.03	.08	-	.03	Tr	.04	-	-	-	Tr		19
20	-	.06	.01	.08	-	.43	-	Tr	.68	-	-	-		20
21	Tr	-	Tr	.47	-	.07	.02	-	.05	-	-	-		21
22	.06	.64	.06	-	.09	-	.19	-	Tr	-	-	.10		22
23	.05	-	.63	.08	.01	-	.19	-	-	.01	-	.01		23
24	.10	.07	Tr	.02	-	-	.07	-	.42	.29	Tr	Tr		24
25	.04	Tr	.18	.38	Tr	-	.20	-	.31	.10	.02	-		25
26	.08	.08	.06	.03	-	.29	.09	-	-	.01	Tr	-		26
27	.06	.03	.18	-	-	Tr	.04	-	.18	.04	-	-		27
28	.46	.02	.22	-	-	-	.02	-	-	Tr	-	.05		28
29	.01	.08	.04	-	.01	.62	.05	-	Tr	.02	.03	.05		29
30	.07	✕	-	-	.04	.04	.08	-	-	.51	.01	Tr		30
31	.40	✕	.30	✕	Tr	✕	.08	-	✕	.15	✕	.20	28.72	31
TOTAL	3.17	2.23	2.35	1.94	0.81	3.11	4.47	0.20	3.74	1.20	2.28	3.22	Year's Total 28.78	✓
* Days with .01 in. or more.	23	17	17	16	7	15	27	7	13	11	18	18	189	✓
* Days with .04 in. or more.	16	9	13	10	4	13	22	3	12	6	13	13	134	✓

† Spare column, no entries required.

(*Signed*) Rowland H. Ellis [P.T.O.

* See Instruction 3 (f) on other side.

Gloucester (The Lannett)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Lannett, Gloucester.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 56 ft.

File No. 774682/27.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.01	.01	.01	-	-	-	-	.04	-	.11	.27		1
2	-	.11	Tr	.10	-	-	-	-	Tr	-	.01	.06		2
3	-	.20	-	Tr	Tr	-	.04	-	.15	-	-	.03		3
4	.05	.17	-	Tr	.02	-	-	-	Tr	-	-	.23		4
5	.16	Tr	.10	.02	-	-	-	Tr	-	-	-	Tr		5
6	.09	.07	.11	.16	.12	Tr	.10	-	Tr	.07	-	Tr		6
7	-	.66	.02	.10	Tr	Tr	Tr	-	Tr	Tr	-	-		7
8	-	.06	-	Tr	.02	Tr	Tr	-	Tr	-	.24	.01		8
9	-	-	Tr	.06	.10	-	.04	-	.41	-	-	.12		9
10	.02	Tr	.27	.55	-	.10	Tr	-	Tr	-	-	.15		10
11	-	-	.15	Tr	.39	.05	.08	-	-	-	-	.03		11
12	.41	.12	.49	-	.08	.12	Tr	.07	.05	-	-	.20		12
13	.13	.09	.43	.04	.01	.38	-	.09	.10	-	-	Tr		13
14	Tr	.02	.09	.13	-	Tr	-	.09	Tr	-	-	.06		14
15	.10	.17	.01	.21	-	-	2.62	-	.02	-	-	.22		15
16	-	.09	.30	.17	-	Tr	.01	.06	.19	-	-	Tr		16
17	.28	.06	.31	Tr	-	.01	Tr	-	.70	-	-	-		17
18	.41	.05	.02	.05	-	-	.02	-	.33	-	.20	.27		18
19	.09	.04	.07	.07	Tr	.12	.01	-	Tr	Tr	.12	Tr		19
20	.17	.03	.11	.32	.11	-	-	-	-	-	-	.02		20
21	.15	.32	.07	Tr	.03	-	.07	-	-	Tr	Tr	.02		21
22	.07	.05	.08	.01	.12	.04	.15	-	-	.68	.28	.01		22
23	.09	.03	Tr	-	.04	-	.02	-	-	.47	.02	-		23
24	.15	.22	Tr	-	.03	-	.02	-	.07	.25	Tr	.01		24
25	.01	.38	.02	-	.09	-	-	-	.04	.21	Tr	.01		25
26	-	.26	Tr	-	.45	-	-	-	-	Tr	Tr	.02		26
27	-	.50	-	.20	-	-	-	-	-	.61	-	-		27
28	-	-	-	-	-	-	-	-	-	.06	-	.02		28
29	.02		-	-	-	.01	-	-	-	.09	.02	.01		29
30	.20	✗	-	-	-	Tr	-	-	Tr	.01	.08	Tr		30
31	.07	✗	-	✗	-	✗	-	-	✗	.29	✗	-		31
TOTAL	2.76	3.71	2.66	2.20	1.61	0.83	3.18	0.31	2.10	2.74	1.08	1.77	Year's Total 24.95	✓
* Days with .01 in. or more.	20	23	18	16	14	8	12	4	11	10	9	20	165	✓
* Days with .04 in. or more.	17	19	13	13	9	6	7	4	10	9	6	9	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rowland N Ellis

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2168.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Gloucester.
in the County of Gloucestershire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 56 ft.

774682/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr	.02	.02	-	Tr	.18	.06	.13	Tr	.25	-	.29		1
2	.04	Tr	-	.02	Tr	-	.19	Tr	-	.12	-	.01		2
3	-	-	-	-	.01	.02	Tr	-	Tr	.61	Tr	-		3
4	.01	-	-	-	-	.04	.31	.31	-	.45	-	.10		4
5	-	-	-	-	-	-	.01	.01	.05	.04	-	Tr		5
6	.01	-	-	-	-	.01	.25	-	.02	.07	-	Tr		6
7	Tr	-	-	-	-	Tr	.34	.20	.13	.13	Tr	.08		7
8	.51	-	-	-	-	-	.01	.57	.01	.48	-	Tr		8
9	.13	-	Tr	-	-	Tr	.01	.04	-	Tr	-	.49		9
10	.08	.01	-	-	-	.03	.01	.07	Tr	Tr	-	.16		10
11	.15	-	-	-	-	Tr	.01	.01	-	Tr	.20	.09		11
12	.24	-	-	-	.32	-	-	.17	-	.20	.18	-		12
13	.05	.01	-	-	.01	-	-	Tr	-	.02	.14	.64		13
14	.38	.01	-	-	.01	-	.72	-	.04	-	-	Tr		14
15	.01	Tr	-	-	.03	-	.07	-	-	-	-	.21		15
16	.38	-	.01	-	Tr	-	Tr	-	-	-	.02	.02		16
17	-	.06	-	-	.19	-	Tr	-	.04	.20	.01	-		17
18	.07	-	-	-	.02	.11	-	Tr	.15	.01	.42	-		18
19	-	-	-	-	-	-	-	.05	.02	-	.32	Tr		19
20	.01	-	-	-	-	-	-	-	-	-	.12	-		20
21	.02	-	-	Tr	-	-	-	.07	.09	-	.01	.10		21
22	Tr	-	-	.06	-	.01	-	.10	Tr	-	.40	.08		22
23	Tr	-	-	.02	Tr	-	-	-	.17	-	.01	.05		23
24	.01	-	.05	Tr	.08	-	-	.04	.05	-	.06	-		24
25	.06	.33	Tr	-	.18	-	.04	.03	Tr	.14	.28	.09		25
26	.12	.25	.01	-	.05	.02	-	Tr	.02	.12	.01	.26		26
27	.02	Tr	-	-	.52	.21	.25	.08	.10	.02	.25	-		27
28	.11	.01	-	-	.03	.11	.01	.74	.03	-	.05	.04		28
29	.10		-	-	.22	.01	Tr	Tr	.02	.05	.12	.05		29
30	.03	X	-	-	.01	.01	-	-	.69	.01	.30	.04		30
31	.17	X	-	X	.15	X	-	-	X	.06	X	.11		31
													Year's Total	
TOTAL	2.71	0.70	0.09	0.10	1.92	0.76	2.29	2.62	1.63	2.98	2.90	2.91	21.61	
* Days with .01 in. or more.	23	8	4	3	15	12	15	16	16	18	18	19	167	
* Days with .04 in. or more.	15	3	1	1	9	5	9	13	10	14	13	17	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Rowland H Ellis

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Lannett, Gloucester.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 56 ft.

File No. 812117/38.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.03	.15	.22	-	.01	-	.03	trr	-	.01		1
2	.01	-	.01	.01	-	-	tr.	.28	.81	-	.03	.03		2
3	.07	-	-	.20	-	-	-	.65	.04	-	.07	.28		3
4	.07	-	.40	.42	.08	-	.27	.21	-	.08	.06	.18		4
5	tr.	-	-	.49	.16	-	.33	.39	-	.07	.33	.19		5
6	.32	-	.01	.09	-	-	.93	.01	-	-	.16	tr.		6
7	.01	.03	-	-	-	-	.03	-	-	.05	.64	-		7
8	tr.	.18	.30	-	-	-	.30	.03	-	.64	.31	.45		8
9	tr.	.04	-	-	-	-	-	.10	-	.28	.02	.07		9
10	118	tr.	.05	-	-	.22	-	.15	.02	.03	tr.	tr.		10
11	tr.	tr.	.15	-	-	tr.	-	-	tr.	.12	-	-		11
12	.01	.07	-	-	-	.09	-	-	tr.	tr.	-	-		12
13	-	tr.	-	.02	tr.	-	.18	-	.06	.27	-	-		13
14	.45	tr.	tr.	-	.14	.07	.04	-	tr.	.03	.08	.01		14
15	.38	-	.01	ttr.	.16	.43	.21	-	.01	.16	.20	-		15
16	.13	tr.	tr.	.03	.08	.03	tr.	-	-	tr.	.33	-		16
17	.29	-	tr.	-	tr.	.04	.02	-	-	.14	.05	-		17
18	.25	.03	.02	-	tr.	.19	.17	-	-	.15	.41	-		18
19	.20	-	-	-	-	-	.30	-	tr.	-	-	-		19
20	.21	-	-	-	-	-	.28	.08	-	-	-	tr.		20
21	.05	.17	.18	.02	-	.04	1.11	.11	tr.	tr.	-	-		21
22	.43	.24	.06	.02	-	.16	.04	-	.02	tr.	.09	tr.		22
23	.01	-	-	.06	-	.06	.19	-	-	.01	.55	-		23
24	.10	-	.01	.08	-	.10	.02	-	-	.08	-	-		24
25	1.10	.02	tr	-	-	-	.03	.15	-	.07	.09	-		25
26	.18	.04	ttr	-	-	-	-	.18	-	.10	.44	.04		26
27	tr.	.08	.09	.01	-	.04	.06	-	-	.03	.02	.03		27
28	tr.	.08	.13	.06	-	.26	221	-	-	-	.22	.08		28
29	-		tr	.28	-	-	.45	-	-	.12	.03	-		29
30	-	✕	-	1.28	-	-	tr	-	-	tr	-	.17		30
31	tr.	✕	-	✕	-	✕	.03	.14	✕	.03	✕	-		31
TOTAL	4.47	0.98	1.45	3.22	0.84	1.73	5.21	2.48	0.99	2.46	4.13	1.54	Year's Total 29.50	
* Days with .01 in. or more.	21	11	14	16	6	13	22	13	7	19	20	12	174	
* Days with .04 in. or more.	16	8	8	10	6	12	16	11	3	14	16	8	128	

† Spare column, no entries required.

(*Signed*) Rowland H. Ellis

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2168

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at The Lannett, Gloucester

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 56 ft.

File No. 812117/38.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	0.03	tr.	–	–	–	–	–	0.06	–		1
2	–	0.02	–	0.04	tr.	–	0.02	–	–	–	0.80	–		2
3	0.02	0.18	–	–	–	–	–	–	–	0.19	0.59	–		3
4	tr.	0.13	–	–	tr.	–	0.02	–	–	0.12	0.53	0.03		4
5	–	tr.	–	–	–	–	tr.	–	–	0.15	0.46	0.02		5
6	0.10	0.20	6	–	–	–	0.01	–	–	0.22	0.01	0.01		6
7	–	0.25	–	0.01	0.01	–	0.01	–	tr.	tr.	tr.	0.02		7
8	–	–	–	0.01	–	–	tr.	–	tr.	0.10	0.11	0.06		8
9	–	–	–	0.03	–	0.01	0.26	0.03	0.02	0.38	0.17	0.10		9
10	–	–	0.03	tr.	–	–	0.62	–	tr.	0.25	0.02	0.09		10
11	–	–	tr.	0.01	–	–	0.14	–	tr.	tr.	0.46	tr.		11
12	–	tr.	0.10	–	–	–	0.17	–	0.03	–	0.02	–		12
13	–	tr.	0.42	–	–	–	0.12	0.02	0.01	–	0.17	tr.		13
14	–	–	0.06	tr.	1.04	–	0.19	–	0.07	0.10	tr.	0.31		14
15	–	–	0.10	0.02	0.29	–	0.03	tr.	0.10	0.06	tr.	–		15
16	0.02	0.30	0.16	0.11	–	–	0.21	–	0.16	0.48	0.55	0.01		16
17	–	–	0.09	–	–	–	tr.	–	tr.	–	0.02	–		17
18	0.10	0.33	0.41	0.31	–	–	tr.	tr.	0.07	0.10	0.07	0.05		18
19	–	0.15	0.11	0.16	–	–	0.52	–	0.20	–	0.17	0.02		19
20	–	–	0.01	0.02	–	–	tr.	–	tr.	0.31	0.04	–		20
21	–	–	tr.	–	0.04	–	0.05	tr.	–	0.02	1.13	tr.		21
22	–	0.01	0.11	0105	0.06	0.32	tr.	–	0.10	–	tr.	–		22
23	–	0.24	0.05	0.05	0.16	0.03	tr.	–	–	tr.	0.08	0.01		23
24	–	–	tr.	tr.	–	–	0.18	–	–	tr.	tr.	0.03		24
25	tr.	–	tr.	tr.	tr.	tr.	tr.	–	–	tr.	–	–		25
26	0.88	0.14	tr.	0.03	0.24	–	0.55	–	–	tr.	–	–		26
27	0.72	0.11	0.01	0.03	0.04	–	0.02	tr.	tr.	tr.	–	tr.		27
28	0.33	0.10	–	0.05	0.01	–	–	–	tr.	–	–	tr.		28
29	tr.	–	0.04	0.28	0.03	0.07	tr.	–	–	tr.	–	0.17		29
30	tr.	✕	0.02	0.04	0.03	–	0.01	tr.	–	0.18	–	0.01		30
31	0.15	✕	–	✕	–	✕	–	–	✕	0.48	✕	–		31
													Year's Total	
TOTAL	2.32	2.16	1.72	1.28	1.95	0.43	3.13	0.05	0.76	3.14	5.46	0.94	23.34	✓
* Days with .01 in. or more.	8	13	15	18	11	4	18	2	9	15	19	15	147	✓
* Days with .04 in. or more.	6	11	11	9	7	2	11	–	6	14	15	7	99	✓

† Spare column, no entries required.

(*Signed*) Rowland H. Ellis

* See Instruction 3 (f) on other side.

?. R.I.O.

2168/5

Form 1090. **B**

2168/5

GLOUCESTER
BARNWOOD HOUSE
1936

780402

, The following register of … &c., is NOT required if … values are given on the …

…ction and also the space for

RAINFALL IN

GLOUCESTER (Barnwood

At ......Barnwood

In the County of ......Gl

Rain Gauge
- Diameter of Funnel........
- *Height of Top above Ground...*
- *Height of Ground above Sea Le*

…this register should be sent:—

…u.: ....

Barnwood House Glos.

............in Summer......................

…ance.....................Direction from gauge............

…stance....................Direction from gauge...........

Month	Total Depth	Greatest Fa… in 24 hour…		*	*
	Inches	Inches	Date		
JAN.	2·86				
FEB.	2·73				
MAR.	1·41				
APRIL	1·99				
MAY	·51				
JUNE	2·78				
JULY	4·65				
AUG.	·31				
SEPT.	3·46				
OCT.	·97				
NOV.	2·52				
DEC.	2·89				
TOTAL	27·08				

Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature ......MR. B. WADHAM

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

[redacted] .R10.

2168/5

FORM 1090.

B Summary.

C Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

GLOUCESTER (Barnwood House)

At ......Barnwood House

In the County of ......Gloucestershire

Rain Gauge { Diameter of Funnel........................in.

Height of Top above Ground.........ft............in.

Height of Ground above Sea Level.................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·86				
FEB.	2·73				
MAR.	1·41				
APRIL	1·99				
MAY	·51				
JUNE	2·78				
JULY	4·65				
AUG.	·31				
SEPT.	3·46				
OCT.	·97				
NOV.	2·52				
DEC.	2·89				
TOTAL	27·08				

Signature ......MR. R. WADHAM

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Mr Robert Wadham.

South Cottage, Barnwood House
Glos.

Hour of observation by the clock—in Winter........................in Summer..................

Nearest Railway Station.............................. Distance................ Direction from gauge............

Nearest Parish Church at.............................. Distance................ Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

N

123

2169

Section **A** **for the entry of**
AIR MINISTR

FOR OFFICIAL USE.
L ORGANIZATION.

FORM 1090.

REGIST

Kept at Gloucester, Sla
in the County of Gloucest

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following

2169
GLOUCESTER
SLANTHONY LOCK
1931 — 40

780402

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	·20	·10	·04			·35	·04			1
2	·10			83	·10			·02	·37	·08		·11	2
3	·01			·01			·02		·49		1·62	·15	3
4				·06	·01		37	·40			·12		4
5		·02		·06	·07	1·37		·01				·43	5
6		·11		·10		·13	·02		·02	22	·12	·16	6
7		·02				·04	·28	60		·08		·03	7
8		·03		·08	·11	·15		·40		·01	·08	·02	8
9		·15				·11	05			·01	·32		9
10		·02			·02	·03		·13			·10		10
11	·17	·20				·05	·03		·07		·36		11
12							·78	07	·25	10			12
13					·03			·08	·03				13
14					·09	·43	58	·75	·04		·14		14
15	·01	·10			·23		·58	·59	·07			·06	15
16		·11		·10	·24	·54		·15	·08				16
17		·17		·10	·30		·12	·06	·10		·04		17
18	·04	02		·07	·01	·04		·41			·22		18
19	·01	·05		·12		·11	·04	·09					19
20		·07	·13					·19			·02		20
21	·19				·35						·02		21
22	·10		·08		·03			·02			·01		22
23	·11			·28	56	·31			·07		·39		23
24				·13	·34		·17						24
25	·16			·23	·03		·09				·05		25
26				·01			·14				·52		26
27	·09	·55			53		·10				·09		27
28	·08	·18		·05	·16					·08		·05	28
29	·04				·13		·13				·12		29
30		✕											30
31		✕		✕	·19	✕			✕		✕	·06	31
TOTAL	1·11	1·80	·21	2·43	3·63	3·35	3·50	3·97	1·96	·62	4·34	1·07	YEAR'S TOTAL 27·99
*Days with ·01 in. or more.	13	15	2	16	21	13	16	16	12	8	18	9	159
*Days with ·04 in. or more.	10	10	2	14	15	12	13	13	10	6 ~~5~~	15	7	127

40-9999 M

*See Instruction 2 (*f*) on other side

(*Signed*) .... [P.T.O.

193 **Section** **A** for the entry of

2169

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gloucester, Llanthony Locks

in the County of Gloucestershire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			-	·20	·10	·04			·35	·04			1
2	·10			·83	·10			·02	·39	·08		·11	2
3	·01			·01			·02		·49		1·62	·15	3
4				·06	·01		·37	·40			·12		4
5		·02		·06	·07	1·37		·01				·43	5
6		·11		·10		·13	·02		·02	·22	·12	·16	6
7		·02				·04	·28	·60		·08		·03	7
8		·03		·08	·11	·15		·40		·01	·08	·02	8
9		·15				·11	·05			·01	·32		9
10		·02			·02	·03		·13			·10		10
11	·17	·20				·05	·03		·07		·36		11
12							·78	·07	·25	·10			12
13					·03			·08	·03				13
14					·09	·43	·58	·75	·04		·14		14
15	·01	·10			·23		·58	·59	·07			·06	15
16		·11		·10	·24	·54		·15	·08				16
17		·17		·10	·30		·12	·06	·10		·04		17
18	·04	·02		·07	·01	·04		·41			·22		18
19	·01	·05		·12		·11	·04	·09					19
20		·07	·13					·19			·02		20
21	·19				·35						·02		21
22	·10		·08		·03			·02			·01		22
23	·11			·28	·56	·31			·07		·39		23
24				·13	·34		·17						24
25	·16			·23	·03		·09				·05		25
26				·01			·14				·52		26
27	·09	·55			·53		·10				·09		27
28	·08	·18		·05	·16					·08		·05	28
29	·04	×			·13		·13				·12		29
30													30
31		×		×	·19	×			×		×	·06	31
TOTAL	1·11	1·80	·21	2·43	3·63	3·35	3·50	3·97	1·96	·62	4·34	1·07	YEAR'S TOTAL 27·99
*Days with ·01 in. or more.	13	15	2	16	21	13	16	16	12	8	18	9	159
*Days with ·04 in. or more.	10	10	2	14	15	12	13	13	10	6 ~~5~~	15	7	127

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*)..

[P.T.O.

2169

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gloucester, Llanthony Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·04		·02	·84	–		·20	·03	·25	·01		1
2				·08	·12				·21			·09	2
3	·01	·02		·62	·06						·04		3
4				·08							·45		4
5	·35		·02						·11				5
6	·40		·02	·08					·28				6
7	·06			·01	·14					·55			7
8	·03		·32						·44	·54			8
9	·43				·08					·03			9
10	·21	·03		·26	·09								10
11				·06	·01		·23			·04		·05	11
12	·35				·26				·12	·19		·03	12
13	·05	·07		·13	·03		·29			·03		·03	13
14	·33			·01			·06	·30			·03	·05	14
15	·01			·03	·52							·02	15
16	·21			·24	·03								16
17										·04	·15		17
18					·23				·05				18
19				·12	·12					·08			19
20				·13	1·10			·34		·65	·12	·12	20
21			·08	·13	·63		·12	2·12		·50	·07	·10	21
22			·10	·05	·03				·72	·09		·03	22
23		·01			·77				·11	·21	·05	·05	23
24					·03		·06		·08	·01			24
25							·07			·19	·03		25
26			·12	·02	·03		·11		·03	·02			26
27			·44	·13	·38		·13		·02	·43			27
28			·04	·07	·28		·23						28
29			·32	·08	·37	·28		·13	·10	·27		·10	29
30		×	·02			1·04		·22	·64		·58	·30	30
31		×	·39	×	·02	×	·51		×		×	·32	31
TOTAL	2·50	·17	1·87	2·35	6·17	1·32	1·81	3·31	2·94	4·12	1·53	1·29	YEAR'S TOTAL 29·38
*Days with ·01 in. or more.	~~13~~	~~5~~	~~11~~	~~20~~	~~23~~	~~3~~	~~10~~	~~6~~	~~14~~	~~18~~	~~10~~	~~13~~	~~145~~
*Days with ·04 in. or more.	9	2	8	15	16	2	10	6	11	14	7	9	109

d

40-9999

(Signed) .... P.T.O.

*See Instruction 2 (*f*) on other side.

2169

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gloucester, Llanthony Lock
in the County of Gloucestershire
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55	·18		–									1
2	·33		·27										2
3	·01	·08	·20		·08								3
4	·08				·20								4
5			·42										5
6		·35								·27			6
7	·05	·01			·08					·20			7
8	·06				·04		·34			·05			8
9						·05	·20			·30	·02		9
10					·02		·05			1·72			10
11	·11				·08	·03	·03			·11			11
12	·02				·03				·39	·03			12
13										·08	·13		13
14	·02						·29				·22		14
15	·50		·10					·10		·18			15
16			·55			·03	·23			·03	·02		16
17	·06		·23		·09	·06		·03					17
18	·12					·05							18
19			·19						·04		·10		19
20			·08			·15							20
21					·04	·06		·10					21
22					·11	1·00				·25			22
23		·06		·15		·02			·52	·47		·14	23
24		·96		·12	·07	·68			·04	·15			24
25		·55		·13	·08	·13			·53				25
26		·50		·03	·16				·98	·05			26
27					·80							·05	27
28				·29	·01								28
29				·06						·15			29
30	·06	×	·06				·05					·10	30
31	·29	×	·03	×		×		·05	×		×		31
TOTAL	2·26	2·69	2·13	·78	1·89	2·26	1·19	·28	2·50	4·04	·49	·29	YEAR'S TOTAL 20·80
*Days with ·01 in. or more.	14	8	10	6	15	11	7	4	6	15	5	3	~~104~~
*Days with ·04 in. or more.	11	7	9	5	12	8	6	3	6	13	3	3	86

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gloucester, Llanthony Lock

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02					-	-	·29			·03	·34		1
2	·15		·04						·47	·01		·08		2
3	·03									·14		·15		3
4	·04		·01	·01	·27				·15	·12	·08	·24		4
5			·07		·02			·03			·11	·38		5
6			·09	·10	·33			·32		·14		·40		6
7	·03	·01						·12		·06	·03	·33		7
8					·12			·03			·05	·08		8
9			·09						·02		·44	·28		9
10	·12		·05	·12				·09			·14			10
11	·51		·04	·13			·12	·18				·12		11
12			·10		·19		·17	·02				·02		12
13	·25			·11			·95				·10	·16		13
14	·03		·25							·03	·32	·27		14
15	·01		·03		·08					·10	·01	·04		15
16	·08		·42									·02		16
17	·05			·04					·41			·08		17
18	·15			·21								·29		18
19			·16	·03		·09	·03			·06		·10		19
20			·12											20
21			·04	·04		·17	·20	·15		·10				21
22			·03					·17	·21	·08		·18		22
23			·02	·13		·14								23
24		·39	·09	·06		·34			·19					24
25	·19			·22		·13				·21		·18		25
26			·05	·12		·12			·03	·04		·11		26
27				·12								·12		27
28				·10				·19				·37		28
29								·06	·47		·03			29
30		×						·45				·08		30
31		×		×		×			×	·13	×	·13		31
TOTAL	1·66	·40	1·70	1·54	1·01	·99	1·47	2·10	1·95	1·22	1·34	4·55	Year's Total 19·93	
*Days with ·01 in. or more.	14	2	18	15	6	6	5	13	8	13	11	25	~~136~~	
*Days with .04 in. or more.	9	1	14	13	5	6	4	10	6	11	7	23	109	

40-9999

M

† Spare column, no entries required.

(*Signed*) ....

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gloucester, Llanthony Lock

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			·01	·04			·12		·19	·06	·10			1
2					·07	·22			02	·08	·02			2
3			·02			·12			·17	39	38			3
4				17		·22			·01	·29		·04		4
5		·28	·27			·11			·15		·01	·01		5
6		·01		27		·42					·11	10		6
7				·37		·12				15	·11			7
8				·30						·15	·22	·12		8
9	·02			·48		·28				·49	·25			9
10	·01			19							·04			10
11	·31										·26	·01		11
12		·05				·25			·05		·06			12
13	·06	·06		·16	·09	·02			10	·02	·02			13
14				·02		·17			·42		·62	·22		14
15		·02		·58	17	·18			·34		·19			15
16		·01		·22		·05			·20		·68			16
17			·10	·10		·11	·05		·11		·18			17
18		·04		·20	·10	·03	·13		·20	·05		·02		18
19		·01		·04	·15	·19	·22		·06		·09	·06		19
20		·18			·23	·05	·03				·55			20
21		·25		·09					1·20	·09	·02			21
22		·09		·12					·30					22
23		·01	·03	·02				·32	·06	·72				23
24	·08	·06	·04	·03				·15	·16	·11		·06		24
25	·14	·20		·18		·42		·10				·25		25
26		·09							·09			·55		26
27		·10			·09				·05		·05	1·06		27
28	·02	·01						·05	·06			·02		28
29	·02							·05	·06	06	·06	·10		29
30	·06	×		·06	·08	·02		·37		·48	·35	·05		30
31		×		×		×		·15	×	36	×	·23		31
TOTAL	·72	1·47	·47	3·64	·98	2·98	·55	1·19	4·00	3·50	4·37	2·90	Year's Total 26·77	
*Days with ·01 in. or more.	9	17	6	20	8	18	5	7	21	15	22	16	164	
*Days with .04 in. or more.	5	11	3	17	8	15 ~~16~~	4	7	19	14	18	12	133	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Gloucester, Llanthony Lock

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.03	.04	.34	–	.40	.27	.07	–	–	.02	.03		1
2	.06	–	.06	.02	–	43	.23	–	–	–	.08	–		2
3	–	–	–	–	–	.14	.04	–	.64	–	.15	.02		3
4	.07	–	.10	–	–	–	–	–	.47	–	.07	.21		4
5	.22	–	.06	–	14	–	.05	–	.07	–	.01	.07		5
6	.03	–	.01	–	.05	.09	.34	.11	–	–	.12	–		6
7	.01	–	.03	–	–	–	.35	–	–	–	.23	.06		7
8	.17	–	.10	–	–	–	.03	–	–	–	.51	.04		8
9	.37	–	.16	–	–	–	.45	–	–	–	–	.01		9
10	.07	–	–	–	–	–	.28	–	–	–	.01	–		10
11	–	.38	–	–	–	.07	.06	–	08	–	.23	–		11
12	–	–	–	.06	.26	.48	.30	–	18	–	.05	.18		12
13	–	–	–	.08	–	.04	.10	–	–	–	.05	.59		13
14	–	–	–	.32	–	.07	.57	.02	.16	.05	.02	.57		14
15	–	.02	–	.01	.02	–	.01	–	23	–	.05	.16		15
16	–	12	–	–	–	–	.04	–	–	–	.16	.01		16
17	15	.49	–	–	–	–	.20	–	–	–	04	16		17
18	–	.02	–	–	–	–	.19	–	–	.06	–	.09		18
19	.23	.23	.04	.09	–	.06	–	–	–	.03	–	–		19
20	–	.05	.01	.11	–	.50	–	–	56	–	–	.01		20
21	–	–	–	.20	–	.07	–	–	.07	–	–	–		21
22	–	54	.06	–	–	–	.15	–	–	–	–	10		22
23	.09	–	32	.07	.10	–	20	–	–	–	–	.02		23
24	.11	.05	–	.02	–	–	.04	–	.49	.26	–	–		24
25	–	–	.17	.29	–	–	.25	–	39	.10	03	–		25
26	.09	.08	10	–	–	.23	.05	–	–	.02	–	–		26
27	.05	.02	16	–	–	–	.05	–	24	.06	–	–		27
28	.45	02	.25	–	–	–	.06		–	–	–	.04		28
29	.01	.06	.04	–	–	37	.04	–	–	.04	–	.05		29
30	.07	✕	–	–	03	.07	.08	–	–	.44	.04	–		30
31	38	✕	26	✕	–	✕	.10	–	✕	25	✕	17		31
													Year's Total	
TOTAL	2.71	2.11	1.97	1.61	.60	3.02	4.53	.20	3.58	1.31	1.87	2.59	26.10	
* Days with .01 in. or more.	19	14	18	12	6	14	27	3	12	10	18	20	163	
* Days with .04 in. or more.	16	9	15	9	4	14	25	2	12	8	13	14	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Gloucester, Llanthony Lock

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·01							0.05		0.06	0.24		1
2		·10		0.13							0.01	0.08		2
3		·18			0.01		0.08					0.03		3
4	·05	·26		0.01								0.18		4
5	·14		·14											5
6	·09	·06	·12	0.06			0.07			0.06				6
7		·56	·03	0.17										7
8		·08		0.01	0.35		0.01				0.29	0.02		8
9	·03	·02		0.08	0.06		0.06		0.43			0.10		9
10			·23	0.48		0.11						0.06		10
11	·01		·15		0.32	0.09	0.09					0.03		11
12	·33	·16	·29		0.07	0.12	0.01	0.07	0.14			0.15		12
13	·04	·08	·19	0.04		0.44		0.04	0.10			0.01		13
14		·03	·34	0.14				0.16	0.01					14
15	·05	·11		0.16			2.80					0.20		15
16		·05	·12	0.15			0.01	0.10	0.12					16
17	·19	·06	·30	0.01		0.02			0.83					17
18	·34	·03	·18	0.08			0.04		0.43		0.12	0.18		18
19	·11	·05	·13	0.03		0.10					0.11			19
20	·14	·06	·15	0.25	0.11							0.06		20
21	·14	·31	·08	0.01	0.10						0.01	0.06		21
22	·07	·05	·08		0.18		0.22			0.58	0.28	0.02		22
23	·08	·04	·01		0.05		0.10			0.43	0.10			23
24	·13	·24			0.02		0.05		0.06	0.22				24
25	·01	·23			0.09				0.04	0.14				25
26		·28	·01		0.45									26
27		·11		0.19						0.64				27
28		·04								0.06		0.02		28
29	·03										0.03	0.02		29
30	·32	×								0.04	0.10			30
31	·13	×		×		×			×	0.20	×			31
TOTAL	2.55	3.20	2.55	2.00	1.81	0.88	3.54	0.37	2.21	2.34	1.11	1.46	Year's Total 24.05	✓
*Days with ·01 in. or more.	21	25	17	17	12	6	12	4	10	9	10	17	160	✓
*Days with .04 in. or more.	17	21	14	12	10	4	9	4	9	9	7	10	126	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Gloucester, Llanthony Lock

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-/-	0.02	0.02	0.02	0.01	0.14	0.06	0.10	-/-	0.23	-/-	0.26		1
2	0.04	-/-	-/-	-/-	-/-	0.01	0.07	-/-	-/-	0.13	-/-	-/-		2
3	0.01	-/-	-/-	-/-	0.11	0.03	-/-	-/-	-/-	0.44	0.01	-/-		3
4	-/-	-/-	-/-	-/-	-/-	-/-	0.24	0.28	-/-	0.42	-/-	0.10		4
5	-/-	-/-	-/-	-/-	-/-	-/-	0.03	-/-	0.06	0.03	-/-	-/-		5
6	-/-	-/-	-/-	-/-	-/-	-/-	0.28	-/-	-/-	0.06	-/-	-/-		6
7	-/-	-/-	-/-	-/-	-/-	-/-	0.33	0.25	0.22	0.12	-/-	0.08		7
8	0.49	-/-	-/-	-/-	-/-	-/-	0.03	0.65	0.03	0.34	-/-	0.02		8
9	0.09	-/-	-/-	-/-	-/-	-/-	0.01	0.03	-/-	-/-	-/-	0.29		9
10	0.08	-/-	-/-	-/-	-/-	0.02	0.01	0.10	-/-	-/-	-/-	0.11		10
11	0.14	-/-	-/-	-/-	-/-	-/-	0.01	-/-	-/-	-/-	0.11	0.07		11
12	0.06	-/-	-/-	-/-	0.27	-/-	-/-	0.15	-/-	0.21	0.12	0.01		12
13	0.03	-/-	-/-	-/-	0.01	-/-	-/-	0.01	-/-	0.01	0.03	0.66		13
14	0.34	-/-	-/-	-/-	0.03	-/-	0.64	-/-	0.06	-/-	-/-	-/-		14
15	0.09	-/-	-/-	-/-	0.02	-/-	0.10	-/-	-/-	-/-	-/-	0.21		15
16	0.15	-/-	0.01	-/-	-/-	-/-	-/-	0.04	-/-	-/-	-/-	0.02		16
17	-/-	0.10	-/-	-/-	0.46	-/-	-/-	-/-	0.03	0.17	-/-	-/-		17
18	0.06	-/-	-/-	-/-	0.03	0.09	-/-	-/-	0.14	-/-	0.33	-/-		18
19	-/-	-/-	-/-	-/-	-/-	0.01	-/-	0.10	0.03	-/-	0.15	-/-		19
20	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	-/-	0.18	-/-		20
21	-/-	-/-	-/-	-/-	-/-	-/-	-/-	0.04	0.09	-/-	0.02	0.06		21
22	-/-	-/-	-/-	0.06	-/-	0.01	-/-	0.13	-/-	-/-	0.25	0.02		22
23	0.02	-/-	-/-	0.01	0.01	-/-	-/-	-/-	0.17	-/-	0.01	-/-		23
24	0.01	-/-	0.06	-/-	0.07	-/-	-/-	0.05	0.07	-/-	0.06	-/-		24
25	0.05	0.32	-/-	-/-	0.14	-/-	0.03	0.03	-/-	0.15	0.28	0.12		25
26	0.14	0.23	-/-	-/-	0.04	0.06	-/-	-/-	-/-	0.13	0.01	0.26		26
27	0.03	0.02	-/-	-/-	0.52	0.20	0.23	0.12	-/-	0.03	0.20	-/-		27
28	0.12	-/-	-/-	-/-	0.03	0.09	0.01	0.78	0.21	-/-	0.04	0.06		28
29	0.08		-/-	-/-	0.17	0.01	-/-	-/-	0.02	0.03	0.10	0.05		29
30	0.01	✕	-/-	-/-	0.01	-/-	-/-	-/-	0.66	0.04	0.34	0.02		30
31	0.08	✕	-/-	✕	0.10	✕	-/-	-/-	✕	0.06	✕	0.10		31
TOTAL	2.12	0.69	0.09	0.09	2.03	0.67	2.08	2.86	1.49	2.60	2.24	2.52	Year's Total 19.78	
* Days with .01 in. or more.	21	5	3	3	17	11	15	16	13	17	14	19	157	
* Days with .04 in. or more.	15	3	1	1	9	5	8	13	9	13	12	14	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Gloucester, Llanthony Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Total

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.03		0.03	0.16	0.27				0.10			0.01		1
2			0.02	0.04				0.33	0.73		0.05	0.06		2
3	0.08			0.25				0.63	0.14		0.07	0.16		3
4	0.05		0.42	0.36	0.10		0.29	0.11		0.08	0.10	0.15		4
5				0.38	0.16		0.33	0.48			0.16	0.19		5
6	0.28		0.01	0.10			0.65				0.11			6
7	0.02	0.04					0.05				0.38	0.15		7
8		0.16	0.23				0.28			0.63	0.28	0.42		8
9		0.04						0.11		0.26	0.01	0.09		9
10	0.23		0.05			0.23		0.40	0.02	0.13				10
11			0.13							0.10				11
12	0.02	0.07				0.08								12
13							0.19		0.06	0.20				13
14	0.37				0.16	0.06	0.09			0.09	0.06	0.03		14
15	0.32				0.17	0.39	0.25			0.10	0.09			15
16	0.08			0.03	0.09		0.02				0.36			16
17	0.21				0.01		0.02			0.15	0.08			17
18	0.22					0.06	0.09			0.12	0.28			18
19	0.10	0.03				0.24	0.45							19
20	0.22						0.48	0.08				0.05		20
21	0.09	0.18	0.23	0.02		0.06	1.21	0.24						21
22	0.37	0.18	0.08	0.03		0.32	0.05				0.08			22
23	0.04			0.09		0.08	0.14				0.38			23
24	0.14			0.04		0.12				0.11				24
25	0.77						0.05			0.06	0.09			25
26	0.13			0.02				0.20			0.42			26
27		0.10	0.05			0.03	0.08				0.06			27
28		0.11	0.08	0.11		0.20	0.10				0.22	0.14		28
29				0.38			0.43			0.20	0.03			29
30				0.44		0.03				0.03		0.10		30
31								0.22						31
TOTAL	3.47	0.91	1.33	2.48	·96	1.90	5.25	2.80	1.05	2.26	3.31	1.55	Year's Total 27.57	
* Days with .01 in. or more.	20	9	11	15	7	13	20	10	5	14	20	12	156	
* Days with .04 in. or more.	14	8	8	11	6	11	18	10	4	13	18	10	134	

* See Instruction 3 (f) on other side.

†, Spare column, no entries required.

(*Signed*) J. E. Bradley

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2169

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Gloucester, Llanthony Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·05							0·04			1
2				0·08							0·61			2
3		0·12								0·47	0·71			3
4		0·16					0·08			0·15	0·40			4
5		0·02								0·18	0·35	0·02		5
6		0·21								0·23	0·02	0·04		6
7	0·11	0·20							0·04					7
8										0·08	0·09	0·07		8
9				0·03		0·25	0·27	0·05		0·27	0·16	0·09		9
10							0·62			0·25	0·03	0·09		10
11							0·15				0·34			11
12			0·09				0·22				0·01			12
13			0·40				0·03		0·03		0·15			13
14				0·11	1·04		0·15		0·08	0·05		0·16		14
15			0·11		0·28		0·07		0·17	0·10	0·06			15
16		0·27	0·10	0·02		0·05	0·13		0·07	0·52	0·55			16
17			0·11								0·01			17
18	0·16	0·34	0·42	0·31					0·05	0·14	0·04	0·06		18
19		0·17	0·10	0·18			0·38				0·11			19
20		0·02	0·03				0·03			0·25	0·02			20
21					0·11		0·06				1·20			21
22			0·03	0·10		0·48								22
23		0·10			0·15						0·03			23
24			0·05				0·15							24
25					0·03									25
26	0·93	0·12			0·26		0·84							26
27	0·63	0·05		0·17	0·04									27
28	0·42	0·07		0·06	0·05									28
29			0·06	0·34								0·20		29
30		✕		0·11						0·12		0·03		30
31	0·12	✕		✕		✕			✕	0·34	✕			31
TOTAL	2·37	1·85	1·50	1·56	1·96	0·78	3·18	0·05	0·44	3·15	4·98	0·76	Year's Total 22·58	"d"
* Days with .01 in. or more.	6	13	11	12	8	3	14	1	6	14	20	9	117	
* Days with .04 in. or more.	6	11	9	10	7	3	12	1	5	14	14	7	99	

2·10

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

194

2170

Section | **A** | for the entry

FOR OFFICIAL USE.

AIR MINIST

LL ORGANIZATION.

FORM 1090.

REGIS

1.

2170

GLOUCESTER

MAISEMORE LOCK

1931—40

780402

Kept at Gloucester, Ma

in the County of Glouce

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform t

following

year in the space on the right of t

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·09	·10				·41	·03			1
2	·07	·01		·73	·11	·01			·35	·03	·01	·08	2
3	·01			·01			·01	·01	·52		1·00	·08	3
4			·02	·03		·01	·36	·33	·01		·03		4
5		·01		·06	·03	1·43		·01	·03			·31	5
6		·12		·15		·15				·19	·10	·16	6
7						·08	·02	·56		·06	·02	·01	7
8	·01	·02		·05	·03	·10	·02	·27		·01	·02	·01	8
9	·01	·11		·01	·01	·11	·04			·01	·38		9
10		·02			·01	·02		·12			·14		10
11	·12	·20				·04	·06	·02	·07		·52		11
12	·01	·01					·70	·05	·17	·04			12
13					·05		·03	·13	·03				13
14		·06			·02	·49	·81	·61	·03		·15		14
15		·03		·04	·18		·25	·62	·07		·01	·04	15
16		·07		·05	·25	·45		·24	·11				16
17		·09		·06	·25	·05	·16	·06	·08	·01	·03		17
18	·04	·02	·01	·05		·02	·05	·35	·01		·19		18
19	·01	·04		·10		·04	·01	·12					19
20		·08	·09					·20			·01		20
21	·18				·36						·03		21
22	·10		·05		·03			·03					22
23	·11			·22	·47	·24			·02		·36	·14	23
24				·15	·28		·22					·01	24
25	·16			·30			·11				·04		25
26				·01			·18				·40		26
27	·08	·53			·68		·02				·04		27
28	·07	·16	·02	·04	·20					·03		·02	28
29	·02				·15		·17			·10	·08		29
30		✕						·01					30
31	·13	✕		✕	·11	✕			✕		✕	·04	31
TOTAL	1·15	1·58	·19	2·15	3·32	3·24	3·22	3·74	9 1·~~7~~1	·51	3·56 ~~3·06~~	·90 ~~1·00~~	YEAR'S TOTAL 25·47
*Days with ·01 in. or more.	17	17	5	18	19	15	18	18	14	10	20	11	182
*Days with ·04 in. or more.	10	10	2	14	13	11	12	13	8	4	12	7	116

40-9999 M

*See Instruction 2 (f) on other side.

(*Signed*) W. G. Morefield

P.T.O.

194 2170

Section **A** for the entry

AIR MINIST… …LL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gloucester, Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

Sept & corr. for arith

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·09	·10				·41	·03			1
2	·07	·01		·73	·11	·01			·35	·03	·01	·08	2
3	·01			·01			·01	·01	·52		1·00	·08	3
4			·02	·03		·01	·36	·33	·01		·03		4
5		·01		·06	·03	1·43		·01	·03			·31	5
6		·12		·15		·15				·19	·10	·16	6
7						·08	·02	·56		·06	·02	·01	7
8	·01	·02		·05	·03	·10	·02	·27		·01	·02	·01	8
9	·01	·11		·01	·01	·11	·04			·01	·38		9
10		·02			·01	·02		·12			·14		10
11	·12	·20				·04	·06	·02	·07		·52		11
12	·01	·01					·70	·05	·17	·04			12
13					·05		·03	·13	·03				13
14		·06			·02	·49	·81	·61	·03		·15		14
15		·03		·04	·18		·25	·62	·07		·01	·04	15
16		·07		·05	·25	·45		·24	·11				16
17		·09		·06	·25	·05	·16	·06	·08	·01	·03		17
18	·04	·02	·01	·05		·02	·05	·35	·01		·19		18
19	·01	·04		·10		·04	·01	·12					19
20		·08	·09					·20			·01		20
21	·18				·36						·03		21
22	·10		·05		·03			·03					22
23	·11			·22	·47	·24			·02		·36	·14	23
24				·15	·28		·22					·01	24
25	·16			·30			·11				·04		25
26				·01			·18				·40		26
27	·08	·53			·68		·02				·04		27
28	·07	·16	·02	·04	·20					·03		·02	28
29	·02				·15		·17			·10	·08		29
30		×						·01					30
31	·13	×		×	·11	×			×		×	·04	31
TOTAL	1·15	1·58	·19	2·15	3·32	3·24	3·22	3·74	9 1·~~7~~1	·51	3·56 ~~3·06~~	·90 ~~1·00~~	YEAR'S TOTAL 25·47
*Days with ·01 in. or more.	17	17	5	18	19	15	18	18	14	10	20	11	182
*Days with ·04 in. or more.	10	10	2	14	13	11	12	13	8	4	12	7	116

40-9999 M

(Signed) W. G. Morefield

P.T.O.

*See Instruction 2 (*f*) on other side.

2170

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Gloucester Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

" Ground " Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03		·02	·90			·40	·02	·26			1
2				·08	·13			·01	·14		·01	·05	2
3		·03		·78	·05		·02						3
4				·03							·41		4
5	·32		·02						·08				5
6	·34		·02	·05					·21				6
7	·02		·14	·04	·17		·04		·15	·56			7
8			·18	·01					·54	·43			8
9	·43	·02		·03	·08					·02			9
10	·22	·03	·01	·20	·05	·01			·04	·13			10
11				·05	·02		·15		·01		·01	·02	11
12	·34			·01	·28				·10	·19	·02	·02	12
13	·03			·25	·02		·25	·03	·01	·01		·03	13
14	·38							·28		·03	·03	·06	14
15				·03	·48		·01			·03	·06	·01	15
16	·15			·20	·05								16
17										·01			17
18					·25				·08		·09		18
19				·11	·15				·02	·08			19
20				·15	·96			·28		·64	·09	·06	20
21	·01		·11	·22	·52			1·72		·43	·06	·12	21
22	·01		·08	·03	·02		·10		·71	·08	·04	·02	22
23		·01	·05		·80		·01		·07	·19		·03	23
24					·03		·11		·06	·01		·01	24
25							·10			·17	·02	·01	25
26			·11	·03	·02		·06			·01			26
27			·51	·17	·39		·05			·20	·01		27
28			·02	·05	·24		·13					·02	28
29			·34	·04	·27	·23	·02	·05	·09	·21		·18	29
30		✕	·05	·05		·99	·10	·20	·77		·50	·31	30
31		✕	·19	✕	·03	✕	·33		✕		✕	·26	31
													YEAR'S TOTAL
TOTAL	2·28	·12	1·83	2·63	5·91	1·23	1·48	2·97	3·10	3·69	1·35	1·21	27·80
*Days with ·01 in. or more.	12	5	14	23	23	3	15	8	17	20	13	16	169
*Days with ·04 in. or more.	7	0	10	15	17	2	11	6	13	13	7	7	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. G. Morefield

[P.T.O.

Sept. circ. D.1. sent 6.10.

2170

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gloucester, Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..............in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·14	·01	–						·05			1
2	·18		·31		·02				·01				2
3	·03	·06	·23		·06								3
4	·07				·18								4
5	·02		·42		·06						·02		5
6		·25	·01		·07					·15			6
7	·02	·01			·01		·01			·20			7
8	·01		·04		·10	·02	·29			·11			8
9		·01			·02	·08	·14			·17	·03		9
10	·08	·02					·03			1·82	·04		10
11	·10				·10	·01	·02	·01		·02			11
12	·02				·12		·14		·34				12
13	·01				·03	·02	·10			·02	·06		13
14	·01						·06	·02		·05	·18		14
15	·55		·02				·05	·01		·07			15
16	·01		·58			·04	·01	·02	·01	·01	·01	·05	16
17	·04	·02	·21		·02	·01		·01	·01				17
18	·14		·04			·11					·02		18
19		·01	·22						·04		·09		19
20			·04		·01	·44			·01		·01		20
21		·01			·01	·11		·09		·10			21
22				·01	·28	·11		·19	·04	·17			22
23		·05		·14		·07			·53	·50			23
24		·73		·14	·01	·65			·07	·21			24
25		·52		·11	·12	·16			·38			·05	25
26		·43		·02	·11				1·03	·05			26
27					·75				·01	·12		·03	27
28				·31	·01							·03	28
29	·07			·05						·04		·02	29
30	·03	✕	·10	·01			·04		·10	·01		·10	30
31		✕	·03	✕		✕		·06	✕	·02	✕		31
TOTAL	1·92 ~~2·15~~	2·26	2·26	·79	2·09	1·8~~2~~3	·8~~5~~9	·41	2·~~6~~58	3·89	·46	·28	YEAR'S TOTAL 19·66
*Days with ·01 in. or more.	18	13	14	8	20	13	11	8	13	20	9	6	153
*Days with ·04 in. or more.	9	7	10	5	11	9	7	3	8	15	4	3	91

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) W. G. Morefield

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Gloucester, Maisemore Lock

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04					–		·24	·05		·03	·28		1
2	·11		·02		·01				·26		·01	·15		2
3	·02	·02								·04		·18		3
4	·03		·01		·35			·01	·15	·23	·10	·25		4
5			·04		·01			·42		·02	·24	·31		5
6			·07	·08	·32			·01		·11		·33		6
7	·02				·01			·15		·05	·04	·39		7
8	·01				·13						·05	·06		8
9			·08								·44	·23		9
10	·15		·05	·09				·05			·25			10
11	·75		·03	·15			·10	·14				·12		11
12	·01		·11				·20	·02				·03		12
13	·28			·10			·96				·01	·14		13
14	·04		·18	·01							·08	·26		14
15	·01		·03	·01	·05				·01	·06	·44	·04		15
16	·06		·43		·01						·03			16
17	·02			·03				·10	·30	·03	·01	·17		17
18	·12		·02	·14			·61					·34		18
19			·16			·03		·02	·01	·05		·10		19
20			·07	·09					·01	·01				20
21			·02			·14	·23	·14		·11				21
22			·02					·41	·09	·06		·25		22
23			·03	·12		·25			·01	·03	·01	·01		23
24		·38	·05	·10		·41	·11		·14	·02		·01		24
25	·20			·14		·09			·01	·23		·28		25
26	·01		·04	·24		·04			·04	·02		·12		26
27	·01			·19						·01		·22		27
28				·05		·09		·16				·40		28
29								·02	·39		·03			29
30	·03	×						·25	·02			·07		30
31		×		×		×			×	·08	×	·13		31
TOTAL	1·92	·40	1·46	1·54	·89	1·05	2·21	2·14	1·4~~7~~9	~~1·22~~ 1·16	1·77	4·87	Year's Total 20·90	
*Days with ·01 in. or more.	19	2	19	15	8	7	6	15	14	17	15	26	163	
*Days with .04 in. or more.	9	1	11	12	4	6	6	10	8	10	8	23	108	

M

† Spare column, no entries required.

(*Signed*) W. G. Morefield

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Gloucester, Maisemore Lock

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 79 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01		·01	·01	·08	·02	·11	-	·14	·03	·12	·02		1
2						·22			·03	07		·01		2
3		·03	·04			·10			·14	39	·31			3
4				·18		·09			·03	21	·02	·05		4
5		·20	27	·03		·04	·01		·12			·02		5
6			·01	·24		·38					07	10		6
7				·38		·11				·11	·11	·12		7
8				·33		·01				·12	·24	·03		8
9	·03			·47		·38				·61	·13			9
10	·01			·04							·12			10
11	·25	·01				·05					·31			11
12	·02	·01				·25			·04		05			12
13	·06	·06		·20	·09	·01			·01		·04			13
14						·21			53		·84	·15		14
15		·02	·01	62	20	·14			·39		·15	·05		15
16		·03	·12	·21					·22	·02	·62	·01		16
17				·10		·16	·04		·05		·16			17
18		·11	·01	·28	·06		·09		·19	·04				18
19				08	·19	·19	·14		·06	·09	·09	·05		19
20		·40		·07	27	·03					·61			20
21		·41		·01					1·41	·03	·02			21
22		·05	·05	·11				·01	·45					22
23	·02		·02	·03				·30	·05	·78		·03		23
24	·07	·08	·03					·12	·35	·13		·14		24
25	·15	·11		·16		·40						·06		25
26		·17						·23	·07			·71		26
27		·05			·07			·02	·05	·02	·04	1·10		27
28	·02				·01			·03	·05					28
29	03		·03					·02	·08	·03	·09	·20		29
30	·07	×		·04	·02	·02		·30		·43	·44	·06		30
31		×		×		×		·17	×	·38	×	·31		31
													Year's Total	
TOTAL	·74	1·74	·60	3·59	·99	2·81	·39	1·20	4·46	3·49	4·58	3·22	27·81	
*Days with ·01 in. or more.	12	15	11	20	9	19	5	9	21	17	21	19	178	
*Days with .04 in. or more.	5	10	4	16	7	14	4	5	18	12	19	13	127	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) W. G. Morefield

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Gloucester, Maisemore Lock.

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·02	·02	·32	-	·23	·35	·01	-		·05	·02		1
2	·03	·03	·02	·01	-	·45	·15	·02	-		·20			2
3	-	-	-	-	-	·14	·03	-	·52		·03	·01		3
4	·01	-	·14	-	-	-	-	-	·16		·03	·32		4
5	·17	·02	·05	-	·14	-	·05	·01	·01			·09		5
6	·03	-	·01	-	·02	·07	·27	·06	·04		·08			6
7	-	-	·02	-	-	·02	·66	-	-		·18	·06		7
8	·18	-	·08	-	-	-	·04	-	-		·70	·03		8
9	·63	-	·35	-	-	-	·50	-	·02		·02	·01		9
10	·02	-	-	-	-	-	·13	-	-					10
11	-	·21	-	·03	-	·06	·07	·02	·03		·25			11
12	-	-	-	·04	·29	·39	·25	-	·20		·05	·22		12
13	-	-	-	·04	-	·07	·04	·02	-	03	·02	·84		13
14	-	·01	-	·27	-	·02	·45	-	·43		·01	·69		14
15	-	·03	-	-	·01	-	·12	-	·10		·06	·26		15
16	·11	·20	-	·01	·01	-	·07	-	-		·20	·01		16
17	·10	·50	-	·01	-	-	·18	-	-	·06	·05	·38		17
18	-	·04	-	-	-	·02	·20	·01	-	·09		·04		18
19	·17	·17	·05	·10	-	·07	-	·03	-					19
20	-	·02	·03	·08	-	·27	-	-	·60					20
21	-	-	-	·30	-	·07	-	-	·07					21
22	·03	·68	·04	-	·04	-	·18	-	-			·08		22
23	·04	-	·13	·04	-	-	·23	-	-	·04				23
24	·20	·04	-	·01	-	-	·04	-	·49	·32	·01			24
25	·04	-	·16	·42	-	-	·41	-	·30	·11	·03			25
26	·09	·05	·06	·07	-	·14	·03	-	-	·01	·01			26
27	·04	-	·11	-	-	-	·04	-	·11	·06				27
28	·45	·02	·30	-	-	-	·19	-	-			·05		28
29	-	·05	·07	-	-	·38	·06	-	-	·03	02	·06		29
30	·06	✕	-	-	·01	·28	·07	-	-	·38		·01		30
31	·38	✕	·31	✕	-	✕	·09	-	✕	·15	✕	·17		31
													Year's Total	
TOTAL	2·81	2·09	1·95	1·75	·52	2·68	4·90	·18	3·08	1·28	2·00	3·35	26·59	✓
* Days with .01 in. or more.	20~~19~~	16	18~~17~~	15	7~~4~~	16	27	8~~7~~	14	11	19	19	190	
* Days with .04 in. or more.	14~~13~~	9	13~~12~~	10	3	13	25	1	11	8	10	13	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Gloucester, Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·07	0·01	—	0·03	—	—	—	—	0·07	—	0·08	0·37		1
2	—	0·14	—	0·12	—	—	—	—	—	—	0·02	0·05		2
3	—	0·14	—	—	0·02	—	0·01	—	0·05	—	—	0·02		3
4	0·07	0·19	—	—	0·01	—	—	—	—	—	—	0·25		4
5	0·17		0·13	—	—	—	—	—	—	—	—	—		5
6	0·04	0·03	0·08	0·19	0·15	—	0·03	—	—	0·08	—	0·03		6
7	—	0·72	0·02	0·12	—	—	—	—	—	—	—	—		7
8	—	0·09	—	—	0·09	—	0·02	—	—	—	0·20	0·02		8
9	—		0·02	0·07	0·16	—	0·04	—	0·44	—	—	0·08		9
10	0·02		0·19	0·41	—	0·08	—	—	—	—	—	0·11		10
11	—		0·14	—	0·30	0·20	0·09	—	—	—	—	0·03		11
12	0·40	0·17	0·26	—	0·06	0·12	0·01	0·11	0·05	—	—	0·18		12
13	0·01	0·02	0·19	0·09	—	0·63	—	0·08	0·05	—	—	—		13
14	—	0·04	0·16	0·04	—	—	—	0·09	—	—	—	0·02		14
15	0·11	0·09	—	0·24	—	—	2·72	—	0·05	—	—	0·19		15
16	—	0·03	0·25	0·16	—	—	0·01	0·12	0·23	—	—	—		16
17	0·21	0·07	0·34	—	—	0·01	0·01	—	1·13	—	—	—		17
18	0·37	0·05	0·11	0·04	—	0·01	0·02	—	0·41	—	0·23	0·15		18
19	0·13	0·02	0·09	0·02	—	0·19	0·13	—	0·02	—	0·08	—		19
20	0·17	0·02	0·09	0·33	0·14	—	—	—	—	—	—	0·03		20
21	0·20	0·29	0·05	—	0·10	—	0·06	—	—	—	—	0·04		21
22	0·10	0·04	0·07	—	0·14	0·09	0·16	—	—	0·54	0·38	0·01		22
23	0·08	0·04	0·01	—	0·06	—	0·06	—	—	0·30	0·05	—		23
24	0·10	0·30	—	—	0·03	—	—	—	0·04	0·17	—	—		24
25	0·05	0·32	—	—	0·12	—	—	—	0·04	0·25	0·01	0·04		25
26	—	0·21	—	—	0·43	—	—	—	—	—	—	0·01		26
27	—	0·22	—	0·18	—	—	—	—	—	0·51	—	—		27
28	—	0·14	—	—	—	—	—	—	—	0·06	—	0·03		28
29	0·02		—	—	—	—	—	—	—	0·12	0·06	0·02		29
30	0·33	×	—	—	—	—	—	—	—	—	0·10	0·01		30
31	0·08	×	—	×	—	×	—	—	×	0·22	×	0·01		31
TOTAL	2·73	3·39	2·20	2·04	1·81	1·33	3·37	0·40	2·58	2·25	1·21	1·70	Year's Total 25·01	✓
*Days with ·01 in. or more.	20	24	17	14	14	8	14	4	12	9	10	22	168	✓
*Days with .04 in. or more.	17	18	14	12	11	6	7	4	11	9	8	10	127	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*).......... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Gloucester, Maisemore Lock

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.18	0.03	0.07	-/-/-	0.21	-/-/-	0.17		1
2	0.03	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.12	-/-/-	-/-/-	0.15	0.02	-/-/-		2
3	-/-/-	-/-/-	-/-/-	-/-/-	0.06	0.03	-/-/-	-/-/-	0.01	0.51	0.01	-/-/-		3
4	0.01	-/-/-	-/-/-	-/-/-	-/-/-	0.04	0.16	0.23	-/-/-	0.32	-/-/-	0.14		4
5	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.03	0.01	0.08	0.03	-/-/-	-/-/-		5
6	0.01	0.01	-/-/-	-/-/-	-/-/-	0.01	0.43	-/-/-	0.03	0.08	-/-/-	0.04		6
7	0.02	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.36	0.34	0.18	0.11	-/-/-	0.08		7
8	0.53	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.01	0.69	-/-/-	0.58	-/-/-	-/-/-		8
9	0.08	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.01	0.05	-/-/-	-/-/-	-/-/-	0.46		9
10	0.13	-/-/-	-/-/-	-/-/-	-/-/-	0.05	0.01	0.18	-/-/-	-/-/-	-/-/-	0.10		10
11	0.17	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.15	0.07		11
12	0.18	-/-/-	-/-/-	-/-/-	0.24	-/-/-	-/-/-	-/-/-	-/-/-	0.27	0.30	-/-/-		12
13	0.03	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.02	0.09	0.80		13
14	0.40	0.01	-/-/-	-/-/-	0.03	-/-/-	0.69	-/-/-	0.01	-/-/-	-/-/-	-/-/-		14
15	0.10	-/-/-	-/-/-	-/-/-	0.02	-/-/-	0.06	-/-/-	-/-/-	-/-/-	-/-/-	0.18		15
16	0.34	-/-/-	0.03	-/-/-	-/-/-	-/-/-	-/-/-	0.01	-/-/-	-/-/-	-/-/-	-/-/-		16
17	-/-/-	0.05	-/-/-	-/-/-	0.36	-/-/-	-/-/-	-/-/-	0.01	0.13	-/-/-	-/-/-		17
18	0.07	-/-/-	-/-/-	-/-/-	0.04	0.05	-/-/-	-/-/-	0.07	-/-/-	0.23	-/-/-		18
19	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.06	0.02	-/-/-	0.18	-/-/-		19
20	0.02	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.24	-/-/-		20
21	0.03	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	-/-/-	0.08	0.07	-/-/-	0.02	0.04		21
22	-/-/-	-/-/-	-/-/-	0.03	-/-/-	0.03	-/-/-	0.08	-/-/-	-/-/-	0.34	0.05		22
23	-/-/-	-/-/-	-/-/-	0.02	-/-/-	-/-/-	-/-/-	-/-/-	0.18	-/-/-	0.02	0.04		23
24	-/-/-	-/-/-	0.06	-/-/-	0.02	-/-/-	-/-/-	0.06	0.05	-/-/-	0.04	-/-/-		24
25	0.08	0.32	0.02	-/-/-	0.39	-/-/-	0.02	0.01	-/-/-	0.13	0.28	0.04		25
26	0.11	0.27	0.02	-/-/-	0.07	0.03	-/-/-	-/-/-	0.05	0.10	-/-/-	0.25		26
27	0.02	0.02	-/-/-	-/-/-	0.55	0.18	0.31	0.15	0.09	0.02	0.27	-/-/-		27
28	0.13	0.01	-/-/-	-/-/-	0.03	0.13	0.01	0.66	0.05	-/-/-	0.03	0.05		28
29	0.08		-/-/-	-/-/-	0.25	-/-/-	-/-/-	-/-/-	-/-/-	0.03	0.18	0.02		29
30	0.03	✕	-/-/-	-/-/-	0.01	0.04	-/-/-	-/-/-	0.60	0.04	0.31	-/-/-		30
31	0.13	✕	-/-/-	✕	0.17	✕	-/-/-	-/-/-	✕	0.07	✕	0.11		31
													Year's Total	
TOTAL	2.73	0.69	0.13	0.05	2.24	0.77	2.25	2.68	1.50	2.60	2.71	2.64	20.99	
* Days with .01 in. or more.	23	7	4	2	14	11	14	15	15	17	17	17	156	
* Days with .04 in. or more.	14	3	1	0	9	7	7	12	10	13	12	16	104	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Gloucester, Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

" Ground " Sea Level ....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

Total

Day ?

O.K.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

water Gauge in water
Records entered as
suggested by Air Min:

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04		0.03	0.22	0.12				0.22			0.04		1
2	0.01							0.27	0.61		0.06	0.05		2
3	0.08			0.37				0.51	0.06		0.10	0.17		3
4	0.02		0.47	0.33	0.15		0.33	0.12		0.08	0.06	0.19		4
5			0.01	0.38	0.17		0.18	0.45		0.05	0.28	0.14		5
6	0.34			0.05			0.38				0.06			6
7	0.01	0.05					0.04			0.01	0.27	0.30		7
8	0.01	0.16	0.29				0.24			0.87	0.37	0.31		8
9	0.01	0.04						0.08		0.26		0.07		9
10	0.23		0.02			0.14		0.16		0.05	0.03			10
11			0.12					0.02		0.07				11
12	0.02	0.24				0.02				0.01				12
13				0.03			0.15		0.07	0.33				13
14	0.33				0.17	0.04	0.03			0.07	0.06	0.02		14
15	0.40				0.14	0.40	0.23			0.16	0.18			15
16	0.11			0.03	0.07	0.01	0.02				0.34			16
17	0.34				0.01	0.01	0.03			0.11	0.04			17
18	0.20	0.01	0.04			0.27	0.30			0.12	0.34			18
19	0.15						0.30							19
20	0.25						0.23					0.01		20
21	0.10	0.20	0.14	0.03		0.04	0.23	0.13						21
22	0.30	0.12	0.03			0.41	0.02				0.08			22
23	0.04			0.06		0.07	0.18				0.54			23
24	0.15			0.04		0.12				0.04				24
25	0.60	0.03	0.01				0.06	0.05		0.06	0.07			25
26	0.08			0.01				0.20		0.06	0.42	0.03		26
27		0.12	0.05	0.03		0.07	0.09	0.01		0.01		0.08		27
28		0.08	0.10	0.08		0.16	0.11				0.24	0.05		28
29				0.30			0.33			0.09	0.03			29
30				0.61		0.08						0.04		30
31								0.13		0.01				31
TOTAL	~~2.63~~ 3.82	1.05	1.31	2.54	.83	1.84	3.57	2.13	0.96	2.46	3.57	1.53	Year's Total 25.58	
* Days with .01 in. or more.	23 ~~16~~	10	12	15	7	14	20	12	4	19	19	14	169	
* Days with .04 in. or more.	14 ~~10~~	8	7	10	6	11	16	10	4	15	17	11	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. E. Bradley [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2170

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Gloucester, Maisemore Lock

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Jan 27th estd from nearby stns

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					0·01						0·08			1
2		0·07		0·10							0·75			2
3		0·08		0·01						0·18	0·68	0·01		3
4		0·10								0·16	0·47	0·		4
5		0·01			0·04					0·13	0·37	0·04		5
6	0·11	0·26			0·03					0·25	0·01	0·03		6
7	0·01	0·22							0·05					7
8							0·01			0·09	0·08	0·07		8
9				0·03		0·62	0·26	0·01		0·32	0·18	0·07		9
10							0·62	0·04		0·28		0·08		10
11				0·03			0·04				0·48			11
12			0·15				0·15							12
13			0·33				0·10				0·11	0·01		13
14			0·03	0·07	1·13		0·26		0·09	0·08		0·48		14
15			0·04		0·16	0·02	0·02		0·15	0·29				15
16		0·34	0·13			0·03	0·19		0·12	0·53	0·48	0·02		16
17	0·01		0·14											17
18	0·14	0·35	0·28	0·24			0·02		0·04	0·15	0·09	0·05		18
19		0·14	0·08	0·32			0·34		0·20		0·15	0·02		19
20			0·06	0·04			0·05			0·30	0·05			20
21					0·04	0·16	0·16				1·23			21
22			0·04	0·04	0·09	0·24	0·02		0·02					22
23		0·09	0·03	0·02	0·22	0·03			0·03		0·05	0·02		23
24							0·22					0·02		24
25	0·01													25
26	1·00	0·15		0·03	0·20		0·65							26
27	0·~~87~~ (69)	0·14		0·27	0·03			0·01						27
2·43 28	0·40	0·02		0·05	0·02									28
29			0·05	0·50	0·03	0·02	0·02					0·13		29
30		✕		0·05	0·02					0·24		0·01		30
31	0·13	✕	0·01	✕		✕			✕	0·58	✕			31
TOTAL	2·50 ~~2·70~~	1·97	1·37	1·80	2·02	1·12	3·13	0·06	0·70	3·55	5·26	1·06	Year's Total ~~21·74~~	24·54
* Days with .01 in. or more.	9	13	13	15	13	7	17	3	8	14	16	15	143	
* Days with .04 in. or more.	6	11	10	10	7	3	12	1	6	14	15	7	102	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2171

Section **A** **for the entry of**
AIR MINISTRY

FORM 1090.

REGIST

Kept at Barrow Hill
in the County of Glouce

Diameter of Funnel of Gauge
Height of top of Gauge above Grounc
,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

2171
CHURCHDOWN
BARROW HILL
1931—40

780402

FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	–	·15	·07	–	–	–	·35	·04	–	–	1
2	·05	·02	–	·81	·21	–	–	·02	·75	·03	·04	·14	2
3	·01	–	–	·02	–	–	–	·15	·36	–	1·65	·13	3
4	–	–	–	·07	·03	–	0·38	× ·26	·03	·02	·02	–	4
5	–	·02	–	·09	·08	× 1·10	–	·03	·13	–	–	·40	5
6	–	·12	–	·14	–	·17	× ·07	–	–	·28	·11	·15	6
7	–	–	–	–	·02	·02	× ·10	·55	–	·09	·13	·03	7 03
8	·01	·05	–	·08	× ·03	·20	·02	·52	–	·02	·03	·02	8
9	·05	·23	° ·03	·01	–	·16	·10	–	–	·02	·38	–	9
10	·01	·02	·01	–	·01	× ·02	–	–	tr.	–	·11	–	10
11	·18	·21	–	–	–	·04	·14	·02	·21	–	·62	·02	11
12	–	–	–	–	–	–	× ·70	·02	·20	·06	–	–	12
13	–	–	–	–	·01	–	·07	·59	·03	–	–	–	13
14	–	·08	–	–	·07	× ·69	·85	× ·11	·04	–	·08	–	14
15	–	·03	–	·07	·14	–	× ·30	× ·49	·13	–	·01	·04	15
16	–	° ·04	–	·09	·24	·54	–	·45	·21	–	–	–	16
17	·03	° ·28	–	× ·09	·40	–	·22	·17	·05	–	·04	–	17
18	·06	·03	·01	·15	–	·08	·11	·26	–	–	·20	–	18
19	·01	·03	–	·20	–	× ·03	·02	·10	–	–	–	–	19
20	–	·12	·10	·02	–	–	·04	·12	–	–	·02	–	20
21	·12	–	–	–	·35	–	–	–	–	–	·03	–	21
22	·14	–	·12	·03	–	–	–	·03	–	–	·01	–	22
23	·16	–	–	·13	0·65	·36	–	–	·08	–	·42	·02	23
24	–	–	–	·28	·23	–	·19	–	·01	–	–	·01	24
25	·17	–	–	·30	·02	–	·14	–	–	–	·04	–	25
26	–	–	–	·04	–	–	·18	–	–	–	·52	–	26
27	·06	·62	–	·02	× ·45	–	·08	–	–	–	·09	–	27
28	·12	° ·19	·03	·05	·05	–	–	–	–	·07	·01	·05	28
29	·03		–	–	× ·21	–	·21	–	–	·15	·10	·02	29
30	–	×	–	–	–	–	–	·01	·01	–	–	–	30
31	·23	×	–	×	·01	×	–	–	×	–	×	·02	31
TOTAL	1.45	2·14	0.30	2·84	3·28	3·50	3·86	3.90	2.59	0·78	4·66	1·23	YEAR'S TOTAL 30·53
*Days with ·01 in. or more.	18	17	6	21	20	12	19	18	15	10	22	13	191
*Days with ·04 in. or more.	11	11	2	16	13	9	16	12	11	6	15	7	129

40-9999

*See Instruction 2 (*f*) on other side, ° Snow × Thunder

(*Signed*) Bertha M. Jones

P.T.O.

2171

Section A for the entry of FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Barrow Hill, Churchdown

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. ~~in.~~

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	—	·15	·07	—	—	—	·35	·04	—	—	1
2	·05	·02	—	·81	·21	—	—	·02	·75	·03	·04	·14	2
3	·01	—	—	·02	—	—	—	·15	·36	—	1·65	·13	3
4	—	—	—	·07	·03	—	0.38	x ·20	·03	·02	·02	—	4
5	—	·02	—	·09	·08	x 1·10	—	·03	·13	—	—	·40	5
6	—	·12	—	·14	—	·17	x ·07	—	—	·28	·11	·15	6
7	—	—	—	—	·02	·02	x ·10	·55	—	·09	·13	·03	7 03
8	·01	·05	—	·08	x ·03	·20	·02	·52	—	·02	·03	·02	8
9	·05	·23	° ·03	·01	—	·16	·10	—	—	·02	·38	—	9
10	·01	·02	·01	—	·01	x ·02	—	—	Br:	—	·11	—	10
11	·18	·21	—	—	—	·04	·14	·02	·21	—	·62	·02	11
12	—	—	—	—	—	—	x ·70	·02	·20	·06	—	—	12
13	—	—	—	—	·01	—	·07	·59	·03	—	—	—	13
14	—	·08	—	—	·07	x ·69	·85	x ·11	·04	—	·08	—	14
15	—	·03	—	·07	·14	—	x ·30	x ·49	·13	—	·01	·04	15
16	—	° ·04	—	·09	·24	·54	—	·45	·21	—	—	—	16
17	·03	° ·28	—	x ·09	·40	—	·22	·17	·05	—	·04	—	17
18	·06	·03	·01	·15	—	·08	·11	·26	—	—	·20	—	18
19	·01	·03	—	·20	—	x ·03	·02	·10	—	—	—	—	19
20	—	·12	·10	·02	—	—	·04	·12	—	—	·02	—	20
21	·12	—	—	—	·35	—	—	—	—	—	·03	—	21
22	·14	—	·12	·03	—	—	—	·03	—	—	·01	—	22
23	·16	—	—	·13	0·65	·36	—	—	·08	—	·42	·02	23
24	—	—	—	·28	·23	—	·19	—	·01	—	—	·01	24
25	·17	—	—	·30	·02	—	·14	—	—	—	·04	—	25
26	—	—	—	·04	—	—	·18	—	—	—	·52	—	26
27	·06	·62	—	·02	x ·45	—	·08	—	—	—	·09	—	27
28	·12	° ·19	·03	·05	·05	—	—	—	—	·07	·01	·05	28
29	·03		—	—	x ·21	—	·21	—	—	·15	·10	·02	29
30	—	X	—	—	—	—	—	·01	·01	—	—	—	30
31	·23	X	—	X	·01	X	—	—	X	—	X	·02	31
													YEAR'S TOTAL
TOTAL	1.45	2·14	0.30	2·84	3·28	3·50	3·86	3.90	2.59	0·78	4·66	1·23	30·53
*Days with ·01 in. or more.	18	17	6	21	20	12	19	18	15	10	22	13	191
*Days with ·04 in. or more.	11	11	2	16	13	9	16	12	11	6	15	7	129

40-9999

*See Instruction 2 (*f*) on other side. ° Snow x Thunder

(Signed) Bertha W. Jones

P.T.O.

2171

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Barrow Hill, Churchdown

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ... ft ... in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	—	—	× ·94	—	—	·09	·03	·29	—	—	1
2	—	—	—	·11	·16	—	—	·01	·31	·01	—	·08	2
3	—	·03	—	·57	·03	—	—	—	—	·01	—	—	3
4	·01	—	—	·07	—	—	—	—	·10	—	·55	—	4
5	·37	—	·02	—	—	—	—	—	·03	—	—	—	5
6	·56	—	·01	·05	·03	—	·02	—	·30	—	—	—	6
7	·05	—	·20	·04	·12	—	—	—	·25	·79	—	—	7
8	·02	—	·16	·01	—	—	—	—	·38	·43	—	—	8
9	·44	·04 ×		·07	·08	—	—	—	·02	·07	—	—	9
10	·33	·09 ×	·01	·23	·06	·03	—	—	·04	·16	—	—	10
11	—		—	·12	·03	·01	·19	—	·02	—	·02	·02	11
12	·38	—	—	—	·26	—	·15	—	·10	·15	·02	·01	12
13	·05	·03	—	·12	·03	—	·31	·03	·23	·07	·02	—	13
14	·29	—	—	× —	—	—	—	·45	·02	·03	·08	—	14
15	·01	—	—	·05	·66	—	·02	—	—	·07	·03	—	15
16	·26	—	—	·33	·04	—	—	—	—	—	—	·02	16
17	—	—	—	·02	—	—	·04	—	—	·04	—	—	17
18	—	—	—	—	·16	—	—	—	—	—	—	—	18
19	—	—	—	·22	·10	—	—	—	·02	·13	—	—	19
20	—	—	—	·10	1·27	—	—	·08	—	·69	·10	·34	20
21	·02	—	·10	× ·17	·43	—	—	1·10	—	·46	·07	·08	21
22	—	—	·10	·03	·01	G.	·11	—	·80	·18	·07	·02	22
23	—	·07	—	—	·87	—	·04	—	·07	·22	·02	·08	23
24	—	·01	—	—	·01	—	·09	—	·11	·01	·02	·02	24
25	—	—	—	·01	—	—	·18	—	—	·26	·06	—	25
26	—	—	·11	·10	·06	—	·14	—	·03	·03	—	—	26
27	—	—	·41	·14	·58	—	·10	—	—	·32	—	—	27
28	—	—	·04	·06	·24 ×	—	·22	—	—	—	—	·01	28
29	—	—	·47	·14	·24	·18	·03	·11	·11	·22	—		29
30	—	×	—	·09	·06	1·40	·36	·25	·46	—	·65		30
31	·02	×	× ·34	×	·07	×	·17	—	×	—	×		31
TOTAL	2.86	0.29	1·97	2.85	6.48	1·32	2·17	2·12	3·43	4·58	1·71	1·39	YEAR'S TOTAL 31·17
*Days with ·01 in. or more.	15	7	12	23	25	4	16	8	20	22	13	13	178
*Days with ·04 in. or more.	10	3	9	19	19	2	13	6	13	16	7	7	124

40-9999

*See Instruction 2 (*f*) on other side. × Snow × Thunder

(Signed) Kate M Jones

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Barrow Hill Churchdown
in the County of Gloucester

Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground ....ft ....in.
,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·66	·24	·03	–	–	–	–	–	–	·05	·02	–	1
2	·41	–	·29	–	–	–	–	–	–	–	·03	–	2
3	–	·10	·19	–	·12	–	–	–	–	–	–	–	3
4	·18	·02	–	–	·04	–	–	–	–	–	–	–	4
5	·02	–	·34	–	·18	–	–	–	–	–	·05	–	5
6	–	·36	·07	–	·11	–	–	–	–	·17	–	–	6
7	·03	·02	·07	–	–	–	tr.	–	–	·27	–	–	7
8	·02	–	·09	–	·10	–	·39	–	–	·03	–	·07	8
9	–	·01	–	–	·02	·04	·16	–	–	·21	·04	–	9
10	·08	–	–	–	–	–	·12	–	–	1.68	·15	–	10
11	–	–	–	–	·12	–	·02	·04	–	·01	–	–	11
12	·08	–	–	–	·11	·02	·19	–	0.46	–	tr.	–	12
13	·13	–	–	–	·07	tr.	·13	·01	–	·09	·06	–	13
14	·02	–	–	–	–	–	·06	⊗ ·04	–	·03	·23	–	14
15	·66	–	·04	–	–	–	⊗ ·03	·05	–	·14	·01	–	15
16	·03	–	·55	–	–	·04	–	·02	·02	·04	·02	·08	16
17	·05	·07	·23	–	–	·04	–	·02	·03	–	–	–	17
18	·08	–	·03	–	–	·17	–	–	~~·04~~	–	·03	–	18
19	–	×·02	·29	–	–	tr.	–	–	·04	–	–	–	19
20	–	–	·06	–	–	⊗ ·17	–	–	·04	–	–	–	20
21	–	–	–	–	–	·07	–	·10	–	·02	–	–	21
22	–	–	–	·02	–	⊗ ·11	–	⊗ ·11	·04	·31	–	–	22
23	–	·03×	–	·15	–	·03	–	–	·51	·69	–	–	23
24	–	×1·04	–	·14	·04	·63	–	–	·14	·13	–	–	24
25	–	·70	–	·18	·08	·08	–	–	·36	–	–	·07	25
26	–	·76	–	·03	·17	⊗ ·03	–	–	1·10	·10	–	–	26
27	–	·03	–	–●	·78	–	–	–	·04	·19	–	–	27
28	–	–	–	·42	–	–	–	–	–	·10	–	–	28
29	–	X	–	·02	–	–	–	–	–	·07	–	·02	29
30	·08	X	·07o	–	–	–	·04	–	·10	·02	–	·11	30
31	·18	X	·03	X	–	X	–	·06	X	–	X		31
TOTAL	2·71	3·40	2.26	0·96	2.14	1.37	1.17	0.45	2.88	4·29	0·64	0·29	YEAR'S TOTAL 22.56
*Days with ·01 in. or more.	16	13	15	7	13	12	10	9	12	20	10	5	142
*Days with .04 in. or more.	11	7	10	4	12	8	7	6	9	14	~~2~~5	3	98

40-9999 × Snow o hail ⊗ Thunder

*See Instruction 2 (*f*) on other side.

(Signed) Rotha M. Jones

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

2171

Kept at Barrow Hill, Churchdown

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. ~~in.~~

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–		–	–	–	–	0.31	·15	–	·03	·33	1
2	·15	–	·05	–	·03	–	–	–	·31	·01	·01	·15	2
3	·03	·05	–	–	–	–	–	–	–	·10	–	·17	3
4	·07	–	·02	–	·23	–	–	–	·22	·32	·11	·25	4
5	·03	–	·07	–	·05	–	–	0.28	–	·02	·23	·38	5
6	–	–	·11	·08	·35	Tr.	–	·01	–	·10	–	·44	6
7	·03	·02	–	–	–	–	–	·15	–	·06	·06	·34	7
8	–	–	–	–	·15	Tr.	–	·02	–	–	·96	·11	8
9	–	–	·15	–	–	–	–	–	·51	–	·45	·41	9
10	·14	–	o ·15	–	–	–	–	·07	–	–	·19	·01	10
11	·72	–	·04	·19	–	–	·06	·12	–	–	–	·17	11
12	–	–	·13	–	·04	–	·16	·02	–	–	·01	·05	12
13	·38	·01	·30	·11	–	–	o 1.90	–	–	–	–	·14	13
14	·05	·01	·05	–	–	–	–	–	–	–	·15	·25	14
15	·02	–	·49	–	·08	–	·01	–	·01	·10	·39	·08	15
16	·07	–	–	–	·02	–	–	–	–	–	·03	·01	16
17	·05	–	–	·06	–	–	·07	–	·04	·01	·01	·19	17
18	·20	–	·04	·22	–	–	o ·06	–	·05	–	–	·26	18
19	·01	–	·19	·04	·02	·05	–	–	·02	·04	·01	·25	19
20	–	–	·22	·12	–	–	·09	·02	·04	–	·01	–	20
21	–	–	·05	–	–	·18	–	·09	–	·19	–	–	21
22	–	–	·02	–	·01	–	–	·37	·08	–	–	·08	22
23	–	–	·03	·16	–	o ·16	–	–	·02	–	·01	·01	23
24	–	·40	·08	·09	–	·22	·12	–	·14	·09	–	·01	24
25	·18	–	–	o ·26	–	o ·12	–	–	–	·30	–	·29	25
26	·02	–	·05	·31	–	·07	–	–	–	·09	–	·12	26
27	–	–	–	·16	–	–	–	–	–	·23	–	·20	27
28	–	–	–	·17	–	o ·16	·02	·19	·09	–	–	·40	28
29	–	–	–	–	–	–	·01	·08	·46	–	·04	·01	29
30	·06	×	–	–	–	–	–	·05	·01	–	–	·09	30
31	–	×	–	×	–	×	–	–	×	·11	×	·12	31
TOTAL	2·26	0·49	2·24	2.17	0.98	0·96	2.50	1.78	1.65	1.75	1.80	5.22	YEAR'S TOTAL 23.80 ✓
*Days with ·01 in. or more.	18	5	19	14	10	7	10	14	15	15	17	29	173 ✓
*Days with ·04 in. or more.	12	2	16	14	6	7	7	10	10	12	9	24	129

40-9999

o Thunder

(Signed) Robta M. Jones

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Barrow Hill Churchdown
in the County of Gloucester
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 225 ft.

9 a.m.
Summer time 10 a.m.

Observer agrees [illegible] sent. 24/6/36. [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	—	—	·04	·02	·05	—	·15	·03	·07	·01		1
2	—	—	—	—	—	·05	—	—	·03	·22	·02	·01		2
3	—	·12	·05	—	—	·25	—	—	·15	·32	·34	—		3
4	—	—	—	·18	—	·14	—	—	·03	·20	·01	—		4
5	—	·28	·26	·03	—	·29	—	—	·13	·01	·02	·01		5
6	—	·01	—	·25	—	·45	—	—	—	—	·05	·09		6
7	—	—	—	·39	—	·14	—	—	—	·18	·10	·15		7
8	—	—	—	·27	—	·01	—	·08	—	·40	·23	·08		8
9	·03	·01	—	·70	—	·31	—	—	—	·76	·37	—		9
10	—	—	—	·27	—	—	—	—	—	—	·02	—		10
11	·41	—	—	—	—	·05	·03	—	—	—	·30	—		11
12	—	·02	—	—	—	·15	—	—	·02	—	·07	—		12
13	·06	·10	—	·22	·08	·01	—	—	·03	—	·04	—		13
14	—	—	—	·01	·04	·11	—	—	·11	·01	·85	·10		14
15	—	·01	—	·80	·14	·18	—	·01	·46	—	·17	·07		15
16	—	—	·09	·27	—	·28	—	—	·30	·09	·73	·01		16
17	—	—	—	·14	—	·11	—	—	·10	—	·33	—		17
18	—	·02	—	·27	·04	—	·02	—	·19	—	—	·03		18
19	—	·04	—	·04	—	·18	·20	—	·11	—	·09	·02		19
20	·02	·40	—	·07	—	·08	·01	—	·01	~~[illegible]~~	·59	—		20
21	—	·35	—	·03	—	—	—	—	1.27	·03	·01	—		21
22	—	·09	·02	·09	—	—	—	·15	·33	—	—	·01		22
23	·01	·01	·02	—	—	—	—	·23	·06	·80	—	·29		23
24	·08	·24	—	—	—	—	—	·17	·13	·15	—	·11		24
25	·18	·21	—	·18	—	·55	—	—	—	—	—	·04		25
26	—	·24	—	—	—	—	—	·10	·08	—	—	·60		26
27	—	·17	—	—	·09	—	—	—	·04	·01	·09	1.16		27
28	·01	—	—	—	·01	—	—	—	·12	—	·01	·03		28
29	·02	—	·05	—	—	—	—	·09	·05	·02	·15	·27		29
30	·08	×	—	·06	·04	·02	—	·56	·02	·56	·42	·10		30
31	—	×	—	×	·02	×	—	·11	×	·40	×	·28		31
TOTAL	0.91	2.32	0.49	4.21	0.66 5	3.38	0.31	1.50	3.94 2	4.19	5.08	3.47	Year's Total ~~28.70~~	30.28
*Days with ·01 in. or more.	11	17	6	19	9	20	5	9	24	17	24	21	182	
*Days with .04 in. or more.	5	11	4	15	7	16	2	8	17	11	18	13	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) H. M. Jones (Mrs. J. H. Jones

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Barrow Hill, Churchdown

in the County of Gloucstr.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·02	·03	–	–	·17	·48	·04	–	–	·10	·04		1
2	·07	·10	·03	·07	–	·53	·24	·09	–	–	·22	–		2
3	·01	–	–	–	–	·15	·03	–	·83	–	·05	·02		3
4	–	–	·16	–	–	–	–	–	·40	–	–	·19		4
5	·33	·02	–	–	–	–	·10	·06	·07	–	–	·13		5
6	·02	–	–	–	–	·13	·52	·04	·08	–	·23	–		6
7	·01	–	·05	–	–	–	–	–	·02	–	·28	·08		7
8	·21	–	·10	–	–	–	·10	–	–	–	·09	·04		8
9	·62	–	·12	–	–	–	·71	–	·01	–	–	–		9
10	·02	–	·07	–	–	–	·25	·07	–	–	·02	–		10
11	–	·10	–	·04	–	·07	·13	·02	·01	–	·27	–		11
12	–	–	–	·06	·27	·47	·24	–	·24	–	·06	·20		12
13	–	–	–	·03	–	·09	·03	·02	–	·05	·07	·91		13
14	–	–	–	·28	–	·03	·53	–	·19	–	·01	·86		14
15	–	–	–	·02	·07	–	·02	–	·08	–	·06	·18		15
16	·15	·10	–	–	·01	–	·04	–	–	–	·25	·02		16
17	–	·65	–	–	–	–	·11	–	–	·05	·09	·28		17
18	–	·04	·02	–	–	–	·21	·02	–	–	–	·06		18
19	·26	·29	·07	·14	–	·09	–	·02	–	–	–	–		19
20	–	·10	–	·03	·07	·09	–	–	·85	–	·01	–		20
21	–	–	–	·35	–	·10	·02	–	–	–	–	–		21
22	·05	·73	·08	–	–	–	·20	–	–	–	–	·18		22
23	·05	–	·07	·07	·07	–	·19	–	–	·02	–	·01		23
24	·07	·06	–	–	–	–	·19	–	·48	·30	–	–		24
25	·03	·07	·22	·42	–	–	·20	–	·28	·15	·05	–		25
26	·05	·10	·09	–	–	–	·14	–	–	–	·01	–		26
27	·10	–	·03	–	–	–	·03	–	·13	·07	–	–		27
28	·33	·04	·24	–	–	–	Tr.	–	–	–	–	·07		28
29	·03	·12	·03	–	·15	·61	·04	–	–	–	·04	·18		29
30	·05	×	–	–	·12	·10	·10	–	–	·51	–	–		30
31	·44	×	·32	×	·07	×	·07	–	×	·23	×	·24		31
													Year's Total.	
TOTAL	2.97	2.48	1.61	1.45	0.59	2·63	4·92	·35	3·61	1·38	2·51	3·69	28·19	
* Days with .01 in. or more.	21	15	17	11	8	13	26	9	14	8	18	18	178	
* Days with .04 in. or more.	16	12	10	7	3	12	20	4	10	7	14	15	130	

40-9999

† Spare column, no entries required

(*Signed*) Bertha M. Jones [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Barrow Hill Churchdown

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·02	–	·04	–	–	–	–	·05	–	·17	·23		1
2	–	·10	–	·09	–	–	–	–	–	–	·01	·11		2
3	–	·25	–	–	–	–	·04	–	·11	–	·01	·06		3
4	·10	·15	–	·02	–	–	–	–	–	–	–	·25		4
5	·16	–	·13	–	·02	·01	–	–	–	–	–	–		5
6	·04	·08	·13	·15	·16	–	·13	–	–	·06	·01	·01		6
7	–	·60	·01	·09	–	–	–	–	–	–	·01	–		7
8	–	·12	·01	–	·09	–	·01	–	·02	–	·28	·02		8
9	–	·07	·01	·09	·05	–	·05	–	·42	–	–	·15		9
10	·01	–	·45	·51	–	·10	·07	–	–	–	–	·12		10
11	–	–	·20	–	·34	·15	·12	–	–	–	–	·05		11
12	·36	·14	·44	–	·15	·21	·07	·05	·09	–	–	·26		12
13	·04	·06	·26	·10	·02	·12	–	·10	·06	–	–	–		13
14	–	·03	·33	·12	–	–	·02	·31	·01	–	–	·03		14
15	·14	·11	–	·24	–	–	1·81	–	–	–	–	·19		15
16	–	·03	·45	·31	–	·08	·02	–	·14	–	–	–		16
17	·34	·05	·33	–	–	–	–	–	·40	–	–	–		17
18	·38	·09	·10	·02	–	·09	·02	–	·43	–	·18	·11		18
19	·09	·05	·10	·04	·02	·25	·01	–	·01	·01	·14	–		19
20	·28	·03	·06	·28	·46	–	–	–	–	–	–	·04		20
21	·17	·36	·13	–	·01	–	·01	–	–	·01	·01	·02		21
22	·15	·06	·09	–	·15	·03	·20	–	–	·78	·22	·07		22
23	·14	·03	·01	–	·09	–	·01	–	–	·42	·02	–		23
24	·16	·24	–	–	·07	–	·01	–	·08	·33	·01	–		24
25	·08	·47	·01	–	·11	–	–	–	·02	·29	–	·02		25
26	–	·30	·01	–	·50	–	–	–	–	·01	·01	·04		26
27	–	·19	–	·23	–	–	–	–	–	·69	–	–		27
28	–	·15	–	–	–	–	–	–	–	·09	–	·05		28
29	·04	–	–	–	–	·03	–	–	–	·11	·02	·02		29
30	·18	✕	–	–	–	–	–	–	–	·01	·10	–		30
31	·08	✕	–	✕	–	✕	–	–	✕	·15	✕	–		31
TOTAL	3·06	3·72	3·26	2·33	2·18	·95	2·54	·46	1·84	2·96	1·20	1·80	5 Year's Total 26·35	✓ ✓
* Days with .01 in. or more.	20	25	20	15	15	10	16	3	13	13	15	20	185	✓ ✓
* Days with .04 in. or more.	19	19	14	13	10	7	7	3	9	11	6	14	132	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Churchdown (Barrow Hill)
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 225 ft.

Copied by B.R.O
corrected for B.A

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·01	·01	–	·01	·37	·02	·01	–	·20	–	·34		1
2	·05	–	–	·02	·01	–	·03	–	–	·20	·02	·01		2
3	–	–	–	–	·08	·03	–	–	·01	·59	–	–		3
4	·02	–	–	–	–	·03	·42	·40	–	·51	–	·10		4
5	–	–	–	–	–	–	·23	–	·10	·08	–	·10		5
6	·01	·01	–	–	–	·02	·24	–	·09	·10	–	–		6
7	–	–	–	–	–	–	·32	·32	–	·17	–	·06		7
8	·58	–	–	–	–	–	·02	·22	–	·41	–	–		8
9	·14	·02	–	–	–	·01	–	·18	–	–	–	·49		9
10	·12	–	–	–	–	·05	·03	·10	–	–	–	·14		10
11	·17	–	–	–	–	–	·01	·09	–	–	·26	·10		11
12	·21	·01	–	–	·28	–	–	–	–	·23	·05	–		12
13	·04	·02	–	–	–	–	–	TR	–	·03	·21	·62		13
14	·38	·02	–	–	·01	–	·74	–	–	–	–	–		14
15	·12	–	–	–	·03	–	·01	·01	–	–	–	·22		15
16	·40	–	·02	–	–	–	–	–	–	–	·02	–		16
17	·01	·06	–	–	·02	–	–	·01	·05	·17	·01	–		17
18	·06	–	–	–	·01	·05	–	·01	·20	–	·44	–		18
19	–	–	–	–	–	–	–	·04	·01	–	·23	–		19
20	·01	–	–	–	–	–	–	–	·02	–	·24	–		20
21	·02	–	–	–	–	–	–	·12	–	–	·01	–		21
22	–	–	–	·08	–	–	–	·09	–	–	·28	–		22
23	–	–	–	·02	–	–	–	–	·31	–	·01	–		23
24	·01	–	·09	–	·12	·02	·02	·06	·08	–	·09	–		24
25	·10	·30	·05	–	·32	–	–	·02	–	–	·26	–		25
26	·14	·29	·02	–	·03	·10	·35	·01	·08	·37	·02	·06		26
27	·03	·01	–	–	·72	·16	–	·11	–	–	·25	·02		27
28	·18	·01	–	–	·03	·08	–	·72	·02	–	·10	–		28
29	·04	–	–	–	·25	·01	–	–	·03	·07	·10	·09		29
30	·11	✕	–	–	·04	–	–	–	·80	–	·32	–		30
31	·16	✕	–	✕	·14	✕	–	–	✕	·06	✕	–		31
TOTAL	3·1~~8~~1	·76	·19	·12	2·10	·93	2·~~03~~ 44	2·~~47~~ 52	1·~~77~~ 80	3·19	2·9~~8~~2	2·48	Year's Total ~~22·80~~	22·56 ✓
* Days with .01 in. or more.	24	11	5	3	16	12	12	18	13	14	19	13	160	✓
* Days with .04 in. or more.	18	3	2	1	8	6	6	12	8	13	13	12	102	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2171

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Churchdown (Barrow Hill)

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 225 ft.

B.A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	·03	·19	·23	-	-	-	·06	-	-	-		1
2	·07	-	·03	-	-	-	-	·28	·36	-	-	-		2
3	·08	-	-	·14	-	-	-	·75	·01	-	·11	·09		3
4	-	-	·37	·49	·07	-	·43	·38	-	·15	·10	·19		4
5	·02	-	-	1·03	·20	-	·25	·44	-	·08	·39	·20		5
6	·38	-	-	·03	-	-	1·33	·02	-	-	·21	-		6
7	-	·03	-	·04	-	-	·04	-	-	·15	·63	·31		7
8	·03	·22	·37	-	-	-	·30	·02	-	·73	·19	·40		8
9	·02	·03	-	-	-	-	-	·15	-	·27	·03	-		9
10	·18	-	·08	-	-	-	-	·16	-	-	·01	-		10
11	-	·07	·15	-	-	·22	-	-	-	·05	tr	-		11
12	-	-	-	-	-	-	-	-	-	·04	-	-		12
13	·01	-	-	·02	·01	-	·19	-	·09	·29	-	-		13
14	·37	-	-	-	·31	·06	·25	-	-	·06	·11	-		14
15	·56	-	-	-	·22	·49	·25	-	-	·20	·26	-		15
16	·19	-	-	·02	·05	·01	·05	-	-	-	·29	-		16
17	·29	-	-	-	·02	·05	·09	-	-	·27	-	-		17
18	·53	-	·08	-	-	·25	·27	-	-	-	·43	-		18
19	·16	-	-	-	-	-	·13	-	·01	-	-	-		19
20	·20	-	-	-	-	-	·15	-	-	-	-	-		20
21	·05	·27	·21	·03	-	·06	-	·18	-	-	-	-		21
22	·52	·31	-	·02	-	·55	·08	-	-	-	·15	-		22
23	·01	-	·07	·07	-	·09	·24	-	-	-	·61	-		23
24	·26	-	·03	·03	-	·07	·02	-	·05	·09	·10	-		24
25	·76	·03	·03	-	-	-	·04	·04	-	-	-	-		25
26	·26	·03	-	-	-	-	-	·13	-	-	·49	-		26
27	-	·10	·12	-	-	·04	·08	-	-	-	·02	·14		27
28	-	·09	-	·07	-	·33	·25	-	-	·06	·30	-		28
29	-	X	-	·45	-	-	·47	-	-	-	·06	-		29
30	-	✕	-	·61	-	-	-	-	-	-	-	·14		30
31	-	✕	-	✕	-	✕	·04	·15	✕	-	✕	-		31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Year's Total	
TOTAL	4·95	1·19	1·57	3·24	1·11	2·22	4·95	2·70	·58	2·44	4·49	1·47	30·91	✓
* Days with .01 in. or more.	21 ✓	11 ✓	12 ✓	15 ✓	8 ✓	12 ✓	21 ✓	12 ✓	6 ✓	13 ✓	19 ✓	7 ✓	157	✓
* Days with .04 in. or more.	16 ✓	6 ✓	8 ✓	9 ✓	6 ✓	11 ✓	20 ✓	10 ✓	4 ✓	13 ✓	16 ✓	7 ✓	126	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

2172

2172

DOWDESWELL RES.

1931 – 1940

1938 A/B 78 0402

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEOROI ... AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER OF ... 1931.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		12		11	02				20	01			1
2	09	01		56	21			03	42	04	·05	14	2
3	01			02				02	62		1.90	12	3
4				02	03		25	30	08		19		4
5		07		18	02	99	02	01	29			40	5
6		09		09	01	11	13		01	26	17	11	6
7					01	08	17	60		10	21	03	7
8	01	09	snow 02	08		18		61			04		8
9	04	26	snow 01	03		11				02	41		9
10		02	snow 02			03	05	32	06		10		10
11	19	22	02			04		03	11		28	03	11
12		snow 01					90	13	29	07			12
13			02		03			17		02			13
14		09			02	75	75	48	02		13		14
15		snow 04		05	34		08	50	02			08	15
16		snow 09		14	23	49		40	12				16
17	01	snow 47		28	44		16	25	04		03		17
18	04	snow 02	01	12		15		23			28		18
19	02	02		snow & rain 60		19	10	12					19
20		05	06	01			04	11					20
21	10				44								21
22	20		09					05			03		22
23	17			17	53	26		01	07		58	20	23
24				21	43		10						24
25	13	01		60	07		20				11		25
26				06			20				28		26
27	09	snow & rain 47		06	46		02				09		27
28	14	snow 20		04	23					05		snow 10	28
29	04	×	snow 02		22		13			16	06		29
30	snow & rain ~~28~~	×						01				snow 03	30
31	38	×		×	02	×			×		×	04	31
TOTAL	1.66	2.35	.27	3.43	3.76	3.38	3.30	4.38	2.35	.73	4.94	1.28	YEAR'S TOTAL 31.83
*Days with ·01 in. or more.	16	19	9	20	19	12	16	20	14	9	18	11	183
*Days with ·04 in. or more.	12	13	2	16	11	11	14	14	11	6	16	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

Borough Engineer, Cheltenham

[P.T.O.

2172

Section **A** for the entry of Daily Observa

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		12		11	02				20	01			1
2	09	01		56	21			03	42	04	.05	14	2
3	01			02				02	62		1.90	12	3
4				02	03		25	30	08		19		4
5		07		18	02	99	02	01	29			40	5
6		09		09	01	11	13		01	26	17	11	6
7					01	08	17	60		10	21	03	7
8	01	09	snow 02	08		18		61			04		8
9	04	26	snow 01	03		11				02	41		9
10		02	snow 02			03	05	32	06		10		10
11	19	22	02			04		03	11		28	03	11
12		snow 01					90	13	29	07			12
13			02		03			17		02			13
14		09			02	75	75	48	02		13		14
15		snow 04		05	34		08	50	02			08	15
16		snow 09		14	23	49		40	12				16
17	01	snow 47		28	44		16	25	04		03		17
18	04	snow 02	01	12		15		23			28		18
19	02	02		snow & rain 60		19	10	12					19
20		05	06	01			04	11					20
21	10				44								21
22	20		09					05			03		22
23	17			17	53	26		01	07		58	20	23
24				21	43		10						24
25	13	01		60	07		20				11		25
26				06			20				28		26
27	09	snow & rain 47		06	46		02				09		27
28	14	snow 20		04	23					05		snow 10	28
29	04	×	snow 02		22		13			16	06		29
30	snow & rain ~~38~~	×						01				snow 03	30
31	38	×		×	02	×			×		×	04	31
TOTAL	1.66	2.35	.27	3.43	3.76	3.38	3.30	4.38	2.35	.73	4.94	1.28	YEAR'S TOTAL 31.83
*Days with ·01 in. or more.	16	19	9	20	19	12	16	20	14	9	18	11	183
*Days with ·04 in. or more.	12	13	2	16	11	11	14	14	11	6	16	8	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Parkinson [P.T.O.

Borough Engineer, Cheltenham

Section **A**

COPY FOR OFFICIAL USE.
for the entry of Daily Observations.
Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

" Ground " Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04			snow 02	75			10	03	22			1
2		02		10	08				26	02		06	2
3				26	04					02			3
4				08							36		4
5	25				snow 05				08				5
6	63		02	07					36				6
7	03		20	03	11				18	51			7
8		02	13	02					52	71			8
9	60	snow 07		05	10								9
10	44	snow 06		30	04				03	19			10
11				Hail snow 11	02		09		02				11
12	49			Hail 02	22				06	27			12
13	07			19	03		30				03	06	13
14	29			03				24		04	06		14
15				08	70					06	04		15
16	20			33			04						16
17										04			17
18					16				13		10		18
19				13	05				03	11			19
20				21	97		01	30		59	10	10	20
21	01		06	30	95			2.11		40	05	10	21
22			13	03			12		61	19	10	02	22
23		06			70				10	22	03	08	23
24					02		08		05	02			24
25				02			07		08	37	05		25
26			09	05	09		07			02			26
27			41	22	50		07 ~~15~~			37			27
28			04	11	32		15						28
29			47	19	28	14		06	14	27		14	29
30		×		17		1.30	08	18	64		84	32	30
31		×	31	×		×	35		×		×	31	31
TOTAL	3.05	.23	1.86	3.12	6.18	1.44	1.43	2.99	3.32	4.64	1.76	1.19	YEAR'S TOTAL 31.21
*Days with ·01 in. or more.	11	5	10	25	21	2	12	6	17	20	11	9	149
*Days with .04 in. or more.	9	3	9	18	18	2	11	6	13	16	9	8	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)
Borough Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	56	26	03								01			1
2	64		51		14			01			04			2
3		13	24		07						02			3
4	23				27									4
5	03		40		04						03			5
6		35	04		33					21				6
7	02	01	02		02		02			15				7
8	02		05		11		23			04				8
9					02		16			27	04			9
10	06						07			1.47	16			10
11	15				14	02	06	03						11
12	04				02		16		54					12
13	01				07	02	18	04		06	04			13
14	01							02		16	41			14
15	snow 64		08			02	61	06		13		02		15
16	snow 04		62			01	18	01			01			16
17	snow 06	snow 02	25			04		01	04					17
18	snow 14		05			17					02			18
19		snow 08	27						14		10			19
20		07	22			37								20
21						06		06	03					21
22					05	15		11	02	33				22
23		04		12		06			52	51	01			23
24		snow 1.63		10	12	44			08	03	02			24
25		snow 71		14	07	21			36	01		09		25
26		snow 98		05	01	78			65	08		02		26
27		03			86				03	18		13		27
28				42	12					04		08		28
29	snow 13			03						04		04		29
30	03	×	14	02			09		06			11		30
31	11	×	06	×		×		04	×	02	×			31
TOTAL	2.92	4.31	2.98	.88	2.46	2.35	1.76	.39	2.47	3.73	.91	.49	Year's Total 25.65	
*Days with ·01 in. or more.	18	12	15	7	17	13	10	10	11	17	13	7	150	
*Days with .04 in. or more.	12	9	13	5	13	9	9	5	8	14	6	5	108	

† Spare column, no entries required.

(Signed) Rowlatharland

Borough & Water Engineer, Cheltenham.

40-9999

*See Instruction 2 (*f*) on other side.

D

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02							42	09		02	32		1
2	12		05		01				35	02	02	16		2
3		07								08		12		3
4	09		01		26				25	25	15	53		4
5			06		11			41			17	36		5
6			12	snow 07	30			01		08		63		6
7	07							22		03	07	51		7
8					18			03			08	08		8
9			30								37	18		9
10	17		19	21				03			25	01		10
11	91		08	26			13	11			05	27		11
12			14				04	02				06		12
13	53			12			1.03	02				15		13
14	06		50							01	08	26		14
15	03		05		06				06	12	38	11		15
16	10		43		03			02			01			16
17	04			03			04	04	22	03		40		17
18	18		09	21			21		09			28		18
19			29	03		06		04	01			14		19
20			snow 20	15					01					20
21			11			17	19	03		31				21
22	02		01		01			11	13			08		22
23				15		14			02		01	01		23
24		35	09	23		21	25		17	03				24
25	20			22		38				22		41		25
26			02	56		05			04	04		12		26
27				05						02		24		27
28				18		15			06			45		28
29		X						28	48					29
30	06	X					04	14	01			09		30
31		X		X		X		06	X	10	X	18		31
TOTAL	2.60	.42	2.74	2.47	.96	1.16	1.93	1.99	1.99	1.34	1.66	6.15	Year's Total. 25.41	
* Days with .01 in. or more.	15	2	18	14	8	7	8	17	15	14	13	26	157	
* Days with .04 in. or more.	12	2	15	12	5	7	8	10	11	8	9	24	123	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Borough & Water Engineer, Cheltenham.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dowdeswell Reservoir

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04		03	03	03	04	02		30	02	06			1
2										25	01			2
3		08	03			14			20	31	29			3
4				18		10				68	05	01		4
5		29	19	03		46			18		03	01		5
6		03		36		59					08	05		6
7				34		12				24	12	11		7
8				23		02				20	23	05		8
9	01			80		22				82	54			9
10				13							04			10
11	25					09					30			11
12		01				24			08		01			12
13	10	12		39	19				05		02			13
14				04	11	19			05		86	Snow 15		14
15		01		75	10	10			47		18	15		15
16			07	23		13			31	07	85	09		16
17				10		15	06		04		43			17
18		01		21	08		33		17	03		Snow 02		18
19		01		08	43	17	15		04	10	19	Snow 03		19
20	03	39		09	16	07	02				66			20
21		Snow 43		03					1.10	05				21
22		12		27				20	34					22
23		02	01					12	07	60		Snow 13		23
24	08	39	02					15	23	05		18		24
25	09	Snow 12		19		25						10		25
26		Snow 21						15	06			65		26
27		27			10				03		14	1.25		27
28					01				17			07		28
29		×	03					09	06	02	09	29		29
30	07	×		10				64	05	34	54	16		30
31		×		×		×		10	×	44	×	28		31
TOTAL	.67	2.51	.38	4.58	1.21	3.08	.58	1.45	4.00	4.22	5.72	3.78	Year's Total 32.18	
* Days with .01 in. or more.	8	16	7	20	9	17	5	7	20	16	22	19	166	
* Days with .04 in. or more.	6	10	2	17	7	16	3	7	19	13	18	15	133	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

Borough & Water ~~Engineer~~. [P.T.O. ✓

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Dowdeswell Reservoir,

in the County of Gloucestershire. /3

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 357 ft.

~R 1936

f 768354/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.09			.02							.25	.30		1
2		.21		.14	.03							.26		2
3		.41					.03		.10			.09		3
4	.12	.24										.38		4
5	.15		.11	.01										5
6	.07	.10	snow .20	.10	.12		.07			.08		.01		6
7		.52		.13										7
8		.11			.06				.01		.22	.03		8
9			snow .05	.09	.13		.08		.40			.09		9
10	.01		.48	.86		.14						.21		10
11			.17		.32	.04	.10	.06				.05		11
12	.40	.37	.52		.17	.39		.04	.11			.30		12
13	.02	.02	.37	.05		.05		.24	.02					13
14		.02	.47	.13					.01			.05		14
15	.22	.14		.29			2.06	.04	.06			.21		15
16		.16	.66	.33		.01			.16					16
17	.44	.02	.26			.01			.38					17
18	.44	.09	.34	.15		.04			.38		.23	.10		18
19	.15	.04	.14	.07	.13	.19			.05		.19			19
20	.44	.03	.02	.34	.29							.05		20
21	.26	.38	.15		.04		.05					.06		21
22	.29	.02	.10		.20	.46	.17			1.00	.47	.03		22
23	.35	.09	.05		.05					.50	.02			23
24	.35	.39	.01		.06		.01		.05	.46				24
25		.41	.02		.07				.01	.41		.05		25
26		.36	.01		.66					.02		.05		26
27		.22		.23						.55				27
28		.09								.04		.07		28
29	.01	×								.07	.02	.02		29
30	.31	×				.03					.13	.01		30
31	.16	×		×		×			×	.15	×	.02		31
TOTAL	4.28	4.44	4.13	2.94	2.33	1.36	2.57	.38	1.74	3.28	1.53	2.44	Year's Total 31.42	
* Days with .01 in. or more.	19	23	19	15	14	10	8	4	13	10	8	22	165	
* Days with .04 in. or more.	16	18	15	13	13	7	6	4	9	9	6	16	132	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.

Borough & Water Engineer, Cheltenha

G GOULD MARSHALL ESQ C E

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Dowdeswell Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 357 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.08			.59	.13	.06		.18		.28		1
2	.04	.01		.03						.21	.04			2
3	.01				.11					.64				3
4	.05						.29	.72		.54		.17		4
5						.02	.30	.65	.05	.10				5
6						.06	.23		.10	.09				6
7	.02						.54	.43	.06	.26		.08		7
8	.48						.03	.04		.31				8
9	.05	.05						.06				.57		9
10	.15	.01				.04	.09	.16				.24		10
11	.16						.01	.50			.32	.09		11
12	.22				.25					.29	.10			12
13	.03	.01								.02	.30	.74		13
14	.63	.01					.63		.08					14
15	.15				.02						.03	.38		15
16	.34		.01					.02			.03	.09		16
17		.07								.13				17
18	.08				.02			.03	.72		.45			18
19								.04	.08		.21			19
20									.02		.44	.01		20
21	.01							.20				snow .38		21
22				.09		.01		.05			.31	snow .20		22
23				.02					.16			snow .02		23
24			.09		.09			.03	.11		.04			24
25	.07	.29	.04		.11		.03	~~.02~~		.18	.26	.12		25
26	.17	.34			.04	.01		~~.50~~	.11	.19				26
27	.03		.03		.87	.19	.41	.02	.04	.04	.28			27
28	.13				.02	.10	.01	.50	.02		.07	.14		28
29	.12				.42	.02			.01	.03	.12	.11		29
30	.04				.01				.95	.04	.27			30
31	.25				.22		.01			.05		.12		31
TOTAL	3.23	.79	.25	.14	2.18	1.04	2.71	3.51	2.51	3.30	3.27	3.74	Year's Total 26.67	✓
* Days with .01 in. or more.	22	8	5	3	12	9	13	16	14	17	16	17	152	✓
* Days with .04 in. or more.	17	4	3	1	8	5	8	12	11	15	14	15	113	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Dowdeswell Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.04	.13	.21				.03	.04				1
2	.10		.01	.02				.25	.42		.07	.08		2
3	.08			.20				.68			.19	.21		3
4	.14		.37	.35	.08		.35	.22	.09	.30	.05	.24		4
5				.70	.22		.23 ~~.35~~	.39		.21	.58	.19		5
6	.37			.05	.01		.92 ~~.23~~				.03			6
7	.03	.03					.01 ~~.92~~				.28	.46		7
8		.23	.50				.25 ~~.01~~	.04		.90	.27	.64		8
9	.02	.02					~~.25~~	.09		.31	.03	.15		9
10	.31		.10			.19		.11		.02				10
11			.17			.11				.04				11
12	.04	.04									.03			12
13				.06			.27		.14	.40				13
14	.57		.01		.21	.06	.09			.04	.10	.01		14
15	.60		.10		.18	.46	.22			.22	.29			15
16	.12			.04	.10	.06	.07				.29			16
17	.40	.03		.01	.01	.09	.06			.29				17
18	.31	.02	.09			.39	.31			.03	.35			18
19	.19						.19							19
20	.27						.02							20
21	.11	.26	.23	.02		.05	.90	.41						21
22	.38	.38	.06			.25	.03		.04	.02	.26			22
23	.08			.12		.06	.43			.23	.60			23
24	.32		.12	.01		.03	.02			.11				24
25	1.00	.04	.09				.05			.01	.12	.01		25
26	.37	.02						.17		.04	.49	.08		26
27	,01	.10	.24	.05			.12				.01	.05		27
28		.13	.11			.03	.18			.15	.25	.08		28
29				.53		.20	.20				.07			29
30		×		.83		.03						.11		30
31		×		×		×	.05	.30	×	.04	×			31
TOTAL	5.83	1.30	2.24	3.12	1.02	2.01	4.97	2.66	.72	3.40	4.36	2.31	Year's Total 33.94	
* Days with .01 in. or more.	23	12	15	15	8	14	22	10	5	19	20	13	176	
* Days with .04 in. or more.	19	7	13	11	6	11	18	10	4	15	16	11	141	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2172

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Dowdeswell Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11			.01							.05			1
2				.08							1.11			2
3		.20		.03						.19	.77	.01		3
4		.09		.07						.08	.50	.05		4
5		.03			.04					.07	.84	.07		5
6	.12	.26					.02			.13	.03	.02		6
7	.01	.55			.01		.13		.05			.02		7
8				.01						.25	.14	.10		8
9				.02			.20	.06		.42	.28	.05		9
10			.01				.84	.05		.07	.12	.09		10
11				.06			.13				.56	.09		11
12			.07				.26		.03					12
13			.50				.02	.02			.36	.02		13
14			.05	.06	.53				.11	.20		.32		14
15			.05		.22				.17	.23	.25			15
16		.14	.30	.03		.06	.19		.10	.65	.54	.09		16
17			.18								.04	.01		17
18	.05	.36	.67	.47			.01		.05	.09	.09	.08		18
19		.11	.03	.14			1.00		.03		.23	.04		19
20			.04	.02			.02			.45	.02			20
21					.18	.14	.23	.03			1.18			21
22		.01	.08	.04	.21	.20			.35					22
23		.27	.07	.08	.10	.01					.10	.05		23
24			.02				.08					.01		24
25					.02									25
26	1.00	.21	.04		.03		.44							26
27	.54	.20	.01	.01			.04			.01		.01		27
28	.40	.08		.03	.06									28
29			.10	.22	.46		.02					.22		29
30		✕		.06	.03					.26		.03		30
31	.01	✕	.01	✕		✕			✕	.73	✕			31
TOTAL	2.24	2.51	2.23	1.44	1.89	.41	3.63	.16	.89	3.83	7.21	1.36	Year's Total 27.80	
* Days with .01 in. or more.	8	13	17	18	12	4	16	4	8	15	19	20	154	
* Days with .04 in. or more.	6	11	12	10	8	3	11	2	6	14	17	11	111	

† Spare column, no entries required.

(*Signed*)

Borough & Water Engineer, Cheltenham.

* See Instruction 3 (f) on other side.

2174

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090. **REGIS**

1.

Kept at The Grange. C

in the County of Glo

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t

year in the space on the right of t

y.

following

Jan. 1, following

—

2174

CHALTON KINGS

THE GRANGE

1931

780402

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1		7		12	3				29	2			1
2	9	1		65	20			4	68	6	7	19	2
3	2			2				13	34		2.00	10	3
4				9	4		29	25	7		3		4
5		5		12	5	97		2	22			38	5
6		10		10	1	13	9	1	2	26	14	9	6
7					1	4	18	50		11	18	3	7
8	s. 1	6	s. 1	8	2	24	3	59			4	1	8
9	4	24	s. 1	2		14	8	2		2	38		9
10		3	s. 2		1	4	1	27	6	1	12		10
11	20	24				4	10	3	20		29	3	11
12		s. 1					99	14	17	7			12
13			2		3		2	39		2			13
14		9			7	1.69	67	13	2		12		14
15		5		6	23		9	43	2		1	6	15
16		s. 11		15	26	54		68	15				16
17	1	R. & S. 41		18	40		18	13	2		4		17
18	5	2	1	28	1	12	13	23			20		18
19	2	4		33		18	1	14			1		19
20		6	6	1			4	10			2	1	20
21	9				40						2		21
22	18		10	2				8			2		22
23	16			15	75	31			7		52	20	23
24				33	22		12					1	24
25	13	1		43	1		32				10		25
26				5			23				28		26
27	9	R. & S. 46		5	55		8				9	1	27
28	15	s. 27	1	3	4					7		s. 9	28
29	5				29		15			17	6	s. 1	29
30		×			3							s. 3	30
31	s. & R. 39	×		×		×			×		×	4	31
TOTAL	1.68	2.33	•24	3.27	3.66	4.44	3.81	4.31	2.33	•81	4.74	1.29	YEAR'S TOTAL 32.91
*Days with ·01 in. or more.	16	19	8	21	22	12	20	20	14	10	22	16	200
*Days with ·04 in. or more.	12	14	2	16	13	12	16	16	10	6	16	8	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Evelyn M. Heberden

[P.T.O.

2174

Section **A** for the entry o COPY FOR OFFICIAL USE.
AIR MINISTRY ~~METEOROLOGICAL OFFICE. BRITISH~~ L ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Grange. Charlton Kings
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		7		12	3				29	2			1
2	9	1		65	20			4	68	6	7	19	2
3	2			2				13	34		2.00	10	3
4				9	4		29	25	7		3		4
5		5		12	5	97		2	22			38	5
6		10		10	1	13	9	1	2	26	14	9	6
7					1	4	18	50		11	18	3	7
8	s. 1	6	s. 1	8	2	24	3	59			4	1	8
9	4	24	s. 1	2		14	8	2		2	38		9
10		3	s. 2		1	4	1	27	6	1	12		10
11	20	24				4	10	3	20		29	3	11
12		s. 1					99	14	17	7			12
13			2		3		2	39		2			13
14		9			7	1.69	67	13	2		12		14
15		5		6	23		9	43	2		1	6	15
16		s. 11		15	26	54		68	15				16
17	1	R.&S. 41		18	40		18	13	2		4		17
18	5	2	1	28	1	12	13	23			20		18
19	2	4		33		18	1	14			1		19
20		6	6	1			4	10			2	1	20
21	9				40						2		21
22	18		10	2				8			2		22
23	16			15	75	31			7		52	20	23
24				33	22		12					1	24
25	13	1		43	1		32				10		25
26				5			23				28		26
27	9	R.&S. 46		5	55		8				9	1	27
28	15	s. 27	1	3	4					7		s. 9	28
29	5				29		15			17	6	s. 1	29
30		×			3							s. 3	30
31	S.&R. 39	×		×		×			×		×	4	31
TOTAL	1.68	2.33	·24	3.27	3.66	4.44	3.81	4.31	2.33	·81	4.74	1.29	YEAR'S TOTAL 32.91
*Days with ·01 in. or more.	16	19	8	21	22	12	20	20	14	10	22	16	200
*Days with ·04 in. or more.	12	14	2	16	13	12	16	16	10	6	16	8	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Evelyn M. Heberden [P.T.O.

2175

Section **A** for the entry of D

AIR MINISTRY.

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGIST

2175

CHELTENHAM

HEWLETTS RESERVOIR

1931- 1940

3 1.

4 58331

Kept at Hewletts Reserv

in the County of Gloucest

Diameter of Funnel of Gauge Eigh

Height of top of Gauge above Ground

„ Ground „ Sea Lev

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06		10	02		02		23	02			1
2	08	02		63	16			02	43		04	14	2
3	02		01	03			01	07	47		1.87	09	3
4				08	03		26	30	05				4
5		03		12	05	1.11		02	20			20	5
6		12		09	01	13	06	01	09	24	15	09	6
7						05	22	45		07	18	02	7
8	02	03	snow 01	08		24	04	62			03		8
9	02	26	snow 01	03		19	11	02		02	36		9
10		02	snow 01		01	02		25	05	01	09		10
11	20	27				02	08	03	11		40	02	11
12		snow 01					1.02	12	20	05			12
13			02		03		01	46		01			13
14		09	02		08	2.08	55	14	04		08		14
15		04		06	19		10	48	03			06	15
16		snow 09		13	29	50		80	18				16
17	03	snow 42		27	42	01	16	15	03	01	03		17
18	04	03	01	33		09	15	23			17		18
19	03	04		38		24	02	10					19
20		05	05				08	09			01		20
21	08				35						02		21
22	12		06	02				10			02		22
23	14			12	74	27			09		41	20	23
24				30	22		10						24
25	09	02		43	01		25				05		25
26				07			17				26		26
27	06	48		02	61		04			01	06		27
28	13	snow 20	01	04	09					08		06	28
29	04	×			20		16			20	04		29
30		×						01				snow 02	30
31	30	×		×	02	×			×		×	04	31
TOTAL	1.40	2.28	.21	3.33	3.53	4.95	3.61	4.47	2.20	.72	4.27	.94	YEAR'S TOTAL 31.91
*Days with ·01 in. or more.	16	19	10	20	19	13	21	21	14	11	19	10	193
*Days with ·04 in. or more.	11	12	2	16	12	10	17	15	12	5	15	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Pickering

P.T.O.

Borough Engineer, Cheltenham.

2175

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

4 58331

Kept at Hewletts Reservoir,

in the County of Gloucestershire.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		06		10	02		02		23	02			1
2	08	02		63	16			02	43		04	14	2
3	02		01	03			01	07	47		1.87	09	3
4				08	03		26	30	05				4
5		03		12	05	1.11		02	20			20	5
6		12		09	01	13	06	01	09	24	15	09	6
7						05	22	45		07	18	02	7
8	02	03	snow 01	08		24	04	62			03		8
9	02	26	snow 01	03		19	11	02		02	36		9
10		02	snow 01		01	02		25	05	01	09		10
11	20	27				02	08	03	11		40	02	11
12		snow 01					1.02	12	20	05			12
13			02		03		01	46		01			13
14		09	02		08	2.08	55	14	04		08		14
15		04		06	19		10	48	03			06	15
16		snow 09		13	29	50		80	18				16
17	03	snow 42		27	42	01	16	15	03	01	03		17
18	04	03	01	33		09	15	23			17		18
19	03	04		38		24	02	10					19
20		05	05				08	09			01		20
21	08				35						02		21
22	12		06	02				10			02		22
23	14			12	74	27			09		41	20	23
24				30	22		10						24
25	09	02		43	01		25				05		25
26				07			17				26		26
27	06	48		02	61		04			01	06		27
28	13	snow 20	01	04	09					08		06	28
29	04	X			20		16			20	04		29
30		X						01				snow 02	30
31	30	X		X	02	X			X		X	04	31
TOTAL	1.40	2.28	.21	3.33	3.53	4.95	3.61	4.47	2.20	.72	4.27	.94	YEAR'S TOTAL 31.91
*Days with ·01 in. or more.	16	19	10	20	19	13	21	21	14	11	19	10	193
*Days with ·04 in. or more.	11	12	2	16	12	10	17	15	12	5	15	7	134

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) P.T.O.

Borough Engineer, Cheltenham.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932..

458331

Kept at Hewletts Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 6 in.

" " Ground " Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02		01	90		01	14	05	12			1
2				10	11			01	24	08		07	2
3		01		34	03					02			3
4				08							35		4
5	28		01		06				09				5
6	60			10					35				6
7	04		20	02	05				16	52			7
8		02	12	01					38	68			8
9	55	snow 04		06	09					02			9
10	.44	snow 07		27	03				05	19			10
11		01		08	01		10			02	02		11
12	37			02	20				08	20	01		12
13	04			15	02		28				01	03	13
14	27	01		04				28		05	08		14
15				06	69		03			07	04	01	15
16	24			43			09						16
17				03			01			03			17
18					15				25		08		18
19				16	05				02	11			19
20				08	1.01		03	19		62	10	22	20
21	01		06	27	35		01	2.28		32	07	10	21
22			15	04	01		13		58	10	07	01	22
23		04			77		03		04	21	06	06	23
24		02					06		06	03	01		24
25	01	01					14		04	32	02	01	25
26			10	09	10		05		06	02			26
27			33	15	51		04			19	01		27
28			03	08	46	02	15						28
29			46	15	19	13	01	06	11	24	01	10	29
30		✕	02	16		1.13	27	20	20		72	28	30
31	02	✕	17	✕		✕	21		✕		✕	26	31
TOTAL	2.92	25	1.65	2.98	5.79	1.28	1.65	3.16	2.76	4.16	1.66	1.15	YEAR'S TOTAL 29.41
*Days with ·01 in. or more.	13	10	11	25	21	3	18	7	17	22	16	11	174 ✓
*Days with ·04 in. or more.	10	3	8	20	16	2	11	6	16	16	9	7	124 ✓

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Borough Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

458331

Kept at Hewletts Reservoir.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	58	24	03								01			1
2	58		41		10			02			04			2
3		13	15		04						03			3
4	19				25									4
5	02		38		06						04			5
6		33	02		33					19				6
7	02	02	05				02			18		01		7
8	01		04		07		23			05				8
9					02		14			21	04			9
10	07	13					05			1.61	15			10
11	15				14		02	04		03				11
12	03				04	03	17		56					12
13						01	14	03		09	04			13
14	01						05	03		16	34			14
15	64		05			02	79	04		09		02		15
16	snow 08		51			05	17	02	01		04	02		16
17	snow 06	snow 06	26		01	05		01	02					17
18	07		03			14					02			18
19		01	25			02			11		09			19
20		07	15			25						01		20
21						03			05	01	01			21
22				02	07	12		10	03	31				22
23				10		04			47	49	02			23
24		snow 1.22		07	07	44			15	02	01			24
25		73		15	03	08			23			04		25
26		89		05	12	61			57	08		03		26
27		02			79				04	23		12		27
28				40	18					04		09		28
29	11	×		02						07		04		29
30	03	×	07	03			04		05	01		08		30
31	09	×	06	×		×		03	×	01	×			31
TOTAL	2.74	3.85	2.46	.84	2.32	1.89	1.82	.32	2.29	3.88	.88	.46	Year's Total 23.75	
*Days with ·01 in. or more.	17	12	15	8	16	14	11	9	12	19	14	10	157	
*Days with ·04 in. or more.	12	9	12	5	13	9	11	3	9	14	8	5	107	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

Borough & Water Engineer, Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

458331

Kept at Hewletts Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03							35	06		04	33		1
2	14		05		02				29		02	13		2
3	02	07								08		11		3
4	08		02		25				11	20	19	44		4
5			08		10			30			21	28		5
6			11	06	30			05		08		42		6
7	06	01						17		02	03	42		7
8					23			03			07	08		8
9			28								39	16		9
10	15		16	19				08			31	01		10
11	80		10	22			09	14			04	27		11
12		01	17				03	03				04		12
13	54			11			1.07	02				10		13
14	07		49								12	26		14
15	04		04		06				03	10	53	12		15
16	06		45					01						16
17	03			03			29		18	03		24		17
18	17		06	20			28		05		02	17		18
19	02		27	02	02	06		02	02	03	01	14		19
20			16	16			02		04					20
21	01		08			18	05	04		21				21
22		01	02		01			14	11	02		10		22
23			01	13		14		14	03		03			23
24		38	10	19		17	25		15	03				24
25	16			31		31				20		34		25
26			03	55		07	02		07	06		11		26
27				16		02				02		20		27
28				26		15		25	06		02	40		28
29		×					03	07	53		02	01		29
30	07	×					01	03				06		30
31		×		×		×			×	08	×	16		31
TOTAL	2.45	.48	2.68	2.59	.99	1.10	2.14	1.87	1.73	1.16	2.05	5.10	Year's Total. 24.34	
* Days with .01 in. or more.	17	5	19	14	8	8	11	17	14	14	16	26	169	
* Days with .04 in. or more.	12	2	15	12	5	7	6	11	11	8	9	24	122	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Borough & Water Engineer, Cheltenham.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

458331

Kept at Hewletts Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level 419 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04		03	03		02	03		30	03	05			1
2									01	23				2
3		09	03			17			23	29	27			3
4				16		15			01	93	05			4
5		24	18	04		31			15		02	01		5
6			01	37		54					06	05		6
7				38		19				18	14	09		7
8				23		03				13	23	05		8
9	02			67		19				74	62			9
10				15		01					02	01		10
11	32					10					31			11
12	01	03				14			04		04			12
13	09	12		26	20				03		05			13
14	02			08	10	17			09		65	15		14
15		02		81	13	07			42		20	15		15
16		02	06	20		15			30	07	85	08		16
17				11	03	14	08		03	10	35			17
18		01		20	07	04	04		13			02		18
19		01		07	26	22	24		07		14	01		19
20	03	38		11	17	09	07				68			20
21		40		08					89					21
22		07		06				20	39					22
23		04	04					13	07	62		05		23
24	11	33	04					11	25	04		26		24
25	10	12		22		25						09		25
26		20						15	06			68		26
27		29			06		01		04	01	13	1.33		27
28	01				03				13		01	04		28
29		X	03					10	06	05	09	28		29
30	07	X		10	01			58		48	42	14		30
31		X		X		X		11	X	42	X	27		31
TOTAL	.82	2.37	.42	4.33	1.06	2.98	.47	1.38	3.70	4.32	5.38	3.76	Year's Total 30.99	
* Days with .01 in. or more.	11	16	8	20	10	19	6	7	21	15	22	19	174	
* Days with .04 in. or more.	6	11	4	19	7	16	4	7	17	13	19	15	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) P.T.O.

Borough & Water Engineer.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

458331

Kept at Hewletts Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	04	05	16		34	27	08			07	03		1
2	04	02	07	01		46	47	01			16			2
3						45	07		61		03	04		3
4	01		15						26		05	15		4
5	40	01	09		14		07	03	16			06		5
6	01					10	16	06	10		25			6
7	02		05				52		02		19	09		7
8	23		09				05				74	05		8
9	70		12				55		08	02	01	01		9
10	02						28		01		02			10
11		03		04		09	17		04		34			11
12				14	12	35	22		34		04	18		12
13				03		10	05			07	04	1.11		13
14		01		15		01	46		26		01	1.03		14
15				01	16		03		05		03	16		15
16	14	13		15			04				26	02		16
17	14	76					07			06	07	16		17
18		03				12	19			05		10		18
19	54	13	02	08		15		03						19
20	01	15	02	07		1.09			70					20
21				58		13	05		07		01			21
22		73	04		08		25					17		22
23	07		15	07			12			03				23
24	08	09		02			04		48	26				24
25	03		20	40			29		26	13	04			25
26	04	07	12				13							26
27	14		04				01		14	05				27
28	33	02	27				06				02	07		28
29	04	16	03		03	29	06			02	07	20		29
30	02	✕			04	01	12			54				30
31	40	✕	19	✕		✕	05		✕	56	✕	19		31
TOTAL	3.43	2.38	1.70	1.91	.57	3.69	4.85	.21	3.58	1.79	2.45	3.82	Year's Total 30.38	✓
* Days with .01 in. or more.	22	15	17	14	6	14	28	5	16	11	20	18	186	✓
* Days with .04 in. or more.	14	9	14	10	5	12	26	2	14	8	13	15	142	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Borough & Water Engineer,
Cheltenham.

P.T.O.

458331

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Hewletts Reservoir, Cheltenham,

in the County of Gloucestershire,

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.02		.02					.02		.31	.44		1
2	.01	.10		.10					.06			.20		2
3		.25			.04		.02				.01	.05		3
4	.10	.19			.01							.26		4
5	.18		.12	.01										5
6		.13	.13	.09	.15		.09			.06	.01			6
7		.40	.01	.08										7
8		.12			.06						.25	.04 snow		8
9			.08	.08	.06		.06		.45			.16		9
10	.01		.41	.85		.11						.12		10
11			.15		.32	.01	.11					.05		11
12	.33	.26	.40		.14	.43		.08	.15			.27		12
13		.02	.48	.05		.08		.06	.04			.02		13
14		.04	.32	.16			.06	.15	.02		.01	.08		14
15	.21	.13		.26			2.28		.03			.23		15
16		.06	.56	.24		.01		.16	.13					16
17	.41	.03	.33	.02		.02			.31					17
18	.42	.09	.21	.18					.37		.22	.09		18
19	.12	.03	.13	.06	.05	.30	.01		.06	.02	.11			19
20	.42	.02	.01	.34	.36							.04		20
21	.20	.36	.13	.01	.02		.06					.06		21
22	.23	.02	.10		.21	.56	.21			.79	.42	.01		22
23	.25	.04	.06		.10					.53	.02			23
24	.33	.33	.02		.02				.05	.43		.01		24
25		.39			.05				.01	.39		.08		25
26		.28	.02		.70					.02		.03		26
27		.24		.23						.58				27
28		.07								.05		.07		28
29	.02	X				.04				.08	.04	.02		29
30	.26	X									.10	.01		30
31	.13	X		X		X			X	.14	X	.01		31
TOTAL	3.73	3.62	3.67	2.78	2.29	1.56	2.90	.45	1.70	3.09	1.50	2.35	Year's Total 29.64	✓ ✓
* Days with .01 in. or more.	18	24	19	17	15	9	9	4	13	11	11	23	173	✓ ✓
* Days with .04 in. or more.	15	18	15	13	12	6	7	4	9	9	7	16	151	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E.T.O.

Borough & Water Engineer, Cheltenham.

458331

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Hewletts Reservoir, Cheltenham,
in the County of Gloucestershire
Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 419 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.56	.90	.08		.15		.28		1
2	.04	.01	.06	.04	.02					.25	.06			2
3	.01				.11	.01				.60				3
4	.04			.01		.03	.30	.51		.47		.14		4
5							.37	.37	.09	.10	.01			5
6						.03	.20		.05	.08				6
7	.03						.55	.51	.21	.19		.06		7
8	.59						.05	.04		.31				8
9	.03	.06					.01	.07				.63		9
10	.17	.01				.15	.11	.13				.21		10
11	.16							.50			.29	.08		11
12	.17				.19					.34	.08			12
13	.02	.02						.01		.02	.31	.66		13
14	.54	.02			.02		.65		.05					14
15	.10				.02			.02			.02	.34		15
16	.37		.02					.02			.04	.06		16
17		.08					.01		.02	.12				17
18	.05				.02			.01	.84		.43			18
19								.02	.05		.21			19
20	.02								.02		.39			20
21								.03			.01	snow .18		21
22				.08		.03		.05			.26	snow .16		22
23				.02					.22		.01			23
24			.11		.12			.06	.11		.06			24
25	.08	.24	.03				.03			.15	.22	.20		25
26	.10	.33	.02		.03	.02			.09	.19		.25		26
27	.03	.01	.01	.02	.68	.20	.36	.06	.03	.05	.24			27
28	.16				.02	.09	.01	.53	.01		.08	.12		28
29	.11	X			.30				.01	.03	.11	.10		29
30	.04	✕							.92	.05	.32			30
31	.16	✕		✕	.15	✕			✕	.01	✕	.08		31
TOTAL	3.02	.78	.25	.17	1.68	1.12	3.55	3.02	2.72	3.11	3.15	3.55	Year's Total 26.12	
* Days with .01 in. or more.	22	9	6	5	12	9	13	18	15	17	19	16	161	
* Days with .04 in. or more.	16	4	2	2	6	4	9	12	10	14	15	16	110	

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

P.T.O.

458331

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Hewletts Reservoir, Cheltenham,

in the County of Gloucestershire.

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.02	.10	.27			.25	.07	.06		.03		1
2	.05		.01	.02				.69	.41		.04	.06		2
3	,08			.15				.18			.14	.22		3
4	.14		.35	.34	.05		.39	.57	.30	.24	.07	.13		4
5				.81	.17		.25			.19	.49	.23		5
6	.43			.07			1.61				.09			6
7	.02	.03					.01				.39	.31		7
8		.25	.42				.23	.15		.86	.29	.52		8
9	.02	.03						.07		.32	.02	.12		9
10	.27		.10			.19		.10	.01	.03	.02			10
11			.17							.06				11
12	.01	.03				.07			.01		.02			12
13				.03			.19		.11	.34				13
14	.43		.03		.23	.04	.05			.05	.13	.02		14
15	.61		.08	.03	.16	.43	.22			.22	.24			15
16	.15			.02	.12	.05	.07				.28			16
17	.35	.02	.01		.02	.06	.13			.21	.01			17
18	.27	.02	.07			.28	.32			.22	.35			18
19	.12						.18		.01		.			19
20	.23						.01							20
21	.08	.37	.21	.03		.06	.49	.11	.03					21
22	.35	.37	.03			.63	.12		.02	.02	.24			22
23	.25			.06		.06	.28			.03	.52			23
24	.18		.16	.07		.02	.04			.20				24
25	1.09	.05	.08	.04			.04			.10	.15	.04		25
26	.30	.01						.09			.48			26
27	.03	.08	.25	.06		.02	.11			.04	.03	.12		27
28		.11	.12	.06		.43	.18				.25	.09		28
29		✕		.52			.24			.18	.08			29
30		✕		.80		.11					.01	.10		30
31		✕		✕		✕	.04	.16	✕	.02	✕			31
TOTAL	5.48	1.37	2.11	3.21	1.02	2.45	5.20	2.37	.97	3.39	4.34	1.99	Year's Total 33.90	
* Days with .01 in. or more.	23	12	16	17	7	14	22	10	9	19	23	13	185	
* Days with .04 in. or more.	18	6	11	12	6	12	20	10	4	15	17	11	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

P.T.O.

458331

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Hewletts Reservoir, Cheltenham

in the County of Gloucestershire

Diameter of Funnel of Gauge Eight in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 419 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.03							.04			1
2		.03		.16			.01				1.01	.01		2
3		.16		.03			.01			.20	.75	.01		3
4		.08		.04						.08	.40	.04		4
5					.05		.05			.08	.73	.05		5
6	.11	.22								.14	.03	.05		6
7	.01	.45			.01		.06		.06					7
8	.02			.03			.19			.22	.12	.13		8
9							.86	.05	.02	.34	.21	.04		9
10			.01				.08			.19	.09	.09		10
11				.08			.11				.45	.08		11
12			.04				.07		.07		.01			12
13			.48								.33	.03		13
14			.03	.05	.59			.02	.11			.32		14
15			.03		.23	.01			.17	.15	.21			15
16		.07	.30	.08		.05	.17		.09	.18	.50	.06		16
17			.15							.48	.04			17
18	.06	.40	.52	.60				.03	.04		.06	.13		18
19		.12	.07	.15			.76		.05	.07	.15			19
20			.07	.02		.10	.01	.04			.03			20
21					.16	.20	.08	.02		.45	1.11			21
22		.04	.07	.05	.20	.02			.36					22
23		.32	.05	.10	.04				.07		.15	.06		23
24			.03				.11				.02			24
25														25
26	.95	.16	.03	.03	.07		.41							26
27	.70	.11	.01	.02	.03			.01				.01		27
28	.25	.08		.02				.03						28
29			.08	.22	.21	.03	.12					.22		29
30		X		.05	.03					.20		.01		30
31	.04	X	.02	X	.01	X			X	.61	X			31
													Year's Total	
TOTAL	2.14	2.24	1.99	1.76	1.63	.41	3.10	.20	1.04	3.39	6.44	1.34	25.68	
* Days with .01 in. or more.	8	13	17	18	12	6	16	7	10	14	21	17	159	
* Days with .04 in. or more.	6	12	10	11	8	3	13	2	9	14	17	12	117	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Borough & Water Engineer, Cheltenham.

768354/27 2176

Se

Fo

2176

CHELTENHAM SANDFORD MEAD

1931 - 40

780402

COPY FOR OFFICIAL USE.

FICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931 .

TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	04	—	11	02	—	—	—	25	02	—	—	1
2	08	01	—	68	19	—	—	—	50	02	05	12	2
3	01	—	—	02	—	—	—	08	58	—	1.69	09	3
4	—	—	01	10	03	—	28	29	04	—	04	—	4
5	—	01	—	10	01	1.10	—	02	17	—	—	31	5
6	—	10	—	10	—	11	03	—	02	23	12	07	6
7	—	—	—	—	—	07	18	40	—	06	16	02	7
8	—	02	—	08	01	28	03	56	—	—	03	—	8
9	04	25	snow 01	01	—	20	10	01	—	02	36	—	9
10	—	02	snow 01	—	—	02	—	29	05	—	08	—	10
11	19	23	—	—	—	03	10	02	19	—	44	02	11
12	—	—	—	—	—	—	96	08	17	08	—	—	12
13	—	—	01	—	01	—	—	44	—	01	—	—	13
14	—	08	—	—	05	1.80	71	12	04	—	09	—	14
15	—	04	—	08	20	—	09	34	05	—	—	03	15
16	—	snow 08	—	14	23	42	—	75	16	—	—	—	16
17	—	snow 32	—	17	33	—	19	10	03	—	03	—	17
18	04	snow 03	—	20	—	07	15	21	—	—	17	—	18
19	02	03	—	25	—	15	—	12	—	—	—	—	19
20	—	05	05	01	—	—	04	09	—	—	01	—	20
21	08	—	—	—	38	—	—	—	—	—	—	—	21
22	11	—	06	01	—	—	—	12	—	—	02	—	22
23	11	—	—	12	69	30	—	—	08	—	41	21	23
24	—	—	—	30	20	—	12	—	—	—	—	—	24
25	10	—	—	41	02	—	31	—	—	—	05	—	25
26	—	—	—	05	—	—	20	—	—	—	29	—	26
27	06	50	—	03	48	—	05	—	—	—	07	—	27
28	12	snow 26	—	03	08	—	—	—	—	07	—	06	28
29	04	×	—	—	25	—	18	—	—	17	05	—	29
30	—	×	—	—	—	—	—	—	—	—	—	snow 02	30
31	30	×	—	×	—	×	—	—	×	—	×	03	31
TOTAL	99 1.30	2.07	.15	3.00	3.18	4.55	3.72	4.04	2.33	.68	4.16	.98	YEAR'S TOTAL 30.16
*Days with ·01 in. or more.	14	17	6	21	17	12	17	18	14	9	19	11	175
*Days with ·04 in. or more.	12	11	2	15	11	10	15	15	12	5	15	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Pickering

Borough Engineer, Cheltenham.

P.T.O.

2176

Se [redacted] 768354/27 COPY FOR OFFICIAL USE.

FICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	04	–	11	02	–	–	–	25	02	–	–	1
2	08	01	–	68	19	–	–	–	50	02	05	12	2
3	01	–	–	02	–	–	–	08	58	–	1.69	09	3
4	–	–	01	10	03	–	28	29	04	–	04	–	4
5	–	01	–	10	01	1.10	–	02	17	–	–	31	5
6	–	10	–	10	–	11	03	–	02	23	12	07	6
7	–	–	–	–	–	07	18	40	–	06	16	02	7
8	–	02	–	08	01	28	03	56	–	–	03	–	8
9	04	25	snow 01	01	–	20	10	01	–	02	36	–	9
10	–	02	snow 01	–	–	02	–	29	05	–	08	–	10
11	19	23	–	–	–	03	10	02	19	–	44	02	11
12	–	–	–	–	–	–	96	08	17	08	–	–	12
13	–	–	01	–	01	–	–	44	–	01	–	–	13
14	–	08	–	–	05	1.80	71	12	04	–	09	–	14
15	–	04	–	08	20	–	09	34	05	–	–	03	15
16	–	snow 08	–	14	23	42	–	75	16	–	–	–	16
17	–	snow 32	–	17	33	–	19	10	03	–	03	–	17
18	04	snow 03	–	20	–	07	15	21	–	–	17	–	18
19	02	03	–	25	–	15	–	12	–	–	–	–	19
20	–	05	05	01	–	–	04	09	–	–	01	–	20
21	08	–	–	–	38	–	–	–	–	–	–	–	21
22	11	–	06	01	–	–	–	12	–	–	02	–	22
23	11	–	–	12	69	30	–	–	08	–	41	21	23
24	–	–	–	30	20	–	12	–	–	–	–	–	24
25	10	–	–	41	02	–	31	–	–	–	05	–	25
26	–	–	–	05	–	–	20	–	–	–	29	–	26
27	06	50	–	03	48	–	05	–	–	–	07	–	27
28	12	snow 26	–	03	08	–	–	–	–	07	–	06	28
29	04	×	–	–	25	–	18	–	–	17	05	–	29
30	–	×	–	–	–	–	–	–	–	–	–	snow 02	30
31	30	×	–	×	–	×	–	–	×	–	×	03	31
TOTAL	99 1.30	2.07	.15	3.00	3.18	4.55	3.72	4.04	2.33	.68	4.16	.98	YEAR'S TOTAL 30.16
*Days with ·01 in. or more.	14	17	6	21	17	12	17	18	14	9	19	11	175
*Days with ·04 in. or more.	12	11	2	15	11	10	15	15	12	5	15	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Pickering

Borough Engineer, Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sandford Mead Pumping Station.

in the County of Gloucestershire.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 210. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	01	-	-	81	-	-	11	03	24	-	-	1
2	-	-	-	09	11	-	-	-	26	01	-	07	2
3	-	-	-	27	04	-	-	-	-	01	-	-	3
4	-	-	-	10	-	-	-	-	-	-	37	-	4
5	31	-	01	-	02	-	-	-	09	-	-	-	5
6	59	-	-	06	-	-	-	-	31	-	-	-	6
7	05	-	20	03	05	-	-	-	18	60	-	-	7
8	-	-	13	03	-	-	-	-	38	60	-	-	8
9	46	snow 06	-	06	07	-	-	-	-	-	-	-	9
10	34	snow 06	-	31	03	-	-	-	05	17	-	-	10
11	-	-	-	09	02	-	08	-	01	-	-	-	11
12	33	-	-	01	20	-	-	-	07	17	02	-	12
13	02	01	-	13	02	-	44	-	-	-	-	04	13
14	24	-	-	01	-	-	-	25	-	02	06	-	14
15	-	-	-	05	67	-	01	-	-	06	03	-	15
16	29	-	-	33	-	-	02	-	-	-	-	-	16
17	-	-	-	01	-	-	-	-	-	04	-	-	17
18	-	-	-	-	12	-	-	-	23	-	10	-	18
19	-	-	-	15	04	-	-	-	02	09	-	-	19
20	-	-	-	09	1.17	-	03	10	-	65	10	32	20
21	-	-	06	22	77	-	-	1.18	-	32	07	08	21
22	-	-	14	03	-	-	12	-	68	14	08	01	22
23	-	07	-	-	55	-	02	-	04	21	03	07	23
24	-	01	-	-	-	-	08	-	06	01	-	-	24
25	-	01	-	-	-	-	10	-	04	30	03	-	25
26	-	-	09	08	09	-	06	-	02	02	-	-	26
27	-	-	31	14	41	-	04	-	-	18	02	-	27
28	-	-	01	05	40	01	15	-	-	-	-	-	28
29	-	-	40	20	20	14	01	05	11	24	-	08	29
30	-	×	-	14	-	1.21	28	19	39	-	71	25	30
31	-	×	16	×	-	×	15	-	×	-	×	25	31
TOTAL 99	2.68	.23	1.51	2.68	5.79	1.36	1.59	1.88	2.97	4.08	1.62	1.17	YEAR'S TOTAL 27.56
*Days with ·01 in. or more.	10	7	10	24	20	3	15	6	18	20	12	9	154
*Days with .04 in. or more.	9	3	8	18	16	2	10	6	14	15	7	8	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Borough Engineer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sandford Mead Pumping Station.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft 6 in.

" Ground " Sea Level 210 ft.

Decimal point omitted

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50	23	02	–	–	–	–	–	–	–	01	–		1
2	·45	–	35	–	14	–	–	01	–	–	05	–		2
3	–	11	17	–	05	–	–	–	–	–	01	–		3
4	14	–	–	–	17	–	–	–	–	–	–	–		4
5	01	–	36	–	04	–	–	–	–	–	02	–		5
6	–	31	01	–	25	–	–	–	–	20	–	–		6
7	02	02	02	–	02	–	–	–	–	25	–	–		7
8	01	–	04	–	08	04	25	–	–	05	–	–		8
9	–	–	–	–	03	–	13	–	–	20	04	–		9
10	06	07	–	–	–	–	06	–	–	1.53	18	–		10
11	15	–	–	–	14	–	02	05	–	–	–	–		11
12	02	–	–	–	03	02	17	–	70	–	–	snow 01		12
13	–	–	–	–	06	–	10	01	–	09	03	–		13
14	–	–	–	–	–	–	08	03	–	10	31	–		14
15	68	–	02	–	–	–	48	04	–	09	–	01		15
16	snow 07	–	48	–	–	04	04	02	01	–	03	02		16
17	snow 06	snow 07	26	–	01	06	–	01	01	–	–	–		17
18	snow 07	–	03	–	–	18	–	–	–	–	02	–		18
19	–	–	21	–	–	04	–	–	12	–	03	–		19
20	–	09	17	–	–	31	–	–	02	–	–	–		20
21	–	snow 01	–	–	–	02	–	07	–	–	–	–		21
22	–	–	–	–	03	20	–	09	03	30	–	–		22
23	–	snow 05	–	12	–	03	–	–	47	52	01	–		23
24	–	snow 1.38	–	06	02	45	–	–	14	05	01	05		24
25	–	snow 68	–	15	08	09	–	–	21	–	–	–		25
26	–	86	–	03	15	61	–	–	74	10	–	10		26
27	–	03	–	–	77	–	–	–	04	15	–	08		27
28	–	–	–	46	02	–	–	–	–	06	–	06		28
29	06	X	–	01	–	–	–	–	–	–	–	04		29
30	03	X	06	01	–	–	03	–	08	02	–	09		30
31	09	X	05	X	–	X	–	04	X	01	X	–		31
99 TOTAL	2.42	3.91	2.25	.84	2.09	2.09	1.36	.37	2.57	3.72	.75	.44	Year's Total 22.81	
*Days with ·01 in. or more.	16	13	15	7	18	13	10	10	12	16	13	9	152	
*Days with .04 in. or more.	11	10	10	4	11	10	8	5	8	14	4	6	101	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required

(*Signed*) Glenn la Marland P.T.O.

Borough & Water Engineer, Cheltenham.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft 6 in.

,, Ground ,, Sea Level 210 ft.

Decimal points omitted

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	-	-	37	10	-	02	30		1
2	.16	-	04	-	01	-	-	-	30	-	02	13		2
3	.01	06	-	-	-	-	-	-	-	06	-	16		3
4	.07	-	02	-	22	-	-	-	13	25	14	42		4
5	-	-	10	-	09	-		34	-	-	18	26		5
6	-	-	10	06	28	-		06	-	08	-	38		6
7	04	01	-	-	-	-		25	-	01	04	38		7
8	-	-	-	-	16	-		01	-	-	06	08		8
9	-	-	22	-	-	-		-	-	-	36	20		9
10	13	-	15	20	-	-		07	-	-	24	-		10
11	76	-	03	19	-	-	05	14	-	-	04	20		11
12	-	-	13	-	-	-	02	03	-	-	-	04		12
13	42	-	01	10	-	-	1.31	-	-	-	-	06		13
14	07	-	44	-	-	-	-	-	-	-	12	21		14
15	04	-	04	-	05	-	-	-	-	08	43	10		15
16	06	-	48	-	03	-	-	-	-	-	01	-		16
17	04	-	-	03	-	-	23	-	20	02	-	21		17
18	17	-	06	21	-	-	24	-	03	-	-	19		18
19	-	-	25	02	-	09	-	01	03	03	-	14		19
20	-	-	11	14	-	-	-	-	04	-	-	-		20
21	-	-	07	-	-	14	15	05	-	20	-	-		21
22	-	-	02	-	-	-	-	21	10	02	-	08		22
23	-	-	-	14	-	15	-	06	01	-	-	-		23
24	-	39	09	28	-	18	23	-	16	03	-	01		24
25	11	-	-	33	-	35	-	-	-	20	-	31		25
26	-	-	02	50	-	06	01	-	06	08	-	11		26
27	-	-	-	14	-	06	-	-	-	01	-	19		27
28	-	-	-	22	-	03	-	24	07	-	-	37		28
29	-	X	-	-	-	-	-	06	51	-	01	-		29
30	06	X	-	-	-	-	-	04	01	-	-	06		30
31	-	X	-	X	-	X	-	-	X	05	X	17		31
TOTAL 99	2.15	46	2.38	2.56	.84	1.06	224	1.94	1.75	1.12	1.67	4.76	Year's Total 22.93	
* Days with .01 in. or more.	15	3	19	14	7	8	8	15	14	14	13	25	155	
* Days with .04 in. or more.	13	2	14	12	5	7	6	12	10	8	9	24	122	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

Borough & Water Engineer Cheltenham

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft. 6 in.

,, Ground ,, Sea Level 210 ft.

Decimal points omitted

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	01	02	–	03	–	27	–	06	–		1
2	–	–	–	–	–	–	–	–	03	25	–	–		2
3	–	08	02	–	–	16	–	–	21	28	32	–		3
4	–	–	–	14	–	09	–	–	01	1.24	05	–		4
5	–	20	21	03	–	35	–	–	13	–	01	01		5
6	–	–	–	35	–	50	–	–	–	–	04	07		6
7	–	–	–	40	–	20	–	–	–	20	10	10		7
8	–	–	–	26	–	01	–	–	–	22	25	04		8
9	Snow ·01	–	–	63	–	16	–	–	–	73	60	–		9
10	–	–	–	14	–	–	–	–	–	–	06	–		10
11	29	–	–	–	–	10	–	–	–	–	33	–		11
12	02	01	–	–	–	17	–	–	02	–	05	–		12
13	10	11	–	26	18	–	–	–	01	–	02	–		13
14	–	–	–	04	03	17	–	–	07	–	70	15		14
15	–	01	–	79	14	09	–	–	44	–	16	17		15
16	–	01	06	22	–	12	–	–	30	06	88	06		16
17	–	–	–	08	–	12	08	–	03	–	30	–		17
18	–	–	–	20	09	03	06	–	15	06	–	Snow 01		18
19	–	–	–	11	26	22	23	–	07	10	10	Snow 03		19
20	02	31	–	22	12	06	05	–	–	–	70	–		20
21	–	37	–	11	–	–	–	–	1.08	05	–	–		21
22	–	07	–	03	–	–	–	20	35		–	–		22
23	–	03	02	–	–	–	–	14	07	67	–	Snow 16		23
24	12	32	02	–	–	–	–	11	25	06	–	Snow 20		24
25	Snow 10	12	–	20	–	22	–	–	–	–	–	10		25
26	–	18	–	–	–	–	–	10	05	–	–	71		26
27	–	24	–	–	05	–	–	–	03	–	12	1.28		27
28	–	–	–	–	02	–	–	–	14	–	–	05		28
29	–	✗	02	–	–	–	–	08	03	04	11	29		29
30	05	✗	–	08	01	–	–	56	–	48	40	15		30
31	–	✗	–	✗	–	✗	–	11	✗	40	✗	26		31
TOTAL 99	.73	2.06	.35	4.30	.92	2.77	.45	1.30	3.74	4.84	5.36	3.84	Year's Total 30.66	
Days with .01 in. or more.	9	14	6	20	10	17	5	7	21	15	21	18	163	
* Days with .04 in. or more.	5	10	2	17	6	15	4	7	14	15	19	15	129	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Borough & Water Engineer.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft. 4 in.

,, Ground ,, Sea Level 210 ft.

Decimal points omitted

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	03	05	15	–	20	40	06	–	–	10	03		1
2	·04	01	06	01	–	37	35	–	–	–	19	–		2
3	·02	–	–	–	–	29	10	–	59	–	07	04		3
4	–	–	18	–	–		–	–	24	–	06	15		4
5	35	–	07	–	13		13	04	11	–	–	08		5
6	01	–	–	–	–	08	11	04	08	–	21	03		6
7	02	–	05	–	–		36	–	02	–	21	07		7
8	22	–	08	–	–		03	–	–	–	68	05		8
9	63	–	11	–	–		58	–	08	01	01	–		9
10	03	–	–	–	–		33	01	–	–	02	–		10
11	–	snow 05	–	04	–	11	30	–	04	–	30	–		11
12	–	–	–	08	10	36	18	–	25	–	04	snow 17		12
13	–	–	–	01	–	10	01	01	–	05	05	1.05		13
14	–	–	–	27	–		52	–	21	–	–	1.05		14
15	–	01	–	01	25		02	–	11	–	04	13		15
16	snow 19	15	–	20	–		04	–	–	–	25	–		16
17	snow 14	75	–	–	–		18	–	–	05	08	16		17
18	–	02	–	–	–	10	15	–	–	05	–	05		18
19	37	14	01	12	–	12	–	03	–	–	–	–		19
20	–	15	01	04	–	1.47	–	–	71	–	–	–		20
21	–	–	–	46	–	16	01	–	05	–	–	–		21
22	03	67	07	01	08	–	25	–	–	–	–	15		22
23	04	–	15	06	–	–	12	–	–	02	–	–		23
24	07	07	–	02	–	–	02	–	58	29	–	–		24
25	02	01	17	38	–	–	33	–	36	12	02	–		25
26	06	07	12	–	–	–	14	–	–	–	–	–		26
27	10	–	04	–	–	–	02	–	16	05	–	–		27
28	32	03	27	–	–	–	–	–	–	–	–	05		28
29	05	20	02	–	–	50	09	–	–	02	05	20		29
30	03	✕	–	–	15	05	13	–	–	50	–	–		30
31	40	✕	21	✕	–	✕	05	–	✕	35	✕	15		31
TOTAL 99	3.19	2.36	1.67	1.86	.71	3.91	4.95	.19	3.59	1.51	2.38	3.61	Year's Total 29.93	✓
* Days with .01 in. or more.	22	15	17	15	5	13	27	6	15	11	17	17	180	✓
* Days with .04 in. or more.	15	9	14	10	5	13	21	3	14	8	14	15	141	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Borough & Water Engineer,
Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sandford Mead Pumping Station, Cheltenham.
in the County of Gloucestershire.
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground 2 ft. 4 in.
,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	–	–	.03	–	–	–	–	–	–	.26	.26		1
2	–	.10	–	.08	–	–	–	–	–	–	–	.18		2
3	–	.22	–	–	–	–	–	–	.04	–	–	.04		3
4	.09	.15	–	–	.01	–	–	–	–	–	–	.27		4
5	.16		.12	–	–	–	–	–	–	–	–	–		5
6	.05	.06	.16	.09	.11	–	.10	–	–	.06	–	snow .02		6
7	–	.52	–	.09	–	.01	–	–	–	–	–	–		7
8	–	.11	–	–	.04	–	–	–	–	–	.26	snow .03		8
9	–	–	snow .08	.06	.05	–	.04	–	.40	–	–	snow .18		9
10	–	–	snow .52	.64	–	.10	–	–	–	–	–	.13		10
11	–	–	.16	–	.30	.04	.11	–	–	–	–	.05		11
12	.32	.18	.42	–	.10	.28	–	.07	.12	–	–	.25		12
13	.01	.03	snow .30	.05	–	.14	–	.13	.04	–	–	–		13
14	–	.04	.46	.10	–	–	.06	.14	.01	–	–	.05		14
15	.18	.12	–	.26	–	–	1.84	–	.01	–	–	.22		15
16	–	.06	.50	.22	–	–	–	.12	.10	–	–	–		16
17	.39	.02	.38	–	–	.02	–	–	.33	–	–	–		17
18	.43	.09	.18	.11	–	.03	–	–	.30	–	.22	.07		18
19	.11	.03	.12	.05	.03	.17	.02	–	.04	–	.11	–		19
20	.40	.03	.01	.32	.26	–	–	–	–	–	–	.03		20
21	.21	.35	.14	–	.04	–	.06	–	–	–	–	.03		21
22	.20	–	snow .11	–	.18	.38	.20	–	–	.91	.40	–		22
23	.20	.03	snow .04	–	.06	–	–	–	–	.35	.03	–		23
24	.24	.26	.01	–	.03	–	.03	–	.07	.39	–	–		24
25	–	.34	–	–	.08	–	–	–	.01	.44	–	.04		25
26	–	.27	.02	–	.50	–	–	–	–	.06	–	.01		26
27	–	.19	–	.19	–	–	–	–	–	.40	–	–		27
28	–	.09	–	–	–	–	–	–	–	.05	–	.06		28
29	snow .03	×	–	–	–	–	–	–	–	.09	.04	.02		29
30	.24	×	–	–	–	–	–	–	–	–	.09	–		30
31	.12	×	–	×	–	×	–	–	×	.14	×	–		31
TOTAL 99	3.53	3.29	3.73	2.29	1.79	1.17	2.46	.46	1.47	2.89	1.41	1.94	Year's Total 26.43	✓
* Days with .01 in. or more.	18	22	18	14	14	9	9	4	12	10	8	19	157	✓
* Days with .04 in. or more.	16	17	15	13	11	6	7	4	9	10	7	13	128	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)
Borough & Water Engineer, Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Sandford Mead Pumping Station, Cheltenham.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft. 4 in.

,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
99	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. /	†	
1	-	.02	.04	-	-	.55	.61	.07	-	.25	-	.27		1
2	.03	.02	-	.04	.01	-	-	-	-	.15	-	-		2
3	.01	.01	-	-	.12	-	-	-	-	.54	.03	.12		3
4	.02	-	-	-	-	.02	.31	.43	-	.50	-	-		4
5	-	-	-	-	-	-	.17	.34	.05	.10	-	-		5
6	-	-	-	-	-	.02	.19	-	.11	.09	-	.06		6
7	.02	-	-	-	-	-	.59	.83	.31	.19	-	-		7
8	.59	-	-	-	-	-	.01	.03	-	.32	-	-		8
9	.05	.02	-	-	-	-	.03	.07	-	-	-	.65		9
10	.16	.02	-	-	-	.06	.07	.12	-	-	-	.17		10
11	.15	-	-	-	-	-	-	.36	-	-	.27	.09		11
12	.18	-	-	-	.16	-	-	-	-	.28	.10	-		12
13	.02	snow .03	-	-	-	-	-	-	-	.02	.27	.70		13
14	.44	snow .02	-	-	-	-	.64	-	.02	-	-	-		14
15	.09	snow .02	-	-	.04	-	-	-	-	-	.03	.29		15
16	.32	.01	.03	-	-	-	-	.01	-	-	.03	.07		16
17	-	.01	-	-	-	-	-	-	.04	.12	-	-		17
18	.04	.01	-	-	-	-	-	-	.54	-	.40	-		18
19	.01	-	-	-	-	-	-	.01	.02	-	.19	-		19
20	-	.02	-	-	-	-	-	-	.01	-	.32	-		20
21	-	-	-	-	-	-	-	.10	-	-	-	snow .30		21
22	-	-	-	.08	-	.01	-	.05	-	-	.23	snow .17		22
23	-	-	-	.02	-	-	-	-	.33	-	-	snow .04		23
24	.01	-	.09	-	.12	-	-	.06	-	-	.05	-		24
25	.05	.10	.05	-	.10	-	.02	-	.09	.13	.21	.20		25
26	.09	.17	.04	-	.03	.07	-	-	.11	.19	.26	.25		26
27	.02	.11	-	-	.74	.15	.37	.07	.02	.04	-	-		27
28	.07	.06	-	-	.01	.08	.01	.52	.02	-	.09	.09		28
29	.12	✕	-	-	.24	-	-	-	-	.03	.12	.10		29
30	.03	✕	-	-	.01	-	-	-	.88	.03	.31	-		30
31	.13	✕	-	✕	.14	✕	-	-	✕	.04	✕	.09		31
38 TOTAL	2.65	.65	.25	.14	1.72	.96	3.02	3.07	2.55	3.02	2.91	3.66	Year's Total 24.60	✓
* Days with .01 in. or more.	23	16	5	3	12	8	12	15	14	17	16	17	158	* ✓
* Days with .04 in. or more.	14	4	4	2	8	5	8	12	9	14	13	17	110	* ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Marland

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Sandford Mead Pumping Station Cheltenham.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft. 4 in.

,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	.02	.15	.24	-	-	-	.04	.06	-	-		1
2	.05	-	-	.01	-	-	-	.23	.34	-	.03	.08		2
3	snow .07	-	-	.16	-	-	-	.84	-	-	.09	.19		3
4	snow .10	-	.33	.36	.04	-	.61	.19	.31	.21	.06	snow .24		4
5	-	-	-	.74	.17	-	.18	.47	-	.26	.32	snow .14		5
6	.50	-	-	.05	.07	-	1.61	-	-	-	.16	-		6
7	.02	.01	-	-	-	-	.02	-	-	-	.38	.28		7
8	-	.26	.41	-	-	-	.21	.25	-	.69	.24	.43		8
9	.01	.01	-	-	-	-	-	.10	-	.29	.01	.09		9
10	.23	-	.09	-	-	.21	-	.10	-	.02	-	-		10
11	-	-	.15	-	-	-	-	-	-	.11	-	-		11
12	.01	.02	-	-	-	.06	-	-	-	-	.01	-		12
13	.02	-	-	.02	-	.01	.17	-	.16	.38	-	-		13
14	.43	-	.03	-	.17	.03	.12	-	-	.05	.10	.01		14
15	.78	-	.05	-	.17	.39	.41	-	-	.14	.23	-		15
16	.14	-	-	.03	.10	.06	.03	-	-	-	.24	-		16
17	.31	;02	-	-	-	.03	.12	-	-	.25	-	-		17
18	.23	.02	.05	-	-	.25	.32	-	-	-	.31	-		18
19	.13	-	-	-	-	-	.15	-	-	-	-	-		19
20	.22	-	-	-	-	-	-	-	-	-	-	.01		20
21	.08	.28	.23	.04	-	.07	.18	.05	.06	-	-			21
22	.35	.38	.03	-	-	.43	.04	-	.02	-	.19	-		22
23	.05	-	-	.05	-	.06	.28	-	-	.01	.50	-		23
24	snow .28	-	.02	.08	-	.02	-	-	-	.21	-	-		24
25	snow .87	.04	.06	.02	-	-	.04	-	-	.09	.13	-		25
26	snow .26	-	snow .01	-	-	-	-	.06	-	-	.47	.05		26
27	-	.08	.24	.04	-	.03	.11	-	-	.02	-	snow .05		27
28	-	.10	.12	.06	-	.44	.20	-	-	-	.24	.08		28
29	-	✕	-	.38	-	-	.27	-	-	.15	.07			29
30	-	✕	-	.72	-	.07	-	-	-	-	-	snow .09		30
31	-	✕	-	✕	-	✕	.04	.18	✕	.03	✕	-		31
99 TOTAL	5.18	1.22	1.84	2.91	.96	2.16	5.11	2.47	.93	2.97	3.78	1.74	Year's Total 31.27	
* Days with .01 in. or more.	23	11	15	16	7	15	20	10	6	17	19	13	172	
* Days with .04 in. or more.	19	6	10	12	7	10	18	10	5	13	16	11	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2176

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Sandford Mead Pumping Station, Cheltenham.

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 2 ft. 4 in.

" Ground " Sea Level 210 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	—	—		1
2	—	.03	—	.02	—	—	—	—	—	—	.04	—		2
3	—	.14	—	.13	—	—	.01	—	—	.22	.98	—		3
4	—	.07	—	.03	—	—	—	—	—	.08	.77	—		4
5	—	—	—	.03	.04	—	.05	—	—	.09	.41	.08		5
6	.09	.15	—	—	—	—	—	—	—	.14	.70	.04		6
7	—	.38	—	—	—	—	.07	—	.05	—	.02	—		7
8	—	—	—	—	—	—	.03	—	—	.18	—	.10		8
9	—	—	—	.03	—	—	.19	.04	—	.36	.09	.04		9
10	—	—	—	—	—	—	.81	—	—	.17	.16	.08		10
11	—	—	—	.07	—	—	.10	—	—	—	.09	.10		11
12	—	—	.04	—	—	—	.10	—	.04	—	.40	—		12
13	—	—	snow .49	—	—	—	.31	.01	—	—	—	—		13
14	—	—	.01	.05	.66	—	—	—	.09	.19	.18	.11		14
15	—	—	.05	—	.23	.02	—	—	.15	.09	—	—		15
16	—	snow .24	.25	.06	—	.05	.16	—	.08	.45	.12	.04		16
17	—	.02	.13	—	—	—	—	—	—	—	.44	—		17
18	snow .09	snow .36	.47	.47	—	—	.02	.03	.05	.07	.03	.08		18
19	—	.12	.06	.28	—	—	.71	—	.08	—	.06	.03		19
20	—	—	.05	.02	—	—	.02	—	—	.37	.10	—		20
21	—	—	—	—	.11	.12	.10	—	—	—	.01	—		21
22	—	.02	.07	.04	.19	.19	—	—	.39	—	1.03	—		22
23	—	.32	.05	.07	.04	.02	—	—	.08	—	—	.03		23
24	—	—	—	—	—	.02	.13	—	—	—	.13	.02		24
25	—	—	—	—	—	—	—	—	—	—	—	—		25
26	.84	.12	.01	.01	.09	—	.48	—	—	.01		—		26
27	.68	.10	—	.03	—	—	.02	.01	—	—	—	—		27
28	.42	.05	—	.06	—	—	—	—	—	—	—	—		28
29	—	—	.09	.20	—	.03	.01	—	—	—	—	.20		29
30	—	✕	—	.04	.04	—	—	—	—	.10	—	—		30
31	.05	✕	.02	✕	—	✕	—	—	✕	.40	✕	—		31
99 TOTAL	2.17	2.12	1.79	1.64	1.40	.45	3.32	.09	1.01	2.92	5.76	.95	Year's Total 23.62	✓
* Days with .01 in. or more.	6	14	14	18	8	7	18	4	9	15	19	13	145	✓
* Days with .04 in. or more.	6	11	11	11	8	3	12	1	9	14	16	10	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) S. Sandon Marsland [P.T.O.

Borough & Water Engineer, Cheltenham.

2177

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

ORGANIZATION.

Form 10

REGIST

Kept at Cheltenham

in the County of Glos.

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of th

ollowing

Jan. 1, following

2177

CHELTENHAM P.S.

1931 — 40

780402

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.				in.	in.	
1													1
2				·73					·53				2
3											1·59		3
4													4
5												·30	5
6										·23			6
7													7
8													8
9													9
10			·07										10
11													11
12							·67						12
13													13
14						1·32							14
15													15
16								·63					16
17													17
18													18
19													19
20													20
21													21
22													22
23					·74								23
24													24
25													25
26													26
27		·56											27
28													28
29													29
30		✕											30
31	·40	✕		✕		✕			✕		✕		31 YEAR'S TOTAL
TOTAL	1·56	2·39	0·37	3·25	3·39	4·19	3·73	3·96	2·33	0·74	4·07	1·05	31·03
*Days with ·01 in. or more.	16	19	10	20	18	13	18	18	15	9	19	13	188
*Days with ·04 in. or more.	12	13	5	18	11	10	17	15	12	5	15	8	141
40-9999	39·6	60·7	9·4	82·6	86·1	106·4	94·7	100·6	59·2	18·8	103·4	26·7	788/2

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

2177

Section **A** for the entry of FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1931.

Kept at Cheltenham A.P.

in the County of Glos.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 214 ft.

4-00

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·73					·53				2
3											1·59		3
4													4
5												·30	5
6										·23			6
7													7
8													8
9													9
10			·07										10
11													11
12							·67						12
13													13
14						1·32							14
15													15
16								·63					16
17													17
18													18
19													19
20													20
21													21
22													22
23					·74								23
24													24
25													25
26													26
27		·56											27
28													28
29													29
30		X											30
31	·40	X		X		X			X		X		31
TOTAL	1·56	2·39	0·37	3·25	3·39	4·19	3·73	3·96	2·33	0·74	4·07	1·05	YEAR'S TOTAL 31·03
*Days with ·01 in. or more.	16	19	10	20	18	13	18	18	15	9	19	13	188
*Days with ·04 in. or more.	12	13	5	18	11	10	17	15	12	5	15	8	141
40-9999	39·6	60·7	9·4	82·6	86·1	106·4	94·7	100·6	59·2	18·8	103·4	26·7	78·8

(*Signed*).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

2177

Section | **A** | **for the entry of Daily Observations.**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at Cheltenham HF

in the County of Glos.

400 162

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 214 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6	.57												6
7										.75			7
8													8
9													9
10		.09		.32									10
11													11
12													12
13							.48						13
14													14
15													15
16													16
17													17
18													18
19													19
20												.28	20
21					1.20			1.00					21
22									.76				22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X				1.15					.69		30
31		X		X		X			X		X		31
													YEAR'S TOTAL
TOTAL	2.80 ✓	0.30 ✓	1.64 ✓	2.66 ✓	6.04	1.30 ✓	1.65 ✓	1.78 ✓	3.04 ✓	4.33 ✓	1.74 ✓	1.13 ✓	28.41
*Days with ·01 in. or more.	12	8	10	25	22	3	15	7	19	20	13	10	164
*Days with ·04 in. or more.	9	3	8	19	16	2	10	6	13	14	7	8	118
40-9999	71.1	7.6	41.7	67.6	153.4	33.0	41.9	45.2	77.2	110.0	144.2	28.7	721.6

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

2177

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1933.

Kept at Cheltenham A.P.

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 214 ft.

400

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										1·40	·18		10
11													11
12													12
13													13
14													14
15	·61						·76						15
16			·46										16
17													17
18													18
19													19
20													20
21								·10					21
22													22
23													23
24		1·41											24
25													25
26						·59			·81				26
27					·75							·10	27
28				·50									28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·39	3·97	2·21	0·90	2·12	2·14	1·66	0·39	2·73	3·57	0·73	0·45	YEAR'S TOTAL 23·28 6
*Days with ·01 in. or more.	16	14	14	7	18	15	11	~~9~~ 10	12	16	13	9	15~~4~~ 5
*Days with ·04 in. or more.	11	10	9	5	11	10	7	4.	8	13	3	6	97
40-9999	60·7	100·8	56·1	22·9	53·8	54·4	42·2	9·9	69·3	90·7	18·5	11·4	

(Signed)

*See Instruction 2 (*f*) on other side.

[P.T.O.

2177

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Cheltenham A.P.

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 214 ft.

400

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4										·27			4
5								·31					5
6					·30								6
7												·38	7
8													8
9													9
10													10
11	·81												11
12													12
13							1·28						13
14													14
15											·43		15
16			·57										16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24		·37											24
25						·30							25
26				·47									26
27													27
28													28
29									·50				29
30		×											30
31		×		×		×			×		×		31
											18·54		YEAR'S TOTAL
TOTAL	1·95	0·43	2·47	2·54	0·94	0·97	2·17	2·08	1·98	1·21	1·80	4·87	23·41
*Days with ·01 in. or more.	15	3	18	14	11	8	8	17	14	15	16	26	165
*Days with ·04 in. or more.	11	2	13	~~12~~ 13	5	7.	7	12	~~10~~ 11	9	9	23	122
40-9999	49·5	10·9	62·7	64·5	23·9	24·6	55·1	52·8	50·3	30·7	45·7	123·7	

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cheltenham A.P.

in the County of Gloucester.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 214 ft.

24
400

162
T.C.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4										[illegible]			4
5			·26										5
6						·49							6
7													7
8													8
9													9
10													10
11	·33												11
12													12
13													13
14													14
15				·77									15
16											·92		16
17													17
18													18
19					·28		0.19						19
20													20
21		·38							0.88				21
22													22
23													23
24													24
25													25
26													26
27												1·33	27
28													28
29													29
30		×						·47					30
31		×		×		×			×		×		31
TOTAL	·89	225	0·48	4·52	1·12	3·05	0.40	1·26	3·72	4·84	5·48	4·08	YEAR'S TOTAL 32·08 9
*Days with ·01 in. or more.	10 1	14	9	20	12	18	5	8	23	16	24	22	181 2
*Days with ·04 in. or more.	6	10	2	18	9	16	4	7	16	15	18	17	138

40-9999 231

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

2177

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 163

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cheltenham (A.P.)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 214 ft.

400 T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0·06						1
2														2
3														3
4														4
5														5
6														6
7														7
8											·66			8
9	0·67						0·52							9
10														10
11														11
12														12
13												1·08		13
14														14
15					0·18									15
16														16
17		0·75												17
18														18
19														19
20						1·35			0·68					20
21				0·47										21
22														22
23														23
24														24
25														25
26														26
27														27
28			0·25											28
29														29
30		×								0·46				30
31		×	0·25	×		×			×		×			31
TOTAL	3·49	2·36	1·86	2·01	0·74	3·77	5·04	0·20	3·28	1·53	2·34	3·58	Year's Total. 30·20	
* Days with .01 in. or more.	22	17	18	16	7	15	28	6	16	15	18	18	196	
* Days with .04 in. or more.	18	10	15	10	6	12	24	3	12	8	14	16	148	

40-9999

† Spare column, no entries required. 59/4

* See Instruction 2 (f) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Cheltenham (A.P) (Montpelier Gds)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 214 ft.

TL 40062

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1												·24		1
2														2
3														3
4														4
5														5
6														6
7		·55												7
8														8
9									·43					9
10				·66										10
11														11
12														12
13			·54					·23						13
14														14
15							1·77							15
16														16
17														17
18	·39													18
19														19
20														20
21														21
22						·40				·87	·40			22
23														23
24														24
25														25
26					·54									26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·33	3·36	3·78	2·26	1·82	1·23	2·40	·65	1·59	2·83	1·41	1·80	Year's Total 26·46	✓ ✓
*Days with ·01 in. or more.	17	24	19	15	15	10	11	4	12	10	8	19	164	✓ ✓
*Days with .04 in. or more.	17	18	16	13	11	6	8	4	8	9	6	12	128	✓ ✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

T.L.

400

Kept at Cheltenham (A.P.) (Montpelier Gdns)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 214 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.52								1
2														2
3										·46				3
4														4
5														5
6														6
7								·74						7
8	·57													8
9														9
10														10
11														11
12														12
13												·62		13
14							·62							14
15														15
16														16
17														17
18											·35			18
19														19
20														20
21														21
22				·08										22
23														23
24			·09											24
25														25
26		·32												26
27					·72									27
28														28
29														29
30									·94					30
31														31
TOTAL	2·71	·77	·20	·13	1·63	·99	2·65	3·57	2·58	2·73	2·69	3·12	Year's Total 23·77	
* Days with .01 in. or more.	21	9	7	4	12	12	13	17	12	18	16	16	157	
* Days with .04 in. or more.	15	4	2	1	7	4	7	11	9	13	15	15	103	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1110

COPY FOR OFFICIAL USE ~~102~~

Section A for the entry of Daily Observations

Station No. 2177

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

T.L.

400

Kept at Cheltenham (A.P. Montpellier Gdns.)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 214 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									·33					2
3								1·10						3
4														4
5				·71										5
6							1·58							6
7												·28		7
8			·41							·74				8
9														9
10														10
11														11
12														12
13														13
14					22									14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22		·35				·39								22
23											·50			23
24														24
25	·97													25
26														26
27														27
28														28
29														29
30														30
31														31
TOTAL	4·88	1·12	1·63	2·83	·85	1·82	4·96	2·60	·81	2·69	3·68	1·70	Year's Total 29·57	✓
* Days with .01 in. or more.	23	11	13	16	7	13	19	11	6	17	18	13	167	✓
* Days with .04 in. or more.	18	6	9	12	6	10	17	10	5	14	16	11	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE 162

Section A for the entry of Daily Observations **Station No.** 2177 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

400

Kept at Cheltenham (A. P. Montpellier Gdns.)

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 214 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7		.37												7
8														8
9								.05						9
10							.77							10
11														11
12														12
13			.42											13
14					.70							.23		14
15														15
16														16
17														17
18				.45										18
19														19
20														20
21						.15					1.03			21
22						.15			.38					22
23														23
24														24
25														25
26	1.10 ~~.70~~													26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕	.49	✕			31
TOTAL	2.54 ~~1.84~~	1.93	1.69	1.75	1.47	.41	3.08	.10	1.03	2.92	5.66	.92	Year's Total 23.50	
* Days with .01 in. or more.	8	13	15	20	9	5	16	4	9	15	19	13	146	
* Days with .04 in. or more.	6	11	13	11	7	4	11	1	8	14	16	10	112	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

CHE

Section **A** for the entry of

AIR MINISTR

tion No. 2177/5

ORGANIZATION

FORM 1090

REGIS

Kept at ......CHELTENHAM

in the County of ......GLOUCES.

Diameter of Funnel of Gauge......

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASURE

An observer who does not conform t

year in the space on the right of thi

Ple

24.5.40.

tured 28.5.40.

rby stns.

DAY

llowing

Jan. 1, following

2177/5

CHELTENHAM

PORTLAND STREET

1939-40

780402

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	✓	0.01	0.09	0.11	✓	✓	Trace	0.04	0.04	Trace	0.02		1
2	0.06	✓	Trace	0.02	Trace	✓	Trace	0.26	0.30	✓	0.04	0.07		2
3	0.06	✓	Trace	0.15	✓	✓	✓	1.15	✓	✓	0.10	0.39		3
4	0.10	✓	0.23	0.40	0.05	✓	0.62	0.20	0.19	0.19	0.06	0.30		4
5	✓	✓	Trace	0.79	0.13	✓	0.20	0.39	✓	0.24	0.49 ~~0.06~~	0.21		5
6	0.41	✓	✓	0.04	✓	✓	1.63	✓	✓	✓	0.17	0.02		6
7	0.02	0.01	✓	✓	✓	✓	Trace	✓	✓	✓	0.32	0.32		7
8	0.01	0.25	0.44	✓	✓	✓	0.16	0.09	✓	0.74	0.27	0.47		8
9	Trace	0.02	Trace	✓	Trace	✓	✓	0.11	✓	0.32	0.03	0.08		9
10	0.09	Trace	0.06	✓	✓	0.21	✓	0.16	0.01	0.02	0.02	Trace		10
11	✓	Trace	0.18	✓	✓	✓	✓	✓	✓	0.06	0.01	✓		11
12	✓	Trace	Trace	✓	✓	0.05	✓	✓	✓	✓	Trace	✓		12
13	✓	✓	Trace	0.01	✓	Trace	0.15	✓	0.16	0.19	✓	✓		13
14	0.40	✓	0.05	✓	0.24	0.05	0.07	✓	✓	0.06	0.11	0.06		14
15	0.81	✓	0.06	Trace	0.20	0.39	0.28	✓	0.01	0.08	0.23	✓		15
16	0.09	Trace	Trace	0.05	0.10	0.03	Trace	✓	✓	✓	0.33 ~~0.56~~	✓		16
17	0.26	0.01	Trace	Trace	0.01	0.03	0.19	✓	✓	0.10	0.06	✓		17
18	0.24	0.03	0.06	✓	✓	0.26	0.10	✓	Trace	0.15	0.29	Trace		18
19	0.10	✓	✓	✓	✓	✓	0.31	✓	0.01	✓	Trace	✓		19
20	0.17	✓	Trace	✓	✓	✓	0.01	✓	✓	✓	✓	0.02		20
21	0.09	0.26	0.24	0.04	✓	0.04	0.29	0.08	0.02	✓	✓	✓		21
22	0.35	0.29	0.06	Trace	✓	0.45	0.04	✓	0.09	0.01	0.13	Trace		22
23	0.04	✓	Trace	0.07	✓	0.05	0.30	✓	Trace	0.04	0.41	✓		23
24	0.25	✓	Trace	0.07	✓	✓	Trace	✓	✓	0.22	✓	✓		24
25	0.99	0.04	0.04	0.03	✓	Trace	0.05	✓	✓	0.03	0.17	✓		25
26	0.27	0.01	Trace	✓	✓	✓	✓	0.06	✓	0.08	0.53 ~~0.70~~	0.08		26
27	0.01	0.06	0.22	0.03	✓	0.02	0.21	0.01	✓	0.23	0.04	0.05		27
28	✓	0.07	0.14	0.09	✓	0.36	0.21	✓	✓	Trace	0.30	0.06		28
29	✓	✕	0.03	0.45	✓	✓	0.40	✓	✓	0.16	0.11	✓		29
30	✓	✕	✓	0.71	✓	0.02	✓	0.09	✓	Trace	Trace	0.06		30
31	✓	✕	✓	✕	✓	✕	0.02	0.04	✕	0.04	✕	✓		31
TOTAL	4.83	1.05	1.82	3.04	0.84	1.96	5.24	2.64	0.83	3.00	4.22 ~~4.79~~	2.21	Year's Total 31.68 ~~32.25~~	
* Days with .01 in. or more.	22	11	14	16	7	13	19	12	9	20	22	15	180	
* Days with .04 in. or more.	18	6	12	12	6	9	16	11	5	17	19	12	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. K. FLOWER Esq (Signed) ....K. Flower.... [P.T.O.

CHE

Section **A** for the entry of Daily Observations — Station No. 2177/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CHELTENHAM (PORTLAND STREET)

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 204 ft.

Maps Sent 24.5.40. returned 28.5.40.

f A 200373/40

Nos. 5, 16, 26 est'd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.01	✓	0.01	0.09	0.11	✓	✓	Trace	0.04	0.04	Trace	0.02		1
2	0.06	✓	Trace	0.02	Trace	✓	Trace	0.26	0.30	✓	0.04	0.07		2
3	0.06	✓	Trace	0.15	✓	✓	✓	1.15	✓	✓	0.10	0.39		3
4	0.10	✓	0.23	0.40	0.05	✓	0.62	0.20	0.19	0.19	0.06	0.30		4
5	✓	✓	Trace	0.79	0.13	✓	0.20	0.39	✓	0.24	0.49 ~~0.06~~	0.21		5
6	0.41	✓	✓	0.04	✓	✓	1.63	✓	✓	✓	0.17	0.02		6
7	0.02	0.01	✓	✓	✓	✓	Trace	✓	✓	✓	0.32	0.32		7
8	0.01	0.25	0.44	✓	✓	✓	0.16	0.09	✓	0.74	0.27	0.47		8
9	Trace	0.02	Trace	✓	Trace	✓	✓	0.11	✓	0.32	0.03	0.08		9
10	0.09	Trace	0.06	✓	✓	0.21	✓	0.16	0.01	0.02	0.02	Trace		10
11	✓	Trace	0.18	✓	✓	✓	✓	✓	✓	0.06	0.01	✓		11
12	✓	Trace	Trace	✓	✓	0.05	✓	✓	✓	✓	Trace	✓		12
13	✓	✓	Trace	0.01	✓	Trace	0.15	✓	0.16	0.19	✓	✓		13
14	0.40	✓	0.05	✓	0.24	0.05	0.07	✓	✓	0.06	0.11	0.06		14
15	0.81	✓	0.06	Trace	0.20	0.39	0.28	✓	0.01	0.08	0.23	✓		15
16	0.09	Trace	Trace	0.05	0.10	0.03	Trace	✓	✓	✓	0.33 ~~0.56~~	✓		16
17	0.26	0.01	Trace	Trace	0.01	0.03	0.19	✓	✓	0.10	0.06	✓		17
18	0.24	0.03	0.06	✓	✓	0.26	0.10	✓	Trace	0.15	0.29	Trace		18
19	0.10	✓	✓	✓	✓	✓	0.31	✓	0.01	✓	Trace	✓		19
20	0.17	✓	Trace	✓	✓	✓	0.01	✓	✓	✓	✓	0.02		20
21	0.09	0.26	0.24	0.04	✓	0.04	0.29	0.08	0.02	✓	✓	✓		21
22	0.35	0.29	0.06	Trace	✓	0.45	0.04	✓	0.09	0.01	0.13	Trace		22
23	0.04	✓	Trace	0.07	✓	0.05	0.30	✓	Trace	0.04	0.41	✓		23
24	0.25	✓	Trace	0.07	✓	✓	Trace	✓	✓	0.22	✓	✓		24
25	0.99	0.04	0.04	0.03	✓	Trace	0.05	✓	✓	0.03	0.17	✓		25
26	0.27	0.01	Trace	✓	✓	✓	✓	0.06	✓	0.08	0.53 ~~0.70~~	0.08		26
27	0.01	0.06	0.22	0.03	✓	0.02	0.21	0.01	✓	0.23	0.04	0.05		27
28	✓	0.07	0.14	0.09	✓	0.36	0.21	✓	✓	Trace	0.30	0.06		28
29	✓	✕	0.03	0.45	✓	✓	0.40	✓	✓	0.16	0.11	✓		29
30	✓	✕	✓	0.71	✓	0.02	✓	0.09	✓	Trace	Trace	0.06		30
31	✓	✕	✓	✕	✓	✕	0.02	0.04	✕	0.04	✕	✓		31
TOTAL	4.83	1.05	1.82	3.04	0.84	1.96	5.24	2.64	0.83	3.00	4.22 ~~4.79~~	2.21	Year's Total 31.68 ~~32.25~~	
* Days with .01 in. or more.	22	11	14	16	7	13	19	12	9	20	22	15	180	
* Days with .04 in. or more.	18	6	12	12.	6.	9.	16	11	5	17	19.	12	143	

* See Instruction 3 (f) on other side.

K. FLOWER Esq

† Spare column, no entries required.

(Signed) K. Flower

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2177 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40.

Kept ~~at~~ CHELTENHAM (PORTLAND ST.)

in the County of GLOUCESTERSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 205 ft.

accidentally omitted in 1939 - Insert 1940.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	✓	✓	✓	0·03	Trace	✓	✓	✓	✓	✓	0·04	0·01		1
2	✓	0·02	✓	0·26	✓	✓	Trace	✓	✓	✓	1·00	Trace		2
3	✓	0·10	✓	0·03	✓	✓	Trace	✓	✓	0·19.	0·75	0·01		3
4	✓	0·08	✓	0·04	✓	✓	Trace	✓	✓	0·11	0·54	0·04		4
5	✓	Trace	✓	✓	Trace	✓	0·04	✓	✓	0·06	0·78	0·05		5
6	0·05	0·16	✓	✓	0·05	✓	✓	✓	✓	0·13	0·11	0·05		6
7	0·01	0·35	✓	0·01	✓	✓	0·05	✓	0·03	✓	✓	0·01		7
8	✓	Trace	✓	0·02	✓	✓	0·02.	✓	✓	0·13	0·03	0·08		8
9	✓	✓	✓	0·03	✓	✓	0·15	0·04	✓	0·31	0·18	0·04		9
10	✓	✓	0·01	✓	✓	✓	0·76	✓	✓	0·20	0·06	0·07		10
11	✓	Trace	0·01	0·01	✓	✓	0·10	✓	✓	✓	0·32	0·09		11
12	✓	Trace	0·05	0·01	✓	✓	0·10	✓	0·03	Trace	0·01	✓		12
13	✓	0·01	0·14	✓	✓	✓	0·08	✓	Trace	✓	0·14	0·04		13
14	✓	Trace	0·19	0·05	0·56	✓	✓ ~~0·28~~	Trace	0·09.	0·18	✓	0·18		14
15	✓	✓	0·05	0·01	0·27.	0·01	Trace	✓	0·02	0·06	0·12	Trace		15
16	0·04	0·43	0·38	0·04	✓	0·04	0·17 ~~Trace~~	✓	0·17.	0·38	0·36	0·04		16
17	Trace	Trace	0·21	0·01	✓	✓	Trace	✓	0·03.	✓	Trace	✓		17
18	0·10	0·40	0·54	0·37	✓	✓	0·02	0·02	0·03	0·04	0·08	Trace		18
19	✓	0·12	0·25	0·22	✓	✓	0·60	✓	0·09.	✓	0·08	0·03		19
20	✓	0·01	0·17	0·01	✓	Trace	0·02	0·01	✓	0·30	0·05	✓		20
21	✓	Trace	Trace	Trace	0·15	0·06	0·06	Trace	✓	0·01	1·01	✓		21
22	✓	0·02	0·08	0·03	0·20	0·20	0·02	✓	0·38	✓	✓	✓		22
23	✓	0·28	0·05	0·06	0·03	0·02	✓	✓	0·07	Trace	0·08	0·03		23
24	✓	Trace	Trace	✓	✓	✓	0·12	✓	✓	Trace	✓	0·02		24
25	0·01	✓	Trace	Trace	✓	Trace	✓	✓	✓	Trace	✓	✓		25
26	0·55	0·12	0·02	0·02	0·08.	✓	0·40	✓	✓	0·01	✓	✓		26
27	0·61	0·35	0·33	0·05	0·08	✓	0·04	✓	✓	Trace	✓	0·01		27
28	0·32	0·07	✓	0·08	0·01	✓	Trace	✓	✓	✓	✓	Trace		28
29	Trace	Trace	0·07	0·18	✓	0·03	0·01	✓	✓	Trace	✓	0·18		29
30	Trace	✗	Trace	0·05	0·05	✓	Trace	✓	✓	0·17	✓	Trace		30
31	0·06.	✗	0·02	✗	Trace	✗	✓	✓	✗	0·49.	✗	Trace		31
TOTAL	1·75	2·56	2·68	1·61	1·48	0·36	2·96	0·07	0·94	2·77	5·74	0·98	Year's Total 23·90	
* Days with .01 in. or more.	9	15	17	23	10	6	18	3	10	16	19	18	164	
* Days with .04 in. or more.	7	11	12.	11	8.	3	13.	1	5.	14.	17.	11	113.	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) K Flower

[P.T.O.

K. FLOWER, ESQ.

2178

Section **A** for the entry o

AIR MINISTE

FORM 1090.

REGIS

Kept at 2 Suffolk Squa

in the County of Glouces

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

—

2178

CHELTENHAM
2, SUFFOLK SQUARE
1931–35

780402

COPY FOR OFFICIAL USE.

L ORGANIZATION.

in his 82nd year

e.

y surrounding stations

uch

where necessary

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	✗	—	12	2		—	—	24	1	—	—	1
2	6	✓	—	55	17		—	—	50	1	2	12	2
3	2	- (·05)	—	2	—		—	2	34	—	1·32	6	3
4	—		2	7	3		27	34	4	—	—	—	4
5	—	✓	—	10	2	✗	—	1	17	—	—	27	5
6	—	11	—	10	Trace	✗	14	—	2	22	11	10	6
7	—	—	—	—	—	✓	15	45	—	5	15	1	7
8		2	Trace	7	3	✗	3	50	—	—	3	—	8
9	✗	19	2	1	—	✗	10	7	—	—	31	—	9
10		2	1	—	—	✓	—	21	·6	1	6	—	10
11	✗	20	—	—	—	✓	8	2	19	—	41	2	11
12	✓	1	—	—	—	Not at Home	80	8	14	10	Trace	—	12
13		—	1	—	1		—	39	—	—	—	—	13
14		6	—	—	5	✗	66	13	4	—	10	—	14
15		3	—	7	16		10	31	11	—	—	3	15
16		5	—	9	29	✗	—	55	16	—	—	—	16
17	✓	30	—	18	30	✗	17	10	2	Trace	2	—	17
18	✗	3	1	16	—	✗	14	20	—	—	13	—	18
19	✓	3	—	21	—	✗	2	9	—	—	—	—	19
20	Not at Home	5	5	Trace	—	(3·75)	5	8	—	—	1	—	20
21	✗	—	—	—	35	—	—	—	—	—	1	—	21
22	✗	~~4~~	4	2	—	—	—	11	—	—	—	—	22
23	✗	—	—	8	66	30	—	—	8	—	34	16	23
24		—	—	26	19	—	12	—	—	—	—	—	24
25	✗	—	—	2	2	—	33	—	—	—	4	—	25
26		~~Trace~~	—	4	—	—	17	—	—	—	28	—	26
27	✗	~~54~~	—	2	✗	—	4	—	—	—	6	—	27
28	✗	~~20~~	—	2	✗ Not at Home	—	—	—	—	9	—	5	28
29	✓	—	1	—	✗	—	17	—	—	14	4	1	29
30		✕	—	—		—	—	Trace	1	—	—	2	30
31	✗ (1·25)	✕	—	✕	✓ (·75)	✕	—	—	✕	—	✕	2	31
TOTAL	(1·33)	(1·89)	17	2·21	(3·05)	(4·05)	3·54	3·66	2·12	·63	3·44	87	YEAR'S TOTAL (26·96)
*Days with ·01 in. or more.	(16)	(18)	8	20	(18)	(13)	18	18	15	8	18	12	(182)
*Days with ·04 in. or more.	(11)	(12)	2	14	(11)	(10)	16	15	12	5	14	6	(128)

40-9999

(Signed) H. J. Williamson

*See Instruction 2 (*f*) on other side.

P.T.O.

2178

Section **A** for the entry of Daily COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 2 Suffolk Square Cheltenham

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 227 ft.

Observer says he is in his 82nd year + manages well, retire.

Periods shewn below estimated by surrounding stations

Observer ~~informed~~ not informed 24/2/32. as he has given up observing & is 82 years old.

Post where necessary

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	✗	—	12	2		—	—	24	1	—	—	1
2	6	✓	—	55	17		—	—	50	1	2	12	2
3	2	-(·05)	—	2	—		—	2	34	—	1·32	6	3
4	—		2	7	3		27	34	4	—	—	—	4
5	—	✓	—	10	2	✗	—	1	17	—	—	27	5
6	—	11	—	10	Trace	✗	14	—	2	22	11	10	6
7	—	—	—	—	—	✓ Home	15	45	—	5	15	1	7
8		2	Trace	7	3	✗	3	50	—	—	3	—	8
9	✗	19	2	1	—	✗	10	7	—	—	31	—	9
10		2	1	—	—	✓	—	21	·6	1	6	—	10
11	✗	20	—	—	—	✓	8	2	19	—	41	2	11
12	✓	1	—	—	—	at	80	8	14	10	Trace	—	12
13		—	1	—	1		—	39	—	—	—	—	13
14		6	—	—	5	✗	66	13	4	—	10	—	14
15		3	—	7	16		10	31	11	—	—	3	15
16	Home	5	—	9	29	✗ Not	—	55	16	—	—	—	16
17	✓	30	—	18	30	✗	17	10	2	Trace	2	—	17
18	✗	3	1	16	—	✗	14	20	—	—	13	—	18
19	✓	3	—	21	—	✗	2	9	—	—	—	—	19
20		5	5	Trace	—	-(3·75)	5	8	—	—	1	—	20
21	✗ at	—	—	—	35	—	—	—	—	—	1	—	21
22	✗	~~4~~	4	2	—	—	—	11	—	—	—	—	22
23	✗	—	—	8	66	30	—	—	8	—	34	16	23
24	Not	—	—	26	19	—	12	—	—	—	—	—	24
25	✗	—	—	2	2	—	33	—	—	—	4	—	25
26		~~Trace~~	—	4	—	—	17	—	—	—	28	—	26
27	✗	~~54~~	—	2	✗	—	4	—	—	—	6	—	27
28	✗	~~20~~	—	2	✗ Home	—	—	—	—	9	—	5	28
29	✓	—	1	—	✗	—	17	—	—	14	4	1	29
30		✕	—	—	at	—	—	Trace	1	—	—	2	30
31	✗ (1·25)	✕	—	✕	✓ Not (·75)	✕	—	—	✕	—	✕	2	31
TOTAL	(1·33)	(1·89)	17	2·21	(3·05)	(4·05)	3·54	3·66	2·12	·63	3·44	87	YEAR'S TOTAL (26·96)
*Days with ·01 in. or more.	(16)	(18)	8	20	(18)	(13)	18	18	15	8	18	12	(182)
*Days with ·04 in. or more.	(11)	(12)	2	14	(11)	(10)	16	15	12	5	14	6	(128)

40-9999

(Signed) H. T. Williamson

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 2178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 2 Suffolk Square Cheltenham
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ...... in.
,, Ground ,, Sea Level 227 ft.

Year of low
✓
no results
notify — observer
82 – J.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	Trace	—	1	85	—	—	10	3	29	—	—	1
2	—	—	—	10	11	—	—	—	20	1	—	5	2
3	—	1	—	26	4	—	—	—	1	2	—	—	3
4	—	—	—	11	—	—	1	—	—	—	38	—	4
5	24	—	2	—	1	—	—	—	8	—	1	—	5
6	44	—	—	5	—	—	Trace	—	25	—	—	—	6
7	5	—	18	3	8	—	—	—	12	63	—	—	7
8	—	—	12	2	9	—	—	—	25	50	—	—	8
9	35	6	—	3	—	—	—	—	—	Trace	—	—	9
10	27	7	—	30	2	1	—	—	—	15	—	—	10
11	—	Trace	—	6	2	—	8	—	5	—	—	—	11
12	26	—	—	1	19	—	—	—	6	14	1	—	12
13	1	1	—	9	2	—	49	1	—	—	—	4	13
14	19	—	—	2	—	—	—	28	—	—	6	—	14
15	—	—	—	4	60	—	1	—	—	5	2	—	15
16	21	—	—	29	2	—	Trace	—	—	—	—	—	16
17	—	—	—	2	—	—	1	—	—	—	—	—	17
18	—	—	—	—	10	—	—	—	25	—	11	—	18
19	—	—	—	13	4	—	—	—	3	8	—	—	19
20	—	—	—	8	1·18	—	2	9	—	63	9	25	20
21	—	—	7	15	65	—	—	53	—	29	5	5	21
22	—	—	13	2	Trace	—	13	—	65	13	7	—	22
23	—	9	—	—	60	—	2	卌 |	4	19	3	6	23
24	1	1	—	—	Trace	—	7	卌 |	4	2	—	—	24
25	—	1	—	—	—	—	10	—	2	21	—	—	25
26	—	—	9	8	9	—	4	—	2	2	—	—	26
27	—	—	16	10	44	1	2	—	—	15	2	—	27
28	—	—	2	4	38	2	13	—	—	—	—	—	28
29	—	—	35	19	19	12	Trace	8	11	20	—	8	29
30	—	×	—	12	—	81	19	18	40	—	·62	24	30
31	—	×	18	×	Trace	×	35	—	×	—	×	21	31
TOTAL	2·06	26	1·32	2.35	5·72	97	1·67	1·29	2·61	3.71	1·47	·98	YEAR'S TOTAL 24·41
*Days with ·01 in. or more.	11	7	10	25	21	5	15	9	18	18	12	8	159.
*Days with .04 in. or more.	8	3	8	17	16	2-	9	6	13	14	7	8	111

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) H. T. Williamson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2175

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. Glos/3

Kept at ~~Suffolk S (...) Cheltenham~~

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 227 ft.

NB 42175·9 Estimate missing period from surrounding stations & inform observer of our estimate.

July & part August estimated by surrounding stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	46	20	2	—	—	—			—	—	—	—	1
2	35	—	35	—	14	—			—	—	3	—	2
3	—	10	9	—	4	—			—	—	—	—	3
4	11	—	—	—	17	—			—	—	—	—	4
5	—	—	30	—	1	—			—	—	3	—	5
6	—	30	—	—	25	—			—	24	—	—	6
7	2	1	5	—	2	—			—	22	—	1	7
8	—	—	3	—	7	3	✓		—	5	—	—	8
9	—	—	—	—	2	—	✓		—	16	4	—	9
10	9	6	—	—	—	—	✓		—	1·52	19	—	10
11	11	—	—	—	16	—	✓	✓	—	—	—	—	11
12	1	—	—	—	4	1	✓		66	7	—	—	12
13	—	—	—	—	7	Trace	✓		—	Trace	3	—	13
14	—	—	—	—	—	—	✓	✓	—	5	29	—	14
15	57	—	2	—	—	10	✓	✓	—	9	—	4	15
16	5	—	42	—	—	2	✓	✓	1	—	2	—	16
17	6	8	26	—	3	5	✓	✓	—	—	—	—	17
18	5	—	3	—	—	10			—	—	3	—	18
19	—	—	30	—	—	2		(+·20)	5	—	4	—	19
20	—	8	11	—	—	23		2	3	—	—	—	20
21	—	—	—	—	—	—		8	1	Trace	—	—	21
22	—	—	—	23	2	24		8	3	29	—	—	22
23	—	55	—	24	—	8		—	50	59	1	—	23
24	—	55	—	5	2	45		—	19	3	—	—	24
25	—	56	—	13	7	14		—	17	—	—	6	25
26	—	50	—	6	16	68		—	20	15	Trace	—	26
27	—	5	—	—	24	—		—	4	9	—	12	27
28	—	—	—	47	3	—		—	—	5	—	4	28
29	8	—	—	1	—	—		—	—	—	—	5	29
30	3	×	6	1	—	Trace	✓	—	9	1	—	7	30
31	7	×	5	×	—	×		4	×	—	×	—	31 Part of
TOTAL	2·$\overset{0}{\cancel{8}}$6	3·04	2·09	1·20	2·06	2·10	(1·50)	~~2·2~~ (42)	2·48	3·61	·71	·39	YEAR'S TOTAL (21·66)
*Days with ·01 in. or more.	14	12	14	8	18	13	11 (11)	~~4~~ (9)	12	15	10	7	(143)
*Days with ·04 in. or more.	11	11	10	6	11	8	(8)	~~3~~ (4)	7	13	4	6	(99)

40-9999

*See Instruction 2 (*f*) on other side.

D XREV PREL H. T. WILLIAMSON X

(Signed) H. T. Williamson.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 2. Suffolk Square

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 227 ft.

~~Observer says he is afraid returns not fully filled in Est. May & June~~

No appreciable rain fell during Observer's absence in May & June.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	10	—	—	—	—		—	31	5	—	3	25		1
2	—	—	5	—	1		2	—	22	—	2	14		2
3	7	5	—	—	—		—	—	—	6	—	14		3
4	5	—	2	—	19		—	—	20	17	13	35		4
5	—	—	9	—	7		—	30	—	—	17	25		5
6	—	~~3~~	10	6	24		—	4	—	6	—	32		6
7	3	—	—	—	—		—	25	—	1	3	31		7
8	—	—	—	—	13		—	1	—	—	6	33		8
9	—	—	19	—	—		—	—	—	—	33	23		9
10	10	—	14	20	—		—	5	—	—	33	—		10
11	64	—	4	16	—		2	14	—	—	3	18		11
12	—	—	11	—	1		3	2	—	—	—	3		12
13	34	—	1	8	—		1·02	—	—	—	—	7		13
14	5	—	36	—	—		—	—	—	—	11	18		14
15	3	—	3	—	6		—	—	1	9	41	10		15
16	—	—	38	—	1		~~14~~	1	—	—	—	—		16
17	2	—	1	6	—		14	—	17	2	—	16		17
18	13	—	7	16	—		15	1	5	—	—	15		18
19	—	—	25	1	1		—	—	1	3	—	12		19
20	—	—	15	13	—		—	—	3	—	—	—		20
21	—	—	3	—	—	Came back	22	5	—	15	—	—		21
22	—	—	2	—	2	15	—	23	9	2	—	9		22
23	—	—	1	12	—	—	—	6	2	—	—	—		23
24	—	37	8	30	—	13	23	—	15	3	—	—		24
25	8	—	—	39		20	—	—	—	15	—	28		25
26	—	—	3	43		36	1	—	5	4	—	8		26
27	1	—	—	15		4	—	—	—	1	—	17		27
28	—	—	—	20	Off Home	5	—	18	6	—	—	32		28
29	—	—	—	—		4	—	5	48	—	—	—		29
30	4	×	—	—		—	—	2	1	—	—	5		30
31	—	×	—	×		×	—	—	×	5	×	17		31
TOTAL	169	·42	·217	2·45	·75	·91	187	173	160	89	165	447	Year's Total. 20·60	
* Days with .01 in. or more.	14	2	21	14	10	7	8	16	15	14	11	24	156	
* Days with .04 in. or more.	10	2	13	13	5	7	6	11	10	8	7	24	116	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) H. T. Williamson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2178

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 2 Suffolk Square Cheltenham

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 227 ft.

[illegible] June & July computed [illegible]
12-3

~~June~~ & July

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	1	3	4	2	✓ .02	—	22	2	5	1		1
2	—	—	—	—	—	2		—	8	20	1	—		2
3	—	9	2	2	—	16		—	20	30	30	—		3
4	—	—	—	14	—	5		—	3	96	4	—		4
5	—	17	25	4	—	35		—	13	1	2	1		5
6	—	Trace	1	36	—	40		—	—	—	5	8		6
7	—	—	—	40	—	16		—	—	17	10	10		7
8	—	—	—	26	—	Trace		1	—	25	25	5		8
9	—	1	—	52	—	15		—	—	59	45	1		9
10	—	—	—	13	—	—		—	—	—	2	1		10
11	25	—	—	—	—	8		—	—	—	28	—		11
12	—	—	—	—	—	20		—	3	—	6	—		12
13	9	10	—	21	21	—		—	1	—	3	—		13
14	—	—	—	3	4	16	absent	—	10	—	70	12		14
15	—	1	—	73	15	11		—	35	—	6	28		15
16	—	—	8	23	—	12		1	25	9	87	8		16
17	—	—	—	8	—	12	+	—	2	—	21	5		17
18	—	—	—	20	8		+	—	11	5	1	3		18
19	—	—	—	11	25	+	+ .45	—	8	10	28	—		19
20	Trace	25	—	18	14	+ .30	+	—	1	—	63	—		20
21	—	30	—	3	—		✓ 1	—	78	4	2	—		21
22	—	7	—	2	—		—	20	36	—	—	—		22
23	—	1	3	—	—		—	15	5	56	1	50	—	23
24	12	27	4	—	—		—	12	25	6	—	10	50	24
25	7	12	—	21	—	(.30)	—	Trace	1	1	—	25	10	25
26	—	—	—	—	~~4~~	absent	—	10	5	—	—	1.12	75	26
27	—	20	—	—	4		—	—	2	—	10	5	1.12	27
28	—	—	—	—	~~[illegible]~~		—	—	15	1	2	25	5	28
29	—		3	—	—		—	9	3	4	10	1	25	29
30	6	×	—	10	1		—	50	—	37	36		17	30
31	—	×	—	×	1	×	—	10	×	39	×		21	31
TOTAL	59	160	47	4.03	98	270	(.48)	128	332	4.22	503	398	Year's Total. (28.68)	
* Days with .01 in. or more.	5	12	8	21	11	17	(6)	9	23	19	26	20	(177)	
* Days with .04 in. or more.	5	9	3	16	8	15	(4)	7	14	15	18.	15	(129)	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. T. Williamson [P.T.O.

2178/5
PRESTBURY
DELHOME
1933 — 40

780402

Section **A** for the entry o
AIR MINISTE

Station No. 2178/5
LL ORGANIZATION.

FORM 1090.

REGIS

3. Glos/3

Kept at X(Delhome.)
in the County of Gl
Charlton Kings
2174.

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform t
year in the space on the right of t
following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											2		1
2								1			5		2
3											1		3
4													4
5											4		5
6										21	1		6
7										20		2	7
8							23			7			8
9							13			16	5		9
10							4			1-38	15		10
11							2	5		4			11
12							19		47				12
13							9	2		8	6		13
14							6	4		12	28		14
15							50	4		7			15
16							16	3	1	3	5	6	16
17								2	1				17
18											2		18
19									13		9		19
20						35			1		1	1	20
21						4		7	3	1	1		21
22						18		7	3	31			22
23						4			54	48	2		23
24						31			16	3	1		24
25						8			22			7	25
26						56			40	14		3	26
27									5	R.L.S. 15		17	27
28										5		10	28
29										9		4	29
30		×					3		7	1		7	30
31		×		×		×		3	×	2	×		31
TOTAL						[illegible] ~~1-56~~	1-45.	·38.	2.13.	3-65	·88	·57	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.						~~7~~	10	9	13	20	16	9	=
*Days with ·04 in. or more.						~~7~~	8	5	8	15	8	6	–

40-9999
*See Instruction 2 (*f*) on other side, N (*Signed*) Evelyn M. Heberden P.T.O.

XMISS. E. M. HEBERDEN. X

Section **A** **for the entry** Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Glos/3

Kept at ~~(Delhome.)~~ Prestbury

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 300 ft.

g previously at Charlton Kings the Grange No 2174.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											2		1
2								1			5		2
3											1		3
4													4
5											4		5
6										21	1		6
7										20		2	7
8							23			7			8
9							13			16	5		9
10							4			1-38	15		10
11							2	5		4			11
12							19		47				12
13							9	2		8	6		13
14							6	4		12	28		14
15							50	4		7			15
16							16	3	1	3	5	6	16
17								2	1				17
18											2		18
19									13		9		19
20						35			1		1	1	20
21						4		7	3	1	1		21
22						18		7	3	31			22
23						4			54	48	2		23
24						31			16	3	1		24
25						8			22			7	25
26						56			40	14		3	26
27									5	R.L.S. 15		17	27
28										5		10	28
29										9		4	29
30		×					3		7	1		7	30
31		×		×		×		3	×	2	×		31
TOTAL						incomp. ~~1·56~~	1-45	·38	2·13	3-65	·88	·57	YEAR'S TOTAL incomp.
*Days with ·01 in. or more.						~~7~~	10	9	13	20	16	9	=
*Days with .04 in. or more.						~~7~~	8	5	8	15	8	6	—

40-9999

*See Instruction 2 (*f*) on other side,

N

(*Signed*) Evelyn M. Heberden

MISS. E. M. HEBERDEN.

P.T.O.

236042/33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

VI/Glos/3

Kept at (Delhorne) - Prestbury
in the County of Glos.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 300 ft.

Cwp 1933
Excellent agreement with [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	6							35	4		5	28		1
2	11		6		1				26		2	16		2
3	1	8								5		12		3
4	7		3		20				18	22	21	34		4
5			5		9			31			26	24		5
6			11	5	27			2		8		36		6
7	7	2						23		3	5	34		7
8					24			1			7	7		8
9		1	28								42	15		9
10	14		14	21				11			24	1		10
11	64		12	20			10	24			5	20		11
12		1	17				4	5				4		12
13	37			10			73	2				6		13
14	7		37								20	20		14
15	6		3		8				2	11	55	12		15
16	7		31		9			1						16
17	2			3	1		24		17	4	1	17		17
18	13			15			85		3			14		18
19			28	5	2	4		1	4	4		14		19
20	1		15	16		1	1		1		1			20
21			8			15	18	6		15				21
22			1		1			25	13	4		9		22
23		1		16		17		7	2		2	1		23
24		36	11	20		23	12		18	3		2		24
25	12			35		28				16		25		25
26	1		3	63		7	1		10	8		8		26
27				13						4		17		27
28				10		20		21	8		2	33		28
29							5	20	50		2	1		29
30	6	×							1			5		30
31		×		×		×			×	7	×	16		31
TOTAL	2.02.	·49.	2.33.	2.52	1.02	1.15.	2.33.	2.15.	1.77.	1.14.	2.20	4.31.	Year's Total 23.43.	
*Days with ·01 in. or more.	17	6	17	14	10	8	10	16	15	14	16	28	171	
*Days with ·04 in. or more.	13	2	13	13	6	7	8	11	10	12	10	24	129	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ~~Evelyn M. Heberden~~ [P.T.O.

Miss E. M. Heberden

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Delhome - Prestbury

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	3		3	3	4	1	2		30	2	6	1		1
2									10	18	1			2
3		9	3			18			17	30	29			3
4				16		13			1	88	5			4
5		20	21	5		38			15	1	2	2		5
6				34		40					6	6		6
7				44		19				15	15	8		7
8				22		2				24	24	5		8
9	3	3		50		16				64	55	1		9
10				21							4			10
11	25					8					32	1		11
12	S. 3	2				19			4		7			12
13	10	12		19	21				5		3			13
14				5	10	15			15	1	60	12		14
15		4		76	16	6			52		13	17		15
16		3	8	24		3	1		23	10	98	9		16
17				12	2	14	9		2		39			17
18				21	9	3	11		12	8		S. 2		18
19				5	47	23	18		8	10	17	S. 1		19
20	4	32		10	13	9	7		1		65	S. 1		20
21	1	36		8					83	6	1			21
22		R. & S. 5		4				19	41					22
23	2		5					15	8	63		S. 14		23
24	12	25	4					11	37	5	1	S. R. 17		24
25	11	R. & S. 12		22		26						9		25
26		S. & R. 21						14	6			70		26
27		24			6				3	1	13	1.22		27
28	S. 1				4				15			5		28
29			3					16	4	2	11	27		29
30	8	×		10	6			46	1	53	30	13		30
31		×		×		×		7	×	42	×	23		31
TOTAL	•.83	2.08	•.47	4.11	1.38	2.73	•.48	1.28	3.93	4.43	5.37	3.66	Year's Total. 30.75	
* Days with .01 in. or more.	12	14	7	20	11	18	6	7	23	19	24	22	183	
* Days with .04 in. or more.	6	11	4	19	10	14	4	7	18	14	19	15	141	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Evelyn M. Heberden

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Delhorne Prestbury

in the County of Glos.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	3	4	5	17		17	35	5			9	3		1
2	3	s. 1	11	2		46	50	2			20			2
3						42	15	1	50		3	5		3
4	1	1	17						20		5	19		4
5	32	4			15		12	6	15			6		5
6	1		1		1	14	12	4	8		23	5		6
7	4		4				43		2		22	8		7
8	16		9				4				64	6		8
9	66		13				56		14	2		1		9
10	2						26							10
11		s. 7		R.&S. 6		13	19		5		29			11
12				S.&R. 10	8	30	27		26		6	s. 20		12
13				3		12	2	1		7	5	84		13
14		1		22		2	50		14		1	98		14
15				2	22		12		5		4	11		15
16	s. 19	14		23			4				24	2		16
17	s. 15	69		2			9			8	9	14		17
18		4				9	13			6	1	6		18
19	50	12	2	10		13		4						19
20		16	3	8		88			55					20
21				R.&S. 59		16	13		5		1			21
22	s. 4	91	5		9		23					17		22
23	5	1	18	6			9			4		2		23
24	8	11		2			2		51	31	1			24
25	3	1	20	42			1-07		67	14	3			25
26	8	6	12	1			13				1			26
27	9		3				1		12	8				27
28	39	4	24				1				1	7		28
29	4	R.&S. 19	1		1	16	11			3	7	19		29
30	3	✕			8	3	13			57				30
31	37	✕	26	✕	2	✕	4		✕	45	✕	18		31
TOTAL	3-31.	2.66.	1-74.	2.15.	•66.	3-21.	5.86.	•23.	3-49.	1-85.	2-39.	3.51.	Year's Total 31.06	✓
* Days with .01 in. or more.	22	18	17	16	8	14	28	7	15	11	21	20	197	✓
* Days with .04 in. or more.	15	13	12	10	5	12	24	4	14	9	13	16	147	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Evelyn M. Heberden [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Delhome - Prestbury

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	15	2	1	3					2		29	35		1
2	1	10		13							1	21		2
3		21			3		2		8		1	5		3
4	13	12			2							23		4
5	19	1	R. & S. 14	1			1							5
6	7	8	19	10	16		10			10		S. 4		6
7		75	1 S.	4		1								7
8		19			7		4		1		24	S. 5		8
9			S. 10	7	6		3		48			S. & R. 19		9
10	1	1	S. & R. 65	73	6	12						9		10
11			17		34	1	12				1	4		11
12	25	25	29		16	50		13	14			21		12
13	1	3	S. 45	8		17		7	8			1		13
14	1	5	S. & R. 39	10			4	18	1		1	5		14
15	15	11	1	23			2-12		3			R. & S. 19		15
16		6	52	23		2		9	12					16
17	42	3	38	2		2			32					17
18	36	11	16	17		9	1		30	1	23	10		18
19	14	1	9	6	4	22	2		7	2	11	1		19
20	43	5	1	38	34							2		20
21	19	35	16	1	5		8				1	5		21
22	20	1	S. 13		16	55	24			95	37			22
23	25	8	S. 6		10		1			51	1	1		23
24	29	32	2		3		2		7	40	1	1		24
25	1	39			8				1	41		6		25
26		25	S. 4		66					2		3		26
27	1	R. & S. 22		22						61				27
28		S. 13								5		10		28
29	S. 5					6				10	3	1		29
30	25	✕									9	1		30
31	15	✕		✕		✕			✕	14	✕	2		31
TOTAL	3.73.	3.94.	3.98.	2.61.	2.36.	1.77.	2.86.	•47.	1.74.	3.32.	1.43.	2.18	Year's Total 30.39	✓ ✓
* Days with .01 in. or more.	23	26	21	17	16	11	14	4	14	12	14	25	197	✓ ✓
* Days with .04 in. or more.	17	19	16	13	13	7	7	4	9	9	6	16	136	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. M. Heberden

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Delhome Prestbury
in the County of Glos.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			1			51	66	11		15		22		1
2	6			6	4					25	7	1		2
3	1	1			9	1				49				3
4	2			1		3	28	47		42		12		4
5							27	33	8	7	1			5
6	1	1				3	19		9	7				6
7	2						58	50	35	16		7		7
8	47					1	3	2		30				8
9	R.&S. 7	5					2	27				62		9
10	S.&R. 15	2				3	10	14				19		10
11	18						1	65			25	9		11
12	15				14		1			32	10			12
13	2	S. 3						2		3	25	55		13
14	40	S. 2			2		66		6			1		14
15	9				2			1			2	28		15
16	45		1					1			5	4		16
17		R.&S. 9						1	4	12				17
18	5				2	1			61		42			18
19								4	5		17			19
20	1								1		31	S. 1		20
21	3							3			3	S. 13		21
22				10		3		4			19	S. 23		22
23				3					22		1	S. 5		23
24			15		15			6	11		7	S.&R 18		24
25	9	22	4		9		4			15	20			25
26	10	30	3		2	3			14	20		25		26
27	4	1			63	21	32	8	3	4	26			27
28	17	1			2	8	2	50	2		11	12		28
29	10			1	22				2	2	8	12		29
30	5	✕			2	1			93	5	31			30
31	12	✕		✕	13	✕			✕	5	✕	8		31
													Year's Total	
TOTAL	2.86.	•77.	•24.	•21.	1-61.	•99.	3-19.	3-24.	2-76.	2-89.	2-91.	3-37	25.09.	✓
* Days with .01 in. or more.	24	11	5	5	14	12	14	18	15	17	19	20	174	✓
* Days with .04 in. or more.	17	4	2	2	8	3	9	12	11	15	15	17	115	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Evelyn M. Heberden P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Delhome - Prestbury

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4		2	11	15				6	7				1
2	9		1	4	1			27	38		4	9		2
3	S. & R 8			15				90			14	20		3
4	S. 29		30	42	4		38	22	66	25	5	R & S. 22		4
5			1	70	18		22	45		18	47	S. & R. 12		5
6	35			11			1-47				14	1		6
7	1	3					4				43	30		7
8		26	38				21	8		80	23	41		8
9	2	2	1					13		29	1	10		9
10	27		8			20		14	2	4	1			10
11		1	18							11				11
12	2	2				5			1		1			12
13	S. 1			2	1	3	17		10	32				13
14	37		2		23	4	8			7	10	3		14
15	74		8		20	38	22			22	12			15
16	12		1	4	13	5	8				27			16
17	27	2		4	3	4	19			40	2			17
18	22	3	7			27	16			4	35			18
19	12						31		2					19
20	20						11					4		20
21	10	21	24	5		8	8	11	10					21
22	33	37	5			37	32		3	1	27			22
23	5			8		6	5				46			23
24	S 30		R & S. 25	10		2				22	1	1		24
25	S 1-12	8	S. & R. 9	3			4			11	16			25
26	S. & R. 33	1	S. 1	1				6			45	9		26
27	2	5	26	6		3	12	2		5	3	S. 8		27
28	1	13	14	9		32	25				23	S. 8		28
29				67			26			20	8	S. 9		29
30		✕		63		6								30
31		✕		✕		✕	4	13	✕	2	✕			31
TOTAL	5-48.	1-24.	2-21.	3-35.	·98.	2-00.	4-80.	2-51.	1-38	3-40.	4-08	1-87	Year's Total 33-30.	
* Days with .01 in. or more.	25	13	19	18	9	15	21	11	9	18	23	15	196	
* Days with .04 in. or more.	19	6	12	15	6	13	21	10	5	16	17	12	152	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. M. Heberden

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2178/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Delhorne - Prestbury - Cheltenham

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

" Ground " Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				3							5			1
2		3		32			2				86			2
3		14		4			1			21	71	1		3
4		9		4			NOT measured daily			11	38	5		4
5					9					9	69	4		5
6	8	21								15	5	6		6
7		40		1	2									7
8				2			17		6	20	11	14		8
9				2		1	17	4	1	36	20	1		9
10							82	2		17	8	13		10
11			2	7			15				35	8		11
12			4				11		4	1	1	2		12
13			R. & S. 55				32	1	2		31	2		13
14			S. 3		65				12	16		25		14
15			2	S. & R. 6	25	2			19	13	20			15
16		S. 27	26	S. 10		7	18		7	43	48	6		16
17			22				1				5	2		17
18	S. 8	39	34	54			2	4	7	8	7	11		18
19		14	9	22			62				10	4		19
20			5	1			2	5		45	1			20
21					19	15	11	2			92			21
22		3	8	4	22	16			37					22
23		27	5	11	5	3			5		10	7		23
24				75			16				1	2		24
25														25
26	85	13	3	4	13		76							26
27	69	10	S. 1	6			1					1		27
28	S. 37	8		2	1							1		28
29			6	18	25	4	2					24		29
30		✕	1	5	3			2		19	1			30
31	4	✕	3	✕		✕			✕	55	✕			31
TOTAL	2.11.	2.28.	1.89.	2.73.	1.89.	·48.	3.68.	·20.	1.00.	3.29.	5.75.	1.39.	Year's Total 26.69	
* Days with .01 in. or more.	6	13	17	21	11	7	20 ~~18~~	7	10	15	22	20	16~~7~~ 9	
* Days with .04 in. or more.	6	11	10	15	8	4	12 ~~11~~	3	8	14	18	12	12~~0~~ 1	

† Spare column, no entries required.

(*Signed*) Evelyn M. Heberden

* See Instruction 3 (f) on other side.

P.T.O.

2179

Section **A** for the entry o

AIR MINISTR

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGIS

1.

—

2179

SWINDON VILLAGE

BROOKVILLE

1931 — 36

7R0402

Kept at Brookville Sw

in the County of Glo

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

Y.

An observer who does not conform t

following

year in the space on the right of t

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1		·04		·20	·03		·01		·30	·02			1
2	·07	·01		·78	·19				·54	·01	·03	·10	2
3				·02			·01		·65		1·53	·09	3
4			·01	·10	·03		·34	·27	·03		·03		4
5		·01		·10	·06	1·30		·01	·16			·30	5
6		·12		·10		·15	·14		·16	·24	·12	·12	6
7						·03	·07	·47		·11	·11	·01	7
8		·04		·07	·01	·15	·04	·59			·03		8
9	·08	·21	·01	·02		·13	·09			·01	·28		9
10		·02	·01		·01	·03	·02	·19	·06		·08	·01	10
11	·22	·31				·02		·02	·10		·58	·02	11
12	·03	·01					·73	·09	·28	·07			12
13			·01		·02		·03	·09	·01	·01			13
14		·09			·03	1·09	·71	·38	·03		·08		14
15		·05		·05	·15		·11	·29	·07			·03	15
16		·05		·10	·43	·49	·01	·22	·16				16
17	·03	·20		·20	·28	·05	·16	·05	·06	·01	·04		17
18	·04	·02	·02	·14		·10	·09	·26			·12		18
19	·02	·05		·14		·15	·03	·06					19
20		·05	·07				·06	·09			·02		20
21	·10				·40						·02		21
22	·11		·21					·14		·01	·01		22
23	·13			·05	·63	·22		·06	·08		·37	·19	23
24		·01		·15	·35		·08						24
25	·08			·48	·02		·28				·02		25
26		·01		·06			·16				·36		26
27	·06	·65		·02	·36		·04				·03		27
28	·10	·26		·02	·22					·08		·09	28
29	·03		·01		·21		·22			·20	·05	·01	29
30		×						·01	·01			·02	30
31	·19	×		×	·01	×			×		×	·05	31
TOTAL	1·29	2·21	·35	2·80	3·44	3·91	3·43	3·29	2·70	·77	3·91	1·04	YEAR'S TOTAL 29·14
*Days with ·01 in. or more.	15	20	8	19	19	13	22	18	16	11	20	13	194
*Days with ·04 in. or more.	11	13	2	15	11	10	16	15	12	5	12	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) James C. M. Stanton

P.T.O.

2179

Section **A** **for the entry** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Brookville Swindon Village

in the County of Gloucester

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04		·20	·03		·01		·30	·02			1
2	·07	·01		·78	·19				·54	·01	·03	·10	2
3				·02			·01		·65		1·53	·09	3
4			·01	·10	·03		·34	·27	·03		·03		4
5		·01		·10	·06	1·30		·01	·16			·30	5
6		·12		·10		·15	·14		·16	·24	·12	·12	6
7						·03	·07	·47		·11	·11	·01	7
8		·04		·07	·01	·15	·04	·59			·03		8
9	·08	·21	·01	·02		·13	·09			·01	·28		9
10		·02	·01		·01	·03	·02	·19	·06		·08	·01	10
11	·22	·31				·02		·02	·10		·58	·02	11
12	·03	·01					·73	·09	·28	·07			12
13			·01		·02		·03	·09	·01	·01			13
14		·09			·03	1·09	·71	·38	·03		·08		14
15		·05		·05	·15		·11	·29	·07			·03	15
16		·05		·10	·43	·49	·01	·22	·16				16
17	·03	·20		·20	·28	·05	·16	·05	·06	·01	·04		17
18	·04	·02	·02	·14		·10	·09	·26			·12		18
19	·02	·05		·14		·15	·03	·06					19
20		·05	·07				·06	·09			·02		20
21	·10				·40						·02		21
22	·11		·21					·14		·01	·01		22
23	·13			·05	·63	·22		·06	·08		·37	·19	23
24		·01		·15	·35		·08						24
25	·08			·48	·02		·28				·02		25
26		·01		·06			·16				·36		26
27	·06	·65		·02	·36		·04				·03		27
28	·10	·26		·02	·22					·08		·09	28
29	·03		·01		·21		·22			·20	·05	·01	29
30		×						·01	·01			·02	30
31	·19	×		×	·01	×			×		×	·05	31
TOTAL	1·29	2·21	·35	2·80	3·44	3·91	3·43	3·29	2·70	·77	3·91	1·04	YEAR'S TOTAL 29·14
*Days with ·01 in. or more.	15	20	8	19	19	13	22	18	16	11	20	13	194
*Days with ·04 in. or more.	11	13	2	15	11	10	16	15	12	5	12	7	129

40-9999

(Signed) James C. M. Stanton

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 2179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brookville Swindon Village

in the County of Gloucester

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.................ft.................in.

,, Ground ,, Sea Level.................ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·01		·02	·81	·01		·12	·03	·41	·01		1
2				·13	·13			·01	·16	·02		·08	2
3		·02		·31	·08				·01	·02			3
4	·01			·09							·46		4
5	·35		·02		·01				·09				5
6	·44		·01	·13			·10		·18				6
7	·03		·17	·02	·03				·10	·70			7
8		·01	·12	·01					·34	·55			8
9	·42	·04		·05	·09				·04	·01			9
10	·25	·07		·34	·02				·09	·19			10
11				·14			·08		·03	·02	·01	·01	11
12	·32			·01	·23				·08	·20	·01		12
13	·03	·04		·10	·02		·38	·02			·01	·05	13
14	·39	·01		·01				·26		·02	·04		14
15				·08	·60		·05			·06	·02	·02	15
16	·21			·29	·04		·01						16
17				·01			·01		·01	·02			17
18					·12				·12		·09		18
19				·15	·04				·02	·11			19
20				·20	1·03		·02	·19		·71	·11	·30	20
21	·01		·09	·21	·82			·66		·41	·07	·05	21
22			·10	·02	·04		·09		·76	·15	·08		22
23		·08			·56		·01		·07	·22	·09	·07	23
24		·01					·07		·10	·03			24
25							·26		·03	·40	·02	·01	25
26			·10	·06	·07		·28		·05	·01			26
27			·28	·09	·44		·04			·13	·03		27
28			·03	·04	·28		·14						28
29			·44	·12	·15	·15	·02	·07	·07	·18		·10	29
30		×	·01	·13		·92	·17	·26	·51		·51	·29	30
31	·01	×	·18	×		×	26		×		×	·19	31
TOTAL	2·52	·29	1·55	2·76	5·61	1·08	1·99	1·59	2·89	4·57	1·56	1·17	YEAR'S TOTAL 27·58
*Days with ·01 in. or more.	13	9	12	25	21	3	17	8	21	22	15	11	177
*Days with ·04 in. or more.	8	4	8	18	17	2	12	6	15	14	8	8	120

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) James C. M. Stanton

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Brookville Swindon Village

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level about 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in	in	in.	in.	†	
1	·46	·19	·02								·02			1
2	·31		·23		·16						·02			2
3	·01	·12	·16		·06						·01			3
4	·15		·01		·18									4
5	·02		·28		·02						·04			5
6		·30			·21					·20				6
7	·02	·01	·01		·01					·23		·02		7
8	·01		·04		·07	·03	·26			·09				8
9					·01		·15			·18	·06			9
10	·09	·18					·03			1·42	·16			10
11	·11				·12		·03	·02		·06				11
12	·02				·13		·18		·53					12
13	·01				·08	·03	·07			·06	·06			13
14							·04	·02		·12	·17			14
15	·49		·02				·14	·06		·06		·01		15
16	·08		·46			·03	·06	·01	·02	·02	·04	·06		16
17	·05	·06	·22		·06	·04	·01	·02	·02		·01			17
18	·06	·01	·02			·12					·02			18
19			·36			·03			·03		·02			19
20		·08	·16			·31			·01		·01			20
21		·01						·06		·01				21
22						·13		·09	·02	·23				22
23		·07		·11		·03			·53	·57	·01			23
24		1·35		·09	·07	·37			·09	·04	·01			24
25		·57		·16	·06	·14			·37			·08		25
26		·77		·06	·13	·51			·39	·10				26
27		·02			·79				·03	·15		·06		27
28				·47	·09		·01			·08		·05		28
29	·08											·04		29
30	·04	×	·09	·01			·02		·09	·01		·07		30
31	·18	×	·05	×		×		·04	×	·02	×			31
TOTAL	2·19	3·74	2·13	·90	2·25	1·77	1·00	·32	2·13	3·65	·66	·39	Year's Total 21·13	
*Days with ·01 in. or more.	18	14	15	6	17	12	12	8	12	19	15	8	156	
*Days with ·04 in. or more.	12	10	10	5	14	7	7	4	6	15	5	6	101	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) James Ch. Stanton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Brookville Swindon Village Cheltenham

in the County of Gloucestershire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 136 ft. estimated

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08					·01		·24	·04		·04	·31		1
2	·13		·06		·01				·26		·02	·16		2
3	·01	·04								·05		·16		3
4	·04		·01		·16				·13	·26	·14	·27		4
5			·04		·06			·26			·23	·26		5
6			·09	·06	·25			·01		·09		·43		6
7	·05	·02						·19		·02	·05	·29		7
8					·24						·04	·07		8
9			·14								·37	·30		9
10	·12		·07	·19				·12			·16	·01		10
11	·80		·05	·12			·12	·26			·02	·16		11
12			·15				·01	·05				·03		12
13	·42		·01	·08			1·05					·13		13
14	·07		·26								·19	·21		14
15	·05		·03		·07				·02	·10	·44	·18		15
16	·06		·24		·05						·02			16
17	·02			·03	·01				·24	·02	·01	·17		17
18	·23		·04	·13			·47		·02			·24		18
19	·01		·21	·02	·02	·05		·01	·03	·04	·01	·14		19
20			·15	·14					·01					20
21			·04			·16	·10	·09		·19				21
22			·02					·19	·14	·10		·13		22
23			·01	·14	·01	·14			·01	·02	·01	·01		23
24		·41	·09	·30		·05	·28		·22	·08		·01		24
25	·12			·28		·32				·16		·23		25
26	·01		·03	·73		·04	·02		·03	·05		·09		26
27	·02			·13						·02		·16		27
28				·07		·01		·18			·01	·30		28
29							·01	·20	·55		·02			29
30	·05	×						·01				·04		30
31		×		×		×			×	·07	×	·16		31
TOTAL	2·29	·47	1·74	2·42	·88	·78	2·06	1·81	1·70	1·27	1·78	4·65	Year's Total. 21·85	
* Days with .01 in. or more.	18	3	20	14	10	8	8	13	13	15	17	27	166	
* Days with .04 in. or more.	13	2	14	12	6	6	5	10	7	10	9	23	117	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) James C. M. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section A for the entry of Daily Observations.

Station No. 2179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brookville Swindon Village

in the County of Gloucestr

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level about 136 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02		·02	·03	·04	·02	·02		·18	·02	·04	·01		1
2						·03			·05	·13	·01	·01		2
3		·07	·02			·16			·17	·26	·29			3
4	·01			·14		·08			·01	·61	·04			4
5		·22	·24	·04		·25			·12		·02	·02		5
6		·01		·23		·37					·09	·06		6
7				·42		·16				·15	·10	·08		7
8				·24		·03		·01		·12	·17	·04		8
9	·02	·01		·52		·24				·58	·29			9
10				·19							·01			10
11	·26					·06					·31	·01		11
12	·01	·01				·14			·02		·05			12
13	·09	·11		·17	·22				·01		·02			13
14	·01			·02	·02	·11			·66	·01	·66	·13		14
15		·03		·68	·16	·12			·39		·17	·15		15
16		·01	·10	·28		·02			·22	·06	·75	·07		16
17				·09	·01	·13	·03		·01		·24			17
18		·02		·25	·05	·02	·21		·12	·04		·03		18
19		·01		·13	·45	·26	·18		·08	·11	·12	·03		19
20	·01	·32		·18	·04	·08	·05				·56			20
21		·29							1·13	·05	·01			21
22		·05	·01	·03				·08	·42					22
23	·01		·05	·02				·24	·07	·75		·16		23
24	·14	·21	·04					·09	·41	·06		·12		24
25	·11	·08		·20		·39						·03		25
26		·24						·19	·07			·63		26
27		·17			·05			·01	·05	·02	·10	1·36		27
28					·03				·11			·07		28
29			·03					·12	·04	·03	·10	·19		29
30	·07	×		·08	·06	·01		·37	·01	·35	·31	·08		30
31		×		×		×		·11	×	·42	×	·26		31
TOTAL	·76	1·86	·51	3·94	1·13	2·68	·49	1·22	4·35	3·77	4·46	3·54	Year's Total. 28·71	
* Days with .01 in. or more.	12	17	8	20	11	20	5	9	22	18	23	21	186	
* Days with .04 in. or more.	5	11	4	16	8	14	3	6	17	14	18	14	130	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) James C. M. Stanton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2179

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Brookville Swindon Village
in the County of Gloucester
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 126 ft. approx ft.

Adc.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·03	·03	·20		·16	·33	·04			·09	·03		1
2	·01		·11	·01		·61	·51	·02			·22			2
3						·20	·10		·52		·02	·05		3
4	·01		·20						·26		·05	·30		4
5	·29	·02	·09		·12		·04	·03	·07		·01	·10		5
6	·01		·01			·10	·22	·06	·03		·19			6
7	·02		·02			·01	·54		·01		·21	·11		7
8	·13		·11				·01				·69	·01		8
9	·82		·10				·59		·07	·02	·01	·01		9
10	·01						·31		·02					10
11		·06		·06		·08	·19		·02		·22			11
12				·07	·11	·37	·26		·19		·08	·20		12
13				·02		·12	·03	·01		·05	·04	1·17		13
14		·01		·27		·02	·57		·41			·53		14
15		·03		·01	·16		·04		·09		·05	·15		15
16	·14	·10		·12			·04				·21	·01		16
17	·12	·64					·15			·08	·06	·32		17
18		·03				·09	·11			·06				18
19	·28	·23	·01	·10		·09		·04						19
20		·11	·01	·06		·64			·40		·01			20
21				·44		·16	·07		·10		·01			21
22	·04	·62	·05		·05		·20					·14		22
23	·04		·18	·05			·14			·03				23
24	·05	·07		·01			·02		·62	·31				24
25	·02	·01	·19	·43			·92		1·02	·19	·03			25
26	·06	·05	·08	·02			·02			·01	·01			26
27	·10		·03				·03		·10	·07				27
28	·31	·03	·19				·07					·05		28
29	·05	·12	·03			·30	·13			·04	·06	·17		29
30	·03	✕			·06	·07	·09			x				30
31	·38	✕	·31	✕		✕	·07		✕	x ·74 }	✕	·19		31
TOTAL	2·98	2·16	1·75	1·87	·50	3·02	5·80	·20	3·93	1·60	2·27	3·54	Year's Total 29·62	✓
* Days with .01 in. or more.	22	16	18	15	5	15	28	6	16	12	20	17	190	✓
* Days with .04 in. or more.	15	9	11	10	5	12	24	3	12	9	13	13	136	✓

† Spare column, no entries required.

(*Signed*) James L. M. Stanton [P.T.O.

* See Instruction 3 (f) on other side.

7/35 (2179/5)

2179/5

BISHOPS CLEEVE

1934—38

780902

Section **A** for the entry of D tion No.
AIR MINISTRY.- ORGANIZATION.

FORM 1090. **REGIST** vi/Glos/3

Kept at Bishops Clee 25/2/35

in the County of Glouce

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREM

An observer who does not conform to th owing year in the space on the right of this

Pl

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	—	—	—	—	—	·20	·05	—	·04	·36		1
2	·12	—	·07	—	—	—	—	—	·27	—	·03	·22		2
3	·02	·05	—	—	—	—	—	—	—	·04	—	·14		3
4	·05	—	·01	—	·14	—	—	—	·14	·21	·22	·26		4
5	—	—	·05	—	·08	—	—	·24	—	—	·26	·31		5
6	—	—	·06	·08	·23	—	—	·13	—	·09	—	·48		6
7	·07	·03	—	—	—	—	—	·21	—	·04	—	·28		7
8	—	—	—	—	·25	—	—	—	—	—	·12	·08		8
9	·01	—	·15	—	—	—	—	—	—	—	·49	·23		9
10	·12	—	·06	·21	—	—	—	·09	—	—	·17	·02		10
11	·60	—	·10	·12	—	—	·11	·29	—	—	·05	·15		11
12	—	—	·20	—	—	—	·01	·02	—	—	—	·03		12
13	·32	·01	—	·07	—	—	·46	—	—	—	·01	·15		13
14	·06	—	·29	—	·01	—	—	—	—	—	·22	·22		14
15	·08	—	·07	—	·08	—	—	—	·01	·11	·52	·10		15
16	—	—	·19	—	—	—	—	—	—	—	·03	—		16
17	·01	—	—	·03	·05	—	·01	—	·23	·03	·02	·17		17
18	·19	—	·07	·15	—	—	·55	—	·05	—	—	·22		18
19	·02	—	·18	·01	·02	·01	—	—	·06	·05	·01	·10		19
20	—	—	·17	·13	—	·01	—	—	·01	—	—	—		20
21	—	—	·03	·01	—	·11	·20	·10	—	·14	—	—		21
22	—	—	—	·17	·01	·15	—	·16	·18	·06	—	·13		22
23	—	·01	·02	—	·02	—	·17	·09	·03	·01	·01	·01		23
24	—	·47	·12	·16	—	·23	—	—	·21	·11	—	·01		24
25	·13		—	·27	—	·27	—	—	—	·17	—	·18		25
26	·02		·03	·45	—	·03	·10	—	·03	·07	—	·09		26
27	—		—	·10	—	—	—	—	—	·01	—	·12		27
28	—		—	·15	—	·13	—	·18	·17	—	·02	·31		28
29	—		—	—	—	—	·01	·07	·46	·01	·02	—		29
30	·05	×	—	—	—	—	—	—	·01	—		·03		30
31		×	—	×	—	×	—	—	×	·07	×	·15		31
TOTAL	191	·57	187	211	·89	·94	162	178	191	122	224	455	Year's Total. 21·61	
* Days with .01 in. or more.	17 ~~5~~	5 ~~3~~	18 ~~4~~	15 ~~3~~	10 ~~6~~	8 ~~2~~	9 ~~2~~	12 ~~1~~	15 ~~5~~	16 ~~4~~	7 ~~8~~	21 ~~5~~	~~78~~	169.
* Days with .04 in. or more.	12	2	14	12	6	5	6	11	10	12	9	22	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L. G. Lascelles MRS L.G. LASCELLES

[P.T.O.

7/35

Section **A** for the entry of Daily Observations. Station No. 2179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

vi/Glos/3

Kept at Bishops Cleeve
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground X ft 10 in.
,, Ground ,, Sea Level 150 ft.

back years ~~from 1924~~ received 25/2/35

~~[illegible]~~

Backyears also OK.
OK print

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·04	—	—	—	—	—	—	·20	·05	—	·04	·36		1
2	·12	—	·07	—	—	—	—	—	·27	—	·03	·22		2
3	·02	·05	—	—	—	—	—	—	—	·04	—	·14		3
4	·05	—	·01	—	·14	—	—	—	·14	·21	·22	·26		4
5	—	—	·05	—	·08	—	—	·24	—	—	·26	·31		5
6	—	—	·06	·08	·23	—	—	·13	—	·09	—	·48		6
7	·07	·03	—	—	—	—	—	·21	—	·04	—	·28		7
8	—	—	—	—	·25	—	—	—	—	—	·12	·08		8
9	·01	—	·15	—	—	—	—	—	—	—	·49	·23		9
10	·12	—	·06	·21	—	—	—	·09	—	—	·17	·02		10
11	·60	—	·10	·12	—	—	·11	·29	—	—	·05	·15		11
12	—	—	·20	—	—	—	·01	·02	—	—	—	·03		12
13	·32	·01	—	·07	—	—	·46	—	—	—	·01	·15		13
14	·06	—	·29	—	·01	—	—	—	—	—	·22	·22		14
15	·08	—	·07	—	·08	—	—	—	·01	·11	·52	·10		15
16	—	—	·19	—	—	—	—	—	—	—	·03	—		16
17	·01	—	—	·03	·05	—	·01	—	·23	·03	·02	·17		17
18	·19	—	·07	·15	—	—	·55	—	·05	—	—	·22		18
19	·02	—	·18	·01	·02	·01	—	—	·06	·05	·01	·10		19
20	—	—	·17	·13	—	·01	—	—	·01	—	—	—		20
21	—	—	·03	·01	—	·11	·20	·10	—	·14	—	—		21
22	—	—	—	·17	·01	·15	—	·16	·18	·06	—	·13		22
23	—	·01	·02	—	·02	—	·17	·09	·03	·01	·01	·01		23
24	—	·47	·12	·16	—	·23	—	—	·21	·11	—	·01		24
25	·13		—	·27	—	·27	—	—	—	·17	—	·18		25
26	·02		·03	·45	—	·03	·10	—	·03	·07	—	·09		26
27	—		—	·10	—	—	—	—	—	·01	—	·12		27
28	—		—	·15	—	·13	—	·18	·17	—	·02	·31		28
29	—		—	—	—	—	·01	·07	·46	·01	·02	—		29
30	·05	×	—	—	—	—	—	—	·01	—		·03		30
31		×	—	×	—	×	—	—	×	·07	×	·15		31
TOTAL	191	·57	187	211	·89	·94	162	178	191	122	224	455	Year's Total. 21·61	Passed
* Days with .01 in. or more.	17 ~~15~~	5 ~~3~~	18 ~~4~~	15 ~~3~~	10 ~~4~~	8 ~~2~~	9 ~~3~~	12 ~~1~~	15 ~~5~~	16 ~~4~~	7 ~~8~~	21 ~~5~~	~~78~~	169.
* Days with .04 in. or more.	12	2	14	12	6	5	6	11	10	12	9	22	121	

OK Passed

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L. G. Lascelles MRS L. G. LASCELLES

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Cleeve House - Bishop's Cleeve

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

" Ground " Sea Level 150 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	—	·05	·03	·07	—	—	—	·20	·06	·05	·06		1
2	—	—	—	—	—	·10	·02	—	·08	·13	·01	·01		2
3	—	·11	—	—	—	·09	—	—	·15	·22	·20	—		3
4	—	—	—	·13	—	·05	—	—	·03	·52	·03	01		4
5	—	·24	·25	·05	—	·15	·02	—	·10	·02	·07	·01		5
6	—	·02	—	·24	—	·29	—	—	—	—	·10	·07		6
7	—	—	—	·40	—	·13	—	—	—	·16	·12	·09		7
8	—	—	—	·35	—	·12	—	Trace	—	·09	·16	·03		8
9	·03	—	—	·44	—	·20	—	—	—	·53	·36	—		9
10	—	—	—	·17	Trace	—	—	—	—	·01	·02	·02		10
11	·24	—	—	—	—	·07	—	—	Trace	—	·22	·01		11
12	·03	·07	—	—	—	·14	—	Trace	·04	—	·05	—		12
13	·09	·10	—	·16	·19	—	—	—	·03	—	·04	—		13
14	—	—	—	·03	·08	·09	—	—	·56	·01	·64	·15		14
15	—	·04	Trace	·69	·18	·14	—	—	·52	—	·13	·17		15
16	—	·01	·11	·34	—	·05	·04	—	·20	·04	·93	·05		16
17	—	—	—	·10	·02	·10	·06	—	—	—	·26	·01		17
18	—	·04	—	·22	·09	·02	·15	Trace	·11	·07	—	·03		18
19	—	—	—	·06	·24	·20	·16	—	·09	·10	·17	·02		19
20	·02	·30	—	·10	·05	·11	·04	—	—	·01	·51	—		20
21	—	·47	—	·03	—	—	—	—	·98	·06	·03	—		21
22	—	·06	·04	·08	—	—	—	·12	·34	·02	—	—		22
23	·01	·01	·06	·16	·05	—	—	·20	·07	·60	—	·11		23
24	·17	·19	·05	—	—	—	—	·06	·34	·05	·01	·20		24
25	·12	·10	—	·17	—	·23	—	—	—	—	—	·06		25
26	—	·29	—	—	—	—	—	·16	·05	·01	·01	·63		26
27	—	·16	—	—	·01	—	—	—	·05	·02	·09	137		27
28	—	—	—	—	·05	—	—	—	·10	—	·02	·08		28
29	—	—	·04	—	—	—	—	·05	·05	·04	·08	·17		29
30	·09	×	—	·11	·12	·03	—	·42	·03	·26	·45	·11		30
31		×	—	×	·04	×	—	·11	×	·42	×	·32		31
TOTAL	·82	221	·60	402	1·19	231	·49	112	412	345	476	379	Year's Total. 2888	
* Days with .01 in. or more.	10~~5~~	16~~3~~	7	21~~3~~	13~~2~~	19~~2~~	7 ~~2~~	~~*~~7	22~~3~~	23~~7~~	~~7~~ 26	24~~9~~	~~43~~	195 ✓
* Days with .04 in. or more.	5	13	7	18	11	17	5	7	19	16	19	15	152	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) L. G. Lascelles

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2179/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Cleeve House - Bishop's Cleeve
in the County of Gloucester
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 10 in.
,, Ground ,, Sea Level 150 ft.

Ann total corr for auth

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	·04	·04	·27	—	·05	·44	·05	Trace	—	·10	·02		1
2	—	·05	·08	·05	—	·05	·35	·02	—	—	·17	—		2
3	—	—	—	—	—	·55	·07	—	·55	—	·03	·04		3
4	—	—	·17	—	—	—	—	—	·26	—	·05	·31		4
5	·25	·02	·08	—	·15	—	·06	·03	·02	Trace	·02	·06		5
6	·05	—	·02	—	—	—	·20	·12	·03	—	·13	·05		6
7	—	—	·03	—	—	—	·63	—	·02	—	·20	·06		7
8	·10	—	·12	—	—	—	·02	—	·01	Trace	·63	·07		8
9	·90	—	·11	—	—	·10	·51	—	·09	·03	·01	·01		9
10	·05	—	·01	—	—	·10	·34	—	·01	—	Trace	—		10
11	—	·06	—	·07	—	—	·15	—	·02	—	·16	—		11
12	—	—	—	·07	·06	·34	·28	—	·21	—	·05	·22		12
13	—	—	—	·14	—	·13	·06	·01	—	·10	·03	·68		13
14	—	·02	—	·32	—	·02	·52	—	·30	—	—	·82		14
15	—	·03	—	·02	·28	—	·01	—	·10	/	·05	·12		15
16	·20	·12	—	·13	Trace	—	·04	Trace	—	—	·18	—		16
17	·15	·64	—	·01	—	—	·18	—	—	·09	·06	·15		17
18	—	·04	—	—	—	·03	·12	—	—	·05	—	·19		18
19	·35	·24	·01	·10	—	·08	—	·05	—	—	—	—		19
20	—	·01	·02	·06	—	·59	—	—	·38	—	—	—		20
21	—	·10	—	·56	—	·16	·20	—	·07	—	—	—		21
22	·05	118	·04	—	—	—	—	—	—	—	·01	·12		22
23	·05	—	·15	·04	·06	—	·10	—	Trace	·04	—	·01		23
24	·10	·08	—	·01	—	—	—	—	·41	·23	·01	—		24
25	·01	·01	·27	·48	—	—	·59	—	·24	·16	·03	—		25
26	·07	·05	·10	·01	—	—	—	—	—	·02	·01	—		26
27	·07	—	·02	—	—	—	·03	—	·08	·07	—	—		27
28	·35	—	·17	—	—	—	·01	—	·01	—	Trace	·04		28
29	·03	·15	·03	—	—	·18	·13	—	—	·03	·05	·15		29
30	·07	×	—	—	·07	·04	·10	—	—	·50	—	—		30
31	·38	×	·30	×	·08	×	·05	—	×	·22	×	·15	28·47	31
TOTAL	3·33	2·84	1·77	2·34	·70	242	519	·28	281	154	198	327	Year's Total. 2841	✓
* Days with .01 in. or more.	19 ~~2~~	17 ~~5~~	19 ~~7~~	16 ~~3~~	6	14 ~~2~~	25 ~~4~~	6 ~~3~~	18 ~~7~~	12 ~~5~~	20 ~~8~~	19 ~~3~~	~~49~~	191 ✓
* Days with .04 in. or more.	17	12	12	12 ~~13~~	6	12	21	3	11	9	12	16	14~~4~~3	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L. G. Lascelles

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 21795

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cleeve House - Bishop's Cleeve
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 150 ft.

Daff S.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	·06	—	—	—	—	·03	—	·19	·45		1
2	·01	·05	—	·12	—	—	—	—	—	—	·02	·09		2
3	—	·18	—	—	·03	—	·04	—	·08	—	—	·10		3
4	—	·07	—	—	·01	—	—	—	—	—	—	·20		4
5	·30	—	·14	·02	—	—	Trace	—	—	—	—	—		5
6	·10	·08	·14	·14	·16	Trace	·06	—	—	·06	·02	—		6
7	—	·65	·02	·05	—	Trace	—	—	—	Trace	—	—		7
8	—	·22	—	—	·07	Trace	·01	—	·01	—	·28	·03		8
9	—	—	·08	·07	·04	—	·07	—	·50	—	—	·13		9
10	—	—	·49	·80	·02	·10	—	—	—	—	—	·07		10
11	—	—	·12	—	·40	—	·09	—	—	Trace	—	·02		11
12	·25	·24	·34	—	·12	1.39	Trace	·21	·11	—	—	·14		12
13	—	·03	·25	·04	—	·23	—	·01	·10	—	—	·03		13
14	·05	·03	·01	·10	—	—	—	·16	—	—	·01	·03		14
15	—	·09	·37	·33	—	—	256	—	·07	—	—	·19		15
16	—	·05	·40	·24	—	·05	—	·03	·07	—	—	—		16
17	·23	·04	·29	·01	—	·02	—	—	·34	—	—	—		17
18	·40	·10	·07	·06	—	·05	·02	—	·48	—	·22	·16		18
19	·15	·02	·08	·10	·02	·21	·09	—	—	—	·07	—		19
20	·25	·04	—	·25	·31	—	—	—	—	—	—	·01		20
21	·17	·34	·15	—	·03	—	·08	—	—	—	—	·02		21
22	·10	·02	·08	—	·14	1.09	·20	—	—	·75	·35	—		22
23	·27	·03	·04	—	·03	—	·02	—	—	·52	—	—		23
24	·05	·28	—	—	·02	—	·09	—	·10	·26	—	—		24
25	—	·36	—	—	·06	—	—	—	·02	·34	—	·07		25
26	—	·14	·03	—	·63	—	—	—	—	·02	—	·05		26
27	—	·18	—	·19	—	—	—	—	—	·63	—	—		27
28	·10	·10	—	—	—	—	—	—	—	·05	—	·07		28
29	·10	—	—	—	—	·03	—	—	—	·05	·05	·02		29
30	·51	✕	—	—	—	—	—	—	—	—	·05	·01		30
31	—	✕	—	✕	—	✕	—	—	✕	·12	✕			31
TOTAL	3.10	3.34	3.10	2.58	2.09	3.17	3.33	·41	1.91	2.83	1.26	1.83	Year's Total 28.95	✓ ✓
* Days with .01 in. or more.	17	23	18	16	16	9	14	4	12	10	10	20	~~40~~	✓ 169 ✓
* Days with .04 in. or more.	16	18	15	14	9	7	11	2	9	9	7	12	129	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. J. Lascelles [P.T.O.

COPY FOR OFFICIAL USE

Station No. 2179/5

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Cleeve House - Bishops Cleeve

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 150 ft.

April entries estimated from nearby stations.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—										1
2	·10	—	—	·06										2
3	·01	—	—	—										3
4	—	—	—	·04										4
5	—	—	—	—										5
6	·01	·03	—	—										6
7	—	—	—	—										7
8	·55	—	—	—										8
9	·09	·06	—	—										9
10	·16	·02	—	—										10
11	·23	—	—	—										11
12	·14	—	—	—										12
13	·02	·02	—	—										13
14	·34	·01	—	—										14
15	·11	—	—	—										15
16	·27	—	·01	—										16
17	—	·08	—	-										17
18	·05	—	—	-										18
19	—	—	—	-										19
20	·02	—	—	-										20
21	—	—	—	-										21
22	—	—	—	x										22
23	—	—	—	·10 ✓										23
24	—	—	·14	-										24
25	·09	·23	·02	-										25
26	·12	·30	·02	-										26
27	·05	—	—	-										27
28	·17	·01	—	-										28
29	·09		—											29
30	·05	✕	—	-										30
31	·12	✕	—	✕		✕			✕		✕			31
TOTAL	2.79 ✓	·76	·19 ✓	(·20)									Year's Total	
* Days with .01 in. or more.	21 ✓	9 ✓	4 ✓	(4)										
* Days with .04 in. or more.	17 ✓	4 ✓	1 ✓	(3)										

GB
4/4/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) L. G. Lascelles [P.T.O.

2180

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTE

31.

2180

TEWKESBURY P. S

1931 - 1940

780402

Kept at Tewkesbury,

in the County of Glouceste

Diameter of Funnel of Gauge Five

Height of top of Gauge above Ground 1

„ Ground „ Sea Level

THE MORNING MEASUREM

DAY.

An observer who does not conform to this rule should insert the reading made on … *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02		16	15	04			45				1
2		01		76		01			48			08	2
3				02			01		52	03	1.36	05	3
4				11			44	98					4
5		04		18		1.80		01	10		03	28	5
6		12		14	02	16			12	26	14	18	6
7				02		04		62		03	04	03	7
8	snow 09	04		08	04	12		44			03	03	8
9	06	15		04		05	03			02	30		9
10		04	snow 03		03	03	07	08	05		16		10
11	16	22				04			12		38		11
12	04	03					80	10	30	07			12
13	01	01			01	54		12					13
14	01	07			03		74	84	04		18		14
15		10		14	23		10	24	10			03	15
16	02	05		10	50	58	04	06	20				16
17	03	09		16	32	08	12				05		17
18	04	02	02	15		01	04	34			14		18
19		07		08		20		12					19
20	01	04	09	02			03	10					20
21	11				58								21
22	07		03	02	03			04			03		22
23	12			11	59	22		12			16	18	23
24				09	31		18						24
25	02			60	03		30				05		25
26				06			12				49		26
27	06	61		02	49		12				05	02	27
28	07	18		03	39					06		06	28
29	02	02			17		22			18	02		29
30		×										03	30
31	07	×		×	01	×			×		×	06	31
TOTAL	1.01	1.93	.17	3.09	3.93	3.92	3.36	4.21	2.48	.65	3.59	1.03	YEAR'S TOTAL 29.37
*Days with ·01 in. or more.	18	20	4	22	18	15	16	15	11	7	17	12	175
*Days with ·04 in. or more.	7	14	1	16	11	12	13	14	11	4	12	7	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

Borough Engineer, Cheltenham.

P.T.O.

2180

Section A for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Tewkesbury,
in the County of Gloucestershire.
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		02		16	15	04			45				1
2		01		76		01			48			08	2
3				02			01		52	03	1.36	05	3
4				11			44	98					4
5		04		18		1.80		01	10		03	28	5
6		12		14	02	16			12	26	14	18	6
7				02		04		62		03	04	03	7
8	snow 09	04		08	04	12		44			03	03	8
9	06	15		04		05	03			02	30		9
10		04	snow 03		03	03	07	08	05		16		10
11	16	22				04			12		38		11
12	04	03					80	10	30	07			12
13	01	01			01	54		12					13
14	01	07			03		74	84	04		18		14
15		10		14	23		10	24	10			03	15
16	02	05		10	50	58	04	06	20				16
17	03	09		16	32	08	12				05		17
18	04	02	02	15		01	04	34			14		18
19		07		08		20		12					19
20	01	04	09	02			03	10					20
21	11				58								21
22	07		03	02	03			04			03		22
23	12			11	59	22		12			16	18	23
24				09	31		18						24
25	02			60	03		30				03		25
26				06			12				49		26
27	06	61		02	49		12				05	02	27
28	07	18		03	39					06		06	28
29	02	02			17		22			18	02		29
30		X										03	30
31	07	X		X	01	X			X		X	06	31
TOTAL	1.01	1.93	.17	3.09	3.93	3.92	3.36	4.21	2.48	.65	3.59	1.03	YEAR'S TOTAL 29.37
*Days with ·01 in. or more.	18	20	4	22	18	15	16	15	11	7	17	12	175
*Days with ·04 in. or more.	7	14	1	16	11	12	13	14	11	4	12	7	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Pickering

P.T.O.

Borough Engineer, Cheltenham.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tewkesbury,

in the County of Gloucestershire.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft in.

,, ,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		03			1.11		02	25	03	30			1
2				08	19				13	02		04	2
3				28									3
4				09							40		4
5	30	03	02		10				07				5
6	41		01	12			11		16				6
7	08		16	03	10		03		02	50			7
8			10	03					50	30			8
9	47	snow 02			09								9
10	15	snow 04		11	02					15			10
11		01		08			07		20	03			11
12	22			02	31				10	34		02	12
13	04			18			45		02	03	02	05	13
14	20			11				30				05	14
15				03	54		08			06		03	15
16	20			22	02								16
17				03			12			02			17
18					19				10		05		18
19				04	11				04	10		02	19
20				20	95		02	44		55	10	05	20
21			08	35	74			1.10		35	07	08	21
22			15	03	05		09		80	17	03		22
23		05			60				05	22	08	04	23
24					04		02		14	10			24
25					-		22			40		02	25
26			07	05	05	03	07			05	02		26
27			36	17	57	05	07		04	15	03		27
28			02	04	22	04	10	1.62					28
29			30	05	24	14	02	02	11	22	02	10	29
30		×	03	10		79	40	11	85	03	45	40	30
31		×	05	×		×	08		×		×	25	31
TOTAL	2.07	.18	1.35	2.44	6.24	1.05	1.97	3.84	3.36	4.09	1.27	1.15	YEAR'S TOTAL 29.01
*Days with ·01 in. or more.	9	6	12	23	20	5	17	7	17	21	11	13	161 6
*Days with .04 in. or more.	9	2	8	17	18	4	12	6	14	16	6	8	121

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Borough Engineer.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Tewkesbury,

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	50	20	02								02			1
2	25		30		19						01			2
3	03	12	23		09									3
4	12	02	06		17									4
5			30								01			5
6		28			20					26				6
7										15				7
8	02	05			03	27	26			10				8
9			03			02	09			12	03			9
10	08	09					05			1.46	17			10
11	08				03		02			01				11
12					04		13		22	01				12
13							11	02		09	08			13
14							01	02	03	14	14			14
15	38						02	03		05		03		15
16	05		60			03	16	03		08	02			16
17		snow 04	16		04	03	01	10	02					17
18	07	snow 01				04					03			18
19		snow 02	30			05		01	05		08			19
20		04	03			96		02	01		01			20
21		snow 02				04		01		01	02			21
22						05		15	02	23	01			22
23		06		10		05			55	73	01			23
24		80		08		32			07	15				24
25		65		09	04	07			36			07		25
26		35		06	07	85			43	09				26
27					77					12		01		27
28		02		35			02			02		04		28
29												03		29
30	05	×	06				05		09	01		07		30
31	11	×	06	×		×		04	×	03	×			31
TOTAL	1.74	2.77	2.15	.68	1.67	2.78	.93	.43	1.85	3.86	.64	.25	Year's Total 19.75	
*Days with ·01 in. or more.	12	16	12	5	11	13	12	10	11	20	14	6	142	
*Days with .04 in. or more.	10	11	9	5	9	10	7	3	7	14	4	3	92	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

Borough & Water Engineer, Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tewkesbury,

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02											41		1
2	10		02						20		04	16		2
3	03	03								04		15		3
4	04		02		25			01	21	13	12	20		4
5			04		07			30			32	23		5
6			05	05	15			02		12		31		6
7	08				02			16		04	04	25		7
8	01										07	04		8
9			04		02	01		04			34	36		9
10	10		07	11				02			12	01		10
11	62		04	15	02		09	12				16		11
12			17				02	03				02		12
13	20		02	13			14			09		10		13
14	03		16				01				16	18		14
15	03		07								38	12		15
16	10		17		05						03			16
17	01			02	03		01		22	03	03	10		17
18	16		04	12			14				01	18		18
19			16	03		01				03		10		19
20			23			05	04			05				20
21			02				04	15						21
22	22				02			60	15			23		22
23			03	12	02	14	04	01	01		01	02		23
24		32	07	16		06				20	01			24
25	17			12		12			01			28		25
26	01		03	58		02						08		26
27				33		01	01					16		27
28				06			01	11			02	28		28
29								12	58		02	01		29
30	03	×					01	02	02	02		05		30
31	01	×		×		×	22		×	08	×	09		31
TOTAL	1.77	.35	1.45	1.98	.65	.42	.78	1.71	1.40	.83	1.72	4.28	Year's Total. 17.34	
* Days with .01 in. or more.	19	2	19	13	10	8	13	14	8	11	16	27	160	
* Days with .04 in. or more.	10	1	13	11	4	4	7	8	5	8	9	23	103	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Borough & Water Engineer, Cheltenham.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tewkesbury,

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 47 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01			03	09	03	03		12	01	12	01		1
2		11		02		09			02	06	02	02		2
3						02			06	22	24			3
4				06		14			27	07	02	01		4
5		26	25	07		02				01	03			5
6			02	36		27					03	06		6
7				35		16				09	12	07		7
8				26						03	25	02		8
9	Snow 03			37		40				42	22			9
10				04		02					02			10
11	12					14					28			11
12	05	02				47					02			12
13		06		16	18	03					15			13
14				11		11			16		51	11		14
15		03		80	10	02	05		44		27	15		15
16		01		27		04			16	09	71			16
17				11		10	03		02		15			17
18		09		23	06	05	07		06	05		Snow 02		18
19				09	18	14	04		02	09	10	Snow 02		19
20		18		08	20	09					63			20
21		21		05					47	01	02			21
22		08		09					26					22
23		01	05	02				34	04	68		04		23
24	05	06	03					05	38	10		01		24
25	08	26		20		43						15		25
26		11						12	04			60		26
27		04						01	06		05	1.15		27
28	01				03				02		01	03		28
29	03		02					03	05	02	05	16		29
30	07	X		04	83	04		54	19	30	26	05		30
31		X		X	03	X		07	X	43	X	15		31
TOTAL	.45	1.53	.37	3.81	1.70	2.81	.22	1.16	2.84	2.68	4.28	2.83	Year's Total 24.68	
* Days with .01 in. or more.	9	15	5	22	9	21	5	7	19	17	24	19	172	
* Days with .04 in. or more.	5	11	2	20	7	15	3	5	15	12	16	11	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

Borough & Water Engineer.

P.T.O. ✓

COPY FOR OFFICIAL USE

Station No. 2180

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Mythe Hill Waterworks, Tewkesbury,

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03		01	32		27	42	02			08	03		1
2	01	03	06	04		47	53	02			16	01		2
3						13	01		37		03	04		3
4	03		12			01	01		22		05	17		4
5	15		05		12		06	01	02			06		5
6	02		01		01	04	36	06	02		12	05		6
7	01		04				72		04	01	09	03		7
8	08		06				03		02	04	64	06		8
9	45		42			01	54		07		04			9
10	05		01				37	02	03					10
11		snow 18		04		04	10		01		37			11
12				07	12	26	27	04	27		09	18		12
13				03		13	01			02	04	39		13
14				28			37		17		02	67		14
15		03		03	04				17	01	02	05		15
16	snow 26	28					04				12			16
17	snow 10	42					13			07	04	12		17
18		06				01	09			03		07		18
19	25	16	04	09		09		02				02		19
20		04		08		14	01		56			04		20
21				46		12	01		10			02		21
22			01	02	02		18					04		22
23	04	64	07	03			14			01				23
24	16	05					03		31	20				24
25	02		17	42			83		10	07	02			25
26	06	06	11				02		03	01				26
27	03		07				04		05	11	01			27
28	48	02	27				02					03		28
29		06	07			1.04	10			03	05	06		29
30	05	✕			13	18	06			37				30
31	42	✕	27	✕	03	✕	04		✕	21	✕	09		31
													Year's Total	
TOTAL	2.70	2.03	1.86	1.91	.47	2.94	5.54	.19	2.56	1.19	1.99	2.23	25.61	✓
* Days with .01 in. or more.	20	13	18	13	7	15	29	7	18	14	18	21	193	✓
* Days with .04 in. or more.	13	10	14	9	4	12	20	2	12	7	13	15	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Borough & Water Engineer,
Cheltenham.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Mythe Hill Waterworks, Tewkesbury,

in the County of Gloucestershire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05		.01	.06			.03		.06		.16	.54		1
2		.09	.01	.15			.02					.05		2
3		.06					.02					.06		3
4	.10	.17			.02							.32		4
5	.17		.13	.01	.15		.02							5
6	.06	.03	.12	.14			.09							6
7		.82	.01	.11						.06				7
8	.10	.21		.01	.13		.01				.40	snow .02		8
9		.03	snow .11	.08	.20		.05		.52			snow .12		9
10			.23	.25		.07	.01					.05		10
11			.16	.01	.44	.01	.06							11
12	.16	.22	.29		.14	.17	.01	.17	.05			.15		12
13	.10	.04	snow .12	.02		.08			.09					13
14		.01	snow .24	.03				.14	.02		.01	.02		14
15		.04		.31			2.73		.06			.27		15
16		.01	.30	.13		.02	.01	.03	.07					16
17	.20	.03	.23	.02		.07	.01		.49					17
18	.27	.06	.20	.06		.10	.05		.70		.23	.11		18
19	.18	.02	.09	.04		.28	.24				.03			19
20	.08	.02	.01	.46	.43							.02		20
21	.13	.32	.14	.01	.04		.12					.02		21
22	.12	.02	snow .06		.08	.04	.13			.45	.47	.01		22
23	.14	.03	snow .02		.04	.16	.08			.27	.11			23
24	.08	.46			.06		.03		.07	.17		.02		24
25		.39			.05				.03	.43		.05		25
26	.01	.17	snow .02		.45		.01					.03		26
27		.14		.16			.01			.53				27
28		snow .10								.08		.07		28
29	snow .02										.04	.02		29
30	.35	✕				.02			.01		.09	.02		30
31	.09	✕		✕		✕			✕	.09	✕			31
TOTAL	2.41	3.49	2.50	2.06	2.23	1.02	3.74	.34	2.17	2.08	1.54	1.97	Year's Total 25.55	✓ ✓
* Days with .01 in. or more.	19	24	20	19	13	11	21	3	12	8	9	20	179	✓ ✓
* Days with .04 in. or more.	17	15	14	12	12	8	9	2	9	8	7	11	124	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Marsland

Borough & Water Engineer, Cheltenham.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Mythe Hill Waterworks, Tewkesbury.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.24	.03	.06		.18		.22		1
2	.01			.04	.03	.02	.01			.20		.01		2
3					.08	.01				.29				3
4				.02		.06	.05	.19		.20		.14		4
5							.13	.08	.04	.02		.01		5
6	.01						.40		.11	.04		.02		6
7							.36	.35	.12	.11		.06		7
8	.50						.13	.04		.22				8
9	.03	.01						.06				.30		9
10	.14						.08	.10				.07		10
11	.20										.12	.05		11
12	.12				.13		.01			.29	.29			12
13		.01									.09	.66		13
14	.24	.02			.02		.66		.08					14
15	.08				.05						.01	.22		15
16	.22						.02				.08	.06		16
17		.06							.02		.01			17
18	.06					.01			.08	.08	.23			18
19	.02							.08			.09	snow .01		19
20	.04							.03			.25			20
21	.03							.13	.04		.02	snow .10		21
22				.09		.03		.06			.25	snow .14		22
23				.01					.23			.05		23
24			.08		.06			.06	.08	.12	.04			24
25	.10	.12	.04		.05		.05			.16	.24			25
26	.10	.39	.02		.03				.04			.05		26
27	.03	.03			.38	.18	.28	.19	.15	.05	.17	.26		27
28	.12	.02			.03	.06	.05	.68	.03		.08	.06		28
29	.14				.28	.06				.02	.09	.04		29
30	.03				.12	.01			.70	.04	.34	.01		30
31	.08				.14					.05		.08		31
TOTAL	2.30	.66	.14	.16	1.40	.68	2.26	2.11	1.72	2.07	2.40	2.62	Year's Total 18.52	✓
* Days with .01 in. or more.	21	8	3	4	13	10	14	14	13	16	17	22	155	✓
* Days with .04 in. or more.	14	3	2	2	9	5	10	13	11	14	14	17	114	✓

† Spare column, no entries required.

(*Signed*)

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Mythe Hill Waterworks, Tewkesbury,

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.02	.22	.07			.01	.07			.01		1
2	.06			.04				.28	.39		.03	.02		2
3	.03			.39				.46	.02		.10	.03		3
4	.08		.34	.35	.15		.91	.34		.04	.01	.14		4
5				.21	.21		.06	.41		.03	.22	snow .16		5
6	.41				.02		.26				.10			6
7	.01	.09					.03			.09	.26	.28		7
8		.14	.33				.32	.04		.96	.34	.27		8
9		.02						.15		.30		.09		9
10	.21		.05			.12		.18		.02	.01			10
11			.12							.11				11
12						.01			.01		.02			12
13				.06	.01		.14		.02	.27				13
14	.26		.02		.13	.03	.14			.13	.07	.01		14
15	.35		.01		.14		.37			.13	.21			15
16	.18			.01	.16	.32	.08				.30			16
17	.43				.03	.07				.18	.02			17
18	.20	.02	.05			.10	.15			.03	.29			18
19	.17						.62							19
20	.31						.04							20
21	.05	.11	.22	.03		.11		.01	.02					21
22	.20	.10	.05			.30	.18				.18			22
23	.04			.02		.08	.11			.02	.54			23
24	.27		.09	.01		.04				.20				24
25	1.05	.14					.22			.02	.12			25
26	.11		.01					.19		.08	.36	.04		26
27	.02	.16	.28			.01	.07	.01		.02	.01	snow .04		27
28		.09	.09	.09		.05	.12				.21	snow .08		28
29				.52			.37			.15	.02			29
30		X		.45		.06					.03	snow .06		30
31		X		X		X	.03	.18	X		X	.02		31
TOTAL	4.46	.87	1.68	2.40	.92	1.30	4.22	2.26	.53	2.78	3.45	1.25	Year's Total 26.12	✓
* Days with .01 in. or more.	21	9	14	13	9	13	19	12	6	18	22	14	170	✓
* Days with .04 in. or more.	17	7	10	9	6	10	17	9	2	12	14	9	122	✓

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2180

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Mythe Hill Waterworks, Tewkesbury.

in the County of Gloucestershire.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 47 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02		.07	.06						.07			1
2		.04		.08			.01				.84			2
3		.05		.02						.18	.93	.02		3
4		.12					.01			.17	.19	.02		4
5		.02			.04					.19	.36	.07		5
6	.13	.25					.04			.16	.07	.05		6
7	.02	.23			.01		.11		.03			.03		7
8				.01		.59				.12	.07	.12		8
9							.11	.08		.22	.28	.05		9
10			.01	.04			.50			.21	.05	.11		10
11		.01	.02	.09			.23				.36	.09		11
12			.08			.02	.12		.03					12
13		.01	.40				.05	.01			.09	.04		13
14			.07	.05	.88				.11	.03		.42		14
15					.27				.14	.11	.07	.01		15
16	.01	snow .27	.12	.01		.03	.13		.07	.56	.59	.01		16
17			.13						.03		.06	.04		17
18	snow .06	.46	.24	.38					.08	.20	.17	.09		18
19		.18	.04	.33			.37		.10		.08	.02		19
20			.07	.01				.05		.38	.03			20
21					.14	.23	.10				1.09			21
22		.01	.05	.03	.24	.18			.03					22
23		.03	.04	.13	.01	.03					.01	.05		23
24		.01					.15							24
25	.01			.01										25
26	1.10	.09		.33	.13		.34							26
27	.88	.07	.04	.02						.01		.03		27
28	snow .47	.18		.06	.07							.02		28
29	snow .01		.04	.43		.02						.27		29
30		✕		.08	.04					.52		.02		30
31	.14	✕	.03	✕		✕			✕	.71	✕			31
TOTAL	2.83	2.05	1.38	2.18	1.89	1.10	2.27	.14	.62	3.77	5.41	1.58	Year's Total 25.22	
* Days with .01 in. or more.	10	18	15	19	11	7	14	3	9	15	19	21	161	
* Days with .04 in. or more.	6	11	12	12	9	3	12	2	5	13	17	12	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

Borough & Water Engineer, Cheltenham.

WINCHCOMB

Section A for the entry ~~of Daily Observations~~ Station No. 2180/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Corndean Hall, Winchcomb
in the County of Gloucestershire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 600 ft.

Jan 1st–16th, 24th–28th, Apr 29th, Dec 29th–30th est'd by refce to nearby stns — [illegible]

f 879150/39
Query sent ref. estns. today — [illegible] 16/4/40

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	✓	—	·03	—	·59	—	—	Tr	·25	·1	Tr.	·01		1
2	+	—	Tr	·26	·17	—	·07	·32	·55	—	·09	—		2
3	+	—	Tr	·03	Tr	—	·01	·47	·25	Tr	·18	·31		3
4	+	—	·31	·19	—	—	—	·17	+	·38	·08	Snow +		4
5	–	—	Tr	·43	·04	—	·60	·36	—	·19	·52	+ ·52		5
6	+	Tr	—	·73	·21	—	·29	Tr	TR.	Tr	·07	—		6
7	✓	·07	—	·05	—	—	1·75	Tr	—	—	·34	·44		7
8	–	·20	·38	—	—	—	·05	+ ·35	—	·89	·26	·47		8
9	(2·25) ✓	·02	—	—	—	—	·27	+	Tr	·35	·02	·15		9
10	+	·01	·05	—	·01	—	—	—	·01	·04	TR.	·02		10
11	–	·02	·24	—	—	—	—	·09	—	·07	TR.	Tr.		11
12	–	Tr	Tr	—	—	+ ·23	—	Tr	Tr	Tr	·05	Tr		12
13	—	—	—	—	·01	–	—	—	·065	·37	TR	·01		13
14	+	—	—	·04	+	—	·27	—	T.R.	·05	·13	Tr		14
15	+	—	+	Tr	·39	·03	·54	—	Tr	·21	·23	Tr.		15
16	+	Tr	·19	·01	+	·42	·01	—	—	Tr.	·31	TR		16
17	·5	·09	+	Tr	·10	·08	Tr	—	–	·12	TR.	–		17
18	·54	·02	Tr	—	·04	·14	·03	·01	—	·25	·44	–		18
19	·4	Tr	·07	—	—	·21	·08	Tr	—	Tr.	·02	–		19
20	·33	—	—	—	—	—	·35	—	—	Tr	TR.	·02		20
21	·05	·20	—	—	—	~~·[illegible]~~	·39	—	·10	Tr	—	—		21
22	·35	·33	·25	—	·01	·18	·07	—	·03	·05	·34	·01		22
23	·18	—	·05	·05	—	·34	·51	—	Tr.	·05	·59	·01		23
24	+	Tr	·03	·09	—	—	Tr	Tr	Tr.	·11	Tr.	–		24
25	(1·50) +	·09	—	·14	—	·10	·05	—	–	·08	·24	–		25
26	+	·02	·06	·03	—	—	—	·13	Tr	—	·50	·02		26
27	✓	·13	·01	Tr	—	—	·14	Tr	Tr	·05	·04	(·10) Snow		27
28	–	·18	·20	·03	Tr	·03	·24	—		—	·28	(·08) Snow		28
29	—		·12	63 ~~·04~~	—	·44	·22	—	—	·20	·13	Snow		29
30	—	✕	—	·50	—	—	–	–	—	Tr.	·02	·01 (·10)		30
31	(6·10)	✕	—	✕	—	✕	·03	·21	✕	·03	✕	—	36·94	31
TOTAL	~~3·25~~	1·48	1·99	3·21 ~~2·61~~	1·57	2·30	5·96	2·11	1·25	3·59	5·10	2·28 ~~2·00~~	Year's Total ~~[illegible]~~	WH
* Days with .01 in. or more.	21	13~~5~~	~~3~~16	~~5~~15	12 ~~[illegible]~~	~~[illegible]~~ 11	21~~4~~	~~8~~10	~~1~~7	~~1~~19	22	17 ~~15~~	184	'd'
* Days with .04 in. or more.	17	8	~~11~~ 12	11	9 ~~8~~	~~10~~ 9	17	9 ~~0~~8	5	18	20	95	144	

Pink

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) G. N. Reynolds. P.T.O.

% 15 days Jan. Captain G. N. Reynolds

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 218075 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~10

Kept at Corndean Hall Winchcomb.
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 600 ft.

File Number: 879150/29

Jan estd for snow.
Feb & March corrd for B.A.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·03	Tr	Tr	—	—	—	Tr	·95	Tr.		1
2	—	—	—	·48	—	—	·03	—	—	Tr	·07	Tr		2
3	—	—	—	·04	—	—	·03	—	—	·32	·75	·04		3
4	—	Thaw.	—	·03	—	—	·03	—	—	·18	·15	—		4
5	—	2.6	—	—	·09	—	·01	—	—	·15	·81	—		5
6	·26	·32	—	—	—	—	—	—	—	·22	·09	·16		6
7	Tr.	·53	—	—	·02	—	·17	—	·01	Tr.	·01	·05		7
8	·02	Tr.	—	·03	—	—	Tr.	—	Tr.	·03	—	·14		8
9	—	—	—	·03	—	—	·15	·05	—	·34	·07	·15		9
10	—	—	Tr.	—	—	Tr	·88	—	·02	·26	·25	·04		10
11	—	—	Tr	·08	—	—	·19	—	—	·01	·15	·10		11
12	—	—	·06	—	—	—	·19	—	—	Tr	Tr	·04		12
13	—		Snow	—	Tr	—	·05	Tr	·11	Tr	—	Tr.		13
14	—		·53	·08	·51	·03	—	·05	·16	·21	Frost ·01	·03		14
15	—	—	·04	·02	·21	·08	—	—	·25	·55	·25	Tr		15
16	—	—	·31	·05	—	Tr	·22	—	·05	Tr.	·47	Tr		16
17	—	Snow	·23	Tr.	—	Tr	·03	—	·04	Tr	Tr	—		17
18	—	·78	·58	·53	—	—	·02	·06	Tr	·01	—	·24		18
19	Snow	·22	·05	·18	—	—	·71	·15	·13	·01	·02	·06		19
20	—	Tr.	·07	·02	—	—	·02	—	Tr	·40	·02	—		20
21	—	Tr.	Tr	—	·12	·28	·24	·04	Tr.	·01	1·13	—		21
22	—	·06	·01	·01	·36	·02	—	—	·43	Tr.	Tr.	·07		22
23	—	·03	·05	·08	·04	·08	·13	—	—	Tr.	·01	—		23
24	—	—	·06	·01	—	—	Tr	·07	Tr	Tr.	Tr.	—		24
25	Tr. ×	Tr.	—	—	Tr	—	—	—	Tr	Tr.	·01	Tr		25
26	— ×	·18	—	·01	·05	—	·81	—	—	Tr	—	—		26
27	— ×	·02	·04	·02	·07	—	·14	—	—	·04	Frost	—		27
28	— × (2·00)	·37	—	·02	·02	—	Tr	—	—	—	—	—		28
29	Snow	—	·07	·17	·24	·05	·01	·02	—	—	"	·32		29
30	—		Tr	·14	·05	—	—	—	—	·25	"	Tr		30
31	— ×		·03		Tr		Tr	—		·06		Tr.		31
TOTAL	2·28	~~5·36~~ 2·57	2·1~~7~~ 3	2·06	1·78	·54	4·06	·44	1·17	3·05	5·22	1·44	Year's Total ~~24·74~~	26·74
* Days with .01 in. or more.	9	10	14	21	12	6	20	7	9	14	18	13	156	
* Days with .04 in. or more.	6	7	12	10	10	4	12	6	6	12	12	12	109	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Capt. G. N. Reynolds

[P.T.O.

2181

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Blockley.

in the County of ~~Worcester~~ Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·04.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·14	—	·09	Tr. —	—	Tr. —	—	·24	—	—	—	1
2	·09	·15	—	·72	·34	—	—	·02	·34	—	·05	·08	2
3	·04	Tr. —	Tr. —	·09	—	—	·03	·06	·45	—	1·75	·11	3
4	—	·02	—	·19	·02	—	·27	·68	·15	—	·05	Tr.	4
5	—	·07	—	·17	·07	·73	—	·01	·06	—	Tr.	·27	5
6	—	·13	—	·15	—	·07	·04	·01	—	·18	·12	11	6
7	—	Tr. —	—	Tr. —	—	·02	·30	·52	—	·05	·27	·03	7
8	·06	·03	·01	·09	—	·13	·04	·70	—	·01	·23	·01	8
9	·04	35	—	·02	—	·14	·10	— Tr.	—	·04	·25	Tr. —	9
10	—	·06	—	Tr. —	·01	·04	·01	21 ·21	·04	Tr. —	·07	—	10
11	·26	·24	—	—	—	·12	—	—	·22	—	·47	·01	11
12	—	·03	—	—	—	—	·53	·05	·41	·11	Tr. —	—	12
13	—	—	·01	—	Tr. —	[illegible]	·21	·46	—	·08	Tr. —	—	13
14	Tr. —	·05	—	—	·04	1·52	·90	1·42	·01	—	·11	—	14
15	Tr. —	·12	—	·19	·31	—	·15	·70	·01	—	Tr. —	·05	15
16	·01	·23	—	23 ·23	·41	·45	—	·53	·18	—	—	Tr. —	16
17	·03	·28	—	·18	·62	·22	·17	·01	—	·01	·02	—	17
18	·07	·01	Tr. —	·24	— Tr.	·12	·02	·19	—	—	·22	—	18
19	·03	·03	Tr. —	·21	—	·30	·51	·05	—	—	Tr. —	—	19
20	—	·02	·07	Tr. —	—	Tr. —	·82	·15	—	·02	—	—	20
21	·18	—	Tr. —	—	·49	Tr. —	Tr. —	·01	—	—	·01	·01	21
22	·21	—	—	·06	·01	—	—	—	—	—	·01	—	22
23	·12	—	·02	·09	·46	·44	—	11	·24	—	·26	·15	23
24	—	—	—	·22	·37	Tr. —	·08	—	—	—	—	Tr. —	24
25	·05	—	—	·80	—	—	·13	—	—	—	·08	Tr. —	25
26	—	·02	—	·18	—	—	·20	—	—	—	·18	—	26
27	·12	·66	—	·14	·60	—	·09	—	—	·02	·04	—	27
28	·13	·09	—	·04	·10	—	—	—	—	·07	— Tr.	·27	28
29	·05	×	—	— Tr.	·33	—	·18	—	—	·28	·01	·01	29
30	—	×	—	·01	·01	—	—	Tr. —	—	Tr. —	—	—	30
31	·24	×	—	×	·19	×	·01	Tr. —	×	—	×	·04	31
TOTAL	1·73	2·73	·11	4·11	4·38	4·30	4·29	5·88	2·35 [illegible]	·87	4·20	1·15	YEAR'S TOTAL 36·10
*Days with ·01 in. or more.	16	20 ~~19~~	4	21	~~16~~ 17	13	21	19	12	11	19	~~12~~ 13	186 ~~183~~
*Days with ·04 in. or more.	14	14 ~~13~~	1	19	~~12~~ 13	12	17	14	10	7	15	8	144 ~~142~~

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) E. M. Richardson. [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2181

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1931

Kept at Blockley

in the County of Glouc.

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·14	–	·09	–	–	–	–	·24	–	–	–		1
2	·09	·15	–	·72	·34	–	–	·02	·34	–	·05	·08		2
3	·04	–	–	·09	–	–	·03	·06	·45	–	1·75	·11		3
4	–	·02	–	·19	·02	–	·27	·68	·15	–	·05	–		4
5	–	·07	–	·17	·07	·73	–	·01	·06	–	–	·27		5
6	–	·13	–	·15	–	·07	·04	·01	–	·18	·12	·11		6
7	–	–	–	–	–	·02	·30	·52	–	·05	·27	·03		7
8	·06	·03	·01	·09	–	·13	·04	·70	–	·01	·23	·01		8
9	·04	·35	–	·02	–	·14	·10	–	–	·04	·25	–		9
10	–	·06	–	–	·01	·04	·01	·21	·04	–	·07	–		10
11	·26	·24	–	–	–	·12	–	–	·22	–	·47	·01		11
12	–	·03	–	–	–	–	·53	·05	·41	·11	–	–		12
13	–	–	·01	–	–	–	·21	·45	–	·08	–	–		13
14	–	·05	–	–	·04	1·52	·90	1·42	·01	–	·11	–		14
15	–	·12	–	·19	·31	–	·15	·70	·01	–	–	·05		15
16	·01	·23	–	·23	·41	·45	–	·53	·18	–	–	–		16
17	·03	·28	–	·18	·62	·22	·17	·01	–	·01	·02	–		17
18	·07	·01	–	·24	–	·12	·02	·19	–	–	·22	–		18
19	·03	·03	–	·21	–	·30	·51	·05	–	–	–	–		19
20	–	·02	·07	–	–	–	·32	·15	–	·02	–	–		20
21	·18	–	–	–	·49	–	–	·01	–	–	·01	·01		21
22	·21	–	–	·06	·01	–	–	–	–	–	·01	–		22
23	·12	–	·02	·09	·46	·44	–	·11	·24	–	·26	·15		23
24	–	–	–	·22	·37	–	·08	–	–	–	–	–		24
25	·05	–	–	·80	–	–	·13	–	–	–	·08	–		25
26	–	·02	–	·18	–	–	·20	–	–	–	·18	–		26
27	·12	·66	–	·14	·60	–	·09	–	–	·02	·04	–		27
28	·13	·09	–	·04	·10	–	–	–	–	·07	–	·27		28
29	·05	X	–	–	·33	–	·18	–	–	·28	·01	·01		29
30	–	X	–	·01	·01	–	–	–	–	–	–	–		30
31	·24	X	–	X	·19	X	·01	–	X	–	X	·04		31
TOTAL	1·73	2·73	·11	4·11	4·38	4·30	4·29	5·88	2·35	0·87	4·20	1·15	Year's Total	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

W W W Ck.

2181

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

2181.

Kept at Blockley.

in the County of Gloucester.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level ft.

certain modifications were made to the [illegible] for the year & these were [illegible] through [illegible] return on the 29th July 1936 [illegible] are indicated by an asterisk (*)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	–	·03	1·18	·02	·05	·17	·04	·19	–	Tr.	1
2	·01	–	–	·10	·18	Tr.	–	Tr.	·20	·05	·01	·06	2
3	–	–	–	·44	·05	–	–	–	Tr.	·04	–	–	3
4	Tr.	–	–	·11	Tr.	–	–	–	–	–	·42	–	4
5	·30	Tr.	·01	–	·01	–	–	·04	·08	–	Tr.	–	5
6	·62	–	·02	·14	–	–	·08	–	·43	–	–	–	6
7	·03	–	·21	·07	–	–	–	–	·08	·22	–	–	7
8	–	Tr.	·06	·10	–	–	–	–	·24	·43	–	–	8
9	·46	·08	–	·06	·14	–	–	–	Tr.	–	–	–	9
10	·39	·06	–	·17	·05	–	–	–	·08	·24	–	–	10
11	–	·01	–	·07	–	·04	·17	–	·01	·09	·03	·01	11
12	·35	–	–	–	·26	–	·01	–	·12	·35	·04	Tr.	12
13	·02	·01	–	·25	·01	–	·10	–	·01	·10	05	·05	13
14	·31	Tr.	–	·04	·03	–	–	·19	Tr.	·05	05	·03	14
15	·01	–	–	·08	1·14	–	–	·01	–	·04	–	·02	15
16	·23	·01	–	·27	·10	–	·16	–	–	Tr.	·03	Tr.	16
17	–	–	–	–	Tr.	–	·05	–	·05	·04	·01	Tr.	17
18	Tr.	–	–	–	·10	–	·03	–	–	Tr.	·06	–	18
19	Tr.	·01	–	·04	·02	–	–	–	·02	·11	Tr.	–	19
20	–	–	–	·28	·57	–	Tr.	1·94	–	·54	·09	–	20
21	–	–	·07	·28	1·27	–	–	2·89	·79	·33	·09	·06	21
22	·01	–	·18	·02	·02	–	·27	–	–	·19	·18	Tr.	22
23	–	·02	Tr.	–	·67	–	·01	–	·09	·24	·01	·05	23
24	–	·01	–	–	·02	–	·04	–	·05	·06	·01	·01	24
25	–	Tr.	–	·04	Tr.	·14	·27	–	–	·43	·02	–	25
26	–	–	·10	·06	·14	–	·04	Tr.	·02	·05	·03	Tr.	26
27	–	–	·46	·02	·41	–	·08	–	–	·10	·02	–	27
28	–	–	10	·24	·28	·07	·07	–	–	·01	–	·02	28
29	–	–	38	·13	·17	·09	·01	·03	·17	·30	·01	·11	29
30	–	✕	04	·24	·01	1·01	·24	·31	·63	Tr.	·75	·25	30
31	–	✕	·17	✕	·02	✕	·25	–	✕	–	✕	·20	31
TOTAL	2·77	·24	1·80	3·28	6·85	1·37	1·93	5·58	3·11	4·20	1·91	·87	33·91 YEAR'S TOTAL
*Days with ·01 in. or more.	~~12~~ 13*	9	~~11~~ 12*	24	24	6	18	8	18	23	~~18~~ 19*	12	~~182~~ 184
*Days with ·04 in. or more.	~~6~~ 7*	2	~~8~~ 10*	21	16	5	14	6	14	22	~~8~~ 9*	7	~~128~~ 130

40-9999

*See Instruction 2 (f) on other side.

(Signed) E. M. Richardson

P.T.O.

/K2/

2181

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Esc. for T.V.

monthly figures agree with Cards.

Kept at Blockley.

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

T.V.

Certain modifications were made to the monthly returns for the Water Board Report, + these were carried onto this return on 28th July 1936. They are indicated by an asterisk (*)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·13	—	Tr.	—	—	—	—	Tr.	—	—	—	1
2	·42	—	·71	—	·06	—	—	—	—	[illegible]	·08	—	2
3	Tr.	·16	·04	—	·04	—	—	—	—	—	·07	—	3
4	·17	Tr.	Tr.	—	·28	—	—	—	—	—	Tr.	—	4
5	·04	—	·30	—	·02	—	—	—	—	—	·01	—	5
6	—	·31	·03	—	·14	—	—	—	—	·07	Tr.	·01	6
7	·03	·04	·02	—	—	—	—	—	—	·18	Tr.	·01	7
8	·02	—	·07	—	·06	—	·24	—	—	—	·01	—	8
9	—	—	Tr.	—	·08	—	·27	—	—	·21	·05	—	9
10	·05	·03	—	—	·01	—	·03	—	—	·08	·34	—	10
11	·13	—	—	—	·02	—	·02	02	—	·04	Tr.	Tr.	11
12	·02	—	—	—	·04	·03	·11	—	·54	—	—	—	12
13	—	—	—	—	·12	·05	·19	Tr.	·01	·02	·10	—	13
14	·05	—	—	—	Tr.	—	·02	—	—	·05	·56	—	14
15	·59	—	·05	—	—	—	·11	·08	—	·06	·01	—	15
16	—	·01	·56	—	Tr.	·05	·09	·02	—	·09	·06	·03	16
17	·10	—	·36	—	—	·05	—	·07	·07	—	Tr.	Tr.	17
18	·05	Tr.	·01	—	—	·17	·01	—	—	—	·02	—	18
19	—	—	·19	—	—	·18	—	·01	·21	—	·04	—	19
20	—	—	·03	—	—	·37	—	—	Tr.	—	·01	—	20
21	—	—	—	—	—	—	—	·28	—	·01	Tr.	—	21
22	—	—	—	—	—	·02	—	·16	—	30	·01	—	22
23	—	—	—	·11	·08	·05	—	—	·43 ~~[illegible]~~	39	·01	—	23
24	—	·90	—	·06	·01	·34	—	—	·15	·12	—	—	24
25	—	1·09	—	·19	—	·11 ~~·21~~	—	—	25 ~~[illegible]~~	Tr.	—	·07	25
26	—	·67	—	·07	—	·10	—	—	21 ~~[illegible]~~	·33		Tr.	26
27	—	·01	—	—	·63	Tr.	—	—	08 ~~·08~~	32	Tr.	·08	27
28	—	—	—	·40	·01	—	·02	—	—	18	—	·07	28
29	·10	×	—	·03	—	—	·07	—	—	02	—	·02	29
30	·12	×	05 ~~·06~~	—	—	—	·08	—	·06	—	—	·10	30
31	·20	×	·05	×	—	×	—	·03	×	·05	×	—	31
TOTAL	2·43	3·35 ~~2·35~~	2·47	·86	1·60	1·52	1·26	·67	2·01 ✓	2·52 ~~[illegible]~~	1·38	·39	YEAR'S TOTAL 20·46 ~~[illegible]~~
*Days with ·01 in. or more.	~~16~~ 16 ✓	10 ✓	14 ✓	6 ✓	15 ✓	12 ~~11~~ ✓	13 ✓	6 ✓	10 ✓	18 ~~17~~ ✓	15 ✓	8 ✓	145 ~~143~~
*Days with ·04 in. or more.	13 ✓	7 ✓	10 ✓	5 ✓	10 ✓	10 ~~9~~ ✓	8 ✓	4 ✓	9 ✓	15 ~~14~~ ✓	8 ✓	4 ✓	103 ~~101~~

40-9999

*See Instruction 2 (*f*) on other side, (× 21)

(Signed) E. M. Richardson. [P.T.O.

2181

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Blockley

in the County of Gloucester

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 550. — ft. approx.

A00

V

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	—	—	—	Tr.	—	·34	Tr.	Tr.	·03	·62		1
2	·02	—	·08		—	—	—	Tr.	·34	·01	—	·13		2
3	·02	·05	—	·02	—	—	—	—	·01	·07	·02	·08		3
4	·11	—	·03	·14	·18	—	—	—	·10	·21	·12	·55		4
5	Tr.	—	·05	Tr.	·06	—	—	·34	—	—	·14	·30		5
6	Tr.	—	·12	·11	·21	·08	—	Tr.	—	·13	Tr.	·53		6
7	·10	Tr.	—	Tr.	—	Tr.	—	·27	—	·01	—	·37		7
8	—	—	—	—	·13	·07	—	Tr.	·01	—	·17	·06		8
9	·01	—	·20	—	Tr.	—	—	Tr.	~~·07~~	—	·70	·30		9
10	·14	—	·23	·17	—	—	—	—	—	—	·12	—		10
11	·70	—	·15	·31	—	—	·15	·10	—	—	·01	·19		11
12	Tr.	—	·13	·03	—	—	·04	·12	—	—	—	·08		12
13	·49	—	·01	·06	—	—	·16	·05	Tr.	—	Tr.	·18		13
14	·07	—	·44	—	—	—	—	—	—	Tr.	·18	·24		14
15	·08	—	·08	—	·06	—	—	—	·01	·16	·38	·10		15
16	·17	—	·28	Tr.	·03	—	—	—	—	·02	·02	·01		16
17	·01	—	Tr.	·26	·01	—	·04	·04	·22	·06	·01	·32		17
18	·14	—	·05	·12	—	—	·58	—	—	—	—	·30		18
19	—	—	·23	·27	—	·03	—	·03	·07	·02	—	·28		19
20	—	—	·03	·10	—	—	—	—	—	—	—	Tr.		20
21	—	—	·06	·02	—	·14	—	·03	—	28	—	—		21
22	—	—	·01	·04	06	—	—	·06	·20	—	—	·12		22
23	—	Tr.	Tr.	·21	—	·16	·03	—	·08	Tr.	·01	·02		23
24	—	·45	·10	·09	—	·06	·10	Tr.	·30	·05	Tr.	Tr.		24
25	·16	·01	Tr.	·20	—	·74	—	—	—	·14	—	·38		25
26	·01	Tr.	·02	·21	—	·07	·02	—	·09	·05	—	·12		26
27	Tr.	—	—	·04	—	·02	—	—	—	·01	—	·21		27
28	—	·01	—	·41	—	·27	—	·37	—	—	—	·41		28
29	—	~~×~~	—	—	—	Tr.	·07	—	·63	Tr.	—	Tr.		29
30	·06	×	—	—	—	Tr.	—	·24	·02	—	—	·02		30
31	—	×	—	×	—	×	—	·02	×	·13	×	·08		31
TOTAL	2·31	·53	2·30	2·81	·74	1·64	1·19	2·01	2·08	1·35	1·91	6·00	Year's Total ~~24·99~~	24·89 2487
*Days with ·01 in. or more.	17 ~~16~~	5	19	19	8	10	9	13	13	15	13	26	164	
*Days with ·04 in. or more.	11 ~~10~~	2	14	16	6	8	7	10	9	10	7	23	123	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) C. M. Richardson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2181.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Blockley

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

400

Certain modifications were made to the monthly returns for the Water Board Report, & these were copied through onto this return on the 28th July 1936. They are indicated by an asterisk (*)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	·02	–	·03	·03	·03	·20	–	·44	·05	·07	Gr.		1
2	Gr.	–	–	–	–	Gr.	–	–	·07	*·20	–	–		2
3	–	·16	·04	–	–	·12	–	–	·06	~~[illegible]~~ *·36	·24	·10		3
4	–	[illegible]	–	·10	–	·26	–	–	·15	·34	·02	Gr.		4
5	–	·56	·19	·03	–	·40	–	–	·08	–	*·04	·02		5
6	–	–	–	·43	–	·37	–	–	–	~~[illegible]~~	~~[illegible]~~ *·08	·02		6
7	–	–	–	·42	–	·31	–	–	–	14 ~~[illegible]~~	·24	·11		7
8	–	–	–	·32	–	·03	–	–	–	·06	·18	·06		8
9	–	–	–	·64	–	·24	–	–	–	·66	·58	·01		9
10	–	·06	–	·17	–	Gr.	–	–	–	–	·04	Gr.		10
11	·20	–	–	·02	–	·10	*·04	–	–	·01	·31	–		11
12	·10	·07	–	–	–	·26	–	·01	Gr.	–	·04	–		12
13	·10	·11	–	·19	·20	·02	–	–	Gr.	–	·01	·01		13
14	–	[illegible]	–	Gr.	·06	·10	~~[illegible]~~	–	·36	·01	·74	·15		14
15	–	·02	–	·67	·04	·04	–	–	·52	–	·15	·16		15
16	–	[illegible]	·06	·25	–	·05	–	–	·19	·09	1·02	·10		16
17	–	·02	Gr.	·10	–	·22	–	–	Gr.	Gr.	·64	–		17
18	–	·05	–	·30	·08	·08	0·25*	·02	·18	·03	·01	–		18
19	–	–	–	~~·18~~ 13	·17	·20	~~·34~~ ·09*	–	·09	·11	·26	·04		19
20	·01	·35	–	·19	·63	·10	·02	–	Gr.	–	·64	–		20
21	Gr.	·39	–	·01	–	–	–	–	1·69	·02	·07	–		21
22	Gr.	·13	–	·04	–	–	–	·18	·40	–	Gr.	–		22
23	·03	–	·06	·03	–	–	–	·23	·06	·45	–	Gr.		23
24	*·05	·38	Gr.	Gr.	–	–	–	·07	·57	·06	–	·34		24
25	*·18 ~~[illegible]~~	·22	–	·19	–	·40	–	–	–	Gr.	Gr.	·13		25
26	–	·09	–	–	–	–	–	·10	·05	–	–	*·65		26
27	–	·29	–	–	·03	–	–	–	·03	·01	·09	~~[illegible]~~ 1·20*		27
28	·01	·01	–	–	·20	–	–	·11	·08	·01	·01	·05		28
29	Gr.	✕	04 *	–	Gr.	–	–	·15	·10	·03	·05	·29		29
30	·05	✕	~~[illegible]~~	·20	~~[illegible]~~ ·16	–	–	·37	·14	22 ~~[illegible]~~	·12	·15		30
31	–	✕	–	✕	–	✕	–	·14	✕	·50	✕	·21		31
TOTAL	·79	2·93	·39	4·46	2·60	3·33	·60	1·38	5·26	3·36	5·65 ~~[illegible]~~	3·80 ~~[illegible]~~	Year's Total 34·55	
* Days with .01 in. or more.	10 ~~8~~ *	17	5	21	10	19	5 ~~4~~ *	10	19	20	24 ~~22~~ *	19	~~176~~	179 *
* Days with .04 in. or more.	7 ~~8~~	13	5	16	8	16	4 ~~3~~ *	8	18	13	20 ~~19~~	15	~~140~~	143 *

40-9999

* See Instruction 2 (f) on other side.

M.

† Spare column, no entries required.

(*Signed*) E. M. Richardson [P.T.O.

Adjusted by mon. Sta for T.V. Owing amt for mar 31st. Obs. agrees see file.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Blockley

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

400 TV

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·06	·08	·49		·42	·37	·08		–	·07 ~~[illegible]~~	·02		1
2	·06	·02	·03	·06		·52	·35	·08		–	·05	Tr –		2
3	– ~~·06~~					·64	·08	·01	·24	–	·02	·03		3
4	·02		16					–	·31	–	·04	·27		4
5	·19		·06		·02		·04	05	·18	–	—	·17		5
6	01	·03	·01		·10	·08	·13	17	·14	–	·16	·07		6
7	·06		·10				·45		·05	–	·17	·05		7
8	·18		·14							–	·64	·06		8
9	·78		·08				·48		·20	·01	·03	Tr –		9
10	·26				·04		·20		·04	·02	Tr –	—		10
11		·02		·04			·11		13	– Tr	·49	—		11
12				·09	·05	·23	·32		·73	–	·10	·17		12
13				·05		·35				·05	·03	·70		13
14		·02		·34		·03	·49		·45	·01	– Tr	·91		14
15		01			·06		·21		·06	–	·02	·16		15
16	·29	19		·02	·02		·09			–	·29	·01		16
17	·20	·70					·08			·09	·15	·10		17
18		·02					·21			·13	Tr –	·06		18
19	·43	·03	01	12		·07		·06		·02	–	—		19
20	·02	·14	·02	·09		·28	·07		1·31	·01	—	—		20
21			·01	·68		·19			·37	– Tr	Tr –	–		21
22	·02	·69	·03		·23		·27			– Tr	·01	·10		22
23	·03	01	·21	·05	·01		·16			·05	—	—		23
24	·08	·08		·01			·04		·44	·22	Tr –	—		24
25	05		·24	·38			·25		·41	·08	·04	—		25
26	02	·11	·15	03			·06			·01	·01	—		26
27			·03				·01		·27	·12	Tr –	–		27
28	·52	·02	·21				·03			– Tr	—	·11		28
29	·10	·25	·09			·13	·21			·02	·10	·18		29
30	·20 ~~[illegible]~~	×			·14	·04	·12			·56	Tr –	Tr –		30
31	22	×	·25	×	05	×	·09		×	·24	×	·21		31
TOTAL	3·77	2·40	1·91 ~~[illegible]~~	2·45	·72	2·98	4·92	·45	5·33	1·64	2·42	3·38	Year's Total 32·37	
* Days with .01 in. or more.	22	17	189	14	10	12	26	6	16	16	17 18	18	194	
* Days with .04 in. or more.	15	8	12	11	7	11	24	5	16	9	11 12	15	145	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E. M. Richardson [P.T.O.

adjusted by [illegible] for T.V.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Blockley

in the County of Gloucester

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

T.V.

Copy by B.R.O.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·01	·01	–	–	–	–	–	–	·02	·18	·51		1
2	·01	·14	~~Tr~~	·21	–	–	–	–	–	–	–	·35		2
3	–	·46	·05	~~Tr~~	·03	–	·01	–	·06	–	–	·04		3
4	·18	·18	~~Tr~~	–	·01	–	–	–	–	–	–	·49		4
5	·10	~~Tr~~	·12	~~Tr~~	–	–	·01	–	–	–	–	–		5
6	·21	·05	·26	·02	·16	–	·06	–	–	·08	·04	–		6
7	–	·76	–	·19	–	–	–	–	–	·01	–	–		7
8	–	·12	–	~~Tr~~	·12	–	·01	–	–	–	·42	·04		8
9	–	03	·13	·06	·15	[illegible]	~~·06~~ ·05	–	·56	–	–	·08		9
10	–	~~·08~~	·30	1·08	–	13	·02	–	–	–	–	·10		10
11	–	–	·28	~~Tr~~	·58		·04	–	–	–	–	·15		11
12	·23	·42	·35	–	·23	·32	·01	·23	·18	–	–	·29		12
13	·10	·04	·07	·09	·02	·21	–	·02	·63	–	–	–		13
14	–	~~Tr~~	·57	·12	–	–	–	·44	·04	–	–	·09		14
15	·22	·11	·02	·35	–	–	2·12	·02	·09	–	–	·04		15
16	~~Tr~~	·08	·55	·47	–	·12	–	·08	·46	–	–	–		16
17	·45	·06	·36	·06	–	10	–	–	~~·60~~ ·14	–	–	–		17
18	·39	·09	·15	~~Tr~~	–	·47	–	–	·41	–	·24	·10		18
19	·15	·02	·12	·15	·11	·26	–	–	–	·01	·05	–		19
20	·42	·04	–	·48	·43	·07	–	–	–	–	–	·01		20
21	·18	·43	·09	·08	·03	–	·09	–	–	–	·02	·04		21
22	·24	·05	·15	~~Tr~~	·19	·17	·20	–	–	1·20	·32	·03		22
23	·17	·07	·03	–	·02	–	·04	–	–	·29	·01	–		23
24	·27	·50	·02	–	03	–	01	–	·06	·43	–	–		24
25	·01	·40	–	–	·19	–	–	–	·02	·34	–	·02		25
26	–	·27	·08	–	·40	–	–	–	–	·06	–	–		26
27	~~Tr~~	·24	~~Tr~~	·28	–	–	–	–	–	·80	–	–		27
28	–	·02	–	~~Tr~~	–	–	–	–	–	·06	–	·09		28
29	·05	X	–	–	–	·21	–	–	–	·04	·03	·02		29
30	·36		–	–	–	·02	–	·02	–	–	·15	–		30
31	·26		–		–		–	–		·14		·01		31
TOTAL	4·07	4·59	3·71	3·64	2·70	2·08	2·67	·81	2·65	3·48	1·46	2·50	Year's Total 3436	
* Days with .01 in. or more.	20	24	20	14	16	11	1~~2~~3	6	~~10~~11	13	10	19	177	
* Days with .04 in. or more.	18	20	16	13	10	10	7	3	~~9~~10	10	7	14	138	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

adjusted by [illegible] for TV

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2181

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Blockley

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 550 ft.

TV 400

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·21			·52	·64	–	–	·15	–	·32		1
2	·04	–	–	·08	·07		·01	–	Tr	·16	Tr	Tr		2
3	–	–	–		·09		–	–	·01	·57	·01	–		3
4	·04	–	–				·07	·63	–	·46	Tr	·18		4
5	–	–	–				·06	·16	Tr	·07	Tr	Tr		5
6	·02	·03	–			·06	·16	Tr	·20	·09	–	–		6
7	–	–	–			·01	·41	·43	·10	·14	–	·09		7
8	·37	–	–			·10	·09	·26	Tr	17	–	Tr		8
9	·02	·02	–			–	·02	·01	Tr	–	–	38 ~~Tr~~		9
10	22 ~~Tr~~	·02	–			·14	·25	·07	–	Tr	–	·09		10
11	·37	·01	–				Tr	·04	–	·04	·20	·05 ~~·46~~		11
12	·11	–	–		·14		·02	·08	–	·38	·13	·01		12
13	·01	–	–				–	Tr	–	·01	·17	·66		13
14	·46	·03	–		·01		·45	–	·08	–	–	·01		14
15	·10	·01	–		·03		·02	Tr	–	·01	·05	·48		15
16	·33	–	–				·03	Tr	–	Tr	–	·21		16
17	–	·05	–		·11		Tr	·01	·02	·10	·05	Tr		17
18	·04	–	–		·02		–	·01	·60	·01	·40	–		18
19	·01	–	–				–	·10	·08	Tr	·22	·04		19
20	~~·02~~	–	–				Tr	–	·08	Tr	·49	0		20
21	·02	–	–				–	Tr	Tr	–	·01	34		21
22	–	–	–	·03		·03	–	·08	Tr	–	·29	·35		22
23	–	–	–		·02		–	–	·07	–	Tr	·04		23
24	–	–	·08		·02		–	·03	·19	–	·01	Tr		24
25	·10	·22	·13		·01		Tr	·02	·02	·13	·23	·17		25
26	·15	·44	·07		·02		–	·05	·08	·29	Tr	·15		26
27	·04	–	–		·63	·19	·41	·08	·04	·05	·43	Tr		27
28	·20	–	–		·20	·11	·04 ~~Tr~~	·85	·02	Tr	·03	·22		28
29	·22	×	–		·35	·04	Tr	Tr	Tr	·03	·13	·14		29
30	·06	×	–		·07		–	–	·66	·02	·33	·09		30
31	·11	×	–	×	12 ~~Tr~~	×	·01	–	×	·14	×	·18		31
TOTAL	3·04	·83	·49	·11	1·91	1·20	2·69	2·91	2·25	2·99	3·18	4·16	Year's Total 25·76	
* Days with .01 in. or more.	22	9	4	2	~~15~~ 16	9	16	17	15	20	17	22	169	
* Days with .04 in. or more.	17	3	4	1	~~8~~ 9	7	10	12	11	15	13	~~18~~ 20	122	

* See Instruction 3 (f) on other side.

1·43

† Spare column, no entries required.

(*Signed*) E. M. Richardson

P.T.O.

adjusted by surr. 2120 - for T.V.

2181

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~2179/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Blockley

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 550 ft.

TV

Copy by B.R.O.

Aug. 4th add. by request of Obsr. — see file.

4·00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	·03	·20	·15	–	–	–	·03	·05	–	–		1
2	·26	—	–	tr	tr	–	–	·29	1·20	–	·08	·06		2
3	·13	tr	–	·23	–	–	–	·33	tr	–	·17	·19		3
4	·14	tr	·29	·32	·04	–	·54	·25	·02	·53	·07	·20		4
5	–	–	tr	·61	·27	–	·15	·15	tr	·20	·37	·18		5
6	·48	–	·01	·04	tr	–	·90	·03	–	tr	·03	tr		6
7	–	·12	–	–	–	–	·06	·01	–	–	·36	·34		7
8	·01	·25	·37	–	tr	–	·33	·15	–	·79	·13	·50		8
9	·01	·01	tr	tr	–	–	tr	·13	–	·48	tr	·18		9
10	·40	–	·01	–	–	·18	–	·21	·01	·03	·01	tr		10
11	–	–	·15	–	–	·08	tr	–	–	·09	tr	tr		11
12	·01	·01	tr	–	tr	·13	–	–	–	·01	·01	–		12
13	–	–	tr	·01	·01	tr	·27	–	·04	·34	tr	tr		13
14	·41	–	·01	–	·18	·04	·05	tr	–	·02	·10	tr		14
15	·65	–	tr	·01	·09	·39	·23	–	·01	·38	·25 ~~·55~~	tr		15
16	·10	–	·04	·05	·16	·14	·13	–	–	·02	·30	tr		16
17	·38	·06	–	·01	·04	·01	·03	–	–	·76	·01	–		17
18	·36	·02	·02	–	–	·47	·08	–	tr	·08	·37	tr		18
19	·24	–	–	–	tr	–	·69	tr	·01	tr	tr	–		19
20	·33	–	–	–	–	–	·46	·01	–	–	–	·01		20
21	·07	·19	·28	·03	–	·23	tr	tr	·04	tr	–	–		21
22	·37	·33	·12	·07	–	·37	·04	–	tr	·02	·35 ~~·14~~	tr		22
23	·04	–	–	·06	–	·07	·34	–	tr	·07	·76	tr		23
24	·39	–	·02	·18	–	·02	tr	–	–	·11	–	tr		24
25	1·11	·12	·09	tr	–	–	·07	–	–	·04	·09	–		25
26	·17	~~tr~~	·02	–	–	–	–	·06	–	·03	·43	·07		26
27	·04	·33	·16	·01	–	·02	·09	tr	–	·04	·02	·09		27
28	·02	·16	·11	·03	–	·29	·14	–	–	tr	·25	tr		28
29			tr	·50	–	–	·14	–	–	·13	·05	–		29
30	–	×	–	·59	–	·01	–	–	–	tr	·01	·18		30
31	–	×	–	×	–	×	·01	·04	×	–	×	–		31
TOTAL	6·18	1·60	1·48	2·95	·94	2·45	4·75	1·66	1·36	4·22	4·22	2·00	Year's Total 34·06	
* Days with .01 in. or more.	24	11	16	17	8	15	~~20~~ 19	12	8	21	22	11	184	
* Days with .04 in. or more.	20	8	9	11	7	11	18	8	3	15	~~14~~ 16	10	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2181 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Blockley

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 550 ft.

July adj. by comp. with nearby stations

Feb. Corrected for snow

BRITISH RAINFALL ORGANIZATION.

x00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	~~tr~~ -	-	~~tr~~ -	~~TR~~	-	-	-	-	-	·05	~~tr~~ -		1
2	-	-	-	·29	-	-	·01	-	-	-	·92	-		2
3	-	·33	-	·05	-	-	·03	-	-	·24	·87	·05		3
4	~~tr~~ -	·15	-	·02	-	-	·01	-	-	·21	·31	·04		4
5	~~tr~~ -	~~tr~~ -	-	-	·20	-	·05	-	-	·11	·95	·13		5
6	·14	30	-	-	·02	-	-	-	-	·17	·41	·02		6
7	-	45	-	-	·01	-	·30	~~tr~~ -	·08	~~tr~~ -	-	·06		7
8	~~tr~~ -	-	-	·05	-	-	·01	-	·06	·31	·10	·18		8
9	-	-	-	~~tr~~ -	-	·14	·17	·03	·01	·20	·22	·06		9
10	-	-	-	-	-	-	·89	·01	-	·09	·23	·05		10
11	-	-	~~tr~~ ✓	·04	-	-	·24	-	·02	~~tr~~ -	·55	·12		11
12	-	~~tr~~ -	·04	-	-	-	·27	-	·06	-	·01	-		12
13	-	~~tr~~ -	·65	·02	-	-	·01	-	·02	-	·25	·01		13
14	-	-	·04	·12	·31	-	-	·01	·15	·17	-	·30		14
15	-	-	·08	-	·14	-	-	-	·11	·04	·25	·05		15
16	·01	·22	·28	·11	-	·02	·20	-	~~·24~~ 13	·74	·60	·06		16
17	-	-	·15	-	-	-	~~tr~~ -	-	-	~~tr~~ -	·03	~~tr~~ -		17
18	·04	·55	·66	·51	-	-	~~tr~~ -	·03	·05	·41	·07	·14		18
19	-	·25	·04	14	-	·01	·66	-	·06	~~tr~~ -	·13	·03		19
20	-	~~tr~~ -	·04	~~tr~~ -	-	-	~~tr~~ -	·02	~~tr~~ -	·24	~~tr~~ -	~~tr~~ -	-	20
21	·03	·01	~~tr~~ -	~~tr~~ -	·21	·06	·13	·03	-	~~tr~~ -	1·26	-		21
22	-	·02	·04	-	·65	·24	~~tr~~ -	-	·32	·01	~~tr~~ -	-		22
23	-	·19	·04	·02	·22	·16	~~tr~~ -	-	~~tr~~ -	-	·04	·06		23
24	~~tr~~ -	~~tr~~ -	~~tr~~ -	-	~~TR~~ -	~~tr~~ -	·10	-	-	-	~~tr~~ -	·01		24
25	-	-	-	~~tr~~ -	-	~~tr~~ -	~~tr~~ -	-	-	~~tr~~ -	~~tr~~ -	~~tr~~ -		25
26	1·33	·14	-	·43	·06	·09	·29	-	-	-	-	-		26
2·94 27	·97	15	~~tr~~ -	·06	·03	-	·11	-	-	-	-	-		27
28	·54	22	-	·03	·08	-	~~tr~~ -	-	-	-	-	-		28
29	·01	~~tr~~ -	-	·05	·09	·01	·01	-	-	~~tr~~ -	~~tr~~ -	·28		29
30	·03	✕	-	·25	·05	-	-	-	-	·27	-	·01		30
31	·06	✕	·03	✕	~~TR~~ -	✕	-	-	✕	·72	✕	·01		31
TOTAL	3·16	2·98	2·09	2·19	2·10	·73	3·49	·13	1·07	3·93	7·25	1·67	Year's Total 30·79	✓
* Days with .01 in. or more.	~~10~~ 11	~~11~~ 13	12	~~15~~ 16	13	8	18	6	~~11~~ 12	15	19	20 ~~18~~ 19	16~~2~~3	✓
* Days with .04 in. or more.	6 ✓	9 11 ✓	11 ✓	~~11~~ 12 ✓	10 ✓	5 ✓	12 ✓	- ✓	~~8~~ 9 ✓	14 ✓	17 ✓	14 13	12~~0~~1	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) E. M. Richardson

P.T.O.

Stn. No 2181

2350

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Blockley.
in the County of Worcs.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level ft.

Cont. by Fm 1096.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·10	–	·02	–	·16	–	·05	–	·33	–	·01	1
2	–	·16	–	–	–	–	–	–	–	·03	Tr	·35	2
3	–	–	–	Tr	·01	~~Tr~~ ·03	Tr	·71	~~Tr~~ ·28	–	–	·29	3
4	–	·01	–	·15	·36	·09	·29	·02	–	·11	–	·69	4
5	·04	Tr	–	–	·56	·22	·23	·19	–	1·45	·75	·14	5
6	·04	–	Tr	–	·06	·24	·10	·14	–	·03	·28	·43	6
7	~~Tr~~ 02	–	–	–	·12	·01	–	–	–	·34	·25	·73	7
8	–	–	–	Tr	·04	·12	–	·04	–	·13	–	·38	8
9	·34	·18	–	–	–	–	–	·03	–	–	·39	·48	9
10	·04	–	–	·17	·02	–	–	–	–	·05	–	·10	10
11	–	–	–	·01	·17	–	–	Tr	–	–	1·07	·12	11
12	–	–	–	·31	·08	·18	·09	–	–	–	Tr	·01	12
13	·03	–	–	·11	·16	·05	–	–	–	–	–	Tr	13
14	–	–	–	Tr	·15	·22	–	–	–	–	–	·18	14
15	·05	·05	–	–	–	·02	–	–	–	–	·45	–	15
16	–	–	–	–	–	–	–	·01	–	–	Tr	–	16
17	·10	–	–	–	–	–	–	·09	–	·06	–	–	17
18	–	–	–	–	–	–	–	·01	–	–	1·08	–	18
19	Tr	–	Tr	–	–	–	–	Tr	–	–	·23	–	19
20	–	–	–	–	–	–	–	·01	–	·29	–	·36	20
21	–	–	·01	–	–	·02	·04	–	·08	–	–	·07	21
22	–	Tr	Tr	·03	–	–	·06	·02	–	Tr	·81	–	22
23	–	Tr	–	·04	Tr	–	–	–	–	·03	·23	·79	23
24	–	–	01	Tr	–	–	–	·01	–	·73	1·02	·61	24
25	–	·13	Tr	–	–	–	–	–	–	·01	·11	·01	25
26	04	·02	–	·06	·14	–	–	–	–	–	·06	·22	26
27	–	Tr	–	·18	–	–	–	–	–	·07	·36	·03	27
28	–	–	–	·31	–	–	·43	·12	–	·36	~~Tr~~ ·65	·86	28
29	16	✕	–	·09	–	–	–	–	–	·06	·33	·07	29
30	–	✕	–	–	–	Tr	·03	–	·25	–	·09	·08	30
31	46	✕	–	✕	–	✕	·27	·25	✕	–	✕	·07	29·93 31
													YEAR'S TOTAL
TOTAL	~~[illegible]~~ 1.33	~~·35~~ ·65	·07	1·48	1·87	~~1·26~~ 1·36	1·54	1·70	·61	4·08	8·16	7·08	~~30·01~~ 11
Days with ·01 in. or more.	12 ~~14~~	7	2	12	12	12	9	15	3	16	~~16~~ 17	24	141 ~~142~~
Days with ·04 in. or more.	9 ~~10~~	5	1	9	10.	8	8	8	3	12	~~16~~ 17	20	110

Please read the Notes and Instructions Overleaf.

M

(144WS)

(Signed) Ellen M. Richardson [P.T.O.

TV 226

Section **A** for the entry of Daily Observations. Organised by T.V. 5/05.

✓ www –

2405

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Blockley

in the County of Worcestershire

Stn. No 2181

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14		·10		·05		·03			·18		1
2			·01			·02		·17			·39		2
3	·38	·22		·36	·18		·01	·22		·22	·01		3
4	·38			·70				·01	·05	·09			4
5			·03	·12	·14			·01					5
6			·02		·34			·15	·13	·09			6
7	·16							·15		·15	·23	·03	7
8				·13					·24	·60		·09	8
9	·36		·49	·02	·05	·03		}	·03		·04	·18	9
10	·84		·07		·14	·01		} ·24				·41	10
11	·15			·02	·23		·03			·04		·43	11
12	·20				·08			·05				·26	12
13	·02		·30	·81	·02	1·70	·20		·37				13
14	·53	·08	·40	·16			·62	·24		·02		·02	14
15			·42				·48			·11	·24	·12	15
16				·01					·05	·05		·24	16
17				·40					·66	·04			17
18			·02	·02		·03	·12	·05	·06		·12	·05	18
19			·05	·33	·02	·01		·03	·88	·15	·29		19
20				·07			·55	·87	·50	·15	·07		20
21			·01				·57	·02		·01	·09		21
22	·22				·05	·12	·34	·37		·27	·19		22
23	·10			·09	·02	·37	·24	·02	·07	·08	·39		23
24	} ·20			·30	·03						·52	·10	24
25	} ·04 ~~·24~~	·03		·12	·52					·10	·04	·10	25
26	·75	·07		·02			·03		·10		·01	·17	26
27	·07						·01		·14	·01		·08	27
28	·12		·03				·07		·05		·85	·36	28
29		X				·01	·25		·07		·39	·07	29
30	·03	X			·37	·23	·35					·47	30
31	·24	X	·01	X	·04	X			X	·09	X	·43	31
TOTAL	4·79	·54	1·86	3·78	2·23	2·58	3·87	2·63	3·40	2·27	4·05	3·61	YEAR'S TOTAL ✓ 35·61
Days with ·01 in. or more.	18 ~~17~~	5	13	18	15	11	15	~~16~~ 17	15	18	17	18	180
Days with ·04 in. or more.	16	4	6	13	11	5	11	10	14	15	15	16	136

40-9999

(*Signed*) E. M. Richardson

[P.T.O.

Section **A** for the entry of
AIR MINISTRY

FOR OFFICIAL USE.
FALL ORGANIZATION.

2182.

FORM 1090.

REGIST

2182

WINCHCOMBE - SUDELEY
CASTLE

1931 - 1940

18 04 02

31

Kept at Sudeley C
in the County of Gloucest

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASUR DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	·02	·11	·02	–	–	–	·26	–	–		1
2	–	·02	–	·65	·38	–	–	–	·49	·03	·03	·04	2
3	·09	–	–	·03	–	–	·01	·05	·40	–	1·33	·06	3
4	–	–	–	·15	·02	–	·30	·37	·05	–	·15	–	4
5	–	·08	–	·20	·01	·79	–	·04	·21	–	–	·21	5
6	–	·10	–	·11	–	·15	·03	–	·06	·25	·21	·16	6
7	–	–	–	–	–	·05	·27	·58	–	·09	·12	–	7
8	·07	·05	–	·09	–	·17	·02	·76	–	–	·08	·02	8
9	–	·33	–	·01	–	·17	·14	–	–	–	·39		9
10	·05	–	–	–	–	·03		·15	·10	–	·07		10
11	·20	·30	–	–	–	·05		·03	·30	–	·67		11
12	–	·03	–	–	–	–	1·03	·16	·26	·19			12
13	–	–	·02	–	·02	–	–	·28	–	·05			13
14	–	·09	–	–	·03	·66	·65	·49	·03	–	·06		14
15	–	·10	–	·13	·29	–	·07	·42	–	–	·02	·03	15
16	–	·09	–	·17	·43	·51	–	·74	·17	–			16
17	–	·37	–	·22	·46	·05	·14	·05	·04	–	·03		17
18	·08	·03	–	·19	–	·15	·08		–	–	·16		18
19	–	·05	–	·26	–	·26		·22	–	–			19
20	–	·03	–	–	–	–	·05	·09	–	–	·02		20
21	·11	–	–	–	·35		–	·06	–	–			21
22	·07	–	·39	–	–	·31	–	·10	–	–	·05		22
23	·15	–	–	·11	·69	–	–	·06	·16	–	·21	·20	23
24	–	·02	–	·15	·28	–	·06	–	–	–			24
25	·06	–	–	·84	·02		·21	–	–	–	·07		25
26	–	·03	–	·18	–	–	·22	–	–	–	·27		26
27	·09	·63	–	·02	·65	–	·09	–	–	–	·07	·10	27
28	·16	·10	–	·09	·36	–	–	–	–	·07		·09	28
29	·08	×	–		·16	–	·19	–	–	·28	·04	·02	29
30	–	×	–		–	–	–	–	–	–		·05	30
31	·30	×	–	×	–	×	–	01	×	–	×	–	31
TOTAL	1·51	2·48	·43	3·71	4·17	3·35	3·56	4·66	2·53	·96	4·05	·98	YEAR'S TOTAL 32·39
*Days with ·01 in. or more.	13	19	3	19	16	13	17	19	13	7	20	11	170
*Days with ·04 in. or more.	13	12	1	16	10	12	14	17	12	6	16	8	137

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) AW Pearce
for Major J.H.D. Brocklehurst

[P.T.O.

2182.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at Sudeley Castle

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	·02	·11	·02	-	-	-	·26	-	-		1
2	-	·02	-	·65	·38	-	-	-	·49	·03	·03	·04	2
3	·09	-	-	·03	-	-	·01	·05	·40	-	1·33	·06	3
4	-	-	-	·15	·02	-	·30	·37	·05	-	·15	-	4
5	-	·08	-	·20	·01	·79	-	·04	·21	-	-	·21	5
6	-	·10	-	·11	-	·15	·03	-	·06	·25	·21	·16	6
7	-	-	-	-	-	·05	·27	·58	-	·09	·12	-	7
8	·07	·05	-	·09	-	·17	·02	·76	-	-	·08	·02	8
9	-	·33	-	·01	-	·17	·14	-	-	-	·39		9
10	·05	-	-	-	-	·03		·15	·10	-	·07		10
11	·20	·30	-	-	-	·05		·03	·30	-	·67		11
12	-	·03	-	-	-	-	1·03	·16	·26	·19			12
13	-	-	·02	-	·02	-	-	·28	-	·05			13
14	-	·09	-	-	·03	·66	·65	·49	·03	-	·06		14
15	-	·10	-	·13	·29	-	·07	·42	-	-	·02	·03	15
16	-	·09	-	·17	·43	·51	-	·74	·17	-			16
17	-	·37	-	·22	·46	·05	·14	·05	·04	-	·03		17
18	·08	·03	-	·19	-	·15	·08		-	-	·16		18
19	-	·05	-	·26	-	·26		·22	-	-			19
20	-	·03	-	-	-	-	·05	·09	-	-	·02		20
21	·11	-	-	-	·35		-	·06	-	-			21
22	·07	-	·39	-	-	·31	-	·10	-	-	·05		22
23	·15	-	-	·11	·69	-	-	·06	·16	-	·21	·20	23
24	-	·02	-	·15	·28	-	·06	-	-	-			24
25	·06	-	-	·84	·02	-	·21	-	-	-	·07		25
26	-	·03	-	·18	-	-	·22	-	-	-	·27		26
27	·09	·63	-	·02	·65	-	·09	-	-	-	·07	·10	27
28	·16	·10	-	·09	·36	-	-	-	-	·07		·09	28
29	·08	×	-		·16	-	·19	-	-	·28	·04	·02	29
30	-	×	-		-	-	-	-	-	-		·05	30
31	·30	×	-	×	-	×	-	01	×	-	×	-	31
TOTAL	1·51	2·48	·43	3·71	4·17	3·35	3·56	4·66	2·53	·96	4·05	·98	YEAR'S TOTAL 32·39
*Days with ·01 in. or more.	13	19	3	19	16	13	17	19	13	7	20	11	170
*Days with ·04 in. or more.	13	12	1	16	10	12	14	17	12	6	16	8	137

40-9999

*See Instruction 2 (f) on other side.

(Signed) A W Pearce
for Major J. H. D. Brocklehurst

[P.T.O.

2182

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sudeley Castle

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 357 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·03	1·16	—	·13	·18	·05	·36	—	—	1
2	·02	—	—	·35	·13	—	—	—	·19	·02	—	·06	2
3	·03	—	—	·11	·08	—	—	—	—	·03	—	—	3
4	—	—	—	·07	—	—	—	—	—	—	·41	·02	4
5	·26	—	·06	—	·01	—	—	·02	·11	—	—	—	5
6	·59	—	·03	·13	—	—	·04	—	·24	—	—	—	6
7	·05	—	·22	·03	·03	—	—	—	·12	·22	—	—	7
8	—	—	·10	·04	—	—	—	—	·33	·82	—	—	8
9	·25	·11	—	·17	·10	—	—	—	—	—	—	—	9
10	·39	·09	—	·15	·02	—	—	—	·10	·22	—	—	10
11	—	01	—	·05	—	—	·52	—	·05	·06	—	—	11
12	·27	—	—	·02	·25	—	—	—	·09	·26	·02	—	12
13	·04	—	—	·11	·03	—	·15	—	·02	·02	·03	·06	13
14	·31	—	—	—	—	—	—	·30	—	·06	—	—	14
15	—	—	—	·06	·66	—	—	—	—	·08	·10	·02	15
16	·21	—	—	·31	·02	—	—	—	—	—	·09	—	16
17	—	—	—	·02	—	—	·06	—	—	—	—	—	17
18	—	—	—	—	·09	—	—	—	·18	—	—	—	18
19	—	—	—	·10	·04	—	—	—	·02	·17	·09	—	19
20	—	—	—	·24	1·04	—	·02	·95	—	·75	—	·05	20
21	—	—	·09	·38	1·01	—	—	2·06	·74	·32	·18	·07	21
22	—	—	·16	·07	·12	—	·17	—	·09	·17	·08	—	22
23	—	·01	—	—	·85	—	—	—	—	·29	·12	·05	23
24	—	·01	—	—	·03	—	·07	—	·08	·02	·25	—	24
25	—	·01	—	—	—	·06	·22	—	·01	·36	—	—	25
26	—	—	·10	·10	·14	—	·28	—	—	·02	·02	—	26
27	—	—	·41	·15	·47	—	·37	—	—	·17	—	—	27
28	—	—	·01	·08	·40	·11	·11	—	—	—	—	·04	28
29	—	—	·39	·10	·14	·14	·01	·04	·19	·22	—	·06	29
30	—	×	—	·32	—	·86	·15	·26	·55	—	·62	·35	30
31	—	×	·21	×	·01	×	·27	—	×	—	×	·43	31
TOTAL	2·42	·26	1·78	3·19	6·83	1·17	2·57	3·81	3·16	4·64	2·01	1·21	YEAR'S TOTAL 33·05
*Days with ·01 in. or more.	11	7	11	24	23	4	15	7	18	21	12	11	164
*Days with ·04 in. or more.	9	2	9	20	16	4	13	6	15	16	9	9	128

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) Aw Pearce
for Major J. H. Dent Brocklehurst

P.T.O.

2182

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·26	·04	–							·05		1
2	·35		·40		·09						·03		2
3		·12	·15		·09						·02		3
4	·15				·38								4
5	·05		·24		·05						·05		5
6		·42			·23						·01		6
7	·02		·01				·02			·10			7
8			·08		·05		·26			·05			8
9					·02		·17			·13	·06		9
10	·08	·11			·05		·05			1·36	·09		10
11	·13					·19	·02	·03		·03			11
12	·02				·04	·03	·18		·55				12
13					·14	·04	·14	·01		·07	·12		13
14							·04	·02		·17	·42		14
15	·67		·03				·12	·03		·06			15
16	·05		·52				·10	·02		·08	·06		16
17	·08		·43		·20	·04	·02	·08	·02				17
18	·09		·02			·09							18
19			·29			·13			·20		·08		19
20		·07	·08			·60		·02	·03		·01		20
21					·09	·09		·54	·06	·01			21
22						·28		·11		·23			22
23		·05		·11		·07			·61	·32	·02		23
24		1·46		·08	·10	·38			·12	·05	·03		24
25		·64		·22	·01	·09			·29			·14	25
26		·91		·08	·03	·60			·68	·24		·01	26
27					1·09				·12	·12		·12	27
28				·52	·08					·20		·14	28
29	·20		·14	·02			·01					·01	29
30	·09	×	·11	·05			·05		·14			·11	30
31	·05	×		×		×			×	·04	×		31
TOTAL	2·29	4·04	2·53	1·08	2·74	2·63	1·18	·86	2·82	3·26	1·05	·53	YEAR'S TOTAL 25·01
*Days with ·01 in. or more.	15	9	14	7	17	13	13	9	11	17	14	6	145
*Days with ·04 in. or more.	13	9	11	6	14	12	9	3	9	15	8	4	113

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) Major Brocklehurst

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No** 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01							·31	·05		·08	·41		1
2	·07		·05						·22	·02	·04	·19		2
3		·08							·01	·09		·08		3
4	·09	·04	·02	·05	·22				·20	·20	·23	·49		4
5			·03		·09			·40			·25	·37		5
6			·09	·09	·30					10		·55		6
7	·12					·01		·27		·03	·10	30		7
8					·22						·12	·10		8
9			·27								·43	·13		9
10	·10		·15	·25				11			·20	·02		10
11	·60		·24	·23			·14	·19				·22		11
12			·15				·02	·09				·03		12
13	·40		·45	·09			·87					·28		13
14	·09										·20	·25		14
15	·13		·10		·09				·28	·20	·47	·16		15
16	·12		·26		·10						·03			16
17				·03			·01		·15	·03		·30		17
18	·18		·07	·25			·93		·04			·21		18
19			·28		·01	·01		·01	·11	·02		·21		19
20			·14	·19		·01		·05						20
21			·05			·14	·10			·20				21
22				·07				·16	·21	·05		·08		22
23	·26			·26		·21		·15	·03			·02		23
24		·49	·12	·14		·02	15		·25					24
25				·25		·43				·15		·30		25
26	·03		·07	·42		·08	·10		·12	·09		·09		26
27	·06			·11		·01						·19		27
28				·12		·35		·26			·09	·41		28
29							·03	·15	·62		·01			29
30	·08	×					·15					·05		30
31		×		×		×		·01	×	·07	×	·14		31
													Year's Total	
TOTAL	2·34 ✓	·61 ✓	2·54 ✓	2·55 ✓	1·03 ✓	1·27 ✓	2·50 ✓	2·16 ✓	2·29 ✓	1·25 ✓	2·25 ✓	5·58 ✓	26·37 ✓	
*Days with ·01 in. or more.	15	3	17	15	7	10	10	13	13	13	13	26	155	
*Days with ·04 in. or more.	13	3	15	14	6	5	7	11	11	9	11	23	128	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) Major Brocklehurst

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03		·02	·01	·07		·09		·26	·05	·06	·02		1
2						·03			·05	·22				2
3		·22	·02			·20			·10	·27	·20	·01		3
4				·18		·26			·02	·07	·02			4
5		·33	·22	·10		·77			·09		·06	·02		5
6		·02		·36		·43					·09	·03		6
7				·51		·20				·11	·16	·10		7
8				·33		·09				·12	·20	·09		8
9				·49		·27				·57	·56			9
10				·19							·15			10
11	·22					·10					·28			11
12	·03	·07				·19			·13		·07			12
13	·10	·12		·36	·18						·02			13
14				·02	·10	·15			·31		·57	·22		14
15		·05		·78	·13	·04			·56	·01	·19	·25		15
16			·10	·26		·05			·19	·11	·98	·08		16
17		·03		·13		·16	·01				·51			17
18		·01		·38		·06	·36		·13	·03		·05		18
19				·14	·56	·18	·21		·12	·15	·18	·01		19
20	·03	·25		·20	·07	·14	·05				·63			20
21		·43							·96	·09	·02			21
22		·08		·17				·20	·46					22
23	·02	·04	·05					·23	·05	·45		·13		23
24	·15	·42	·04					·10	·35	·04		·10		24
25	·14	·25		·24		·27						·14		25
26		·22						·13	·06			·70		26
27		·26			·05						·11	1·50		27
28	·01				·08									28
29			·05					·11			·11	·28		29
30	·06	×		·13		·01		·45	·20	·47	·23	·12		30
31		×		×	·04	×		·12	×	·40	×	·24		31
TOTAL	·79	2·80	·50	4·98	1·28	3·60	·72	1·34	4·04	3·16	5·40	4·09	Year's Total 32·70	
*Days with ·01 in. or more.	10	16	7	19	9	19	5	7	17	16	22	19	166	
*Days with .04 in. or more.	5	13	5	17	9	17	4	7	16	14	19	14	140	

† Spare column, no entries required.

(*Signed*) Major J. H. D. Brocklehurst

M

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Winchcombe, Sudeley Cas.

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1st following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·03	·20	–	·30	·26	·02	–	-	·24	·02		1
2	·03	·07	·06	·03	–	1·36	·61	·03	–	-	·14	–		2
3	–	–	–	–	–	·73	·06	–	·57	-	·03	·03		3
4	–	–	·19	–	–	–	–	–	·27	-	·04	·44		4
5	·32	–	·05	–	·23	–	·11	·07	·05	-	·01	·09		5
6	–	–	·01	–	–	·12	·13	·05	·10	-	·20	·07		6
7	·09	–	·05	–	–	–	·58	–	·05	-	·22	·05		7
8	–	–	·17	–	–	–	·03	–	·02	·01	·76	·09		8
9	·71	–	·18	–	–	–	·40	–	·25	·02	·02	–		9
10	·02	–	–	–	–	–	·20	–	·02	-	·01	–		10
11	–	·04	–	·04	–	–	·17	–	·07	-	30	–		11
12	–	–	–	·07	·09	·49	·32	–	·40	-	·07	·17		12
13	–	–	–	·08	–	·26	·03	·02	–	·06	·04	·43		13
14	–	·01	–	·44	–	·05	·56	–	·28	-	–	·94		14
15	–	–	–	–	·11	–	·06	–	·05	-	·05	·08		15
16	·23	·21	–	·09	–	–	·04	–	–	-	·25	–		16
17	·20	·75	–	–	–	–	·08	–	–	·12	·14	·09		17
18	–	·02	–	–	–	–	·14	–	–	·05	–	·06		18
19	·46	·09	·01	·15	–	·11	–	·07	–	-	–	–		19
20	–	·17	·02	·08	–	·71	–	–	·71	-	–	–		20
21	–	–	–	·72	–	·16	–	–	·10	-	–	–		21
22	–	·78	·03	–	–	–	·25	–	–	-	–	·26		22
23	·08	·02	·07	·08	–	–	·07	–	–	·04	–	–		23
24	·09	·08	–	–	–	–	·03	–	·52	·31	–	–		24
25	·07	–	·21	·45	–	–	·65	–	·87	·17	·06			25
26	·03	·08	·19	–	–	–	·05	–	–	–	·02	–		26
27	·11	–	·02	–	–	–	–	–	·14	·14	–	–		27
28	·42	·02	·22	–	–	–	·06	–	–	·05	–	·07		28
29	–	·18	·03	–	–	·12	·13	–	–	·06	·05	·11		29
30	·06	✕	–	–	·29	·06	·13	–	–	·53	–	–		30
31	·46	✕	·28	✕	·03	✕	·50	–	✕	-	✕	·14		31
TOTAL	3·34	2·53	1·82	2·43	·75	4·47	5·20	·26	4·47	1·54	2·65	3·14	Year's Total 32·60	✓
* Days with .01 in. or more.	17	15	18	12	5	12	26	6	17	12	19	17	176	✓
* Days with .04 in. or more.	12	10	11	11	4	12	23	3	15	9 ~~10~~	14	15	139	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Circ F. sent 5. 11. 37.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·02	—	·06	—	—	—	—	·02	—	—	·44		1
2	·02	·10	—	·16	—	—	—	—	—	—	—	·17		2
3	—	·26	—	—	·06	—	·03	—	—	—	—	·04		3
4	·17	·15	—	—	·02	—	—	—	—	—	—	·44		4
5	·21	—	·16	—	—	—	—	—	—	—	—	—		5
6	·11	·14	·10	·07	·14	—	·08	—	—	—	—	—		6
7	—	·64	·04	·09	—	—	—	—	—	—	—	—		7
8	—	·27	—	—	—	—	—	—	—	·10	·35	·07		8
9	—	—	·20	·07	·12	—	·07	—	·56	—	—	·14		9
10	·02	—	·57	1·17	—	·14	—	—	—	—	—	·07		10
11	—	—	·19	—	·36	—	—	—	—	—	—	·10		11
12	·16	·29	·44	—	·22	·25	·06	·36	·11	—	—	·23		12
13	·05	—	—	·05	—	—	—	·18	·09	—	—	—		13
14	—	·03	·85	·09	—	—	—	·26	·03	—	—	·06		14
15	·20	·12	—	·36	—	—	2·56	—	·05	—	—	·16		15
16	—	·06	·57	·37	—	—	—	·08	·10	—	—	—		16
17	·45	—	·32	—	—	·10	—	—	·25	—	—	—		17
18	·35	·11	·27	·05	—	·35	—	—	·47	—	·24	·13		18
19	·14	·05	·12	·18	·10	·31	·03	—	·13	—	·07	—		19
20	·36	·09	—	·42	·24	—	—	—	—	—	—	·02		20
21	·15	·47	·16	—	·03	—	—	—	—	—	—	·07		21
22	·18	·02	·13	—	·06	·65	·33	—	—	1·10	·30	—		22
23	·28	·06	·05	—	·09	—	—	—	—	·23	—	—		23
24	·36	·42	—	—	·10	—	·07	—	·11	·85	—	—		24
25	—	·40	—	—	·06	—	—	—	—	·52	—	—		25
26	—	·37	—	—	·57	—	—	—	—	·03	—	·02		26
27	—	·23	—	·22	—	—	—	—	—	·65	—	—		27
28	—	·27	—	—	—	—	—	—	—	·05	—	·08		28
29	·06	—	—	—	—	—	—	—	—	·08	·03	·01		29
30	·37	✕	—	—	—	—	—	—	—	·10	·10	—		30
31	·20	✕	—	✕	—	✕	—	—	✕	—	✕	—		31
TOTAL	3·94	4·57	4·17	3·36	2·17	1·80	3·23	·88	1·92	7 3·61	1·09	2·25	Year's Total 33·09	✓
* Days with .01 in. or more.	20	22	15	14	14	6	8	4	11	10	6	17	147	✓
* Days with .04 in. or more.	18	19	15	14	12	6	6	4	9	9	5	14	131	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 357 ft.

observer agrees to change entry on 10th Feb to ·02 in. W.G.F.

Copy by B.R.O. notified 6/3/39 W.G.F.

Dec Snow? corr. for Dec 19–26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			11			·41	·80	—	—	·03	—	·28		1
2	·08			·06	·05		—	—	—	·31	—	—		2
3					·13		—	—	—	·51	—	—		3
4	·02						·15	·71	—	·44	—	·12		4
5							·03	1·05	·08	·02	—	—		5
6		·02				·08	·19	—	·28	·04	—	—		6
7	·03						·44	·54	·18	·22	—	·04		7
8	·38						·13	·03	—	·23	—	—		8
9	·20	·05					—	·09	—	—	—	·48		9
10	·23	~~·62~~ ·02					·13	·10	—	—	—	·04		10
11	·27						—	·77	—	—	·21	·21		11
12	·13	·01			·13	·09	—	—	—	·45	·15	—		12
13	·03	·02					—	—	—	—	·12	·65		13
14	·42				·03		·73	—	·08	—	—	—		14
15	·20						—	—	—	—	—	·35		15
16	·14		·02				—	·05	—	—	—	·14		16
17							·11	—	·03	·11	—	—		17
18	·05						—	—	·37	—	·38	—		18
19							—	·07	·02	—	·14	—		19
20							—	—	—	—	·49	—		20
21	·04							·03	—	—	—	snow		21
22				·10				—	—	—	·37	snow (·66)		22
23				·02				—	·04	—	—	—		23
24			·14		·10			·05	·11	—	·05	—		24
25	·10	·26	·11		·03		·03	—	—	·22	·19	—		25
26	·15	·32	·07				—	—	·10	·19	—	~~·36~~		26
27	·12	·03			·59	·26	·32	·06	·03	—	·22	—		27
28	·11				·10	·08	·03	·64	—	—	·12	·11		28
29	·05				·32		—	—	—	—	·08	·10		29
30	·12	✕			·08		—	—	·90	·11	·28	snow		30
31	·12	✕		✕	·12	✕	—	—	✕	·03	✕	·07?		31
TOTAL	2·99	~~1·33~~ ·73	·45	·18	1·68	·92	3·09	4·19	2·22	2·91	2·77	~~2·95~~ 3·26	Year's Total 25·38	
* Days with .01 in. or more.	21	8	5	3	11	5	12	13	12	14	13	16	133	
* Days with .04 in. or more.	18	~~4~~ 3	4	2	9	5	9	11	9	11	13	16	110	

† Spare column, no entries required.

(Signed) J.M.L. for Major Brocklehurst

P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2182

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Jan 6th adj by nearby stns. queried 7/6/39

Kept at Winchcombe, Sudeley Castle

in the County of Gloucester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 357 ft.

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–	–	·25	·15	–	–	–	·02	·12	–	·01		1
2	·10	–	–	·01	·05	–	·01	30	·60	–	·08	·12		2
3	–	–	·29	·17	–	–	–	·59	·01	–	·21	·20		3
4	·10	–	–	·39	·02	–	·40	·16	·03	·50	·04	·22		4
5		–	·09	·70	·20	–	·25	·54	–	·14	·37	·29		5
6	(·59)	–	·20	·07	–	–	1·60	–	–	–	·07	·27		6
7	–	·06	–	–	–	–	·05	–	–	·90	·20	·50		7
8	–	·26	·32	–	·05	–	·25	·28	·01	·35	·15	·09		8
9	–	·01	–	–	–	–	–	·09	–	·05	·01	–		9
10	·34	–	·03	–	–	·24	–	·24	–	·07	·03	–		10
11	–	–	·18	–	–	·01	–	–	–	–	–	–		11
12	–	–	–	–	–	·04	–	–	·01	–	·04	–		12
13	–	–	–	·02	·01	–	·20	–	·05	·42	–	–		13
14	·39	–	·02	–	·14	·01	·10	–	–	·01	·07	–		14
15	·44	–	·03	·01	·19	·34	·45	–	–	·22	·20	–		15
16	·12	–	·02	–	·10	·12	·02	–	–	–	·31	–		16
17	·37	·17	·05	·06	·05	·01	·02	–	–	·14	·02	–		17
18	·27	–	·07	–	·01	·39	·06	–	·01	·28	·37	–		18
19	·19	–	–	–	–	–	·61	–	·02	–	·03	–		19
20	·36	–	·26	–	–	–	·01	–	–	–	–	·02		20
21	–	·16	·05	·03	–	·08	·74	·01	–	–	–	–		21
22	·42	·45	–	·09	–	·51	·11	–	·08	·03	–	–		22
23	·11	–	·01	·07	–	·08	·42	–	·03	·03	·23	–		23
24	1·09	–	·08	·20	–	·02	–	–	–	·07	·51	–		24
25	·47	–	·01	·03	–	–	·05	–	–	·05	–	–		25
26	·15	–	–	·05	–	–	–	·05	–	·05	·16	·05		26
27	–	·18	·25	·03	–	·02	·09	–	–	·04	·54	·05		27
28	–	·19	·13	·06	–	·40	·20	–	–	–	·03	–		28
29	–		–	·62	–	·05	·21	–	–	·21	·30	–		29
30	–	✕	–	·57	–	–	·02	–	–	–	·09	·16		30
31	–	✕	–	✕	–	✕	·02	·25	✕	·02	✕	–		31
TOTAL	5·~~81~~ 59	1·48	2·09	3·43	·97	2·32	5·89	2·51	·87	3·70	4·06	1·98	Year's Total 34·99	~~34·90~~
* Days with .01 in. or more.	16	8	18	19	11	15	23	10	11	20	23	12	186	
* Days with .04 in. or more.	16	7	12	13	8	10	17	9	3	16	18	10	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2182 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Winchcombe, Sudeley Castle.

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 357 ft.

July corr'd for audit.

BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·11	–	–	–	–	–	–	·05	–		1
2	–	–	–	·29	–	–	·02	–	–	–	·97	–		2
3	–	–	–	–	–	–	·03	–	–	·29	·80	–		3
4	–	–	–	·03	–	–	·04	–	–	·20	·45	·05		4
5	–	–	–	–	·07	–	·13	–	–	·05	·77	·03		5
6	·18	–	–	–	–	–	–	–	–	·24	·26	–		6
7	–	–	–	–	·02	–	·19	–	·05	–	–	·12		7
8	–	–	–	·07	–	–	·07	–	–	–	·06	·10		8
9	–	–	–	–	–	–	·13	–	·04	·26	·20	·06		9
10	–	–	–	–	–	–	·87	·04	–	·36	·10	·13		10
11	–	–	– ✓	–	–	–	·19	–	–	·28	·28	·08		11
12	–	–	–	–	–	·02	·17	–	·02	–	–	–		12
13	–	–	·47	–	–	–	·06	–	·07	–	·23	–		13
14	–	–	·27	·19	·54	–	–	–	·10	·14	–	·20		14
15	–	–	–	·03	·10	–	–	–	·17	·07	·26	·05		15
16	–	–	·05	·06	–	·07	·25	–	·12	·42	·40	·06		16
17	–	–	·29	–	–	–	·03	–	–	–	·26	–		17
18	·02	·53	·14	·52	–	–	–	·06	·03	·09	·18	·08		18
19	–	·17	·54	·17	–	–	·67	–	·08	–	·06	·10		19
20	–	–	·06	·01	–	–	·02	·04	–	·33	–	–		20
21	–	–	·02	–	·26	·05	·20	·02	–	–	1·14	–		21
22	–	·02	–	·05	·34	·23	–	–	·47	–	–	–		22
23	–	–	·07	·06	·03	·09	–	–	–	–	–	–		23
24	–	–	·04	–	–	–	·16	–	–	–	·07	·06		24
25	–	–	–	·01	·05	–	–	–	–	–	–	·14		25
26	1·30	–	–	·06	·05	–	·47	–	–	–	–	–		26
27	·74	·27	·01	·03	–	–	·18	·02	–	·04	–	–		27
28	·50	·19	–	·01	·06	–	–	·01	–	–	–	–		28
29	·01	–	–	·20	·34	–	·02	–	–	–	–	·20		29
30	–	✕	–	·18	·07	·02	–	–	–	·13	–	–		30
31	–	✕	·04	✕	–	✕	–	–	✕	·63	✕	–		31
TOTAL	2·75	1·18	2·00	2·08	1·93	·48	9 3·00	·19	1·15	3·53	6·54 ~~7·60~~	1·46	Year's Total 27·19 ✓	
* Days with .01 in. or more.	6	5	12	18	12	6	20	6	10	15	18	15	143 ✓	
* Days with .04 in. or more.	4	4	10	12	10	4	15	3	8	15	18	14	117	

2·55

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. H. D. Brocklehurst

[P.T.O.

2183

Section **A** for the entry
AIR MINIST

COPY FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090. **REGI**

1.

Kept at Buckland

in the County of Glouc

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA AY.

An observer who does not conform *e following*
year in the space on the right of

Jan. 1, following

2183

BUCKLAND MANOR
1931 — 40

780402

Date	Jan.	Feb.	March							t.	Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	—	0·03	—	0·22	0·03	—	—	—	0·25	—	—	—	1
2	0·08	0·01	—	0·82	0·57	—	—	—	0·38	—	0·03	0·05	2
3	0·03	—	—	0·07	—	—	0·03	0·06	0·54	—	1·25	0·10	3
4	—	0·02	—	0·13	0·05	—	0·29	0·91	0·02	—	0·12	—	4
5	—	0·10	—	0·13	0·10	0·82	—	0·04	0·04	—	—	0·26	5
6	—	0·14	—	0·11	—	0·12	—	—	—	0·21	0·17	0·12	6
7	—	—	—	—	—	0·05	0·32	0·58	—	0·03	0·21	0·02	7
8	0·08	0·02	—	0·11	—	0·10	0·02	0·72	—	—	0·16	0·02	8
9	—	0·33	—	0·02	—	0·09	0·06	—	—	—	0·34	—	9
10	—	0·05	0·02	—	—	0·04	—	0·15	0·05	—	0·07	—	10
11	0·21	0·19	—	—	—	0·04	—	0·02	0·14	—	0·45	0·02	11
12	—	0·08	—	0·01	—	—	0·75	0·13	0·34	0·19	—	—	12
13	—	—	—	—	—	—	0·02	0·10	—	0·10	—	—	13
14	—	0·06	—	—	0·04	0·75	0·70	0·47	0·04	—	0·06	—	14
15	—	0·07	—	0·11	0·14	—	0·08	0·27	0·02	—	—	0·02	15
16	—	0·13	—	0·15	0·22	0·52	—	0·30	0·20	—	—	—	16
17	0·03	0·21	—	0·14	0·62	0·10	0·17	0·02	—	—	0·02	—	17
18	0·07	0·02	—	0·10	—	0·09	0·05	0·18	—	—	0·13	—	18
19	—	0·03	—	0·17	—	0·26	0·21	0·02	—	—	—	—	19
20	—	0·02	0·06	—	—	—	0·06	0·07	—	—	0·03	—	20
21	0·11	—	—	—	0·43	—	—	—	—	—	—	—	21
22	0·07	—	0·03	0·05	—	—	—	—	—	—	—	—	22
23	0·20	—	—	0·04	0·49	0·52	—	0·05	0·12	—	0·18	0·13	23
24	—	—	—	0·19	0·37	—	0·06	—	—	—	—	—	24
25	0·04	—	—	0·69	0·03	—	0·27	—	—	—	0·04	—	25
26	—	0·02	—	0·15	—	—	0·20	—	—	—	0·20	—	26
27	0·06	—	—	0·11	0·32	—	0·06	—	—	0·08	0·06	0·02	27
28	0·10	0·63	—	—	0·28	—	—	—	—	0·23	—	0·16	28
29	0·03	0·08	—	—	0·18	—	0·22	—	—	—	—	0·02	29
30	—	×	—	—	—	—		—	—	—	0·02	0·03	30
31	0·26	×	—	×	0·03	×		—	×	—	×	0·03	31
TOTAL	1·37	2·24	0·11	3·52	3·90	3·50	3·57	4·09	2·14	0·84	3·54	1·00	YEAR'S TOTAL 29·82
*Days with ·01 in. or more.	14	20	3	20	16	13	18	17	12	6	18	14	171
*Days with ·04 in. or more.	11	12	1	18	13	13	15	14	10	5	14	6	132

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Whiteley

P.T.O.

2183

Section **A** for the entry of Daily Obse

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Buckland Manor

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	0.03	–	0.22	0.03	–	–	–	0.25	–	–	–	1
2	0.08	0.01	–	0.82	0.57	–	–	–	0.38	–	0.03	0.05	2
3	0.03	–	–	0.07	–	–	0.03	0.06	0.54	–	1.25	0.10	3
4	–	0.02	–	0.13	0.05	–	0.29	0.91	0.02	–	0.12	–	4
5	–	0.10	–	0.13	0.10	0.82	–	0.04	0.04	–	–	0.26	5
6	–	0.14	–	0.11	–	0.12	–	–	–	0.21	0.17	0.12	6
7	–	–	–	–	–	0.05	0.32	0.58	–	0.03	0.21	0.02	7
8	0.08	0.02	–	0.11	–	0.10	0.02	0.72	–	–	0.16	0.02	8
9	–	0.33	–	0.02	–	0.09	0.06	–	–	–	0.34	–	9
10	–	0.05	0.02	–	–	0.04	–	0.15	0.05	–	0.07	–	10
11	0.21	0.19	–	–	–	0.04	–	0.02	0.14	–	0.45	0.02	11
12	–	0.08	–	0.01	–	–	0.75	0.13	0.34	0.19	–	–	12
13	–	–	–	–	–	–	0.02	0.10	–	0.10	–	–	13
14	–	0.06	–	–	0.04	0.75	0.70	0.47	0.04	–	0.06	–	14
15	–	0.07	–	0.11	0.14	–	0.08	0.27	0.02	–	–	0.02	15
16	–	0.13	–	0.15	0.22	0.52	–	0.30	0.20	–	–	–	16
17	0.03	0.21	–	0.14	0.62	0.10	0.17	0.02	–	–	0.02	–	17
18	0.07	0.02	–	0.10	–	0.09	0.05	0.18	–	–	0.13	–	18
19	–	0.03	–	0.17	–	0.26	0.21	0.02	–	–	–	–	19
20	–	0.02	0.06	–	–	–	0.06	0.07	–	–	0.03	–	20
21	0.11	–	–	–	0.43	–	–	–	–	–	–	–	21
22	0.07	–	0.03	0.05	–	–	–	–	–	–	–	–	22
23	0.20	–	–	0.04	0.49	0.52	–	0.05	0.12	–	0.18	0.13	23
24	–	–	–	0.19	0.37	–	0.06	–	–	–	–	–	24
25	0.04	–	–	0.69	0.03	–	0.27	–	–	–	0.04	–	25
26	–	0.02	–	0.15	–	–	0.20	–	–	–	0.20	–	26
27	0.06	–	–	0.11	0.32	–	0.06	–	–	0.08	0.06	0.02	27
28	0.10	0.63	–	–	0.28	–	–	–	–	0.23	–	0.16	28
29	0.03	0.08	–	–	0.18	–	0.22	–	–	–	–	0.02	29
30	–	×	–	–	–	–		–	–	–	0.02	0.03	30
31	0.26	×	–	×	0.03	×		–	×	–	×	0.03	31
													YEAR'S TOTAL
TOTAL	1.37	2.24	0.11	3.52	3.90	3.50	3.57	4.09	2.14	0.84	3.54	1.00	29.82
*Days with ·01 in. or more.	14	20	3	20	16	13	18	17	12	6	18	14	171
*Days with ·04 in. or more.	11	12	1	18	13	13	15	14	10	5	14	6	132

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Whiteley

[P.T.O.

2183

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Buckland Manor

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

Totals ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·02	—	0·04	1·05	0·03	0·05	0·10	0·03	0·27	—	—	1
2	0·02	—	—	0·16	0·24	—	—	—	0·14	0·02	—	0·03	2
3	—	—	—	0·42	0·07	—	—	—	0·02	0·02	—	—	3
4	—	—	—	0·10	—	—	—	—	—	—	0·56	0·01	4
5	0·21	—	—	—	—	—	—	—	0·09	—	—	—	5
6	0·54	—	—	0·12	0·03	—	0·21	—	0·27	—	—	—	6
7	0·04	—	0·14	0·09	—	—	—	—	0·06	0·19	—	—	7
8	—	—	0·06	0·06	—	—	—	—	—	0·72	—	—	8
9	0·33	0·11	—	0·07	0·09	—	—	—	—	—	—	—	9
10	0·25	0·11	—	0·16	0·03	—	—	—	0·32	0·21	—	—	10
11	—	0·01	—	0·04	0·01	0·03	0·24	—	0·02	0·09	0·04	0·02	11
12	0·23	—	—	0·01	0·24	—	—	—	0·06	0·27	0·03	—	12
13	0·02	0·02	—	0·09	0·02	—	0·10		0·01	0·08	0·07	0·04	13
14	0·35	0·01	—	—	0·01	—	—	0·17	—	0·03	0·05	—	14
15	—	—	—	0·08	1·33	—	—	—	—	0·04	0·03	0·02	15
16	0·24	—	—	0·35	0·02	—	—	—	—	—	—	—	16
17	—	—	—	0·04	—	—	0·10	—	—	0·05	0·01	—	17
18	—	—	—	—	0·05	—	0·02	—	0·11	—	0·06	—	18
19	—	—	—	0·01	0·03	—	0·07	—	0·03	0·09	—	—	19
20	—	—	—	0·16	1·00	—	0·01	1·10	—	0·45	0·09	0·02	20
21	—	—	0·07	0·29	1·16	—	—	2·27	—	0·28	0·05	0·04	21
22	—	—	0·11	0·02	0·04	—	0·35	—	0·70	0·08	0·15	—	22
23	—	—	—	—	0·69	—	0·02	—	0·10	0·23	0·03	0·05	23
24	—	0·03	—	—	0·02	—	0·04	—	0·07	0·04	0·02	—	24
25	—	0·01	—	0·03	0·01	0·21	0·23	—	0·03	0·38	0·02	—	25
26	—	—	0·08	0·08	0·16	—	0·06	—	0·05	0·04	0·03	—	26
27	—	—	0·31	0·11	0·47	—	0·11	—	—	0·12	—	—	27
28	—	—	—	0·05	0·40	0·01	0·09	—	—	—	—	0·02	28
29	—	—	0·36	0·12	0·12	0·12	0·02	0·04	0·15	0·29	0·02	0·03	29
30	—	×	0·05	0·38	0·06	0·49	0·12	0·25	0·58	0·01	0·44	0·33	30
31	—	×	0·12	×	0·02	×	0·38	—	×	—	×	0·15	31
TOTAL	2·27	0·32	1·30	3·08	7·37	1·19	2·22	3·93	2·84	4·00	1·70	0·46	YEAR'S TOTAL 30·93
*Days with ·01 in. or more.	11	8	9	25	26	6	18	6	19	23	17	12	180
*Days with ·04 in. or more.	9	2	9	21	15	3	14	6	13	19	9	5	125

4

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Whiteley

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Buckland Manor Gardens
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·41	0·25	—	—	—	—	—	—	0·05	—	0·03	—	1
2	0·24	—	0·32	—	0·02	—	—	—	—	—	0·02	—	2
3	—	0·13	0·21	—	0·04	—	—	—	—	—	0·03	—	3
4	0·08	—	—	—	0·29	—	—	—	—	—	—	—	4
5	0·03	0·01	0·25	—	0·02	—	—	—	—	—	0·04	—	5
6	—	0·26	0·02	—	0·11	—	—	—	—	0·08	0·03	—	6
7	0·01	0·02	—	—	0·01	—	0·02	—	—	0·12	—	—	7
8	0·02	—	0·05	—	0·05	—	0·24	—	—	0·05	—	—	8
9	—	—	—	—	0·03	—	0·21	—	—	0·09	0·05	—	9
10	0·05	0·07	—	—	—	—	0·09	—	—	1·17	0·17	—	10
11	0·09	—	—	—	0·04	—	0·03	0·01	—	0·06	—	—	11
12	0·01	—	—	—	0·04	0·06	0·12	—	0·42	—	—	0·02	12
13	0·03	—	—	—	0·15	0·08	0·11	0·01	—	0·03	0·10	0·02	13
14	—	—	—	—	—	—	0·03	0·03	—	0·11	0·36	—	14
15	0·47	—	0·02	—	—	—	0·32	0·08	—	0·05	—	0·02	15
16	0·03	—	0·43	—	—	0·03	0·02	0·02	—	0·04	0·02	0·01	16
17	0·11	0·01	0·30	—	—	0·02	0·01	0·08	0·01	—	0·03	—	17
18	0·03	0·01	—	—	—	0·11	—	—	—	—	0·02	—	18
19	—	0·01	0·31	0·02	—	0·40	—	—	0·10	—	0·05	0·01	19
20	—	0·01	0·01	—	—	1·05	—	—	0·01	—	0·02	—	20
21	—	0·02	—	—	—	0·07	—	0·05	0·05	—	0·01	—	21
22	—	—	—	—	—	—	—	0·11	—	0·20	0·01	—	22
23	—	0·05	—	0·10	—	0·03	—	—	0·48	0·23	0·01	—	23
24	—	1·52	—	0·06	0·04	0·40	—	—	0·14	0·21	0·02	—	24
25	—	0·70	—	0·20	0·11	0·11	—	—	0·17	—	—	0·06	25
26	—	0·75	—	0·03	—	0·22	—	—	0·30	0·22	—	0·02	26
27	—	—	—	—	0·83	—	—	—	0·07	0·09	—	0·08	27
28	—	—	—	0·48	0·01	—	0·02	—	—	0·06	—	0·13	28
29	0·09	—	—	—	—	—	0·03	—	—	0·06	—	0·02	29
30	0·06	×	0·01	—	—	—	0·01	—	0·08	0·02	—	0·09	30
31	0·08	×	0·08	×	—	×	—	0·02	×	0·03	×	—	31
TOTAL	1·84	3·82	2·01	0·89	1·79	1·58	1·26	0·41	1·88	2·92	1·02	0·48	YEAR'S TOTAL 19·90
*Days with ·01 in. or more.	17	15	12	6	15	12	14	9	12	19	18	11	160
*Days with ·04 in. or more.	10	8	8	4	10	9	6	3	10	16	6	4	94

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Whiteley

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BUCKLAND

in the County of GLOS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	—	—	—	—	—	—	0·30	—	0·01	0·02	0·38		1
2	0·05	—	0·04	—	—	—	—	—	0·26	—	0·02	0·18		2
3	0·02	0·09	—	—	—	—	—	—	—	0·03	—	0·08		3
4	—	0·01	0·02	0·11	0·12	—	—	—	0·10	0·21	0·18	0·36		4
5	—	—	0·10	—	0·10	—	—	0·28	—	0·04	0·19	0·25		5
6	—	—	0·11	0·08	0·24	0·01	—	—	—	0·09	—	0·44		6
7	0·09	—	—	—	—	0·02	—	0·26	—	0·03	0·04	0·27		7
8	—	—	—	—	0·14	—	—	0·02	—	—	0·08	0·06		8
9	—	—	0·20	—	—	—	—	—	—	—	0·49	0·21		9
10	0·08	—	0·21	0·25	—	—	0·08	0·05	—	—	0·15	0·01		10
11	0·67	—	0·12	0·19	—	—	0·04	0·09	—	—	0·02	0·17		11
12	—	—	0·16	0·01	—	—	0·04	0·13	—	—	—	0·02		12
13	0·38	—	0·03	0·07	—	—	1·14	0·11	—	—	—	0·10		13
14	0·05	—	0·45	—	—	—	—	—	—	0·01	0·22	0·19		14
15	0·06	—	0·06	—	0·05	—	—	—	0·13	0·16	0·59	0·09		15
16	0·16	—	0·30	—	0·02	—	—	—	—	0·02	0·03	—		16
17	0·01	—	—	0·03	—	—	0·01	—	0·17	0·03	0·02	0·27		17
18	0·15	—	0·03	0·13	—	—	1·04	0·01	0·03	—	—	0·18		18
19	—	—	0·25	0·02	—	0·01	—	—	0·02	0·03	—	0·16		19
20	—	—	0·05	0·09	0·01	0·01	—	—	—	—	—	—		20
21	0·02	—	0·02	—	—	0·05	0·03	0·09	—	0·10	—	—		21
22	0·02	—	0·01	—	0·01	—	0·01	0·17	0·21	0·02	—	0·09		22
23	—	—	—	0·16	0·07	0·15	0·03	0·01	0·02	—	—	0·02		23
24	—	0·32	0·10	0·15	—	0·01	0·09	—	0·26	0·04	—	0·01		24
25	0·09	—	—	0·16	—	0·22	—	—	—	0·12	—	0·26		25
26	0·01	0·02	0·04	0·41	—	0·06	0·01	—	0·03	0·04	—	0·09		26
27	—	—	—	0·05	—	0·02	—	—	—	0·02	—	0·17		27
28	—	—	—	0·21	—	0·28	—	0·23	—	—	0·09	0·30		28
29	—		—	—	—	—	0·05	0·09	0·64	—	0·01	—		29
30	0·06	×	—	—	—	—	0·06	—	0·02	—	—	0·03		30
31	—	×	—	×	—	×	—	—	×	0·04	×	0·08		31
TOTAL	1·93	0·44	2·30	1·82	0·76	0·84	2·63	1·84	1·89	1·04	2·15	4·47	Year's Total 22·11	
*Days with ·01 in. or more.	17	4	19	16	8	11	13	14	12	18	15	27	175	
*Days with ·04 in. or more.	11	2	14	13	6	5	8	11	7	9	9	22	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Whiteley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Buckland Manor

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground above Sea Level 300 ft.

Total days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·04	0·03	X	0·02	0·03	0·03	0·05	X	0·21	0·08	0·05	0·01		1
2	X	X	X	X	X	0·01	X	X	0·08	0·23	0·01	X		2
3	X	0·13	0·03	X	X	0·35	X	X	0·05	0·21	0·21	0·04		3
4	X	X	X	0·17	X	0·10	X	X	0·15	0·21	0·01	0·02		4
5	X	0·29	0·16	0·02	X	0·37	X	X	0·07	0·01	0·06	0·01		5
6	X	0·01	X	0·35	X	0·30	X	X	X	X	0·08	0·04		6
7	X	X	0·01	0·44	X	0·12	X	X	X	0·16	0·21	0·10		7
8	X	X	X	0·30	X	X	X	X	X	0·06	0·23	0·05		8
9	X	0·02	X	0·42	X	0·40	X	X	X	0·58	0·72	0·01		9
10	X	X	X	0·17	X	0·01	X	X	X	X	0·03	0·01		10
11	0·15	X	X	X	X	0·06	0·05	X	X	X	0·28	0·02		11
12	0·08	0·04	X	X	X	0·14	X	X	X	X	0·02	X		12
13	0·09	0·10	X	0·21	0·18	X	X	X	0·01	X	0·01	X		13
14	X	X	X	0·01	0·06	0·09	X	X	0·59	X	0·46	0·12		14
15	X	0·04	X	0·75	0·06	0·04	0·05	X	0·60	X	0·15	0·11		15
16	X	X	0·07	0·30	X	0·05	X	X	0·21	0·10	1·20	0·10		16
17	X	0·01	X	0·08	0·01	0·12	X	X	0·02	X	0·40	X		17
18	X	0·03	X	0·26	0·04	0·07	0·08	0·03	0·13	0·05	0·01	0·02		18
19	X	X	X	0·08	0·17	0·15	0·24	X	0·11	0·10	0·15	0·01		19
20	0·02	0·23	X	0·16	0·37	0·12	X	X	0·01	X	0·78	X		20
21	0·01	0·37	X	0·06	X	X	X	X	0·42	0·04	0·05	X		21
22	X	0·05	0·01	0·06	X	X	X	0·23	0·31	X	X	X		22
23	0·04	0·01	0·06	X	X	X	X	0·28	0·02	0·44	X	0·10		23
24	0·04	0·31	0·02	0·27	X	X	X	0·07	0·55	0·08	X	0·22		24
25	0·17	0·25	X	X	X	0·27	X	X	X	X	X	0·04		25
26	X	0·22	X	X	X	X	X	0·18	0·02	X	X	0·61		26
27	0·01	0·21	X	X	0·07	X	X	X	0·04	0·01	0·11	1·20		27
28	X	X	X	X	0·15	X	X	X	0·08	0·01	0·01	0·07		28
29	X	X	0·03	X	X	X	X	0·09	0·06	0·03	0·06	0·20		29
30	0·05	X	X	0·15	0·75	0·02	X	0·46	0·11	0·25	0·30	0·10		30
31	X	X	X	X	X	X	X	0·20	X	0·58	X	0·21		31
TOTAL	0·70	2·35	0·39	4·28	1·89	2·82	0·47	1·54	3·85	3·23	5·60	3·42	Year's Total. 30·54	
* Days with .01 in. or more.	11	18	8	20	11	20	5	8	22	19	25	24	191	
* Days with .04 in. or more.	8	12	3	17	9	16	5	7	18	16	18	16	145	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Totals

Kept at Buckland

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground ft. 12 ins

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	0·06	0·03	0·17	X	0·14	0·42	0·11	X	X	0·06	0·01		1
2	0·04	0·04	0·02	0·03	X	0·36	0·20	0·08	X	X	0·12	X		2
3	X	X	X	X	X	0·42	0·07	0·01	0·27	X	0·03	0·02		3
4	0·01	X	0·15	X	X	X	X	X	0·37	X	0·04	0·18		4
5	0·36	0·04	0·06	X	0·07	X	0·04	0·04	0·09	X	X	0·10		5
6	0·01	X	0·01	X	0·11	0·10	0·13	0·20	0·07	X	0·19	0·07		6
7	0·05	X	0·05	X	X	X	0·48	X	0·08	X	X	0·08		7
8	0·12	X	0·17	X	X	X	X	X	0·01	X	0·71	0·10		8
9	0·56	X	0·16	X	X	X	0·57	X	0·23	0·03	0·05	0·01		9
10	0·18	X	X	X	X	X	0·27	X	0·08	X	X	X		10
11	X	0·06	X	0·09	X	0·06	0·11	X	0·09	X	0·30	X		11
12	X	X	X	0·08	0·05	0·28	0·24	X	0·44	X	0·04	0·20		12
13	X	X	X	0·11	X	0·20	0·01	0·01	X	0·04	0·03	0·46		13
14	X	X	X	0·30	X	0·02	0·49	X	0·25	0·01	0·03	0·96		14
15	X	X	X	X	0·07	0·01	0·21	X	0·09	X	0·01	0·10		15
16	0·25	0·18	X	0·07	0·09	X	0·05	X	X	X	0·22	0·01		16
17	0·16	0·62	X	X	0·02	X	0·06	X	X	0·10	0·09	0·07		17
18	X	0·02	X	X	X	0·11	0·11	X	X	0·15	0·01	0·12		18
19	0·42	0·05	0·01	0·09	X	0·03	X	0·05	X	0·02	X	X		19
20	X	0·11	0·01	0·10	X	0·46	X	X	0·97	0·01	X	X		20
21	X	X	X	0·78	X	0·19	0·11	X	0·16	X	X	X		21
22	0·03	0·82	0·03	X	0·15	X	0·24	X	X	X	0·01	0·11		22
23	0·04	0·03	1·25	0·04	0·01	X	0·09	X	X	0·04	X	X		23
24	0·11	0·07	X	0·01	X	X	0·01	X	0·44	0·17	0·01	X		24
25	0·03	0·01	0·26	0·37	X	X	0·33	X	0·31	0·10	0·03	X		25
26	0·03	0·06	0·23	0·01	X	X	0·01	X	X	0·02	0·01	X		26
27	0·12	X	0·02	X	X	X	0·02	X	0·28	0·07	X	X		27
28	0·30	0·04	0·18	X	X	X	0·08	X	X	X	X	0·06		28
29	0·02	0·13	0·02	X	X	0·15	0·04	X	X	0·03	0·08	0·10		29
30	0·06	✕	X	X	0·11	0·01	0·13	X	X	0·57	X	X		30
31	0·41	✕	0·26	✕	0·04	✕	0·10	X	✕	0·25	✕	0·16		31
TOTAL	3·34	2·34	2·92	2·25	0·72	2·54	4·62	0·50	4·23	1·61	2·07	2·92	Year's Total 30·06	✓
* Days with .01 in. or more.	22	16	18	14	10	15	27	7	17	15	20	19	200	✓
* Days with .04 in. or more.	15	13	10	11	8	11	23	5	16	9	11	15	147	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193~~8~~7

Kept at Buckland Manor

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

To Glos

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·10	0·01	X	0·05	X	X	0·01	X	0·01	X	0·20	0·36		1
2	0·02	0·05	0·01	0·11	X	X	X	X	X	X	X	0·11		2
3	X	0·15	0·05	X	0·04	X	X	X	0·05	X	X	0·03		3
4	0·12	0·08	X	X	0·01	X	X	X	X	X	X	0·35		4
5	0·14	X	0·18	X	X	X	0·01	X	X	X	X	X		5
6	0·13	0·08	0·20	0·06	0·15	X	0·03	X	X	0·06	0·03	X		6
7	X	0·58	0·01	0·10	X	X	X	X	X	0·01	X	X		7
8	X	0·13	X	X	0·08	X	X	X	X	X	0·34	0·07		8
9	X	X	0·10	0·05	0·08	X	0·09	X	0·45	X	X	0·12		9
10	0·01	0·01	0·54	1·01	X	0·11	X	X	X	X	X	0·10		10
11	X	X	0·15	0·01	0·53	0·01	0·07	X	X	X	X	0·03		11
12	0·14	0·40	0·39	X	0·25	0·45	X	0·16	0·18	X	X	0·27		12
13	0·07	0·01	0·46	0·10	0·02	0·10	X	0·03	0·28	X	X	X		13
14	X	0·01	0·12	0·07	X	X	X	0·33	0·02	X	X	0·08		14
15	0·18	0·09	X	0·30	X	X	2·58	X	0·16	X	X	0·07		15
16	X	0·14	0·52	0·20	X	0·02	X	0·04	0·22	X	X	X		16
17	0·45	0·04	0·20	0·05	X	0·14	0·01	X	0·46	X	X	X		17
18	0·41	0·09	0·16	0·04	X	0·37	0·05	X	0·62	X	0·23	0·07		18
19	0·13	0·03	0·12	0·11	0·08	0·28	0·13	X	0·05	X	0·14	X		19
20	0·40	0·02	X	0·42	0·55	X	X	X	0·01	X	X	0·02		20
21	0·16	0·39	0·11	0·06	0·04	X	0·08	X	X	X	X	0·02		21
22	0·20	0·05	0·13	X	0·09	0·21	0·10	X	X	1·08	0·37	0·01		22
23	0·25	0·06	0·05	X	0·03	X	0·09	X	X	0·33	0·01	X		23
24	0·35	0·34	0·01	X	X	X	X	X	0·12	0·40	X	X		24
25	0·01	0·35	X	X	0·04	X	X	X	0·01	0·73	X	0·01		25
26	X	0·21	0·08	X	0·61	X	X	X	X	0·04	X	X		26
27	0·01	0·21	X	0·27	X	X	X	X	X	0·82	X	X		27
28	X	0·05	X	X	X	X	X	X	X	0·06	X	0·10		28
29	0·06	X	X	X	X	0·11	X	X	X	0·05	0·04	0·03		29
30	0·28	✖	X	X	X	0·01	X	0·02	X	X	0·14	0·01		30
31	0·24	✖	X	✖	X	✖	X	X	✖	0·14	✖	0·01		31
													Year's Total	
TOTAL	3·86	3·58	3·59	3·01	2·60	1·81	3·25	0·58	2·64	3·72	1·50	1·87	32·01	✓ ✓
* Days with .01 in. or more.	22	25	20	17	15	11	12	5	14	11	9	20	181	✓ ✓
* Days with .04 in. or more.	18	19	17	16	12	8	8	3	10	10	7	11	139	✓ ✓

† Spare column, no entries required.

(*Signed*) J. Whiteley

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Station No. 2183

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Buckland Manor

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

300 ft Ground Above Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	0·01	0·01	X	0·01	0·32	0·43	X	X	0·07	X	0·26		1
2	0·05	X	X	0·07	0·13	X	0·14	X	X	0·20	X	X		2
3	X	X	X	X	0·14	X	X	X	X	0·45	X	X		3
4	0·01	X	X	X	X	X	0·05	0·42	X	0·34	X	0·14		4
5	X	X	X	X	X	X	0·13	1·77	0·01	0·05	X	X		5
6	0·04	X	X	X	X	0·02	0·18	X	0·19	0·05	X	X		6
7	X	X	X	X	X	X	0·38	0·41	0·18	0·15	X	0·06		7
8	0·38	0·01	X	X	X	X	0·29	0·20	X	0·14	X	X		8
9	0·03	0·04	X	X	X	0·06	0·01	0·03	X	X	X	0·58		9
10	0·27	X	X	X	X	0·11	0·21	0·19	X	X	X	0·12		10
11	0·26	0·02	X	X	X	X	X	0·21	X	0·01	0·18	0·06		11
12	0·12	X	X	X	0·13	X	0·01	0·02	X	0·36	0·04	X		12
13	0·01	0·02	X	X	X	X	X	X	X	X	0·28	0·40		13
14	0·40	0·02	X	X	X	X	0·62	X	X	X	X	X		14
15	0·11	0·01	X	X	0·05	X	0·02	0·01	X	X	0·03	0·37		15
16	0·25	X	X	X	X	X	0·03	X	X	X	0·02	0·14		16
17	X	0·10	X	X	X	X	0·01	X	0·06	0·11	X	X		17
18	0·05	X	X	X	X	X	X	X	0·43	X	0·31	X		18
19	X	X	X	X	X	X	X	0·06	0·02	X	0·20	X		19
20	0·01	X	X	X	X	X	X	X	0·03	X	0·32	0·02		20
21	0·03	X	X	X	X	X	X	0·02	X	X	0·03	0·24		21
22	X	X	X	0·05	X	0·03	X	0·06	X	X	0·28	0·22		22
23	X	X	X	0·01	X	X	X	X	X	X	X	X		23
24	X	X	0·08	X	0·08	X	X	0·01	0·13	X	0·05	0·04		24
25	0·10	0·19	0·10	X	0·01	X	0·02	X	X	0·18	0·19	0·10		25
26	0·14	0·29	0·09	X	0·01	X	X	X	0·03	0·22	X	0·28		26
27	0·03	0·01	0·01	X	0·45	0·22	0·35	0·06	0·11	0·06	0·34	X		27
28	0·17	X	X	X	0·28	0·10	0·03	0·73	0·01	X	0·06	0·12		28
29	0·20	X	X	X	0·21	0·04	X	X	X	0·02	0·08	0·12		29
30	0·05	✕	X	X			X	X	0·61	0·03	0·31	0·07		30
31	0·12	✕	X	✕	0·12	✕	X	X	✕	0·13	✕	0·11		31
TOTAL	2·83	0·72	0·29	0·13	1·52	0·90	2·91	4·20	1·81	2·57	2·72	3·45	Year's Total 24·05 ✓	
* Days with .01 in. or more.	22	11	5	3	12	8	17	15	12	17	16	19	157 * ✓	
* Days with .04 in. or more.	16	4	3	2	9	6	10	11	7	14	13	18	113 * ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Buckland Manor

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

Dfp

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·05	×	×	0·20	0·12	×	×	×	×	×	×	×		1
2	0·10	×	×	0·02	×	×	×	0·27	0·47	0·02	0·06	0·06		2
3	0·09	×	×	0·16	×	×	0·58	0·58	×	~~0·44~~	0·47	0·21		3
4	0·14	×	0·19	0·21	0·02	×	0·25	0·17	×	0·40	0·08	0·12		4
5	×	×	×	0·50	0·18	×	×	0·30	×	0·16	0·35	0·21		5
6	0·40	×	×	0·05	×	×	1·08	×	×	×	0·04	×		6
7	0·02	0·18	×	×	×	×	0·02	×	×	×	0·29	0·26		7
8	×	0·12	0·27	×	0·02	×	0·27	0·15	×	0·72	0·17	0·38		8
9	×	×	×	×	×	×	×	0·14	×	0·39	×	0·09		9
10	0·40	×	0·04	×	×	0·23	×	0·24	0·01	0·03	×	×		10
11	×	×	0·16	×	×	0·07	×	×	×	0·20	×	×		11
12	×	×	×	0·01	×	0·07	×	×	×	×	0·01	×		12
13	×	×	×	×	×	×	0·15	×	0·04	0·43	×	×		13
14	0·31	×	0·03	×	0·17	0·01	0·14	×	×	0·04	0·22	×		14
15	0·75	×	×	0·01	0·13	0·28	0·53	×	×	0·27	0·15	×		15
16	0·11	×	0·04	0·07	0·18	0·20	0·15	×	×	×	0·28	×		16
17	0·25	0·02	×	×	0·04	×	0·08	×	×	0·32	×	×		17
18	0·21	0·02	0·06	×	×	0·29	0·06	×	×	0·12	0·31	×		18
19	0·19	×	×	×	×	×	0·55	×	0·02	×	×	×		19
20	0·23	×	×	×	×	×	0·02	0·10	×	×	×	0·06		20
21	0·08	0·17	0·26	×	×	0·20	0·08	×	0·05	×	0·35	×		21
22	0·32	0·39	0·09	×	×	0·26	0·08	×	0·03	0·04	×	×		22
23	0·09	×	×	0·18	×	0·07	0·30	×	×	0·07	0·63	×		23
24	0·30	×	×	0·15	×	0·02	0·05	×	×	0·12	×	×		24
25	1·45	0·12	0·05	0·02	×	×	0·07	×	×	0·04	0·13	×		25
26	0·13	×	0·01	×	×	×	×	0·07	×	0·02	0·45	0·06		26
27	0·05	0·09	0·19	0·07	×	0·02	0·07	×	×	0·02	0·01	0·05		27
28	0·03	×	0·15	0·05	×	0·16	0·28	×	×	×	0·21	0·06		28
29	×	×	×	0·63	×	×	0·21	×	×	0·17	0·07	×		29
30	×	✖	×	0·50	×	×	×	×	×	×	×	0·06		30
31	×	✖	×	✖	×	✖	×	0·18	✖	×	✖	0·06		31
TOTAL	5·70	1·11	1·54	2·83	0·88	1·88	4·97	2·20	0·62	3·58	4·28	1·68	Year's Total 31·27	
* Days with .01 in. or more.	22	8	13	16	8	13	21	10	6	19	19	13	168	
* Days with .04 in. or more.	20	6	11	12	6	10	18	10	3	15	17	13	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Whiteley

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 5183

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Buckland Manor

in the County of Glos

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

To Giles

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	X	X	X	0·04	X	X	X	X	X	X	0·04	X		1
2	X	X	X	0·12	X	X	X	X	X	X	1·02	X		2
3	X	0·16	X	0·06	X	X	X	X	X	0·24	0·75	X		3
4	X	0·11	X	0·01	X	X	0·01	X	X	0·14	0·32	0·04		4
5	X	X	X	X	0·10	X	X	X	X	0·10	0·82	0·10		5
6	0·10	0·24	X	X	0·03	X	X	X	X	0·14	0·25	X		6
7	X	0·27	X	0·01	X	X	0·01	X	0·06	X	X	0·07		7
8	X	X	X	0·03	X	X	0·03	X	X	0·25	0·08	0·12		8
9	X	X	X	0·01	X	0·20	0·09	X	0·01	0·14	0·14	0·04		9
10	X	X	X	X	X	X	0·82	X	X	0·17	0·15	0·07		10
11	X	X	X	0·03	X	X	0·04	X	X	X	0·44	0·09		11
12	X	X	0·04	X	X	X	0·07	X	0·09	X	X	X		12
13	X	X	0·62	X	X	X	0·21	X	0·01	X	0·18	X		13
14	X	X	0·06	0·04	0·48	X	X	X	0·17	0·14	0·01	0·32		14
15	X	X	0·01	X	0·15	X	X	X	0·12	0·02	0·19	X		15
16	0·01	0·30	0·27	0·03	X	X	0·23	X	0·09	0·53	0·57	0·03		16
17	X	X	0·12	X	X	X	X	X	X	X	0·05	X		17
18	0·02	0·57	0·53	0·76	X	X	X	0·02	X	0·11	0·09	0·09		18
19	X	0·21	0·05	0·15	X	X	0·45	X	0·09	X	0·07	0·04		19
20	X	X	0·12	0·02	X	X	0·11	X	X	0·42	X	X		20
21	X	X	0·01	X	0·21	0·12	0·12	0·02	X	X	1·29	X		21
22	X	X	0·05	X	0·53	0·24	X	X	0·30	X	X	X		22
23	X	0·07	0·04	0·04	0·08	0·11	X	X	X	X	0·01	0·07		23
24	X	X	X	X	X	X	0·11	X	X	X	X	0·04		24
25	0·01	X	X	0·01	X	X	X	X	X	X	X	X		25
26	1·19	0·12	0·01	0·13	0·09	0·01	0·42	X	X	X	X	X		26
27	0·56	0·11	X	0·19	X	X	0·07	0·04	X	0·02	X	X		27
28	0·74	0·20	X	0·08	0·01	X	X	X	X	X	X	X		28
29	X	X	0·06	0·05	0·07	0·01	0·02	X	X	X	X	0·28		29
30	X		X	0·14	0·04	X	X	X	X	0·34	X	X		30
31	0·04		0·04		X		X	X		0·54		X		31
TOTAL	2·67	2·36	1·81	1·95	1·79	0·69	2·61	0·08	0·94	3·30	6·47	1·40	Year's Total 26·27	
* Days with .01 in. or more.	8	11	15	20	11	6	15	3	9	15	19	14	146	
* Days with .04 in. or more.	5	11	12	12	9	4	11	1	7	13	17	13	115	

† Spare column, no entries required.

(*Signed*) J. Whiteley

* See Instruction 3 (f) on other side.

[P.T.O.

CHIPPING CAMPDEN

2183/4

FORM 1090.

B Mo
Su

—

2183/4
CHIPPING CAMDEN
LEYSBOURNE
1938—40

285402

*** The following register of mont
&c., is NOT required if daily
values are given on the othe

and also the space for

register should be sent:—
Observatory

RAINFALL IN 193

At C Campden

In the County of Glos

...in Summer..................

Rain Gauge
Diameter of Funnel...5...
Height of Top above Ground...1...f
Height of Ground above Sea Level....

Direction from
....................gauge..........

Direction from ENE
...150 yds.gauge..........

Month	Total Depth	Greatest Fall in 24 hours		N	
	Inches	Inches	Date	*	*
JAN.	(3·00)				
FEB.	(·80)				
MAR.	·295				
APRIL	·10				
MAY	3·425				
JUNE	1·02				
JULY	2·01				
AUG.	4·11				
SEPT.	1·93				
OCT.	2·71				
NOV.	3·10				
DEC.	3·92				
TOTAL	~~22.62~~ (26·42)	Rt 9b 12/4/39			

Directions from gauge ...

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan. & Feb. estd. by nearby stns.
9/4/39 CKR.

f 723283/38

Signature H. P. Sparling

MISS C. SPARLING

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

~~H. P. SPARLING ESQ.~~

CHIPPING CAMPDEN

2183/4

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At C. Campden

In the County of Glos

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 490 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	(3·00)				
FEB.	(·80)				
MAR.	·295				
APRIL	·10				
MAY	3·425				
JUNE	1·02				
JULY	2·01				
AUG.	4·11				
SEPT.	1·93				
OCT.	2·71				
NOV.	3·10				
DEC.	3·92				
TOTAL	~~12.62~~ (26.42)	Pnt qd 12/4/39			

Signature H. P. Sparling

MISS C. SPARLING

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
H. P. Sparling Temple Observatory
Rugby

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Campden GWR Distance .... Direction from gauge ....

Nearest Parish Church at Campden Distance 150 yds Direction from gauge ENE

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Jan. & Feb. estd. by nearby stns.
8/4/39 CKR.

f 723283/38

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91.
S.O. Code No. 40-9999

~~H. P. SPARLING ESQ.~~

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2183/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Chipping Campden

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 460 ft. approx.

52° 3′ N. } to nearest
1° 47′ W. } minute

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·10	–	·02	·18	·13	–	–	–	·05	·04	Tr.	·02		1
2	·19	–	Tr.	·01	·005	–	Tr.	·28	·86	·01	·06	·01		2
3	·07	–	–	·21	–	–	–	·61	–	Tr.	·17	·25		3
4	·07	–	·31	·21	·07	–	·505	·10	·01	·50	·06	·08		4
5	–	·01	–	·80	·18	–	·15	·14	–	·19	·37	·19		5
6	·68	–	·01	·06	Tr.	–	1·40	·01	–	–	·05	–		6
7	~~·005~~	·16	–	–	–	–	·03	·02	–	Tr.	·34	·27		7
8	Tr.	·12	·26	–	–	–	·26	·16	–	·88	·17	·41		8
9	·03	·01	–	–	–	–	–	·35	–	·35	·005	·13		9
10	·37	Tr.	·04	–	–	·23	–	·07	·03	·03	·02	·005		10
11	–	Tr.	·14	–	–	·11	–	Tr.	–	·38	·005	–		11
12	Tr.	·08	Tr.	–	Tr.	·09	–	–	–	·01	·02	–		12
13	[illegible]	–	·005	·01	·01	·02	·28	–	·03	·45	–	–		13
14	·90	–	·01	Tr.	·16	·02	·005	–	·005	·06	·28	–		14
15	·55	–	·005	·01	·12	·33	·32	–	Tr.	·42	·22	–		15
16	·12	Tr.	·02	·01	·18	·11	·10	–	Tr.	·08	·24	–		16
17	·40	·07	·005	·01	·06	·01	·18	–	Tr.	·64	·02	–		17
18	·31	·03	·04	–	–	·21	·43	–	·005	·04	·35	Tr.		18
19	·22	–	Tr.	–	–	–	·30	Tr.	·005	–	Tr.	·02		19
20	·28	Tr.	Tr.	–	Tr.	Tr.	2·325	·17	–	–	–	·03		20
21	·10	·20	·25	·06	Tr.	·44	Tr.	·01	·05	–	–	–		21
22	·34	·33	·03	·06	–	·02	·05	–	·03	·03	·37	–		22
23	·03	Tr.	Tr.	·11	–	·07	·19	–	·01	·06	·69	–		23
24	x	–	·01	·05	–	·02	·01	Tr.	–	·18	–	–		24
25	x	·17	·06	·005	–	–	·03	–	–	·03	·21	–		25
26	x	Tr.	·01	Tr.	–	Tr.	–	·09	–	·005	·53	✓		26
27	✓ 1·49	·26	·14	–	–	·03	·06	·01	Tr.	·04	·02	✓		27
28	Tr.	·16	·15	·05	–	·17	·25	·005	–	Tr.	·22	x		28
29	–	×	Tr.	·61	–	Tr.	·13	–	–	·17	·04	–		29
30	–	×	–	·46	–	10	·005		–	·005	·01	·37		30
31	–	×	–	×	–	×	·29	·10	×	–	×	–		31
TOTAL	~~5·755~~ 5·75.	1·60	~~1·515~~ 1·52	2·915	~~·915~~ ·92	1·88	7·22	2·075	~~1·085~~ 1·09	3·98	4·47	1·785	Year's Total 35·195	
* Days with .01 in. or more.	~~18~~ 21	12	16	16	8	16	20	14	8	21	22	~~11~~ 14	~~179~~	185
* Days with .04 in. or more.	~~16~~ 18	9	9	12	7	10	17	10	3	16	17	~~7~~ 8	~~133~~	136

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Constance Sparling

P.T.O.

FILE NUMBER 723283/38

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Campden
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 470 ft.

52° 3′ N.
1° 47′ W.
Ac/s
alteration of Jan on back.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·03	—	—	—	—	—	—	·02	—		1
2	—	—	—	·18	—	—	·01	—	—	Tr.	1·18	—		2
3	—	·18	—	·06	—	—	Tr.	—	—	·20	·96	·05		3
4	—	·09	—	·02	—	—	·02	—	—	·17	·22	·05		4
5	—	—	—	—	·10	—	Tr.	—	—	·12	·79	·12		5
6	·14	·22	—	—	—	—	—	—	—	·16	·31	·005		6
7	Tr.	·32	—	·01	—	—	·25	Tr.	·03	·005	—	·04		7
8	—	—	—	·04	Tr.	—	—	—	·005	·26	·09	·16		8
9	—	—	—	—	—	·10	·12	—	·03	·16	·17	·07		9
10	—	—	·005	—	—	—	·84	·05	—	·19	·25	·05		10
11	—	Tr.	Tr.	·03	—	—	·03	—	Tr.	—	·50	·07		11
12	—	Tr.	·02	—	—	Tr.	·13	—	·08	Tr.	·01	—		12
13	—	Tr.	·60	·02	—	—	·03	—	·04	—	·22	—		13
14	—	Tr.	·07	·05	·35	—	—	Tr.	·26	·16	·01	·34		14
15	—	—	·11	·02	·25	Tr.	Tr.	—	·13	·07	·21	·005		15
16	·02	·38	·32	·07	—	·01	·16	—	·08	·64	·63	—		16
17	—	Tr.	·11	Tr.	—	—	·005	—	—	·005	·07	—		17
18	·05	·58	·48	·68	—	—	·09	·03	·02	·35	·34	·18		18
19	—	·35	·15	·14	—	—	·60	—	·09	·01	·11	·05		19
20	—	·01	·04	·01	—	·02	·05	·03	—	·30	Tr.	·01		20
21	·02	·01	Tr.	—	x	·17	·10	·03	—	·005	1·26	—		21
22	—	Tr.	·03	Tr.	x	·18	Tr.	Tr.	·72	·005	—	—		22
23	—	·09	·05	·03	x	·15	—	Tr.	Tr.	Tr.	·01	·07		23
24	Tr.	—	—	—	1·19	—	·13	—	—	—	Tr.	·01		24
25	Tr.	—	—	Tr.	·005	Tr.	—	—	—	·005	—	—		25
26	1·28	·15	—	1·21	·06	·02	·32	—	—	—	Tr.	—		26
27	x	·17	Tr.	·16	·02	—	·05	Tr.	Tr.	—	—	Tr.		27
28	x 1·81	·15	—	·04	·06	—	—	—	—	—	—	·005		28
29		—	·07	·09	·15	·02	·02	—	—	—	—	·32		29
30		✕	—	·29	·06	—	—	—	—	·39	—	Tr.		30
31		✕	·03	✕	·005	✕		—	✕	·64	✕	Tr		31
TOTAL	3·32	2·70	1·9~~8~~9	3·18	2·25	·67	3·00	·14	1·4~~8~~9 5	3·845	7·06	~~1·605~~ 1·61	Year's Total ~~31·2~~	31·25
* Days with .01 in. or more.	~~6~~7	13	~~13~~ 14	20	~~9~~ 11	~~9~~ 8	17	4	~~10~~ 11	~~16~~ 17	20	~~15~~ 17	~~154~~	159
* Days with .04 in. or more.	~~4~~5	11	10	12	~~8~~ 10	4	~~11~~ 12	1	~~9~~ 7	14	~~15~~ 16	13	~~108~~ 111	115

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Constance Sparling

[P.T.O.

|34

2183/6

Section **A** for the entry

AIR MINIST

Station No.

LL ORGANIZATION.

Form 1090.

REG

93 4.

VI/Glos/A

Kept at The Research

in the County of Glou

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEAS

An observer who does not confor
year in the space on the right

the following

Jan. 1, following

2183/5

CAMPDEN

THE RESEARCH STATION

1934 —— 40

7P0402

Date	Jan.	Feb.	Mar								ov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0.31	-	0.01	0.02	0.41		1
2								tr.	0.32	0.01	0.01	0.17		2
3								-	0.04	0.06	-	0.05		3
4								-	0.14	0.21	0.10	0.45		4
5								0.28	tr.	0.02	0.16	0.25		5
6								tr.	-	0.12	tr.	0.58		6
7								0.23	-	0.01	0.01	0.32		7
8								0.02	tr.	-	0.11	0.04		8
9								-	-	-	0.59	0.28		9
10								0.02	-	-	0.06	0.01		10
11								0.08	-	-	tr.	0.15		11
12								0.11	tr.	-	tr.	0.03		12
13								0.15	tr.	tr.	tr.	0.12		13
14								-	-	tr.	0.17	0.22		14
15								-	0.02	0.02	0.42	0.09		15
16								-	-	0.07	0.02	tr.		16
17								-	0.15	0.04	0.01	0.33		17
18								-	0.01	-	-	0.20		18
19								0.03	0.02	0.01	-	0.07		19
20			* frozen dew					-	-	-	tr.	tr.*		20
21								0.04	-	0.17	-	-		21
22								0.14	0.18	tr.	-	0.09		22
23								-	0.04	-	tr.	0.02		23
24								-	0.31	0.03	tr.	tr.		24
25							-	-	-	0.13	-	0.39		25
26							0.07	-	0.05	tr.	tr.	0.05		26
27							-	-	tr.	0.05	tr.	0.24		27
28							-	0.29	0.03	-	0.03	0.31		28
29							0.28	0.05	0.57	-	tr.	0.01		29
30		×					-	-	0.01	-	-	0.01		30
31		×		×		×	-	0.01	×	0.11	×	0.04		31
TOTAL								1.76	1.89	1.07	1.71	4.93	Year's Total.	
* Days with .01 in. or more.								14	14	16	13	27		
* Days with .04 in. or more.								10	9	9	7	22		

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.

N

COPY FOR OFFICIAL

134 2183/5

Section **A** **for the entry of Daily Observations.** **Station No.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

vi/9103/A.

Kept at The Research Station, Campden.

in the County of Gloucester.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								0.31	-	0.01	0.02	0.41		1
2								tr.	0.32	0.01	0.01	0.17		2
3								-	0.04	0.06	-	0.05		3
4								-	0.14	0.21	0.10	0.45		4
5								0.28	tr.	0.02	0.16	0.25		5
6								tr.	-	0.12	tr.	0.58		6
7								0.23	-	0.01	0.01	0.32		7
8								0.02	tr.	-	0.11	0.04		8
9								-	-	-	0.59	0.28		9
10								0.02	-	-	0.06	0.01		10
11								0.08	-	-	tr.	0.15		11
12								0.11	tr.	-	tr.	0.03		12
13								0.15	tr.	tr.	tr.	0.12		13
14								-	-	tr.	0.17	0.22		14
15								-	0.02	0.02	0.42	0.09		15
16								-	-	0.07	0.02	tr.		16
17								-	0.15	0.04	0.01	0.33		17
18								-	0.01	-	-	0.20		18
19								0.03	0.02	0.01	-	0.07		19
20			* frozen dew					-	-	-	tr.	tr. *		20
21								0.04	-	0.17	-	-		21
22								0.14	0.18	tr.	-	0.09		22
23								-	0.04	-	tr.	0.02		23
24								-	0.31	0.03	tr.	tr.		24
25							-	-	-	0.13	-	0.39		25
26							0.07	-	0.05	tr.	tr.	0.05		26
27							-	-	tr.	0.05	tr.	0.24		27
28							-	0.29	0.03	-	0.03	0.31		28
29							0.28	0.05	0.57	-	tr.	0.01		29
30		×					-	-	0.01	-	-	0.01		30
31		×		×		×	-	0.01	×	0.11	×	0.04		31
TOTAL								1.76	1.89	1.07	1.71	4.93	Year's Total.	
* Days with .01 in. or more.								14	14	16	13	27	nip	
* Days with .04 in. or more.								10	9	9	7	22		

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) G. Hirst.

[P.T.O.

341241/34

COPY FOR OFFICIAL ~~USE.~~

Section **A** **for the entry of Daily Observations.** **Station No.** 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Glos/4

Kept at The Research Station, Campden.

in the County of Gloucester.

1934 comp

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.04	0.01	0.01	-	0.08	0.02	-	-	0.05	0.12	0.46	0.31		1
2	0.02	0.01	tr.	0.04	0.01	0.02	0.05	-	0.52	0.15	0.06	tr.		2
3	tr.	-	tr.	-	tr.	tr.	tr.	-	0.04	0.28	tr.	0.01		3
4	-	0.01	0.06	-	-	0.09	-	-	0.10	0.37	0.21	0.04		4
5	-	-	tr.	-	-	0.24	-	-	0.07	0.25	0.03	0.01		5
6	-	0.54	0.22	0.02	-	0.24	-	-	0.04	0.01	0.02	-		6
7	-	0.01	0.01	0.36	-	0.51	-	-	-	-	0.04	0.02		7
8	-	-	tr.	0.46	-	0.15	-	-	-	0.15	0.29	0.12		8
9	-	-	-	0.23	-	-	-	-	-	0.06	0.18	0.07		9
10	-	tr.	-	0.53	-	0.22	-	-	-	0.67	0.50	0.01		10
11	-	-	-	0.15	-	-	-	-	-	-	0.03	0.01		11
12	0.15	-	tr.	-	-	0.08	0.02	tr.	-	-	0.28	0.01		12
13	0.01	0.04	-	-	-	0.19	-	tr.	-	-	0.04	-		13
14	0.02	0.10	-	0.15	0.18	0.01	-	-	tr.	-	0.01	-		14
15	tr.	tr.	-	tr.	0.07	0.07	-	-	0.58	-	0.50	0.14		15
16	-	0.02	-	0.73	0.03	0.04	0.01	-	0.49	-	0.15	0.16		16
17	-	0.03	0.04	0.36	tr.	0.06	0.01	-	0.19	0.09	0.81	-		17
18	-	tr.	tr.	0.05	0.01	0.20	0.05	-	0.08	-	0.37	0.01		18
19	-	0.04	-	0.26	0.09	0.04	0.02	0.02	0.16	0.08	0.01	0.01		19
20	-	tr.	-	0.08	0.13	0.22	0.20	-	0.07	0.05	0.31	-		20
21	0.01	0.27	-	0.15	0.83	0.09	0.24	-	tr.	-	0.50	-		21
22	tr.	0.36	-	-	-	-	-	-	1.48	0.01	0.06	-		22
23	-	0.05	0.01	0.03	-	tr.	tr.	0.25	0.33	-	0.01	-		23
24	0.02	0.04	0.05	tr.	-	-	-	0.24	0.05	0.44	tr.	-		24
25	0.01	0.35	tr.	-	-	-	-	0.05	0.60	0.07	tr.	0.31		25
26	0.22	0.26	-	0.20	-	0.54	-	tr.	tr.	tr.	-	0.16		26
27	-	0.17	-	tr.	-	-	-	0.12	0.02	tr.	-	0.60		27
28	-	0.20	-	-	0.09	-	-	-	0.02	0.02	0.10	1.12		28
29	0.01		-	-	0.22	-	-	-	0.11	0.02	0.01	0.03		29
30	tr.	×	0.04	-	0.02	-	-	0.04	0.05	0.02	0.04	0.26		30
31	0.04	×	tr.	×	0.19	×	-	0.39	×	0.02	×	0.10		31
TOTAL	0.55	2.51	0.44	3.80	1.95	3.03	0.60	1.11	5.05	2.88	5.02	3.51	Year's Total. 30.45	Prov
* Days with .01 in. or more.	11	18	8	16	13	19	8	7	20	19	25	21	185	
* Days with .04 in. or more.	4	12	5	14	9	16	4	6	18	13	18	12	131	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~F. Hirst~~ THE DIRECTOR

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

agc

Kept at Research Station, CAMPDEN

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.03	0.03	0.21	-	0.31	0.28	0.09	-	-	0.02	0.03		1
2	0.04	0.01	0.04	0.03	-	0.22	0.31	tr.	-	-	0.09	tr.		2
3	0.01	tr.	-	tr.	-	0.92	-	tr.	0.31	-	0.02	tr.		3
4	0.01	-	0.11	tr.	-	-	-	tr.	0.41	-	0.04	0.19		4
5	0.20	0.03	0.14	-	0.10	tr.	0.10	0.05	0.19	-	tr.	0.14		5
6	tr.	tr.	0.01	-	0.05	0.08	0.06	0.18	0.06	-	0.15	0.04		6
7	0.04	tr.	0.07	-	tr.	tr.	0.33	-	0.07	-	0.12	0.03		7
8	0.15	-	0.12	-	-	tr.	-	-	-	tr.	0.65	0.06		8
9	0.54	-	0.08	-	-	-	0.69	-	0.43	0.02	tr.	tr.		9
10	0.18	-	tr.	-	0.03	-	0.11	tr.	tr.	0.03	0.38	-		10
11	-	0.02	-	0.04	-	0.04	0.10	-	0.13	-		-		11
12	tr.	-	-	0.03	0.35	0.48	0.23	-	0.76	-	0.09	0.17		12
13	tr.	-	-	0.34	-		tr.	tr.	tr.	0.04	0.02	0.54		13
14	tr.	0.01	-	0.25	-	0.02	0.47	-	0.18	tr.	tr.	1.02		14
15	-	0.01	-	tr.	0.09	tr.	0.15	-	0.21	-	0.03	0.14		15
16	0.14	0.19	-	0.01	0.10	-	0.07	-	tr.	-	0.26	tr.		16
17	0.13	0.58	-	-	-	-	0.08	-	-	0.08	0.07	0.05		17
18	-	0.01	-	--	-	-	0.15	tr.	-	0.04	tr.	0.08		18
19	0.42	0.02	0.01	0.09	-	0.13	-	0.05	-	0.03	tr.	tr.		19
20	tr.	0.13	0.01	0.05	-	0.23	0.05	-	0.48	tr.	-	-		20
21	tr.	tr.	tr.	0.49	-	0.22	0.04	-	0.12	-	tr.	-		21
22	tr.	0.76	0.02	tr.	0.19	tr.	0.26	-	tr.	tr.	tr.	0.12		22
23	0.01	0.01	0.25	0.04	0.01	-	0.08	-	-	0.03	tr.	-		23
24	0.09	0.10	tr.	tr.	-	-	-	-	-	0.06	tr.	-		24
25	0.04	tr.	0.20	0.32	0.02	-	0.30	-	0.17	tr.	0.03	-		25
26	0.01	0.05	0.18	0.01	-	tr.	0.11	-	-	0.03	tr.	-		26
27	0.10	-	0.20	-	-	-	0.02	tr.	0.21	-	tr.	-		27
28	0.42	0.03	0.18	-	-	-	0.05	-	tr.	0.02	-	0.09		28
29	0.01	0.15	0.40	-	-	0.12	0.27	-	-	0.52	0.12	0.17		29
30	0.06	✕	tr.	-	0.14	0.04	0.17	-	-	0.24	tr.	tr.		30
31	0.40	✕	0.26	✕	0.04	✕	0.04	-	✕	0.02	✕	0.18		31
TOTAL	3.00	2.14	2.31	1.91	1.12	2.81	4.52	0.37	3.73	1.16	2.09	3.05	Year's Total 28.21	✓
* Days with .01 in. or more.	20	17	18	13	11	13	25	4	14	13	16	16	180	✓
* Days with .04 in. or more.	15	7	13	9	8	12	24	4	14	6	11	14	137	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Research Station, Campden

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.09	tr.	tr.	0.03	-	-	-	tr.	0.01	0.03	0.19	0.40		1
2	0.01	0.08	-	0.21	-	-	tr.	-	-	tr.	tr.	0.24		2
3	tr.	0.26	0.07	tr.	0.03	tr.	tr.	-	0.03	tr.	tr.	-		3
4	0.11	0.14	tr.	-	tr.	tr.	-	-	-	tr.	0.01	0.48		4
5	0.10	tr.	0.13	tr.	-	-	0.02	-	-	tr.	-	-		5
6	0.26	0.03	0.17	0.03	0.16	-	0.02	-	-	0.06	0.02	-		6
7	-	0.65	tr.	0.14	-	tr.	-	-	-	0.01	tr.	-		7
8	-	0.09	-	tr.	0.12	-	-	-	-	tr.	0.40	0.05		8
9	-	tr.	0.09	0.05	0.12	-	0.07	-	0.36	-	tr.	0.06		9
10	tr.	0.02	0.36	0.78	tr.	0.13	-	-	-	-	-	0.14		10
11	tr.	-	0.10	tr.	0.49	tr.	0.03	-	-	-	-	0.13		11
12	0.16	0.30	0.32	-	0.27	0.30	0.01	0.29	0.16	tr.	-	0.25		12
13	0.06	0.02	0.27	0.06	tr.	0.06	-	0.31	0.16	tr.	-	0.01		13
14	tr.	tr.	0.27	0.04	-	-	-	0.52	0.02	-	-	0.08		14
15	0.18	0.09	tr.	0.38	tr.	-	1.82	-	0.12	-	-	0.04		15
16	tr.	0.11	0.45	0.25	-	-	-	0.06	0.28	-	-	tr.		16
17	0.47	0.03	0.26	0.03	-	0.19	tr.	-	0.31	tr.	-	tr.		17
18	0.41	0.07	0.31	tr.	-	0.51	0.03	-	0.34	tr.	0.20	0.12		18
19	0.14	0.05	0.04	0.17	0.08	0.25	0.03	-	-	0.02	0.06	0.10		19
20	0.48	0.03	tr.	0.36	0.63	0.03	-	-	-	0.01	-	0.01		20
21	0.16	0.43	0.13	0.08	0.03	-	0.09	-	-	tr.	-	0.03		21
22	0.17	0.05	0.10	tr.	0.14	0.32	0.23	-	-	0.99	0.28	0.02		22
23	0.29	0.05	0.20	-	0.02	-	0.03	-	-	0.25	0.02	-		23
24	0.23	0.52	0.04	-	0.03	-	-	-	0.06	0.34	tr.	-		24
25	tr.	0.37	-	-	0.04	-	tr.	-	0.02	0.30	tr.	-		25
26	-	0.23	tr.	-	0.55	-	-	-	tr.	0.02	tr.	-		26
27	tr.	0.25	-	0.20	tr.	-	-	-	tr.	0.81	-	-		27
28	-	0.10	-	tr.	-	-	-	-	-	0.05	-	0.16		28
29	0.04	X	-	tr.	-	0.10	-	-	-	0.03	0.02	0.03		29
30	0.31	✕	tr.	-	-	0.02	-	0.05	tr.	tr.	0.11	-		30
31	0.23	✕	-	✕	-	✕	-	-	✕	0.10	✕	-		31
TOTAL	3.90	3.97	3.31	2.81	2.71	1.91	2.38	1.23	1.87	3.02	1.31	2.35	Year's Total 30.77	✓ ✓
* Days with .01 in. or more.	19	23	17	15	14	10	11	5	12	14	10	18	168	✓ ✓
* Days with .04 in. or more.	18	18	17	12	10	9	4	5	8	8	6	13	128	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

DIRECTOR.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Research Station, Campden.

in the County of Gloucestershire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	0.01	0.45	0.03	-	-	0.06	-	0.34		1
2	0.05	-	0.02	0.05	0.06	-	0.16	-	-	0.19	-	tr.		2
3	tr.	-	-	-	0.12	0.01	-	-	0.01	0.51	-	-		3
4	0.03	-	-	-	-	0.01	0.09	0.45	-	0.30	-	0.14		4
5	tr.	-	-	-	-	-	0.03	0.84	-	0.07	tr.	-		5
6	0.03	-	-	-	-	0.06	0.11	-	0.07	0.05	tr.	-		6
7	tr.	-	-	-	-	-	0.28	0.39	0.11	0.10	-	0.07		7
8	0.36	tr.	-	-	-	0.01	0.17	0.94	-	0.14	-	0.01		8
9	0.02	0.01	-	-	tr.	-	0.01	0.02	-	-	-	0.39		9
10	0.25	0.01	-	-	-	0.03	0.13	0.08	-	-	-	0.06		10
11	0.29	0.01	-	-	-	-	0.01	1.66	-	0.04	0.16	0.03		11
12	0.10	-	-	-	0.11	-	tr	0.16	-	0.33	0.13	tr.		12
13	tr	0.01	-	-	tr	-	-	-	-	0.01	0.17	0.62		13
14	0.45	0.01	-	-	0.01	-	0.57	-	0.14	-	-	tr		14
15	0.09	0.01	-	-	0.05	-	0.14	tr	-	0.01	0.04	0.47		15
16	0.22	-	-	-	tr	-	0.06	-	-	-	0.03	0.13		16
17	-	0.09	-	-	1.13	-	-	0.01	0.03	0.09	0.13	-		17
18	0.03	tr	-	-	0.03	-	-	tr	0.73	0.01	0.35	-		18
19	tr	tr	-	-	-	-	-	0.10	0.04	-	0.27	-		19
20	0.01	-	-	-	-	-	-	-	0.08	-	0.35	0.03		20
21	0.02	-	-	tr	-	-	-	-	0.01	-	0.03	0.21		21
22	tr	-	-	0.02	-	0.09	-	0.04	-	-	0.30	0.23		22
23	-	-	-	0.01	0.05	tr	-	-	0.05	-	tr	0.03		23
24	-	-	0.04	tr	0.05	-	-	0.04	0.16	-	0.02	-		24
25	0.09	0.21	0.13	tr	0.13	-	tr	0.03	0.01	0.17	0.21	0.02		25
26	0.13	0.42	0.07	-	0.01	0.01	-	0.01	0.08	0.32	tr	0.31		26
27	0.04	tr	0.02	tr	0.35	0.19	0.36	0.09	0.10	0.05	0.32	0.02		27
28	0.17	-	-	-	0.26	0.16	0.06	0.98	0.07	-	0.06	0.20		28
29	0.20		-	tr	0.26	0.01	-	tr	tr	0.05	0.12	0.15		29
30	0.06	✕	-	tr	-	-	-	-	0.69	0.02	0.35	0.08		30
31	0.14	✕	-	✕	0.13	✕	0.01	-	✕	0.10	✕	0.09		31
TOTAL	2.78	0.78	0.28	0.08	2.76	1.03	2.22	5.84	2.38	2.62	3.04	3.63	Year's Total 27.44	✓
* Days with .01 in. or more.	21	9	5	3	16	11	16	16	16	20	17	21	171	✓
* Days with .04 in. or more.	15	3	3	1	12	5	11	12	12	16	14	15	119 109	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Hist.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Research Station, Campden.
in the County of Gloucestershire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.05	-	0.02	0.16	0.14	-	-	tr.	0.04	0.13	0.01	0.02		1
2	0.16	-	tr.	tr.	0.01	-	-	0.22	0.98	0.01	0.04	0.01		2
3	0.11	-	-	0.19	tr.	-	-	0.53	0.01	-	0.13	0.22		3
4	0.13	-	0.26	0.21	0.01	-	0.48	0.12	-	0.42	0.05	0.07		4
5	-	-	tr.	0.61	0.24	-	0.14	0.12	-	0.16	0.35	0.16		5
6	0.48	-	-	0.06	tr.	-	1.25	-	-	tr.	0.05	tr.		6
7	0.01	0.14	-	tr.	-	-	0.03	0.30	-	-	0.34	0.24		7
8	tr.	0.12	0.30	-	-	-	0.21	0.19	tr.	0.73	0.17	0.39		8
9	0.01	0.01	tr.	-	-	-	-	0.14	tr.	0.42	0.01	0.12		9
10	0.35	-	0.03	-	-	0.22	-	0.26	0.04	0.03	0.03	tr.		10
11	-	0.01	0.12	-	-	0.10	-	-	tr.	0.23	tr.	tr.		11
12	0.01	0.07	tr.	-	-	0.06	-	-	-	-	0.02	tr.		12
13	-	-	tr.	tr.	0.02	0.04	0.22	-	0.04	0.37	tr.	-		13
14	0.47	-	0.01	-	0.15	0.02	0.30	-	-	0.16	0.21	-		14
15	0.41	-	-	0.01	0.10	0.24	0.32	-	tr.	0.47	0.09	tr.		15
16	0.13	-	0.02	0.01	0.16	0.10	0.10	-	-	0.06	0.31	tr.		16
17	0.37	0.06	-	0.01	0.05	0.04	0.19	-	-	0.75	0.03	tr.		17
18	0.27	0.03	0.03	-	0.01	0.15	0.02	-	tr.	0.04	0.14	0.01		18
19	0.21	-	-	-	-	-	0.60	-	tr.	tr.	tr.	0.01		19
20	0.26	--	-	-	-	-	0.82	0.17	-	-	tr.	0.02		20
21	0.09	0.13	0.22	0.04	-	0.27	0.30	tr.	0.05	tr.	-	tr.		21
22	0.31	0.35	0.02	0.06	-	0.18	0.40	-	0.02	0.01	0.35	-		22
23	0.03	tr.	-	0.03	-	0.06	0.15	-	0.01	0.05	0.65	-		23
24	0.31	-	0.02	0.09	-	0.02	0.01	tr.	-	0.17	-	-		24
25	1.29	0.14	0.10	-	-	-	0.03	-	--	0.02	0.35	-		25
26	0.30	-	0.01	-	-	-	tr.	0.05	-	0.02	0.36	0.04		26
27	0.04	0.26	0.15	-	-	0.02	0.05	tr.	-	0.05	0.03	0.02		27
28	0.01	0.15	0.13	0.05	-	0.16	0.17	-	-	-	0.31	0.18		28
29	-		tr.	0.66	-	-	0.15	-	-	0.18	0.04	-		29
30	-	✕	-	0.40	-	0.13	tr.	tr.	-	-	0.01	0.13		30
31	-	✕	tr.	✕	-	✕	0.35	0.07	✕	tr.	✕	0.03		31
TOTAL	5.81	1.47	1.44	2.59	0.89	1.81	5.29	2.17	1.19	4.48	4.08	1.67	Year's Total 32.89	
* Days with .01 in. or more.	24	12	15	15	10	16	22	11	8	21	24	16	194	
* Days with .04 in. or more.	19	9	7	11	6	13	18	11	5	16	17	9	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) pp F. Hoist [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2183/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Research Station, Campden,
in the County of Gloucestershire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	0.02	0.01	-	-	-	-	-	0.05	-		1
2	-	tr.	-	0.18	-	-	0.01	-	-	-	1.08	-		2
3	-	0.22	-	0.06	-	-	-	-	-	0.16	0.77	0.04		3
4	-	0.10	-	0.03	-	-	0.02	-	-	0.18	0.35	0.04		4
5	-	0.01	-	-	0.09	-	0.02	-	-	0.10	0.71	0.12		5
6	0.12	0.20	-	-	0.02	-	-	-	-	0.16	0.31	-		6
7	0.01	0.32	-	-	0.01	-	0.23	-	0.04	-	tr.	0.04		7
8	tr.	0.01	-	0.04	-	-	-	-	0.02	0.24	0.06	0.14		8
9	-	-	-	-	-	0.18	0.14	-	0.02	0.13	0.15	0.08		9
10	-	-	tr.	-	-	-	0.83	0.04	-	0.15	0.21	0.06		10
11	-	tr.	-	0.02	-	-	0.10	-	-	tr.	0.50	0.09		11
12	-	-	0.03	-	-	-	0.12	-	0.05	tr.	0.02	-		12
13	-	tr.	0.60	0.02	-	-	tr.	-	0.04	-	0.27	tr.		13
14	-	-	0.05	0.06	0.31	-	-	-	0.22	0.11	0.01	0.31		14
15	-	-	0.05	0.02	0.21	-	-	-	0.11	0.04	0.19	0.01		15
16	0.01	0.18	0.29	0.06	-	0.03	0.16	-	0.09	0.64	0.60	0.03		16
17	-	0.01	0.08	tr.	-	-	-	-	-	tr.	0.02	tr.		17
18	0.03	0.55	0.50	0.58	0.31	-	0.10	0.02	0.03	0.37	0.07	0.12		18
19	-	0.31	0.17	0.12	-	tr.	0.55	-	0.10	0.01	0.10	0.04		19
20	-	0.01	0.03	0.01	-	0.01	0.04	0.03	-	0.25	0.01	tr.		20
21	0.01	0.01	tr.	-	0.20	0.03	0.09	tr.	-	0.03	1.23	tr.		21
22	-	tr.	0.02	tr.	0.62	0.30	tr.	tr.	0.65	0.01	0.01	-		22
23	-	0.10	0.03	0.03	0.40	0.11	-	-	-	-	tr.	0.07		23
24	-	tr.	tr.	tr.	-	tr.	0.10	-	-	tr.	tr.	0.02		24
25	0.01	tr.	-	-	-	tr.	tr.	-	-	-	-	-		25
26	1.18	0.12	-	1.42	0.01	0.02	0.35	-	-	-	-	-		26
27	0.95	0.14	tr.	0.15	tr.	-	0.05	0.01	-	-	-	-		27
28	0.50	0.12	-	0.02	0.10	-	-	-	-	-	-	-		28
29	--	-	0.06	0.07	0.21	tr.	0.02	-	-	-	--	0.33		29
30	-	✕	tr.	0.28	tr.	-	-	-	-	0.32	-	0.01		30
31	-	✕	0.02	✕	tr.	✕	-	-	✕	0.66	✕	-		31
TOTAL	2.82	2.41	1.93	3.19	2.50	0.68	2.93	0.10	1.37	3.56	6.72	1.55	Year's Total 29.76	
* Days with .01 in. or more.	9	16	13	19	13	7	17	4	11	17	21	17	164	
* Days with .04 in. or more.	4	11	8	11	9	3	13	1	8	14	16	13	111	

† Spare column, no entries required.

(*Signed*) L. Hirst

* See Instruction 3 (f) on other side.

[P.T.O.

—

2183/8

BRISTOL
WHITCHURCH
1937

780402

Section **A** for the entry o
AIR MINISTI
FORM 1090
REGIS

Station No. ~~1615~~ 5
L ORGANIZATION
7.
2183/8

Blue

Kept at Bristol (Wh
in the County of Somerset
Diameter of Funnel of Gauge......
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEASUR ... **DAY**

An observer who does not conform ... *following*
year in the space on the right of th
PI

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.	A								Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9									.41					9
10												.32		10
11						.76								11
12														12
13								.67						13
14														14
15							3.30							15
16														16
17														17
18														18
19														19
20														20
21														21
22										.60	.44			22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×	1st return June 1937											30
31		×		×		×			×		×			31
TOTAL						1.44	4.06	1.34	1.57	3.26	1.81	1.92	Year's Total Imp	np Imp
* Days with .01 in. or more.						8	11	9	12	11	9	19	..	
* Days with .04 in. or more.						5	7	4	5	10	9	10	..	

36.5 103.0 34.0 39.9 82.7 46.0 48.7

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

Section **A** for the entry o tation No. ~~1615~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

2183/8

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bristol (Whitchurch)

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 209 ft.

M.W.R. X Blue

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9									·41					9
10												·32		10
11						·76								11
12														12
13								·67						13
14														14
15							3·30							15
16														16
17														17
18														18
19														19
20														20
21														21
22										·60	·44			22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕	1st return June 1937											30
31		✕		✕		✕			✕		✕			31
TOTAL						1·44	4·06	1·34	1·57	3·26	1·81	1·92	Year's Total Unp	unp
* Days with .01 in. or more.						8	11	9	12	11	9	19	..	unp
* Days with .04 in. or more.						5	7	4	5	10	9	10	..	

36·5 103·0 34·0 39·9 82·7 46·0 48·7

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

2184

Section **A** for the entr

AIR MINIS

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

FORM 1090. **REG** **31.**

Kept at Monksw

in the County of G

Diameter of Funnel of Gauge.

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME **DAY.**

An observer who does not confor *the following*
year in the space on the right

Jan. 1, following

—

2184

BATH

MONKSWOOD
1931—40

780402

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	–	·11	–	–	–	–	·02	–	·52	·05	–	–	1
2	·09	·03	–	1·05	–	·01	–	–	1·15	·02	·06	·28	2
3	·02	–	·16	·02	–	–	·01	·05	·02	–	1·43	·19	3
4	–	–	·09	·02	–	·01	·57	·57	·25	·06	·07	·01	4
5	–	·09	–	·16	·06	·57	–	–	·05	·01	·03	·35	5
6	–	·10	–	·18	–	·14	·16	·02	·01	·26	·35	·38	6
7	–	–	–	–	·21	·10	·79	·29	–	·46	·15	·05	7
8	·02	·06	–	·06	·03	·13	·01	·17	–	·01	·02	·13	8
9	–	·23	–	–	–	·25	·03	·02	–	–	·22	·01	9
10	·01	·02	–	–	·06	·03	·11	·03	·02	–	·40	–	10
11	·29	·33	–	–	–	·06	·07	·01	·06	–	·42	–	11
12	·02	·06	–	–	–	–	1·04	–	·06	·05	·01	–	12
13	–	·01	·04	–	–	–	·46	·33	·02	·02	–	–	13
14	–	·06	–	–	·12	·61	·48	·34	·03	–	·09	–	14
15	·05	·08	–	·03	·21	·01	·28	·26	·01	–	·01	·04	15
16	·03	·26	–	·05	·73	·57	·01	·56	·13	–	–	–	16
17	·01	·21	–	·08	·04	·02	·50	·08	·09	–	·02	–	17
18	·03	·01	·02	·06	–	·13	·03	·75	–	–	·27	–	18
19	·06	·02	–	·10	–	·32	·11	·01	–	–	–	–	19
20	·01	·19	·19	–	–	–	–	·31	–	–	·03	·01	20
21	·10	·02	·05	–	·19	–	–	·01	–	–	·01	–	21
22	·40	·02	–	–	·02	–	–	–	–	–	·05	–	22
23	·20	–	–	·03	·71	·05	·01	·19	·03	–	·18	·10	23
24	·04	·09	–	·31	·31	·05	·29	·01	·02	–	–	–	24
25	·06	·05	–	·16	–	–	·23	–	–	–	·07	·02	25
26	–	·07	–	·03	–	–	·37	–	–	–	·40	–	26
27	·10	·42	·05	·02	·30	–	·01	–	–	–	·24	·01	27
28	·08	·15	–	·27	·18	–	–	–	–	·01	·01	·14	28
29	·11	X	–	–	·05	–	·14	–	–	·05	·04	–	29
30	–	X	–	–	–	–	–	·06	–	–	–	–	30
31	·47	X	–	X	·04	X	–	–	X	–	X	·14	31
TOTAL	2·20	2·69	·60	2·63	3·26	3·06	5·73	4·07	2·47	1·00	4·58	1·86	YEAR'S TOTAL 34·155
*Days with ·01 in. or more.	21	24	7	17	16	17	23	20	16	11	24	15	211
*Days with ·04 in. or more.	13	17	6	11	14	12	15	13	8	6	16	10	141

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~Charles Busfield~~

P.T.O.

X Bath Corpn WW X

2184

Section **A** for the entr

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at MONKSWOOD

in the County of GLOUCESTER.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·11	–	–	–	–	·02	–	·52	·05	–	–	1
2	·09	·03	–	1·05	–	·01	–	–	1·15	·02	·06	·28	2
3	·02	–	·16	·02	–	–	·01	·05	·02	–	1·43	·19	3
4	–	–	·09	·02	–	·01	·57	·57	·25	·06	·07	·01	4
5	–	·09	–	·16	·06	·57	–	–	·05	·01	·03	·35	5
6	–	·10	–	·18	–	·14	·16	·02	·01	·26	·35	·38	6
7	–	–	–	–	·21	·10	·79	·29	–	·46	·15	·05	7
8	·02	·06	–	·06	·03	·13	·01	·17	–	·01	·02	·13	8
9	–	·23	–	–	–	·25	·03	·02	–	–	·22	·01	9
10	·01	·02	–	–	·06	·03	·11	·03	·02	–	·40	–	10
11	·29	·33	–	–	–	·06	·07	·01	·06	–	·42	–	11
12	·02	·06	–	–	–	–	1·04	–	·06	·05	·01	–	12
13	–	·01	·04	–	–	–	·46	·33	·02	·02	–	–	13
14	–	·06	–	–	·12	·61	·48	·34	·03	–	·09	–	14
15	·05	·08	–	·03	·21	·01	·28	·26	·01	–	·01	·04	15
16	·03	·26	–	·05	·73	·57	·01	·56	·13	–	–	–	16
17	·01	·21	–	·08	·04	·02	·50	·08	·09	–	·02	–	17
18	·03	·01	·02	·06	–	·13	·03	·75	–	–	·22	–	18
19	·06	·02	–	·10	–	·32	·11	·01	–	–	–	–	19
20	·01	·19	·19	–	–	–	–	·31	–	–	·03	·01	20
21	·10	·02	·05	–	·19	–	–	·01	–	–	·01	–	21
22	·40	·02	–	–	·02	–	–	–	–	–	·05	–	22
23	·20	–	–	·03	·71	·05	·01	·19	·03	–	·18	·10	23
24	·04	·09	–	·31	·31	·05	·29	·01	·02	–	–	–	24
25	·06	·05	–	·16	–	–	·23	–	–	–	·07	·02	25
26	–	·07	–	·03	–	–	·37	–	–	–	·40	–	26
27	·10	·42	·05	·02	·30	–	·01	–	–	–	·29	·01	27
28	·08	·15	–	·27	·18	–	–	–	–	·01	·01	·14	28
29	·11	×	–	–	·05	–	·14	–	–	·05	·04	–	29
30	–	×	–	–	–	–	–	·06	–	–	–	–	30
31	·47	×	–	×	·04	×	–	–	×	–	×	·14	31
TOTAL	2·20	2·69	·60	2·63	3·26	3·06	5·73	4·07	2·47	1·00	4·58	1·86	YEAR'S TOTAL 34·15
*Days with ·01 in. or more.	21	24	7	17	16	17	23	20	16	11	24	15	211
*Days with ·04 in. or more.	13	17	6	11	14	12	15	13	8	6	16	10	141

40-9999

(Signed) ~~Charles Bousfield~~

X Bath Corpn WW X

P.T.O.

*See Instruction 2 (*f*) on other side.

x 2184

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1932.

Kept at Bath, Monkswood Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 365 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·01	-	·08	1·46	-	·15	·24	·12	·07	·02	·01	1
2	·07	-	-	·10	·38	-	-	·02	1·07	·02	·04	·25	2
3	·03	-	-	·57	·02	-	·64	-	·18	·02	·01	·02	3
4	·01	-	-	·02	-	-	-	·01	-	-	·29	-	4
5	·60	-	·01	-	·01	-	-	-	·12	-	-	-	5
6	·96	-	·02	·17	-	-	-	-	·31	-	-	-	6
7	·02	-	·01	·03	-	-	-	-	·16	1·00	-	-	7
8	-	-	·47	-	-	-	-	-	·34	·20	-	-	8
9	·38	·03	-	·19	·07	-	-	-	-	·02	-	-	9
10	·20	-	·01	·16	·10	·03	-	-	·06	·30	-	-	10
11	·05	-		·08	·03	-	·13	-	·03	·06	·01	·08	11
12	·55	-		·01	·49	-	-	·02	·14	·42	-	·01	12
13	·09	·01		·12	·05	-	·66	·04	·01	·43	-	·02	13
14	·22	-		·31	·01	-	-	·07	-	·01	-	-	14
15	·08	-		·04	·32	-	·06	-	-	·13	·05	·01	15
16	·34	-		·28	·02	-	-	-	-	-	-	-	16
17	·01	-		·03	-	-	-	-	-	·10	·01	-	17
18	-	-		-	·08	-	-	-	·61	-	·24	-	18
19	-	-		·03	·06	-	-	-	·04	·17	·01	-	19
20	-	-		·17	1·22	-	-	·12	·01	·58	·07	·01	20
21	·05	-	·30	·35	·25	-	-	·17	-	·70	·04	·07	21
22	·01	-	·07	·03	·12	-	·06	-	·68	·29	·18	-	22
23	·01	-	-	-	·40	-	·11	-	·07	·60	-	·08	23
24	-	-	-	-	·10	-	·39	-	·11	·04	·02	·01	24
25	-	·02	-	-	-	·02	·35	-	·03	·28	·04	·01	25
26	-	-	·13	·25	·01	-	·59	-	·03	·36	·03	-	26
27	-	-	·39	·20	·39	-	·11	-	-	·36	-	·01	27
28	-	-	·28	·04	·37	-	·10	-	-	-	-	·01	28
29	-	-	·38	·03	·17	·18	·08	·29	·37	·20	-	·13	29
30	-	✕	·20	·14	·01	·69	·45	·05	·61	-	·84	·28	30
31	-	✕	·03	✕	-	✕	·15	-	✕	·01	✕	·30	31
TOTAL	3·90	0·07	2·30	3·43	6·14	0·92	3·42	1·03	5·10	6·37	1·90	1·31	YEAR'S TOTAL 35·89
*Days with ·01 in. or more.	19	4	13	24	24	4	15	10	21	24	16	17	191
*Days with ·04 in. or more.	13	-	8	17	17	2	15	7	16	19	9	7	130

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Charles H Busfield

Wagerworks Engineer.

P.T.O.

2184

Section A **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bath Monkswood Res.

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 366 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·35	·03	–	·10	–	–	–	–	·03	·03	·30	1
2	·40	–	·50	–	·29	–	–	–	–	–	–		2
3	–	·13	·18	–	·01	–	–	–	–	–	–		3
4	·18	·11	·07	–	·22	–	–	–	–	–	–		4
5	·01	·05	·40	–	·01	–	–	–	–	–	·01		5
6	–	·43	·05	–	·22	–	–	–	–	·25	·01		6
7	·08	·02	·01	–	·01	–	–	–	–	·38	–	·01	7
8	·04	·11	·07	–	·04	–	0·46	–	–	·01	–		8
9	–	·02	–	–	·04	·01	·40	–	–	·20	·03		9
10	·03	·06	–	–	·01	–	·15	–	–	·66	·01		10
11	·27	–	–	–	–	·05	·22	·21	–	·14	–		11
12	·02	–	–	–	·01	–	·07	–	·95	–	–		12
13	·01	–	–	–	·20	·04	·45	·05	·05	·06	·12		13
14	·01	–	–	–	–	–	·02	·08	–	·02	·28		14
15	·40	–	·18	–	–	–	·44	·13	–	·17	·01		15
16	–	–	·71	–	–	·02	·05	–	·03	·03	–	·01	16
17	·01	·09	·37	–	–	·11	·05	·01	·10	–	·01		17
18	·29	·01	·30	–	–	·18	–		–	–	·03		18
19	–	–	·34	–	–	–	–	–	·30	–	·23	·01	19
20	–	·08	·07	–	·02	·08	–	·26	·03	–	·01	·01	20
21	–	·07	–	–	·08	·01	–	·08	·01	·11	–		21
22	–	–	–	·02	–	–	–	·22	·03	·10	–		22
23	–	·02	–	·23	–	·19	–	–	·55	·17	–		23
24	–	·98	–	·16	·01	·26	–	–	·03	·02	–		24
25	–	·43	–	·27	·04	·16	–		·38	–	–	·12	25
26	–	·61	–	·14	·26	–	–	–	·48	·05	–	·01	26
27	–	·01	–	–	·65	–		–	·02	·10	·01	·30	27
28	–	–	–	·21	–	–	·01	–	–	·02	–	·04	28
29	·33		·01	·08	–	–	–	–	–	–	–	·01	29
30	·04	✕	·12	·07	–	–	·04	–	·03	·02	–	·09	30
31	·34	✕	·04	✕	–	✕		–	✕	·02	✕	–	31
TOTAL	2·94	3·56	3·45	1·18	2·22	1·11	2·36	1·02	2·99	2·56	0·79	0·91	YEAR'S TOTAL 25·09
*Days with ·01 in. or more.	17	18	17	8	18	11	12	8	14	20	13	11	167
*Days with ·04 in. or more.	11	13	14	7	11	8	10.	7	7	12	3	5	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Charles Busfield.

P.T.O.

2184

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bath, Monkswood Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge.............in.

Height of top of Gauge above Ground.............ft.............in.

,, Ground ,, Sea Level.............ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·35	·03	–	·10					·03	·03	·30	1
2	·40		·50		·29								2
3		·13	·18		·01								3
4	·18	·11	·07		·22								4
5	·01	·05	·40		·01						·01		5
6		·43	·05		·22					·25	·01		6
7	·08	·02	·01		·01					·38		·01	7
8	·04	·11	·07		·04		·46			·01			8
9		·02			·04	·01	·40			·20	·03		9
10	·03	·06			·01		·15			·66	·01		10
11	·27					·05	·22	·21		·14			11
12	·02				·01		·07		·95				12
13	·01				·20	·04	·45	·05	·05	·06	·12		13
14	·01						·02	·06		·02	·28		14
15	·40		·18				·44	·13		·17	·01		15
16			·71			·02	·05		·03	·03		·01	16
17	·01	·09	·37			·11	·05	·01	·10		·01		17
18	·29	·01	·30			·18					·03		18
19			·34						·30		·23	·01	19
20		·06	·07		·02	·08		·26	·03		·01	·01	20
21		·07			·08	·01		·08	·01	·11			21
22				·02				·22	·03	·10			22
23		·02		·23		·19			·55	·17			23
24		·98		·16	·01	·26			·03	·02			24
25		·43		·27	·04	·16			·38			·12	25
26		·61		·14	·26				·48	·05		·01	26
27		·01			·65				·02	·10	·01	·30	27
28				·21			·01			·02		·04	28
29	·33		·01	·08								·01	29
30	·04	✕	·12	·07			·04		·03	·02		·09	30
31	·34	✕	·04	✕		✕			✕	·02	✕		31
TOTAL	2·94	3·56	3·45	1·18	2·22	1·11	2·36	1·02	2·99	2·56	·79	·91	YEAR'S TOTAL 25·09
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*).. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bath, Monkswood Res

in the County of Gloucestershire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	–	–	–	–	–	–	.29	.02	.08	.07	.74	1
2	.11	–	.02	–	–	–	–	.10	.69	.12	.04	.45	2
3	.03	.01	–	.12	–	–	–	.11	–	.06	–	.15	3
4	.11	–	.10	.07	.20	–	–	–	.01	.70	–	.37	4
5	.02	–	.03	–	.10	–	–	.56	–	.01	.20	.34	5
6	.01	–	.21	.06	.51	–	–	–	–	.25	–	.50	6
7	.04	–	–	–	–	.07	–	.10	–	.20	.05	.30	7
8	–	–	–	–	.23	–	–	.02	.02	–	.26	.17	8
9	.02	–	.05	–	–	–	–	.02	.03	–	.44	.15	9
10	.12	–	.20	.30	–	–	–	.14	–	–	.13	.02	10
11	.50	–	.13	.24	–	–	.13	.28	–	–	.01	.29	11
12	.03	.01	.07	.01	–	–	.26	.08	–	–	–	.07	12
13	.23	–	.37	.26	–	–	–	–	–	–	.06	.23	13
14	.10	–	.25	.01	–	–	–	–	–	.02	.12	.18	14
15	.03	–	.15	–	.11	–	.03	–	.03	.06	.12	.07	15
16	.13	–	.18	–	.04	–	–	–	–	–	.01	.01	16
17	.30	–	–	.06	.03	–	–	–	.18	.03	.01	.21	17
18	.24	–	.20	.25	–	–	–	.001	.03	–	–	.32	18
19	–	–	.24	–	.01	.05	–	–	.10	.05	–	.14	19
20	–	–	.10	.05	.01	.02	.27	–	.03	.01	–	.01	20
21	–	–	.01	–	.02	.62	.55	.07	–	.22	–	–	21
22	.05	–	.09	–	–	–	–	.06	.30	–	–	.22	22
23	–	.01	.02	.12	–	.27	.13	.02	.03	.01	–	.01	23
24	–	.12	.07	.22	–	.31	.12	–	.19	.03	–	–	24
25	.30	.01	.01	.29	–	.22	–	–	.03	.17	–	.44	25
26	.05	–	.07	.06	–	.11	–	–	.13	.02	–	.06	26
27	.02	–	–	.03	–	.09	–	–	.01	.10	–	.39	27
28	–	–	–	.14	–	.02	.05	.44	.02	.01	–	.42	28
29	–	–	–	–	–	–	.01	.17	.42	.01	.01	.02	29
30	.02	×	–	–	–	–	.03	–	.05	.01	–	.15	30
31	.01	×	–	×	–	×	.19	–	×	.05	×	.06	31
TOTAL	2.49 ✓	0.16 ✓	2.57 ✓	2.29 ✓	1.26 ✓	1.78 ✓	1.77 ✓	2.47 ✓	2.32 ✓	2.22 ✓	1.53 ✓	6.44 ✓	YEAR'S TOTAL 27.30 ✓
*Days with ·01 in. or more.	23	5	21	17	10	10	11	16	19	22	14	29	197
*Days with .04 in. or more.	13	1	16	14	6	8	9	12	8	12	10	24	133

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Charles Busfield.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 109

REGISTER OF RAINFALL IN 1935.

Kept at Bath, Monkswood Res.

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·21	·01	·06	·02	·11	–	·16	·08	·11	–		1
2	–	–	–	–	–	·11	–	–	·08	·08	·02	·04		2
3	–	·05	·06	–	–	·22	–	–	1·09	·48	·78	–		3
4	·05	·07	–	·15	–	·14	–	–	·24	·08	·28	·33		4
5	·01	·41	·21	·13	–	·26	–	–	·27	·30	·02	·02		5
6	–	–	–	·29	–	·39	–	–	–	–	·01	·10		6
7	–	–	–	·59	–	·09	–	–	–	·28	–	·06		7
8	–	–	–	·34	–	–	–	·22	·01	·34	·17	·04		8
9	·12	·01	–	·60	–	·17	–	–	·20	·96	·54	–		9
10	·01	–	·01	·40	–	·01	–	–	–	·28	·14	–		10
11	·23	–	–	–	–	·19	·11	–	–	·09	·47	·01		11
12	·09	·09	–	–	–	·42	–	–	–	–	·07	–		12
13	·05	·07	–	·27	·08	·03	–	–	–	·02	·10	–		13
14	–	–	–	·17	·01	–	–	–	·05	·01	1·26	·27		14
15	–	·08	–	·61	·09	·09	–	–	·43	–	·20	·05		15
16	–	·16	·15	·16	–	·04	·03	–	·29	·05	·85	–		16
17	–	–	–	·27	·03	·34	–	–	1·14	–	·26	–		17
18	–	·04	–	·34	·01	·22	·01	–	·33	·09	·02	–		18
19	–	–	–	·01	·31	·08	·14	–	·16	·06	·11	·12		19
20	–	·24	–	·13	·43	·02	·05	–	·02	–	·68	–		20
21	–	·33	·07	·01	–	–	·01	–	·33	·09	·01	–		21
22	–	·24	·23	·02	–	–	–	·07	·12	–	–	–		22
23	–	·01	·07	–	–	–	–	·12	·28	·79	–	·08		23
24	·18	·28	·09	–	–	–	–	·52	·61	·11	–	·25		24
25	·08	·28	–	·16	·09	3·69	–	–	–	–	–	·20		25
26	–	·25	–	–	–	–	–	·12	·09	·01	·02	·85		26
27	–	·18	–	–	·05	–	·01	·06	·18	·01	·17	·83		27
28	–	·04	–	–	·05	–	–	·06	·16	–	·10	·01		28
29	–	X	·03	–	–	–	–	·04	·14	·05	·22	·22		29
30	·10	X	–	·19	·34	·04	–	·88	·55	·09	·76	·48		30
31	–	X	–	X	·01	X	–	·14	X	·57	X	·24		31
TOTAL	0·92	2·83	1·13	4·88	1·56	6·57	0·47	2·23	6·93	4·87	6·87	4·20	Year's Total 43·46	
*Days with ·01 in. or more.	10	18	10	20	13	20	8	10	23	23	25	19	199	
*Days with ·04 in. or more.	8	16	8	17	9	16	4	10	21	19	19	16	163	

† Spare column, no entries required.

(*Signed*) Charles Busfield

P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bath, Monkswood Res.

in the County of Gloucester

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.14	.07	.17	-	.20	.27	.11	-	-	.09	.05		1
2	.07	.10	.02	.07	-	.32	.43	.08	-	-	.16	-		2
3	-	-	.05	.39	-	.01	.13	.01	.53	-	.29	.03		3
4	-	-	.18	.01	-	.03	.02	-	.40	-	.12	.38		4
5	.47	-	.03	-	.03	-	.09	.01	.05	-	.01	.02		5
6	.04	-	.03	-	-	.03	.03	.13	.06	-	.42	-		6
7	.03	-	.13	-	-	-	.52	-	.02	-	.64	.05		7
8	.15	-	.40	-	-	-	.07	-	-	-	1.05	.06		8
9	.42	-	.09	-	-	-	.31	-	.19	-	.14	-		9
10	.01	.05	-	-	-	-	.33	-	-	-	.03	-		10
11	.02	.28	-	.01	-	.09	.03	.04	.05	-	.35	-		11
12	-	-	-	.15	.04	.42	.47	-	.62	-	.12	.05		12
13	.02	-	-	.15	-	.16	.27	-	.02	.05	.04	.52		13
14	-	.13	-	.04	-	.04	.53	-	.08	.05	.05	.47		14
15	-	.02	-	-	-	-	.02	-	.07	-	.03	.18		15
16	.03	.15	-	.05	.06	-	.05	-	.15	-	.40	.24		16
17	.43	.74	-	.03	.01	-	.20	.01	-	.11	.09	.24		17
18	.01 .01	.07	-	-	.06	.14	.48	-	-	.07	.01	.11		18
19	.40	.14	.02	.25	-	.25	-	.19	-	-	-	.01		19
20	.14	.16	.08	.24	-	.06	.02	-	.50	-	-	.01.		20
21	-	-	.07	.61	-	.28	.02	-	.01	-	-	-		21
22	.12	.62	.14	-	.14	-	.20	-	-	-	-	.05		22
23	.13	.03	.05	.04	.04	-	.04	-	-	.01	-	.02		23
24	.10	.10	-	-	.07	-	.96	-	.09	.25	.01	.01		24
25	.08	.01	.30	.24	-	-	.79	-	.29	.09	.06	-		25
26	.09	.16	.17	.04	-	-	.01	-	.03	.09	-	-		26
27	.13	.01	.06	-	-	-	.10	-	.13	.12	-	-		27
28	.47	-	.29	.01	-	-	.37	-	-	.02	-	.21		28
29	.02	.13	.01	-	-	.84	-	-	-	.07	.12	.11		29
30	.12	X	.01	-	.04	.03	.08	-	-	.44	-	-		30
31	.31	X	.31	X	-	X	.22	-	X	.30	X	.32		31
TOTAL	3.85	2.94	2.51	2.48	0.49	2.90	6.56	.58	3.79	1.67	4.23	3.14	Year's Total. 34.64	
* Days with .01 in. or more.	25	18	21	17	9	15	29	8	18	13	21	21	215	
* Days with .04 in. or more.	17	13	15	12	7	11	22	5	14	11	16	15	158	

40-9999

† Spare column, no entries required

(*Signed*) Charles Busfield [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1937.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Kept at Bath Monkswood Reservoir
in the County of Gloucestershire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.01	-	.08	-	-	-	-	.04	-	.12	.28		1
2	.02	.34	.01	.06	-	-	-	-	.02	-	.01	.30		2
3	-	.15	.02	-	.10	-	-	-	-	-	.01	-		3
4	.07	.18	-	.22	-	-	-	.02	-	-	.01	.31		4
5	.32	-	.11	.01	-	-	.01	-	-	-	-	-		5
6	.08	.10	.17	.19	.17	-	.20	-	.02	.03	-	-		6
7	-	.71	-	.34	.01	-	-	-	.06	-	-	.05		7
8	-	.03	-	-	.40	-	-	-	-	-	.36	-		8
9	-	-	-	.05	.40	-	.12	.01	.40	-	-	.05		9
10	.01	-	.44	.74	.01	.11	.01	.13	-	-	-	.33		10
11	-	-	.20	.01	.19	.18	.28	-	-	-	-	.02		11
12	.34	.20	.21	-	.03	.09	.02	.05	.07	-	-	.22		12
13	.02	.06	.71	.05	-	.27	-	1.27	-	-	-	-		13
14	-	.02	.18	.09	-	-	-	.18	.04	-	-	.07		14
15	.22	.39	-	.32	-	-	2.69	.18	.16	-	-	.18		15
16	.01	.07	.46	.30	-	.07	.02	.25	.76	-	-	-		16
17	.42	.06	.37	.01	-	-	.02	.02	.24	-	.02	-		17
18	.36	.09	.27	-	-	-	-	.01	-	-	.21	.20		18
19	.12	.13	.18	.05	.22	.11	-	-	.74	.01	.08	.03		19
20	.37	.01	.27	.33	.02	-	-	-	-	-	-	.04		20
21	.24	.52	.10	.05	.01	-	.10	-	.01	-	.08	.04		21
22	.21	.03	.13	-	.20	.19	.07	-	-	.76	.42	.04		22
23	.22	.12	.02	-	.02	-	.05	-	-	.35	.04	.01		23
24	.31	.61	-	-	-	-	.02	-	.07	.35	-	.03		24
25	.21	.46	.14	-	.29	-	-	-	.02	.36	-	.03		25
26	-	.27	-	-	.53	-	-	-	-	.01	-	.03		26
27	-	.32	-	.13	-	-	-	-	-	.61	-	-		27
28	.05	.14	-	-	-	-	-	-	-	.09	.02	-		28
29	-		-	-	-	.02	-	-	-	.46	.09	.02		29
30	.29	✕	-	-	-	.01	-	-	-	.08	.46	-		30
31	.16	✕	-	✕	-	✕	-	-	✕	.33	✕	-		31
TOTAL	4.21	5.02	3.99	3.03	2.60	1.05	3.61	2.12	2.65	3.44	1.93	2.28	Year's Total 35.93	
* Days with .01 in. or more.	22	24	18	18	15	9	13	10	14	12	14	20	189	
* Days with .04 in. or more.	18	19	15	15	9	7	7	6	10	9	9	13	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bath, Monkswood Reservoir

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·03	–	–	–	·31	·21	·14	–	·25	·16	·11		1
2	·02	·01	–	0.14	·02	·01	·02	–	–	·43	–	·12		2
3	–	–	–	–	·21	·02	·12	–	–	1·12	·03	·01		3
4	·02	–	–	–	–	·04	·26	·30	–	·45	·02	·12		4
5	–	–	–	–	–	·07	·15	·18	–	·44	·01	·19		5
6	·06	–	–	–	–	·03	·24	–	·16	·22	–	·07		6
7	·13	–	–	–	–	·02	·45	·02	·15	·10	–	·07		7
8	·42	–	–	–	–	·05	·06	·02	–	·42	–	·02		8
9	·17	·02	–	–	–	·02	·05	–	–	·03	–	·35		9
10	·11	·02	–	–	–	·17	·15	·19	–	·01	·01	·52		10
11	·34	–	–	–	–	–	·04	·03	–	–	·20	·19		11
12	·44	–	–	–	·15	–	·02	·30	–	·41	·20	–		12
13	·03	·01	–	–	–	–	–	–	–	·21	·27	·81		13
14	·25	·01	–	–	–	–	·61	–	–	–	·01	·02		14
15	·23	–	–	–	·05	–	·15	·04	–	·14	·02	·23		15
16	·58	·03	·01	–	·02	–	–	·02	–	·01	·04	·01		16
17	–	·15	–	–	–	–	–	–	·04	·12	·02	–		17
18	·10	–	–	–	–	·05	–	·12	1·28	·03	·39	–		18
19	·04	–	–	–	–	–	–	·26	·09	–	·27	–		19
20	·01	–	–	–	–	–	–	–	·01	–	·36	–		20
21	·09	–	–	–	–	–	–	·22	·01	–	·01	·09		21
22	·01	–	–	·01	–	·03	–	·40	–	–	·51	·09		22
23	–	–	–	·01	–	–	·16	–	·14	–	·06	·03		23
24	–	–	·10	–	·03	–	–	·09	·11	–	·10	·01		24
25	·09	·19	·03	–	·09	–	·10	·02	–	·07	·67	·06		25
26	·25	·32	·01	–	·10	–	·01	–	·08	·11	–	·38		26
27	·05	·22	–	–	·30	·31	·33	·08	·06	·09	·41	–		27
28	·06	·13	–	–	·05	·25	–	·84	·09	–	·06	·08		28
29	·09		–	–	·36	·05	–	–	·12	·13	·22	·01		29
30	·04	✕	–	–	·30	·08	–	–	·68	·03	·27	–		30
31	·24	✕	–	✕	·19	✕	–	–	✕	·19	✕	·28		31
TOTAL	3·87	1·14	0·15	0·16	1·87	1·51	3·13	3·27	3·02	5·01	4·32	3·87	Year's Total 31·32	
* Days with .01 in. or more.	25	12	4	3	13	16	18	18	14	22	24	24	193	
* Days with .04 in. or more.	20	5	1	1	10	10	15	13	12	17	16	17	137	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 218H

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo[illegible] 1090

REGISTER OF RAINFALL IN 1939.

Kept at Bath, Monkswood Reservoir

in the County of Gloucestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	-	.06 .86	-	.42	-	-	.19	.02	-	.01	.04		1
2	-	-	-	.03	-	-	-	.47	.83	-	.10	.01		2
3	.26	-	-	.27	-	-	-	.47	.23	-	.20	.52		3
4	.05	-	.40	.47	.12	-	.29	.39	.01	.12	.27	.28		4
5	-	-	.01	.48	.29	-	.10	.06	-	.17	.41	.10		5
6	.34	-	-	-	.07	-	.75	-	-	-	.06	-		6
7	.12	.21	-	-	-	-	.09	-	-	-	.33	.68		7
8	-	.21	.29	-	.02	-	.21	.16	-	.76	.47	.63		8
9	.10	.06	.02	-	-	-	-	.13	-	.33	-	.15		9
10	.22	.03	.01	-	-	.12	-	.11	.15	.06	.01	.02		10
11	-	.04	.37	-	-	.03	-	-	-	.25	.01	.01		11
12	.14	.05	-	-	-	.08	-	-	-	-	-	-		12
13	.01	-	-	.07	.01	-	.22	-	-	.54	.04	-		13
14	.45	-	-	.12	.14	.13	.39	-	-	.06	.20	-		14
15	.23	.07	-	.10	.10	.70	.26	-	-	.18	.31	-		15
16	.15	-	.02	.03	.07	.04	.19	-	-	.07	.28	-		16
17	.30	.02	-	-	.02	.03	.01	-	-	.07	.12	.01		17
18	.23	.03	.02	-	-	.43	.48	-	-	-	.49	-		18
19	.27	-	-	-	-	-	.60	-	-	-	-	-		19
20	.36	-	-	-	-	.01	.39	.11	-	-	-	.01		20
21	.02	.17	.34	-	.01	.06	.61	.04	.02	-	-	-		21
22	.32	.75	.01	-	.02	.03	.06	.11	-	.01	.20	.01		22
23	.01	.03	-	.32	-	.04	.28	-	-	-	.80	.01		23
24	.22	-	.02	.10	-	.37	.03	-	-	.16	-	-		24
25	.95	.12	.03	.01	-	-	.20	.02	-	.13	.54	-		25
26	.25	.07	-	-	-	-	-	.32	-	.10	.57	.01		26
27	.01	.14	.10	-	-	.01	.16	.03	-	.01	.04	.05		27
28	.02	.20	.09	.05	-	.18	-	-	-	.01	.28	.14		28
29	-	-	-	.10	-	-	.09	-	-	.14	.60	-		29
30	-	✕	-	1.28	-	.08	-	-	-	.10	.18	.04		30
31	-	✕	-	✕	-	✕	.04	.11	✕	.21	✕	-		31
TOTAL	5.08	2.16	1.79	3.43	1.29	2.34	5.45	2.72	1.26	3.36	6.52	2.72	Year's Total 38.12	
* Days with .01 in. or more.	24	16	15	14	12	16	21	15	6	20	24	18	201	
* Days with .04 in. or more.	20	12	7	11	7	11	19	14	3	16	21	10	151	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1940

Kept at Bath, Monkswood Res.

in the County of Gloucester

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·05	·04	-	-	-	-	-	·30	—		1
2	-	·10	-	·05	-	-	·12	-	-	-	2·24	—		2
3	-	·23	-	·02	-	-	-	-	-	·17	1·21	·15		3
4	·04	·49	-	·02	-	-	·02	-	-	·31	·04	·08		4
5	-	-	-	-	-	-	·05	-	-	·19	·69	·12		5
6	·15	·14	-	-	-	-	-	-	-	·32	·01	—		6
7	·12	·75	-	-	-	-	·06	-	-	·01	-	·02		7
8	-	-	-	·01	-	-	·01	-	·01	·27	·06	·08		8
9	-	-	-	·02	-	-	·26	·09	·09	·13	·22	·22		9
10	-	-	-	-	-	-	·83	·07	-	·12	·21	·09		10
11	-	-	-	·03	-	-	·87	-	-	-	1·01	·01		11
12	-	-	·21	-	-	·06	·64	-	·23	-	·05	—		12
13	-	-	·58	-	-	-	·02	-	·01	·01	·87	·01		13
14	-	-	·09	·07	·99	-	·92	-	·05	·33	-	·28		14
15	-	·03	-	-	·58	·04	·35	-	·18	·06	·20	—		15
16	-	·19	·41	·03	-	·02	·07	-	·21	·72	·60	·07		16
17	-	-	·40	·02	-	-	·15	-	·01	-	·02	—		17
18	·06	·44	·51	·48	-	-	-	-	·01	·10	·04	·18		18
19	-	·17	·05	·05	-	-	·29	-	·44	-	·20	—		19
20	-	-	·02	·02	-	-	·70	·02	·05	·44	·06	—		20
21	·01	-	·01	-	·22	·02	·02	-	-	-	·86	—		21
22	-	-	·15	·05	·01	·28	-	-	·20	-	-	—		22
23	-	·28	·04	·07	·01	-	-	-	-	-	·04	·01		23
24	-	-	-	-	-	-	·09	-	-	-	-	—		24
25	·07	-	-	·03	·01	·10	-	-	-	-	-	—		25
26	·74	·20	-	·02	·12	·16	·09	-	-	-	·01	—		26
27	·59	·14	-	·94	·21	-	·02	-	-	-	-	—		27
28	·48	·04	-	1·03	·04	-	-	-	-	-	-	·01		28
29	·05	·02	·13	·44	·17	·01	-	-	-	-	-	·32		29
30	·01	✕	·01	·24	-	-	-	-	-	·28	-	·01		30
31	·12	✕	-	✕	-	✕	-	-	✕	·50	✕	—		31
TOTAL	2·44	3·22	2·61	3·69	2·40	0·69	5·53	0·18	1·49	3·96	8·94	1·66	Year's Total 36·81	✓
* Days with .01 in. or more.	12	14	13	21	11	8	20	3	12	16	21	16	167	✓
* Days with .04 in. or more.	10	12	10	11	8	5	15	2	8	14	18	10	123	✓

2·06 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of
AIR MINISTRY

...ation No. 2184/2
... ORGANIZATION

FORM 1090

REGIS

D

...53/36.

Kept at Bristol (VICTORIA

in the County of BRIST

...Mar. from

Diameter of Funnel of Gauge........

Height of top of Gauge above Grou

,, Ground ,, Sea

Days
Jan – Mar

THE MORNING MEASURE ... **DAY**

An observer who does not conform to ... *llowing*
year in the space on the right of this
Plea

Jan. 1, following

2184/2
BRISTOL
VICTORIA PARK
1936 – 37

780402

Date	Jan.	Feb.	Mar.	Ap								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				{·41} Estimated.	–	·26	·23	·01	–	–	·12	·03.		1
2				–	–	·47	·14	·05	–	–	·16	–		2
3				·21	–	·05	·07	·09	1·03	–	·20	·03		3
4				–	–	·02	·02	–	·44	–	·11	·41		4
5				–	·05	–	·26	–	·07	–	·01	·02		5
6				–	–	·01	·09	·04	·03	–	·20	–		6
7				–	–	–	·18	–	·03	–	·50	·03		7
8				–	–	–	·08	–	–	–	1·58	–		8
9				–	–	–	·53	–	·07	–	·03	–		9
10				–	–	–	·28	–	TRACE	–	·01	–		10
11				–	–	·09	·08	·07	·08	–	·29	–		11
12				·21	–	·24	·40	–	·24	–	·15	–		12
13				·18	–	·11	·34	TRACE	·03	·06	·05	–		13
14				·05	–	·06	·53	–	·05	TRACE	·08	·35		14
15				–	–	·03	·01	–	·15	–	·13	·59		15
16				·03	·18	–	·06	–	·05	–	·39	·20		16
17				–	·05	–	·26	·02	–	·16	·03	·26		17
18				–	·31.	·05	·39	–	–	·06	–	·28		18
19				·21	–	·06	–	·11	–	–	–	·20		19
20				·15	–	·78	TRACE	–	·52	–	–	–		20
21				·41	–	·11	·01	TRACE	–	–	–	–		21
22				–	·05	–	·31	TRACE	–	·01	–	–		22
23				·07	–	–	·05	TRACE	–	·02	–	–		23
24				TRACE	·02	–	·02	TRACE	·02	·32	–	–		24
25				·24	·34	–	·17	TRACE	·37	·09	·08	–		25
26				·02	–	·01	–	TRACE	·02	·09	–	–		26
27				–	–	–	·23	TRACE	TRACE	·12	–	–		27
28				·02	–	–	·26	–	–	TRACE	–	–		28
29				–	–	1·08	·01	–	–	·01	·14	·15		29
30		✕		–	·06	TRACE	·06	–	–	·42	TRACE	·07.		30
31		✕		✕	·01	✕	·18	–	✕	·16	✕	·27	'd'	31
TOTAL	(3·62)	(2·67)	(2·75)	2·21	1·07	3·43	5·25	0·39	3·20	1·52	4·26	2·89	~~Year's Total~~ ~~24·22~~	(33·26)
* Days with .01 in. or more.	25	18	19	13	9	16	28	7	16	12	19	14	(196) ~~134~~	Total for last 9 months.
* Days with .04 in. or more.	19	10	15	10.	7	12	23	5	11	9	15	10.	(146) ~~102~~	

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) B. Smisson [P.T.O.

x — City Engineer — x

Section **A** for the entry of Daily Observations

Station No. 2184/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ~~ORGANIZATION~~

FORM 1090

REGISTER OF RAINFALL IN 1936. D

Kept at BRISTOL (VICTORIA PARK)

in the County of ~~BRISTOL~~ Glos.

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 126 ft.

+A

520253/36.

Totals Jan.–Mar. from Horfield [illegible].

est. Days Jan.–Mar.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				{·41} Estimated	–	·26	·23	·01	–	–	·12	·03.		1
2				–	–	·47	·14	·05	–	–	·16	–		2
3				·21	–	·05	·07	·09	1·03	–	·20	·03		3
4				–	–	·02	·02	–	·44	–	·11	·41		4
5				–	·05	–	·26	–	·07	–	·01	·02		5
6				–	–	·01	·09	·04	·03	–	·20	–		6
7				–	–	–	·18	–	·03	–	·50	·03		7
8				–	–	–	·08	–	–	–	1·58	–		8
9				–	–	–	·53	–	·07	–	·03	–		9
10				–	–	–	·28	–	TRACE	–	·01	–		10
11				–	–	·09	·08	·07	·08	–	·29	–		11
12				·21	–	·24	·40	–	·24	–	·15	–		12
13				·18	–	·11	·34	TRACE	·03	·06	·05	–		13
14				·05	–	·06	·53	–	·05	TRACE	·08	·35		14
15				–	–	·03	·01	–	·15	–	·13	·59		15
16				·03	·18	–	·06	–	·05	–	·39	·20		16
17				–	·05	–	·26	·02	–	·16	·03	·26		17
18				–	·31.	·05	·39	–	–	·06	–	·28		18
19				·21	–	·06	–	·11	–	–	–	·20		19
20				·15	–	·78	TRACE	–	·52	–	–	–		20
21				·41	–	·11	·01	TRACE	–	–	–	–		21
22				–	·05	–	·31	TRACE	–	·01	–	–		22
23				·07	–	–	·05	TRACE	–	·02	–	–		23
24				TRACE	·02	–	·02	TRACE	·02	·32	–	–		24
25				·24	·34	–	·17	TRACE	·37	·09	·08	–		25
26				·02	–	·01	–	TRACE	·02	·09	–	–		26
27				–	–	–	·23	TRACE	TRACE	·12	–	–		27
28				·02	–	–	·26	–	–	TRACE	–	–		28
29				–	–	1·08	·01	–	–	·01	·14	·15		29
30		✕		–	·06	TRACE	·06	–	–	·42	TRACE	·07.		30
31		✕		✕	·01	✕	·18	–	✕	·16	✕	·27	'd'	31
TOTAL	(3·62)	(2·67)	(2·75)	2·21	1·07	3·43	5·25	0·39	3·20	1·52	4·26	2·89	~~Year's Total~~ ~~24·22~~	(33·26)
* Days with .01 in. or more.	25	18	19	13	9	16	28	7	16	12	19	14	([illegible]) ~~134~~	Total for last 9 months.
* Days with .04 in. or more.	19	10	15	10	7	12	23	5	11	9	15	10	(146) ~~102~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N

(Signed) B. Simson [P.T.O.

x— City Engineer —x

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 2184/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bristol (Victoria Park

in the County of Bristol.

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 126 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·16	–	0·05	0·01	–	–	0·01	–	0·04					1
2	Tr.	0·33	0·01	0·04	–	–	–	–	0·01					2
3	–	0·07	0·06	Tr	0·24	–	–	–	–					3
4	0·07	0·17	–	0·03	–	Tr	–	0·02	–					4
5	0·42	–	0·08	–	–	–	–	–	–					5
6	0·21	0·12	0·10	0·30	0·07	–	0·15	–	–					6
7	–	0·83	–	0·18	–	–	–	–	0·04					7
8	–	Tr	–	–	1·18	–	–	–	–					8
9	–	0·01	–	0·03	0·24	–	0·05	0·01	0·41					9
10	0·03	–	0·40	0·66	–	0·08	–	0·11	–					10
11	Tr	–	0·28	0·02	0·26	0·86	0·34	–	–					11
12	0·24	0·17	0·15	–	Tr	0·20	0·02	0·16	0·04					12
13	0·04	0·07	0·39	0·03	–	0·44	–	1·52	Tr					13
14	–	Tr	0·26	0·06	–	–	–	–	0·03					14
15	0·26	0·38	–	0·29	–	–	3·00	0·03	0·18					15
16	0·02	0·08	0·28	0·20	–	0·03	0·01	0·16	0·45					16
17	0·41	0·05	0·39	–	–	–	Tr	Tr	0·03					17
18	0·50	0·01	0·14	–	–	Tr	–	–	–					18
19	0·08	0·16	0·03	0·05	0·05	0·06	0·03	–	0·56					19
20	0·23	–	0·24	0·29	0·16	–	–	–	–					20
21	0·15	0·55	0·15	0·09	0·13	–	0·04	–	–					21
22	0·22	–	0·10	–	0·07	–	0·06	–	–					22
23	0·05	0·13	0·01	–	0·21	–	0·05	–	–					23
24	0·38	0·38	–	–	–	–	–	–	0·04					24
25	0·05	0·47	0·11	–	0·30	–	–	–						25
26	–	0·37	0·01	–	0·31	–	–	–						26
27	–	0·25	–	0·09	–	–	–	–						27
28	–	0·04	–	–	–	0·04	–	–						28
29	0·02	×	–	–	–	0·07	–	–						29
30	0·45	✕	–	–	–	0·03	–	0·05						30
31	0·04	✕	–	✕	–	✕	0·02	–	✕		✕			31
TOTAL	4·03	4·64	3·24	2·37	3·16	1·81	3·78	2·06	1·83	#			Year's Total	
* Days with .01 in. or more.	21.	20	20	16	12	9	12	8	11					
* Days with .04 in. or more.	18.	18.	16.	11	12.	7	7	5.	8.					

Gauge removed to Sparke Evans Park.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry of
AIR MINISTR

FORM 1090

REGIS

Kept at ~~Sparks E~~

in the County of Brist

Diameter of Funnel of Gauge......(

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEASUR

An observer who does not conform
year in the space on the right of th

Ple

2184/3

BRISTOL

SPARKS EVANS PARK

1937-40

780402

Station No. 2184/3

L ORGANIZATION

7

36

DAY

following

Jan. 1, following

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03	·07	·28		1
2										TR	TR	·13		2
3										–	–	·01		3
4										–	–	·19		4
5										–	–	TR		5
6										·04	–	–		6
7										TR	–	S TR		7
8										–	·25	–		8
9										–	TR	S ·01		9
10										–	–	·30		10
11										–	–	·01		11
12										–	–	·24		12
13			Gauge transferred from							–	–	·03		13
14			Victoria Park, Bristol.							–	–	·08		14
15										–	–	·14		15
16										–	·01	–		16
17										–	·05	–		17
18										–	·22	·12		18
19										–	16	·01		19
20										–	TR	·02		20
21										TR	·07	·01		21
22										·61	·50	·03		22
23										·33	·03	–		23
24										·20	TR	·02		24
25										·47	–	·02		25
26										TR	–	·01		26
27										·49	–	–		27
28										·17	–	TR		28
29										·47	·05	·01		29
30		✕								·08	·31	TR		30
31		✕		✕		✕			✕	·20	✕	–		31
													Year's Total	
TOTAL										3·09	1·72	1·67	ump	
* Days with .01 in. or more.										11.	11.	20.	„	
* Days with .04 in. or more.										10.	9.	8.	„	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** **for the entry of Daily Observations** ... ation No. 2184/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sparke Evans Park

in the County of Bristol

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 29·0 ft.

520253/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03	·07	·28		1
2										TR	TR	·13		2
3										–	–	·01		3
4										–	–	·19		4
5										–	–	TR		5
6										·04	–	–		6
7										TR	–	S TR		7
8										–	·25	–		8
9										–	TR	S ·01		9
10										–	–	·30		10
11										–	–	·01		11
12										–	–	·24		12
13			Gauge transferred from							–	–	·03		13
14			Victoria Park, Bristol.							–	–	·08		14
15										–	–	·14		15
16										–	·01	–		16
17										–	·05	–		17
18										–	·22	·12		18
19										–	16	·01		19
20										–	TR	·02		20
21										TR	·07	·01		21
22										·61	·50	·03		22
23										·33	·03	–		23
24										·20	TR	·02		24
25										·47	–	·02		25
26										TR	–	·01		26
27										·49	–	–		27
28										·17	–	TR		28
29										·47	·05	·01		29
30		☒								·08	·31	TR		30
31		☒		☒		☒			☒	·20	☒	–		31
													Year's Total	
TOTAL										3·09	1·72	1·67		
* Days with .01 in. or more.										11.	11.	20.		
* Days with .04 in. or more.										10.	9.	8.		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

N

BRISTOL (SPARKE EVANS PK)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sparke Evans Park (+A)

in the County of Bristol Glos./S

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 29.0 ft.

inc 1937

5.20253/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0·01	–	–	–	0·21	0·02	0·08	–	0·15	0·12	0·13		1
2	0·01	–	–	0·06	0·04	Tr	0·03	–	–	0·35	0·01	0·06		2
3	–	–	–	–	0·17	0·04	0·03	–	–	1·04	0·04	–		3
4	0·01	–	–	–	–	0·02	0·50	0·18	–	0·52	Tr	0·09		4
5	–	–	–	–	–	–	0·42	0·04	–	0·41	–	0·31		5
6	0·06	–	–	–	–	0·03	0·44	–	0·08	0·24	–	0·07		6
7	0·12	–	–	–	–	–	0·29	0·01	0·11	0·06	–	0·06		7
8	0·71	–	–	–	–	–	0·02	0·02	0·01	0·41	–	0·05		8
9	0·20	–	–	–	–	–	0·01	0·32	–	0·03	–	0·14		9
10	0·09	–	–	–	–	0·23	0·17	0·25	–	0·02	–	0·30		10
11	0·31	–	–	–	–	–	0·08	0·27	–	–	0·16	0·21		11
12	0·46	–	–	–	0·15	–	–	0·01	–	0·33	0·25	Tr		12
13	0·01	–	–	–	Tr	–	–	–	–	0·12	0·32	0·54		13
14	0·30	–	–	–	Tr	–	0·63	–	Tr	–	Tr	Tr		14
15	0·29	–	–	–	Tr	–	0·16	Tr	–	0·07	0·01	0·23		15
16	0·55	–	0·02	–	0·01	–	–	0·01	–	–	0·01	–		16
17	Tr	0·11	–	–	–	–	–	–	0·19	0·15	Tr	Tr		17
18	0·13	–	–	–	–	0·06	–	0·02	1·20	0·04	0·42	Tr		18
19	0·05	–	–	–	–	–	–	0·11	0·09	–	0·25	–		19
20	0·03	–	–	–	–	–	–	0·03	–	–	0·41	–		20
21	0·10	–	–	–	–	–	–	0·24	0·11	–	0·07	0·10		21
22	Tr	–	–	0·06	–	0·03	–	0·30	–	–	0·45	0·10		22
23	–	–	–	0·03	–	–	–	Tr	0·06	–	0·04	0·01		23
24	Tr	Tr	0·18	Tr	0·03	–	–	0·01	0·06	–	0·11	–		24
25	0·18	0·32	0·02	–	0·10	–	0·10	Tr	–	0·03	0·51	0·11		25
26	0·29	0·29	–	–	0·17	–	–	–	0·06	0·13	–	0·15		26
27	0·04	0·08	–	–	0·18	0·28	0·28	0·04	0·07	0·17	0·30	Tr		27
28	0·10	0·14	–	–	0·01	0·21	–	0·72	0·08	–	0·01	0·02		28
29	0·06	X	–	–	0·41	0·21	–	–	0·03	0·07	0·22	Tr		29
30	0·02		–	–	0·35	0·01	–	–	0·35	0·04	0·34	–		30
31	0·29		–		0·35		–	–		0·13		0·27		31
TOTAL	4·41	0·95	0·22	0·15	1·97	1·33	3·18	2·66	2·50	4·51	4·05	2·95	Year's Total 28·88	✓
* Days with .01 in. or more.	24	6	3	3	12	11	15	18	14	21	20	19	166	✓
* Days with .04 in. or more.	19	5	1	2	9	7	10	11	12	18	16	17	127	✓

98 11/4/39

THE CITY ENGINEER

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sparke Evans Park

in the County of Bristol

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·	·05	·08	·37	·	·	·03	·10	·	Trace	·05		1
2	Trace	·	·	·01	·	·	·	·44	·37	·	·12	Trace		2
3	17 s/R	·	·	·21	-	-	·	·36	·20	·	·09	·54		3
4	·04 s/R	·	·37	·39	·16	-	·11	·14	-	·05	·31	·27		4
5	·	·	·01	·35	·18	-	·17	·12	-	·20	·48	Trace		5
6	·42	·	·	-	-	-	·56	·03	-	·	·05	·		6
7	·18	·23	·	-	-	-	·02	·	-	·	·47	·62		7
8	Trace	·25	·28	·	·01	-	·25	·07	·	·66	·61	·37		8
9	·06	·11	·02	-	·	-	·	·03	-	·25	Trace	·12		9
10	·32	·03	·01	·	·	·10	·	·12	·16	·02	·	·01		10
11	·	·04	·20	·	·	·	·	·	·	·10	·01	Trace		11
12	·24	Trace	-	·	·	·03	·	·	·	Trace	·02	·		12
13	·	-	-	·09	Trace	·01	·14	·	·	·37	·01	-		13
14	·36	-	·	·04	·13	·07	·37	·	-	·01	·26	·		14
15	·19	·01	·	·06	·05	·65	·09	·	·	·01	·24	·		15
16	·12	·	·	·03	·05	·01	·33	·	·	·	·23	·		16
17	·30	·	·	·01	·07	·06	Trace	·	-	·	·06	Trace		17
18	·11	·01	·04	-	·	·20	·34	·	·	·	·64	·		18
19	·24	·	-	-	-	·	1·12	·	·	-	·	·		19
20	·35	·	·	-	·	·01	·21	·59	·	·	·	·		20
21	·02	·12	·27	·	Trace	·06	·04	·01	·	·	·	·		21
22	·41	·57	·02	Trace	-	·06	Trace	·03	·	·03	·26	·		22
23	·01	·03	·	·20	-	·04	·34	·02	·	·	·86	'		23
24	·36 s	·01	·03	·08	·	·47	·02	·	·	Trace	·	·		24
25	·84 s	·12	·02	·	·	·	·13	Trace	·	·20	·64	·		25
26	·07	·09	·	-	-	-	·	·66	·	·07	·54	·01		26
27	·	·07	·05	·	·	·01	·18	·03	·	Trace	·04	·01 s/R		27
28	-	·06	·11	·02	·	·15	Trace	·	·	·	·23	·13		28
29	·	✕	-	·03	-	·	·14	·	·	·13	·36	·		29
30	Trace s	✕	-	1·26	-	-	·03	·02	·	·05	·17	Trace		30
31	·	✕	·	✕	·	✕	·01	·02	✕	·24	✕	Trace		31
													Year's Total	
TOTAL	4·85	1·75	1·48	2·86	1·02	1·93	4·60	2·72	·83	2·39	6·59	2·13	33·15	
* Days with .01 in. or more.	21	15	14	15	8	15	20	17	4	15	23	10	177	
* Days with .04 in. or more.	19	10	8	10	7	10	16	8	4	11	20	7	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2184/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Sparke Evans Park
in the County of Bristol
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 290 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		Trace		·05	Trace		–				·35	–		1
2		·07 s		·02	–		·06				2·00	Trace		2
3		·23		·04	–		–			·18	1·25	·07		3
4		·33		·04	Trace		·03			·23	·07	·09		4
5		Trace		–	–		·01			·17	·44	·07		5
6	·09	·20		–	Trace		–			·26	·03	–		6
7	·04	·44		·03	–		·69			Trace	–	–		7
8				–	Trace		–		·01	·22	·06	·08		8
9				Trace	–		·30	·06	·09	·23	·30	·23		9
10			Trace	–	–		·58	·03	·01	·12	·21	·05		10
11			·02	·03	–		·91		–	–	1·10	–		11
12			·20	–	–	·13	·79		·23	–	·06	–		12
13			·48	–	–	–	·37		·03	Trace	·65	–		13
14		·03	·01	·03	1·22	–	·02	Trace	·02	·24	–	·26		14
15		–	–	·07	·83	·10	·29		·12	·03	·19	–		15
16		·24 s	·42	·10	·02		·29		·11	·81	·48	·06		16
17		–	·34	Trace	–		·23		Trace	–	Trace	–		17
18	·11 s	·37 s/r	·48	·45	–		–		·04	·06	Trace	·10		18
19		·08	·06	·05	–		·54		·76	–	·18	Trace		19
20		Trace	·02	Trace	–		1·26		·02	·27	·06	–		20
21		–	–	–	·19	·09	·05		–		·46	–		21
22		·03	·10	·06	Trace	·33	–		·05		Trace	–		22
23		·17	·06	·08	–	–	–		Trace	·04	·05	·01		23
24		–		–	·01	–	·21				Trace	Trace		24
25	·10	–		·02	–	·03	–				–	–		25
26	·75	·10		·13	·10	·04	·54				·01	–		26
27	·51	·04		·01	·15						Trace	–		27
28	·61 s/r	·03		–	·07						–	–		28
29	·01	–	·14	·44	–						–	·31		29
30	·05	✕	–	·23	–					·24	–	Trace		30
31	·01	✕	·02	✕	–	✕			✕	·46	✕	·02		31
TOTAL	2·28	2·36	2·35	1·88	2·59	0·72	7·17	0·09	1·49	3·56	7·95	1·35	Year's Total 33·79 ✓	
* Days with .01 in. or more.	10	14	13	18	8	6	18	2	12	15	19	12	147 ✓	
* Days with .04 in. or more.	8	11	9	12	6	5	15	1	7	14	17	10	125 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. Smisson

2184/5

ASHWICKE
HOME FARM
1935 —— 39

780402

Section **A** for the entry o
AIR MINIST

FORM 1090. REGI

tation No. 2184/5
LL ORGANIZATION.

5.

omissions?

basto

Kept at ~~Home Farm~~ (Ashw
in the County of Glouceste
Diameter of Funnel of Gauge......
Height of top of Gauge above Gr
,, Ground , above Se

THE MORNING MEASU

An observer who does not conform
year in the space on the right of th
Pl

following

Jan. 1, following

Date	Jan.	Feb.	Mar.	A								Dec.		Date
	in.	in.	in.									in.	†	
1		·04							·14	·10	·15	·10		1
2									·23	·14	·04	·14		2
3		·07	·11				·18		·13	·44	·27	·02		3
4	·05	·08		·15					1·14	·65	·28	·05		4
5		·32	·23	·14					·12	·33				5
6				·34					·31					6
7				·55						·23		·14		7
8				·35						·35	·15			8
9	·14			·56					·32	1·06	·55			9
10				·31						·12	·15			10
11	·34			·39										11
12	·14	·20									·06			12
13	·08	·08		·21							·12			13
14									·03		1·30	·40		14
15				·71					·44		·15	·14		15
16		·19		·18					1·09	·06	·83			16
17		·04	·15				·03		·34		·14			17
18				·28			·02		·32	·12	·13			18
19							·17		·20		·70			19
20		·30		·42										20 5.02
21		·41	·09	·13					·29	·11		Snow		21
22			·19	·11				·10	·08			Snow		22
23								·13	·33	·87				23
24	·22	·28		·42				·53	·65	·15		·72		24
25	·09			·17		4·50						·84		25
26					Dates not noted	Other dates not noted		·14	·14		(1·25)	·80		26
27		·48						·07	·20					27
28								·04	·15					28
29									·12	·10		·31		29
30		✕						·80	·05	·15		·58		30
31		✕		✕		✕			✕	·72	✕	·27	d	31
TOTAL	1·06	2·49	·77	5·42	1·44	7·60	·40	1·81	6 82 ~~4·98~~	5·70	5·02 ~~4·30~~	4·51	Year's Total 43·04 ~~40·48~~	Print Att.
* Days with .01 in. or more.														
* Days with .04 in. or more.	7	12	5	17			2	7	21	17	15	12		

40-9999.
* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) ~~G. E. Andrews~~ .... [P.T.O.

X ~~for~~ Major M. E. W. Pope ~~Ashwicke Hall.~~

Section **A** for the entry o[redacted]tation No. 2184/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ~~Home Farm~~ (Ashwicke) Marshfield

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground , above Sea Level 600 ft.

Glos/5

(417101/~~35~~)

Casts

omissions?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·04							·14	·10	·15	·10		1
2									·23	·14	·04	·14		2
3		·07	·11				·18		·13	·44	·27	·02		3
4	·05	·08		·15					1·14	·65	·28	·05		4
5		·32	·23	·14					·12	·33				5
6				·34					·31					6
7				·55						·23		·14		7
8				·35						·35	·15			8
9	·14			·56					·32	1·06	·55			9
10				·31						·12	·15			10
11	·34			·39										11
12	·14	·20									·06			12
13	·08	·08		·21							·12			13
14									·03		1·30	·40		14
15				·71					·44		·15	·14		15
16		·19		·18					1·09	·06	·83			16
17		·04	·15				·03		·34		·14			17
18				·28			·02		·32	·12	·13			18
19							·17		·20		·70			19
20		·30		·42										20 5·02
21		·41	·09	·13					·29	·11		Snow		21
22			·19	·11				·10	·08			Snow		22
23								·13	·33	·87				23
24	·22	·28		·42				·53	·65	·15		·72		24
25	·09			·17		4·50						·84		25
26					Dates not noted	Other dates not noted		·14	·14		(1·25)	·80		26
27		·48						·07	·20					27
28								·04	·15					28
29									·12	·10		·31		29
30		✕						·80	·05	·15		·58		30
31		✕		✕		✕			✕	·72	✕	·27	d	31
TOTAL	1·06	2·49	·77	5·42	1·44	7·60	·40	1·81	6·82 ~~4·98~~	5·70	5·02 ~~4·30~~	4·51	Year's Total 43·04 ~~40·48~~	Print Alt.
* Days with .01 in. or more.														
* Days with .04 in. or more.	7	12	5	17			2	7	21	17	15	12		

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) ~~G. E. Andrews~~ [P.T.O.

~~for~~ Major M. E. W. Pope ~~Ashwicke Hall.~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2184/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Home Farm Ashwicke Marshfield

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground above Sea Level 600 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·19		·22			·31	·8			·14			1
2	·02			·02			·13	·14			·18			2
3			·26	·21	~~·75~~	·15	·20	·06	·47		·26			3
4				·20	~~·29~~	·29	·04		·38		·13	·07		4
5	·41						·09		·08		·03	·37		5
6	·06						·08		·12		·41			6
7	·02		·13				·47				·71			7
8	·21		·42				·11				·81			8
9	·45						·34		·21		·22			9
10							·44							10
11							·05		·11		·41			11
12				·13	~~·43~~	·43	·56		·88		·16			12
13				·02			·30		·04		·06			13
14				·05			·67		·11		·07	·46		14
15		·23		·15			·05		·23		·05	·52		15
16		·11					·06				·46	·28		16
17	·34	·81			·06		·08				·13	·27		17
18	·58	·10				·17	·79			·06				18
19	·30		·02	·28		·26		·27						19
20		·22		·20		·15			·49					20
21				·71			·05							21
22	·11	·65	·26				·32							22
23	·15	·03	·13	·06	·12		·07							23
24	·13	·06		·01			1·01		·16	34				24
25	·14		·28	·23			·24		28	·19				25
26	·15	·14	·19				·02			·16				26
27	·14		·08							·10				27
28	·55		·34				·63					·26		28
29	·02	·12	·36			·51					·12	·15		29
30	·15	✕					·09			·65		·01		30
31	·23	✕		✕	·08	✕	·21		✕	·37	✕			31 "d"
													Year's Total	
TOTAL	4·28	2·66	2·47	2·49	·26	1·96	7·37	·55	3·56	1·87	4·35	2·39	34·21	
* Days with .01 in. or more.	20	11	10	14	3	7	27	4	13	7	17	9	143	
* Days with .04 in. or more.	17	10	10	11	3	7	26	4	13	7	17	8	133	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Home Farm Ashwicke

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 600 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18			·12							·15	·44		**1**
2	·02	·41										·35		**2**
3		·22			·11									**3**
4	·14	·23		·30								·34		**4**
5	·38		·08											**5**
6	·11	·11		·14	·21		·31							**6**
7		·72		·48										**7**
8			·07		·38									**8**
9	·02				·33		·22		·39					**9**
10			·46	·92		·15		·17			·48			**10**
11			·32		·28	·24								**11**
12	·35	·31	·26		·05			·09	·12			·38		**12**
13	·07	·07	·75	·10				·16						**13**
14		·02		·13				·13	·09			·25		**14**
15	·27	·43	·61	·27			Thunder 2·03	·12	·15			·06		**15**
16		·12	·53	·29		·07		·27	·76					**16**
17		·07	·33					·02	·33					**17**
18		·15	·20					·03			·28			**18**
19	·98	·06	·18	·09	·04	·11			·48					**19**
20	·53		·12	·34	·18									**20**
21	·29	·64			·09			·20			·05			**21**
22	·27				·32	·08	·09			·102	·35	·12		**22**
23	·28	·17	·11				·07			·54				**23**
24		·70								·43				**24**
25		·48	·18		·09			·09		·38		·15		**25**
26		·46			·71			·02						**26**
27				·06				·01		·68				**27**
28		·21								·12				**28**
29										·09				**29**
30	·43	✕								·12	·12			**30**
31	·51	✕		✕		✕			✕	·29	✕			**31**
TOTAL	4·83	5·58	4·20	3·24	2·79	·65	2·74	1·31	2·32	2·77	1·43	2·09	Year's Total 33·95	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) G. E. Andrews [P.T.O.

for Major M. E. W. Pope

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Home Farm Ashwicke

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 600 ft.

Totals
Days
Aves

snow w.f.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·09				·33	1·06	Thunder ·12		·39	·17	·19		1
2						·03	·			·37		·12		2
3					·23		·08			1·75	·07	·		3
4						·05	·26	THR ·37		·53		·19		4
5						·11	·08	THR ·53		·47		·21		5
6	·08						·19		·16	·24		·13		6
7	·06					·02	·69	·05	·13	·13		·49		7
8	·49					·09	·07	Thr ·46		·44		·74		8
9	·18					·03	·05	·04		·47		·17		9
10	·15					·19	·18	·19						10
11	·39						·05	·04			·24			11
12	·44				·19			Thr ·29			·15			12
13	·05							·04		·31	·29	·90		13
14	·33				·07		·64	Thr ·07	·05					14
15	·21						·15					·33		15
16	·55		·04				·45			·13				16
17					·03						·02			17
18	·14					·06	·12	Thr 24	Thr 1·39	·19	·51			18
19	·05						·05	·09	·14	·06	·26			19
20							·14		·02	·	·39			20
21	·08						·28	·08			·03			21
22	·04				·21	·04		Thr ·57			·49			22
23								·16	·24		·13	Snow		23
24					·04						·19	&		24
25	·15			·02	·15				·06	·10	·64	Rain		25
26	·29	·61		·03					·17	·12	·46	·62		26
27	·09	·23			·17	·39		Thr ·12	·05	·09	·			27
28	·10	·15			·30	·37		Thr ·87	·14		·10	·06		28
29	·16				·04	·05			·20		·24	·05		29
30	·06	✕			·41	·14			·86	·19	·23	·		30
31	·27	✕		✕	·25	✕			✕		✕	·34		31 d
													Year's Total	
TOTAL	4·36	1·08	·04	·05	2·09	1·90	4·54	4·33	3·61	5·98	4·61	4·54	37·13	
* Days with .01 in. or more.	22	[illegible]	1	2	12	14	17	18	13	17	18	19	157	
* Days with .04 in. or more.	22	4	1	0	11	11	17	18	12	17	16	17	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. E. Andrews

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2184/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Home Farm Ashwicke · Marshfield

in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ~~6~~ 0 in.

,, Ground ,, Sea Level 600 ft.

~~Total~~

~~Days~~ ER

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08		·11	·13				·12	·11		·02			1
2				·09				·46	·61		·14	·04		2
3	·28			·31				·77	·32		·22	·60		3
4			·44	·57	·18		Thr ·32	·42		·20	·34	·36		4
5			·05	·63	·21			·19			·57	·12		5
6	·48						·22				·05			6
7	·17	·31					·73				·39	·84		7
8		·25	·28				·14	·17		·99	·42			8
9	·14	·11						·12		·33		·19		9
10		·07	·04			·11		·13		·09				10
11	·28	·06	·34			·03				·28				11
12	·15	·06												12
13				·11			·26			·63	·05			13
14	·54				·18	·26	·23			·06	·21			14
15	·27				·14	·78	·27			·26	·34			15
16	·16					·05	·34				·35			16
17	·34					·16					·09			17
18	·26										·52			18
19	·33					·57	Thr ·98			·31				19
20	·44						·38	THR ·15				·07		20
21	·37	·21	·37			·12	·53			·16				21
22		·79	·06			·09	·06				·26			22
23				·36		·16	·23				·84			23
24	Snow					·37	·26							24
25	Snow	·21					~~[illegible]~~				·59			25
26	1·82	·08	·10								·62			26
27		·20	·11				·18	·43			·07	Snow		27
28		·24	·11			·19					·37	Snow		28
29				·05			·13				·68	·21		29
30		✕		1·40		·12	·03				·21			30
31		✕		✕		✕	·07		✕	·18	✕			31
TOTAL	6·11	2·59	2·01	3·65	·7[illegible]	3·01	5·35	2·96	1·04	3·12	7·35	2·43	Year's Total 40·33	
* Days with .01 in. or more.	~~16~~	~~12~~	~~11~~	~~9~~	~~4~~	~~13~~	~~18~~	~~10~~	~~3~~	~~11~~	~~22~~	~~8~~	~~137~~	
* Days with .04 in. or more.	16	12	11	9	4	12	17	10	3	11	21	8	134	

'd'

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) G. E. Andrews [P.T.O.